



SUNOCO PIPELINE
535 Fritztown Road
Sinking Spring, PA 19608

October 30, 2017

Via Electronic Mail

Scott R. Williamson
Program Manager
Waterways & Wetlands Program
Southcentral Regional Office
909 Elmerton Avenue
Harrisburg, PA 17110-8200

Re: Hydrogeological Re-Evaluation Report
Wetlands J-47 Horizontal Directional Drill Location (S3-0090)
Application No. E22-619 and E38-194
Conewago Township, Dauphin County and South Londonderry Township,
Lebanon County

Dear Mr. Williamson:

SPLP Logistics, L.P. (“SPLP”) submitted to the Department the above-referenced Reevaluation Report which meets all of the requirements of a Reevaluation Report as set forth in the Corrected Stipulated Order issued by the Environmental Hearing Board dated August 10, 2017 (the “Order”). The Order requires the Department to render a determination on Reevaluation Reports within 21 days of its receipt of the Reevaluation Report.

By letter dated October 26, 2017, you transmitted the Department’s response to the above-referenced Reevaluation Report, which requested two categories of additional information, and which we understand to be the Department’s only comments on the Reevaluation Report. Please accept this letter in response to your letter, with each of the Department’s two requests for information set forth in **bold** below, followed by the response.

1. **Provide confirmation that you identified all water supplies within 450 feet from the HDD alignment.**
 - a. **Confirm that you provided the proper and adequate notice to all property owners within 450 feet from the HDD alignment and asked for their water supply information.**
 - b. **Provide all documentation from item 1.a.**
 - c. **Provide the property owners’ responses to the notifications.**

In accordance with the terms of the Order, SPLP has identified all landowners with property located within 450 feet of the HDD alignment. SPLP sent each of these landowners a notification letter via both certified and first class mail that includes an offer to sample the landowner’s private water supply/well in accordance with the terms of the Order and the Water Supply Assessment, Preparedness, Prevention and Contingency Plan. SPLP requested each landowner contact the Right-of-Way agent for the local area and provide SPLP with information

regarding: (1) whether the landowner has a well; (2) where that well is located; and, (3) if the landowner would like to have the well sampled. Copies of the landowner notice letters sent for this HDD are attached.

There is no requirement in the Order to provide this information along with the Reevaluation Reports to the Department's Regional Offices. Instead, in accordance with paragraph 10 the Order, copies of the certified mail receipts for the letters sent to landowners for each HDD location have already been provided to Karyn Yordy, Executive Assistant, Office of Programs at the Department's Central Office. If the Department's Regional Offices now request a copy of the certified mail receipts, we suggest that you contact Ms. Yordy directly.

With respect to the HDD which was the subject of the above-referenced Reevaluation Report, there are ten landowners with property located within 450 feet of the HDD alignment. Each of these ten landowners was sent a landowner notice letter requesting information on their private water supply/well on October 16, 2017. Five landowners responded to SPLP following receipt of the Notice. One landowner informed SPLP that he was on public water and therefore did not need sampling. The four other landowners requested sampling of their wells. As of the date of this letter, one well has been sampled, and the four other wells (one landowner has two wells) are being scheduled for sampling. No other responses have been received.

2. Provide discussion and consideration of potential risks to private water supplies.

There is no requirement in the Order that the Reevaluation Reports include a discussion and consideration of potential risks to private water supplies. Instead, the Department agreed that the Order require, among other things, that: (1) SPLP be required to send the Reevaluation Reports to all landowners who have a private water supply that are located within 450 feet of an horizontal directional drill ("HDD") (*see* Paragraph 7 of the Order); (2) SPLP notify landowners within 450 feet of an HDD of the start or restart of an HDD prior to 10 days of the start or restart of the HDD (*see* Paragraph 8 of the Order); (3) SPLP offer those landowners with private water supplies within 450 feet of the HDD the opportunity to have their private water supplies tested by SPLP before, during and after the start or restart of the HDD (*see* Paragraph 8 of the Order); and, (4) the Water Supply Assessment, Preparedness, Prevention and Contingency Plan (the "Water Supply Plan") be followed in instances where there was any report of an effect to a private well from any landowner, which requirements include reporting to the Department.

SPLP has followed all of these requirements for any and all its HDDs, and as you may know, has provided in other instances alternate water supplies (e.g., bottled water and water buffaloes) to any landowner who makes a water supply complaint. In this way, SPLP has properly, and in accordance with the Order and Department-approved Water Supply Plan, considered and mitigated any potential risks to private water supplies.

In addition, the Reevaluation Reports are sent for review to the landowners and the Department 21 days prior to the Department's determination on the Reevaluation Report, whereas the notice to landowners regarding SPLP's offer to test their private water well, and inform SPLP that they have one, is sent thereafter, a minimum of 10 days prior to the start or

Scott R. Williamson
October 30, 2017
Page 3

restart of the HDD. The timing of these letters are further indication that the Order does not require that the Reevaluation Reports include a discussion and consideration of potential risks to private water supplies, and instead demonstrates that the Order provides other safeguards to private water supplies, as described above.

By sending this response to the Department's only comments to the above-referenced Reevaluation Report, we request that the Department now approve this Reevaluation Report.

Sincerely,



Matthew Gordon
Sunoco Pipeline L.P.

Enclosure

cc: Margaret Murphy, Esquire (via electronic mail)
Nels Taber, Esquire (via electronic mail)
Curt Sullivan, Esquire (via electronic mail)
Mr. Edward Muzic (via electronic mail)



October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

925 Joanna Road
Morgantown, PA 19543

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Not
and Private Water Supply/Well Sampling Offer

Dear [Redacted]:

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee
 \$ _____

Extra Services & Fees (check box, add fee as appropriate)

| | |
|--|----------|
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ _____ |
| <input type="checkbox"/> Return Receipt (electronic) | \$ _____ |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ _____ |
| <input type="checkbox"/> Adult Signature Required | \$ _____ |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ _____ |

Postage
 \$ _____

Total \$ _____

Sent to: 925 Joanna Road
 Morgantown, PA 19543
 PA-BR-0180.0000-ABTS 35532104704739

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

██████████
1030 Elverson Rd.
Morgantown, PA 1943

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notif
and Private Water Supply/Well Sampling Offer

Dear ██████████

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee
\$ _____

Extra Services & Fees (check box, add fee as appropriate)

| | |
|--|----------|
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ _____ |
| <input type="checkbox"/> Return Receipt (electronic) | \$ _____ |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ _____ |
| <input type="checkbox"/> Adult Signature Required | \$ _____ |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ _____ |

Postage
Tr ██████████
\$ 1030 Elverson Rd.
\$ Morgantown, PA 1943
\$ PA-BR-0180.0000 532104619294
C

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.


To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.



Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

██████████
31 Pine Grove Ln.
Elverson, PA 19520

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notif
and Private Water Supply/Well Sampling Offer

Dear ██████████

E085 099PT 0000 04ED 9TD2

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®

OFFICIAL USE

Certified Mail Fee \$
Extra Services & Fees (check box, add fee as appropriate)
 Return Receipt (hardcopy) \$
 Return Receipt (electronic) \$
 Certified Mail Restricted Delivery \$
 Adult Signature Required \$
 Adult Signature Restricted Delivery \$

Postmark Here

Package: ██████████
 \$ 31 Pine Grove Ln.
 31 Pine Grove Ln.
 Elverson, PA 19520
 PA-BR-0184.0000-ABTN 533001081952
 City: ██████████

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

825 Berkshire Boulevard, Suite 203
Wyomissing, PA 19610

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notice
and Private Water Supply/Well Sampling Offer

Dear [Redacted]

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Postage and Fees

| | |
|--|----------|
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ _____ |
| <input type="checkbox"/> Return Receipt (electronic) | \$ _____ |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ _____ |
| <input type="checkbox"/> Adult Signature Required | \$ _____ |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ _____ |

Postage

\$ _____

Total \$ _____

825 Berkshire Boulevard, Suite 203
Wyomissing, PA 19610
PA-BR-0178.0000 532104611278

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. ("SPLP") is writing to inform you that a certain construction activity known as Horizontal Directional Drilling ("HDD") for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP's expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP's receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

605 Joanna Rd.
Morgantown, PA 1943

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notif
and Private Water Supply/Well Sampling Offer

Dear [REDACTED]

9525 080 1860 0000 0340 2016

| | |
|---|------------------------------|
| U.S. Postal Service™ | |
| CERTIFIED MAIL® RECEIPT | |
| Domestic Mail Only | |
| For delivery information, visit our website at www.usps.com | |
| OFFICIAL USE | |
| Certified Mail Fee | \$ |
| Extra Services & Fees (check box, add fee as appropriate) | |
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ |
| <input type="checkbox"/> Return Receipt (electronic) | \$ |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ |
| <input type="checkbox"/> Adult Signature Required | \$ |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ |
| Postage | \$ |
| Total Po | \$ |
| Sent To | 605 Joanna Rd. |
| Street a | Morgantown, PA 1943 |
| City, St | PA-BR-0179.0001 532104605587 |
| PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions | |



Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

609 Joanna Road
Morgantown, PA 19543

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notif
and Private Water Supply/Well Sampling Offer

Dear [Redacted]

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
 Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee
 \$

Extra Services & Fees (check box, add fee as appropriate)

| | |
|--|----|
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ |
| <input type="checkbox"/> Return Receipt (electronic) | \$ |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ |
| <input type="checkbox"/> Adult Signature Required | \$ |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ |

Postage
 Total \$ [Redacted]

Sent [Redacted]

Street 609 Joanna Road

City Morgantown, PA 19543

PA-BR-0181.0000 35532104608597

PS Form April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

161 Rock Hollow Road
Birdsboro, PA 19508

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notif
and Private Water Supply/Well Sampling Offer

Dear [REDACTED]:

0185 0981 0000 1860 5810

2016 0340 0000 0460 9102

| | |
|---|------------------|
| U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only | |
| For delivery information, visit our website at www.usps.com | |
| OFFICIAL USE | |
| Certified Mail Fee \$ _____ | Postmark Here |
| Extra Services & Fees (check box, add fee as appropriate) | |
| <input type="checkbox"/> Return Receipt (hardcopy) \$ _____ | |
| <input type="checkbox"/> Return Receipt (electronic) \$ _____ | |
| <input type="checkbox"/> Certified Mail Restricted Delivery \$ _____ | |
| <input type="checkbox"/> Adult Signature Required \$ _____ | |
| <input type="checkbox"/> Adult Signature Restricted Delivery \$ _____ | |
| Postage \$ _____ | |
| Total Pct \$ _____ | |
| Sent To 161 Rock Hollow Road Birdsboro, PA 19508 | |
| Street PA-BR-0182.0000 35532002697928 | |
| City, St | |
| PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions | |

Sunoco Pipeline L.P. ("SPLP") is writing to inform you that a certain construction activity known as Horizontal Directional Drilling ("HDD") for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP's expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP's receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

PO BOX 375
Elverson, PA 19520

Re: **Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Private Water Supply/Well Sampling Offer**

Dear [REDACTED]:

7625 0981 0000 0340 0340 9702

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$

Return Receipt (electronic) \$

Certified Mail Restricted Delivery \$

Adult Signature Required \$

Adult Signature Restricted Delivery \$

Postage

Total \$ [REDACTED]

Sent To: PO BOX 375
Elverson, PA 19520

Street: Elverson, PA 19520

City, St. PA-BR-0183.0000 532104800002

PA Form 3842, April 2011 PSN 7530-02-000-9047 See Reverse for Instructions

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



October 16, 2017

BY CERTIFIED AND FIRST CLASS MAIL

[Redacted]
4851 N. Twin Valley Rd.
Elverson, PA 19520

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notifi-
and Private Water Supply/Well Sampling Offer

Dear [Redacted]:

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$ _____

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$ _____

Return Receipt (electronic) \$ _____

Certified Mail Restricted Delivery \$ _____

Adult Signature Required \$ _____

Adult Signature Restricted Delivery \$ _____

Postmark Here

Postage \$ _____

Total Postage \$ _____

Sent To [Redacted]

Street and City, State 4851 N. Twin Valley Rd. Elverson, PA 19520

PA-6R-0184.0000 532002883496

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

7016 0340 0000 1860 5759

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that a certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. This construction activity will consist of two separate HDDs – one HDD for each pipeline that will be installed. This letter is intended to inform you that this HDD activity will begin as soon as ten (10) days of the date of this letter.

As part of this construction activity, SPLP is offering private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. SPLP will provide you copies of all test results from your private water supply/well. Please note that upon their request, we will provide the test results to the Pennsylvania Department of Environmental Protection as well.

To assist with this process, SPLP is requesting that you contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735, to provide SPLP with the following information:

1. If you have a private water supply/well on your property;
2. The location of your private water supply/well on your property; and,
3. If you would like to have your private water supply/well tested.

If you would like to have your private water supply/well tested, you must contact the Right-of-Way agent for your area within the next then (10) days by calling Amy Johnson at (717) 208-7735. Your private water supply/well will be tested at a mutually-convenient time within ten (10) days of SPLP’s receipt of your request for testing. If you do not contact the Right-of-Way agent, there will be no further contact from us regarding any private water supply/well testing.

If you have any questions or concerns, please do not hesitate to contact the Right-of-Way agent for your area by calling Amy Johnson at (717) 208-7735.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450