

ATTACHMENT A-3
COMPRESSOR STATION 200

*Science Collaborating with Business
for Better Environmental Solutions*



TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC

REGIONAL ENERGY ACCESS EXPANSION PROJECT

**WETLAND AND WATERCOURSE DELINEATION
REPORT**

LUZERNE, MONROE, BUCKS, CHESTER, AND
NORTHHAMPTON COUNTIES, PENNSYLVANIA

FEBRUARY 2021

Prepared by:



2525 Green Tech Drive; Suite B
State College, PA 16803
Phone: 814-689-1650 Fax: 814-689-1557



TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC

REGIONAL ENERGY ACCESS EXPANSION PROJECT

LUZERNE, MONROE, BUCKS, CHESTER, AND NORTHAMPTON COUNTIES,
PENNSYLVANIA

WETLAND AND WATERCOURSE DELINEATION REPORT

Table of Contents

Section

- 1.0 Introduction
- 2.0 Desktop Analysis
- 3.0 Wetland and Water Resource Delineation Methodology
- 4.0 References

Appendices

- A Overall Project Location Map
- B Resumes
- C Effort Loop Wetland and Watercourse Delineation Report (Omitted)
- D Regional Energy Lateral Loop Wetland and Watercourse Delineation Report
(Includes Compressor Station 515) (Omitted)
 - D-1 Compressor Station 515 to Bald Mountain Access Road
 - D-2 Bald Mountain Access Road to Interstate-81
 - D-3 Interstate-81 to Shoemaker Avenue
 - D-4 Shoemaker Avenue to Hildebrandt Road
- E Compressor Station 200 Wetland and Watercourse Delineation Report
- F Delaware River Regulator Wetland and Watercourse Delineation Report
(Omitted)
- G Main Line A Regulator Wetland and Watercourse Delineation Report (Omitted)

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT

LUZERNE, MONROE, BUCKS, CHESTER, AND NORTHHAMPTON COUNTIES, PENNSYLVANIA

WETLAND DELINEATION REPORT

1.0 INTRODUCTION

Transcontinental Gas Pipe Line Company, LLC (Transco) is proposing the Regional Energy Access Expansion Project (Project) which is an expansion of Transco's existing natural gas transmission system. This report summarizes the results of the wetlands and watercourse delineations (delineations) completed for the Project in Luzerne, Monroe, Bucks, Chester, and Northampton counties, Pennsylvania by WHM Consulting, LLC. (WHM). Appendix A to this report shows the overall Project location map showing each of the Project components.

Wetland delineations were completed on the Project between March of 2020 and November of 2020. Resumes of the staff present during the delineations can be found in Appendix B. In 2020, site visits to review the wetland boundaries at various locations was completed with the United States Army Corps of Engineers (USACE) as part of the preliminary jurisdictional determination (pre-JD) associated with the Project. The Philadelphia district reviewed the Effort Loop, and the eastern portion of the Regional Energy Lateral within the Philadelphia USACE district on August 11th, 2020 and August 12th, 2020. The Baltimore district reviewed western portion of the Regional Energy Lateral within the Baltimore USACE district on August 25th, 2020 and August 26th, 2020. The section of the Regional Energy Lateral from Bald Mountain Access Road to Hildebrandt Road is the only pipeline portion of the project within the Baltimore USACE district. Compressor Station 195 is also within the Baltimore USACE District. The Effort Loop, Compressor Station 200, Delaware Regulator, Main Line A Regulator, and the eastern portion of the Regional Energy Lateral from Compressor Station 515 to Bald Mountain Access Road are within the Philadelphia USACE district.

This overall narrative summarizes the methodology for the desktop analysis and wetland and watercourse delineation completed from the Project. As appendices to this report, several Project component specific reports are included. In these reports, an introduction to each Project component is provided, as well as the results of the desktop analysis and field surveys. Mapping, photographs, and wetland, upland and watercourse data forms are also provided. The following is a list of the appendices by Project component:

- Appendix C: Effort Loop Wetland and Watercourse Delineation Report (Omitted);
- Appendix D: Regional Energy Lateral Wetland and Watercourse Delineation Report (Includes Compressor Station 515) (Omitted);
- Appendix E: Compressor Station 200 Wetland and Watercourse Delineation Report;
- Appendix F: Delaware Regulator Wetland and Watercourse Delineation Report (Omitted);
- Appendix G: Main Line A Regulator Wetland and Watercourse Delineation Report (Omitted);

2.0 DESKTOP ANALYSIS

Prior to conducting field investigations, a review of natural resource data associated with the Project site was completed to help establish probable areas where wetlands and watercourses could be located before conducting the onsite field investigation. Specifically, the following information was reviewed:

- U.S. Geologic Survey (USGS) 7.5-minute topographical maps;
- Department of Conservation and Natural Resources (DCNR) PAMAP Program – Topographical Contours (2 ft Intervals);
- U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI);
- USGS National Hydrography Dataset (NHD);
- Natural Resources Conservation Service (NRCS) web soil survey; and,
- Current and historical aerial imagery.

3.0 WETLAND AND WATERCOURSE DELINEATION METHODOLOGY

WHM conducted investigations on the subject Project areas according to the procedures and technical guidelines outlined in the 1987 *USACE Wetland Delineation Manual* and the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (April 2012, Version 2.0)* and *Northcentral and Northeast Region (January 2012, Version 2.0)* depending on location. The USACE protocol establishes a three-parameter approach for identification and delineation of wetlands, which includes confirmation of the following:

I. Hydrophytic Vegetation: This condition exists when greater than 50% of the plant species contain obligate (OBL), facultative-wet (FACW), or facultative (FAC) indicator status.

II. Hydric Soils: Hydric soils are defined as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part of the soil (Federal Register, July 13, 1994).

III. Wetland Hydrology: Wetland hydrology is recognized through evidence of inundation and/or saturation to the soil surface for at least 5% of the growing season during most years.

In undisturbed conditions, the three parameters must be confirmed to be present to characterize an area as a wetland. In highly disturbed or problematic wetland situations, USACE guidance details procedures to be used for evaluating these areas and determining which areas are most likely considered wetlands upon review by a USACE representative. Upon completing our investigations, areas exhibiting three of the USACE criteria presented above and which also have surface water connection to other waters of the United States are identified as resources that are likely to be regulated by the USACE as Jurisdictional Wetlands. Areas exhibiting three parameters but without surface water connection to other waters were identified as wetlands or waters, but they may or may not be regulated by the USACE. In many cases, wetland areas not regulated by the USACE are still likely to be regulated by the PADEP.

A Cowardin Classification (or multiple Cowardin Classifications) was assigned to each wetland based on the vegetation, sediment type, and hydrological regime. Wetlands were flagged with pink wetland delineation flagging and labeled according to the team number,

unique wetland ID, survey point number, and Cowardin classification. Wetlands with multiple Cowardin classifications will be delineated as one wetland and include a delineation of the boundaries of each Cowardin type within the wetland complex. Wetland and upland data points were surveyed at each wetland with data being recorded.

In addition to wetlands, watercourses likely to be regulated as Waters of the United States, including ephemeral, intermittent and perennial watercourses, were identified in the investigation areas. The term "Jurisdictional Waters of the United States" as used by Section 404 of the CWA and defined under 33 Code of Federal Register (CFR) Section 328.1, includes adjacent wetlands and tributaries to traditionally navigable waters (TNW) and other waters with a hydrological connection to a TNW.

The waterway type (perennial, intermittent or ephemeral) is noted on the stream data form completed for each delineated water resource. Watercourses were flagged with blue delineation flagging and labeled according to the team number, unique stream ID and survey point number. The ordinary high-water mark on each bank (OHWM) was surveyed. The OHWM is defined in Title 33 of the Federal Code as "by observations of water fluctuation, physical characteristics, such as a clear natural line impressed on the bank, shelving, changes in the soil character, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

For delineations performed in the Commonwealth of Pennsylvania, wetlands and watercourses identified during the wetland delineation are deemed probable "Jurisdictional Waters of the United States" until otherwise reviewed and accepted by the USACE and/or PADEP. If upon agency review the wetland or watercourse is determined to be isolated by the reviewers (i.e. has no significant nexus to "Jurisdictional Waters of the United States"), the regulatory body for such waters then becomes the jurisdiction of the PADEP.

Our determinations are based on our collective "best professional judgment" exercised with the guidance of the USACE's manual and supplements. However, the final determination of the Jurisdictional status of the resources identified lies entirely within the review of the reviewing regulatory agencies. In other words, we identify a technically defensible boundary that must either be accepted or adjusted by the reviewing regulatory agencies in situations where encroachments may occur. As wetland consultants / biologists, we do not have the authority to assign regulatory jurisdiction. For this project a preliminary jurisdictional determination was completed by the USACE.


Wetlands and waterways were surveyed by WHM with a hand-held Spectra SP20 GPS, which is capable of delivering sub-meter accuracy. WHM then provided the GPS data and sketch mapping to Transco surveyors. Transco then re-surveyed the boundaries with a Trimble GNSS R10 Base and Rover and a Nikon D003451 Total Station. The Transco surveyors then provided the surveyed data back to WHM for incorporation into the project mapping and the wetland delineation report.

4.0 REFERENCES

- Cowardin, L. M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands deepwater habitats of the United States. U.S. Department of the Interior and the Fish and Wildlife Service, Washington, D.C.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Tech. Rep. Y-87-1. U.S. Army Engineer Waterways Experiment Station, Vicksburg, M.S.
- Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. The National Wetland Plant List: 2016 wetland ratings. Phytoneuron 016-30: 1-17. Published 28 April 2016. ISSN 2153 733. http://wetland-plants.usace.army.mil/nwpl_static/v33/home/home.html
- Munsell Color (Firm). Munsell Soil Color Charts: with Genuine Munsell Color Chips. Grand Rapids, MI: Munsell Color, 2010. Print.
- Pennsylvania Code. 2020. Pennsylvania Code Title 25, Chapter 105 <http://www.pacode.com/secure/data/025/025toc.html>. Accessed October, 2020.
- U.S. Army Corps of Engineers. 2012. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountain and Piedmont Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, C. V. Noble, and J. F. Berkowitz. ERDC/EL TR-12-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- U.S. Army Corps of Engineers. 2011. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, C. V. Noble, and J. F. Berkowitz. ERDC/EL TR-12-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Official Soil Series Descriptions https://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/survey/geo/?cid=nrcs142p2_053587. Accessed 3/2020 thru 10/2020.
- United States Fish and Wildlife Service. National Wetland Inventory Map, 7.5 Minute Series, Pennsylvania.
- United States Geological Survey. Topographic Quadrangle 7.5-minute Series Quadrangles, Pennsylvania.
- U.S. Geological Survey. 2018. Hydrography: National Hydrography Dataset and Watershed Boundary Dataset. <http://nhd.usgs.gov/>. Accessed 3/2020 through 10/2020.

APPENDIX A

OVERALL PROJECT LOCATION MAP



N:\PROJECTS\REGIONAL_ENERGY_ACCESS_REGIONAL_ENERGY_LATERAL\Welland_Delineation_Report\REA_ProjectLocation_Overall.mxd

- Existing Compressor Station
- Proposed Meter Station Modification
- Existing Springville Pipeline
- Existing Transco Pipelines
- Proposed Pipeline
- Pennsylvania County Boundary

1 Inch = 15 Miles



TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC REGIONAL ENERGY ACCESS EXPANSION PROJECT

OVERALL PROJECT LOCATION MAP- PENNSYLVANIA

Date: 2/2/2021
Drawn By: FTN
Figure Number: 1

APPENDIX B

RESUMES

Education

- B.S., *Environmental Resource Management, with minors in Watershed/Water Resources and Environmental Soil Science, The Pennsylvania State University, 2008*

Certifications

- *Professional Wetland Scientist (PWS) PWS Seal # 2412*

Professional Training

- *ESCGP-2 to ESCGP-3: New PA DEP Reviewer Process and Permit Implementation Seminar; Marcellus Shale Coalition; December 13, 2017*
- *PADEP Technical Workshops - Prepare for The New Aquatic Resource Condition Assessments (Ch. 105) – June 2017*
- *PADEP MS4 Workshop, Harrisburg PA – Sept. 2016*
- *PHMSA's Proposed Rules for Natural Gas, Kinetic Pittsburgh, PA – Aug. 2016*
- *PA Marcellus Shale Coalition, PASPGP-5 Training, Hershey PA July 2016*
- *Identification of Wetland Wildflowers, Swamp School, LLC – June 2016*
- *"River Assessment & Monitoring" May 9-19, 2016 at the National Conservation Training Center Shepherdstown, WV*
- *Chapter 102/NPDES Training for Consultants and Engineers held by Clinton and Centre County Conservations Districts and PADEP – March 2016 – State College, PA*
- *PA DEP ESCGP-2 Training July 10, 2013 State College, PA*
- *Erosion & Sediment (E&S) Manual Training (Northampton Co.) by the PACD in conjunction PADEP August 20, 2012*
- *"Functional Assessment as the Basis for Mitigation of Wetland Impacts - Overview and Discussion", State College, PA – M.N. Gilbert Environmental April 2011*
- *PaDEP—Technical Review of the revised Chapter 102 Regulations, Harrisburg, PA, February 2011.*
- *Natural Channel Design Review Methodology: U.S. Fish & Wildlife Service National Conservation Training Center, Shepherdstown, WV October 2010*
- *"Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual": P-APSS, DCNR Bureau of Forestry, Loyalsock State Forest Resource Mgt Center, Laporte, PA April 2010*
- *Stream Restoration: Elements of Design Workshop II University Park, PA. August 2008*

Mr. Nelson is a Professional Wetland Scientist (PWS) certified by the Society of Wetland Scientists (SWS) that manages the design, permitting, and construction of stream and wetland restoration projects and land development projects for WHM. He has experience dealing with water encroachment permitting, erosion and sediment control, wetland delineations, stream assessments, GIS Analysis and Mapping, and Project Management. He has continuously gained skills through his academic and work experience in various environmental projects dealing with water quality, land development, aquatic resource mitigation and restoration, and currently oversees a variety of development projects.

Mr. Nelson has been professionally trained by Wildland Hydrology in Rosgen's Natural Channel Design and is certified in Levels I, II and III - "Applied Fluvial Geomorphology", "River Morphology & Applications", and "River Assessment & Monitoring."

Professional Experience

Environmental Project Management

- Oversee permitting of development projects, including pipelines, wind power generation, landfills and aquatic resource mitigation/restoration;
- Environmental Permitting for the PA DEP and U.S. Army Corp of Engineers including, but not limited to NPDES, E&S Plans, Joint Permits, and General Permits;
- Threatened & Endangered Species and Cultural Resource consultation for land development projects, including state and federally sensitive resources; and
- Client and regulatory liaison for projects involving land development and environmental restoration.

Wetland and Stream Projects

- Collected and analyzed data associated with stream restoration projects including, Stream Profile and Cross section data, bar sampling, pebble counts, and bathymetric data;
- Construction oversight of multiple stream restoration projects involving channel stabilization and rebuild;
- Performed wetland and stream delineations in PA, OH, and WV; and
- Performed wetland monitoring and maintenance on mitigation wetland sites.

Mapping and Surveying

- Used GIS software for compiling field collected data, land use data, tabular data, and other data to produce figures for analysis and to calculate statistics of various environmental projects;
- Utilized GPS units for surveying various points and boundaries for mapping purposes, including wetland delineations;
- AutoCAD mapping for various projects, including stream restoration and wetland mitigation projects, utilizing field collected data and other associated data;
- Use of survey equipment and AutoCAD Software in characterizing pre and post construction conditions for mapping and design purposes on various projects including stream stabilization, wetland mitigation, and other aquatic resource related projects.

Biological Surveys

- Completed and managed studies for the USFWS, DCNR, PGC, and the PFBC for rare, threatened, endangered, and species of special concern within the purview of all the above agencies.

Conferences and Seminars

- Federal Energy Regulatory Commission (FERC) Environmental Seminar, Marcellus Shale Coalition, State College, PA - May 2017
- Southern Gas Association (SGA) "Technical Conference on Environmental Permitting & Construction" Dallas, TX Feb. 22-24, 2017
- FERC Environmental Review and Compliance for Natural Gas Facilities Seminar - Tampa, Florida – Dec 2015
- Seminar for Hardwood Forest Reforestation on Abandoned Mine Sites. Ebensburg, Pennsylvania, June 2007

Education

- B.A., *Environmental Studies, The Pennsylvania State University, 2010;*
Minor in Biology

Certifications

- *Professional Wetland Scientist (PWS)*
PWS Seal # 2903
- *PA DCNR Wild Plant Management*
Permit #19-658

Professional Training

- *PADEP Technical Workshops –*
Prepare for The New Aquatic Resource
Condition Assess. (Ch. 5) – June 2017
- *The Wetland Training Institute –*
Planning Hydrology, Vegetation, &
Soils Constructed Wetlands – July 2016
- *Swamp School Field Identification of*
Wetland Sedges, Grasses and Rushes –
June 2016
- *PA Botany Steering Committee – A*
Consulting Botanist’s Toolkit – Dec.
2015
- *The PNPS – Identification of Grasses,*
Sedges, and Rushes – July 2015
- *SWS Mid-Atlantic Chapter Wetland*
Mitigation, Restoration and Ecology -
PA – Apr. 4-5, 2014
- *PNDI Updates Presentation, PA –*
Dec. 2013
- *FERC “Environmental Review and*
Compliance for Natural Gas”, TX –
Sept. 2013
- *PADEP ESCGP-2 Training, PA -*
July 2015
- *PASFI® Training: Prof. Timber*
Harvesting Ess., Wildlife-Young Forest
Initiative, Game of Logging, Lev 1 –
May 2012
- *Marcellus Workshop “An Update on*
PHMSA Pipeline Regulations & Act
127” – Feb 2012
- *PASPGP-4 Workshop: ACE,*
Baltimore District– Oct. 2011
- *Regional Supplement to USACE*
Delineation Manual, PA – M.N.
Gilbert Environmental – Apr. 2011
- *Ohio Rapid Assessment Method for*
Wetland v. 5.0 2014 Training Course
– April 2015
- *38-Hour ACOE Wetland*
Delineation/Waters of the US
Training, Richard Chinn – March
2014

David Wood has more than 8 years of professional work experience in natural resources management, wetland sciences, soil science, field biology, and plant sciences. Mr. Wood is a Professional Wetland Scientist (PWS) certified by the Society of Wetland Scientists (SWS). He has coordinated and/or contributed significantly to a wide variety of environmental projects throughout the North Atlantic Region. He has worked in both the public and private sectors for a diverse clientele that include government agencies, non-profit entities, corporations, and individuals.

Professional Experience

Environmental Surveys

- Performed Pennsylvania rare, threatened and endangered plant surveys and reporting.
- Assisted on several USFWS endangered plant surveys for *Scirpus ancistrochaetus* and *Isotria medeoloides* with several surveys resulting in the identification of *S. ancistrochaetus*;
- Field assistant on multiple Timber Rattlesnake Phase I and II surveys and Allegheny Wood Rat surveys;
- Conducted water quality analysis’s including macroinvertebrate sampling and identification; and
- Performed forest inventory and assessments.

Water Resource Projects

- Performed wetland and water resource delineations and reporting;
- Conducted wetland and riparian buffer mitigation construction and planting oversight on various mitigation projects throughout Pennsylvania;
- Conducted wetland and stream mitigation monitoring and reporting.
- Collected water samples and onsite water quality data.

Environmental Permitting

- Produced mitigation plans for wetland and stream impacts, including grading plans, vegetative design, vegetative planting zones, enhancement species lists;
- Completed local, state and federal environmental permitting for various types of development and water quality improvement projects;
- Performed Erosion and Sediment control inspections on gas well sites and pipeline right-of-way’s;
- Assisted with a variety of environmental permitting projects; and

Equipment and Mapping

- Performed task utilizing Trimble GPS equipment;
- Utilized GIS software for mapping and data analysis;
- Performed land analysis utilizing GIS software for determining suitable areas for development; and
- Used survey equipment to characterize pre and post construction conditions for mapping and design purposes on stream and wetlands for various projects.

Kevin M. Clark (PWS) Senior Project Manager / Office Manager

Professional Trainings

- 2020 NPDES *Workshop – Monroe & Pike County Conservation Districts* - Feb 2020
- *Southern Gas Association (SGA) Technical Conference on Environmental Permitting & Construction, Savannah, GA – Feb 2020*
- *PADEP Technical Workshops - Prepare for The New Aquatic Resource Condition Assessments (Ch. 105) – June 2017*
- *Federal Energy Regulatory Commission (FERC) Environmental Seminar, Marcellus Shale Coalition, State College, PA – May 2017*
- *PASPGP-5 Training, Marcellus Shale Coalition, Hershey PA – July 2016*
- *National Mitigation & Ecosystem Banking Conference, Fort Worth, TX – May 2016*
- *Chapter 102/NPDES Training Centre & Clinton County Conservation Districts – March 2016*
- *FERC “Environmental Review and Compliance for Natural Gas Facilities Seminar” Tampa, Florida – Dec 2015*
- *SW’s Mid-Atlantic Chapter Wetland Mitigation, Restoration and Ecology State College, PA – April 2014*
- *PADEP ESCGP-2 Permit Training, State College, PA – July 2013*
- *Planning Hydrology, Vegetation, and Soils for Constructed Wetlands – The Wetland Training Institute; State College, PA – Sept 2012*
- *Erosion & Sediment (E&S) Manual Training (Northampton Co) by the PACD in conjunction PADEP – August 2012*
- *Primary Headwater Habitat Assessment Training – West Woods Metro Park, Geauga County, Ohio – May 2012*
- *Functional Assessment as the Basis for Mitigation of Wetland Impacts State College, PA – MN Gilbert Environmental – April 2011*
- *PaDEP—Technical Review of the revised Chapter 102 Regulations, Penn Tech Campus, Williamsport, PA – Dec 2010*
- *“Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual”: PAPS, DCNR Bureau of Forestry, Laporte, PA – April 2010*
- *Department of Environmental Protection “Regulatory Requirements Seminar for Marcellus Shale”; Harrisburg, PA – March 2010*
- *Wetland Delineator Training, Institute for Wetland & Environmental Education & Research, Inc, Tiner and Veneman, Albany, New York – July 2008*

Kevin Clark is a Professional Wetland Scientist that has extensive experience with wetland delineation and evaluation, permitting, mitigation design, and the preparation of environmental compliance documents in accordance with national, state, and local criteria and guidelines. Mr. Clark has extensive experience in obtaining NPDES (Chapter 102) and Water Obstruction and Encroachment (Chapter 105 / Section 404) permits including associated field survey and managing turn-key wetland and stream mitigation projects. Mr. Clark serves as liaison in the collaborative design process, bringing together clients, engineers, ecologists and regulatory agencies to optimize proposed development.

Education

- Bachelor of Arts, Division of Mathematics and Natural Sciences, Environmental Studies, The Pennsylvania State University, University Park, December 2006.

Professional Certifications

- Professional Wetlands Scientist (PWS), License Number: 2285, November 2012 Society of Wetland Scientists Professional Certification Program, Inc.

Professional Experience

- Project Management of land development projects requiring local, state (Chapter 102, 105 & 401) and federal (Section 404) permit authorizations with an emphasis large linear projects, energy related infrastructure, landfills, abandoned mine restoration, and wetland/stream mitigation;
- Served as client and regulatory liaison for projects involving land development and environmental restoration;
- Completed and managed small to large scale delineations throughout the in PA, OH, WV, and MD in accordance with 1987 USACE Wetland Delineation Manual and applicable regional supplements;
- Completing Pennsylvania Natural Diversity Index (PNDI) Environmental Reviews including management of time-sensitive threatened and endangered species;
- Oversaw subconsultants performance and reviewed reports for archeological surveys, Phase I Environmental Site Assessments, threatened and endangered species, and post-construction stormwater management design;
- Completed Environmental Assessments for projects with water resource impacts;
- Proficient in providing detailed mapping and design drawings utilizing AutoCAD and ArcGIS software;
- Responsible for property acquisition, design, permitting, cost estimates, construction, and post-construction monitoring for over 20 water resource mitigation projects; and
- Prepared bids and proposals for variety of development projects.

Health and Safety Certifications / Trainings

- OSHA 40-Hour HAZWOPER Training & 8-Hour Refresher – December 2019
- Safeland Training – June 2017 and September 2016
- Adult First Aid/CPR– American Heart Association, Pennsylvania – December 2018

Education

- B.S., *Environmental Resource Management, The Pennsylvania State University, 2008*

Certifications

- *Professional Wetland Scientist (PWS) PWS Seal # 2509*

Professional Training

- *Society of Wetland Scientists Annual Meeting – Baltimore, MD – May 2019*
- *PADEP Technical Workshops – Prepare for The New Aquatic Resource Condition Assessments (Cb. 5) – June 2017*
- *Applied Fluvial Geomorphology Wetland Hydrology, Sheperdstown, WV – April 2016*
- *USACE & PADEP “Pipeline Permitting and Restoration Seminar” – Marcellus Shale Coalition, Pennsylvania – November 2014*
- *Vegetation Identification for Wetland Delineation, Rutgers University, New Jersey – June 2012*
- *Hydrology of Wetlands – Rutgers University, New Jersey – May 2012*
- *Methodology of Delineating Wetlands – Rutgers University, New Jersey – November 2011*
- *Riparian Buffer Design Workshop – Berks County Conservation District, Pennsylvania – March 2011*
- *“Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual”: P-APSS, DCNR Bureau of Forestry, Laporte, Pennsylvania – April 2010*

Jim Haney has over 10 years experience with wetland delineation and evaluation, stream restoration, permitting, and environmental monitoring in accordance with national, state, and local criteria and guidelines. Mr. Haney is a Professional Wetland Scientist (PWS) certified by the Society of Wetland Scientists (SWS) who manages wetland delineations, permit preparation, post-construction monitoring, and agency coordination for projects for WHM.

Additionally, Mr. Haney, specializes in stream restoration, including the survey and design aspects of these projects. Jim regularly works with various watershed organizations, townships and municipalities, non-profit organizations, engineering firms, energy companies, and state and federal agencies.

Lastly, Jim serves on the Society of Wetland Scientists Professional Certification Program (SWSPCP) where he reviews applications submitted for professional certification.

Professional Experience

Environmental Permitting

- Completed local, state, and federal environmental permitting for various types of development and water quality projects, which included detail studies/reports and thorough coordination with regulatory agencies; and
- Coordinated threatened and endangered species surveys through the Pennsylvania Natural Diversity Index (PNDI) program, including Pennsylvania Historical and Museum Commission (PHMC) coordination, with national and state agencies, as well as certified biologists.

Water Resource Projects

- Completed and assisted with wetland and stream mitigation plans, including designs, in accordance with USACE’s *Compensatory Losses of Aquatic Resources* guidance document;
- Delineated or overseen delineations for stream and wetland delineations on more than 300 miles of utility line corridors, as well as numerous land development and mitigation projects;
- Utilizes GIS mapping software to evaluate project sites, manage environmental field data, and produce mapping for various projects.
- Has helped conduct route development, including crossing locations of stream and wetland features as well as access road placement for utility line corridors;
- Conducted surveys of several impaired streams, assisted in creating restoration designs, and conducted as-built surveys of restoration projects;
- Has served as construction oversight and made necessary in field adjustments on numerous stream restoration and wetland mitigation projects;
- Has performed and oversaw the performance of Pennsylvania Level 2 Rapid Assessment Protocols for Riverine and Wetland systems to calculate impacts and functional gain for development and mitigation projects;
- Conducted and oversaw post-construction monitoring program as part of special conditions required by Joint Permit approvals;
- Conducted water quality analysis’s including macroinvertebrate sampling and identification and habitat assessment;
- Utilized GPS units for obtaining accurate field data collection and producing detailed mapping for projects; and
- Utilized total station and laser level surveying equipment to obtain longitudinal and cross section profiles of impaired streams and as-built restoration projects.

Paul Fisher, PWS, Project Manager, Health and Safety Officer

Education

- B.S., *Environmental Soil Science*, The Pennsylvania State University, 2009

Certifications

- *Professional Wetland Scientist (PWS)*
PWS Seal # 2560
- *Southwestern Energy (SWN) Training Assurance Program (TAP) Instructor Certification* – October 2013
- *Occupational Safety and Health Professional Certification* – May 2012

Professional Training

- *2014 ABE Safety Expo – OSHA & Job Site Safety Training* – January 2014
- *NCCER Performance Verifications* – February 2013 – PV151 15.1; PV152 15.2; PV320 32.0
- *AOFCG – Abnormal Operating Conditions – Field NCCER* – September 2013
- *Custom Pipeline Inspector NCCER* – September 2013 – Task 15, 15.1, 15.2 and 32
- *PA DEP ESCGP-2 Training, State College, PA* – July 2013
- *OSHA 40 Hour HAZWOPER Training: Allprobe Environmental* – July 2013
- *E&S Manual Training – Association of Conservation Districts, Scranton, PA* – May 2013
- *Hydric Soil Indicators Field Seminar – PA Association of Professional Soil Scientists – Wyoos, PA* – April 2013
- *Williams Contractor Safety* – May 2012
- *First Aid/CPR; Emergency Care & Safety Institute* – May 2012
- *Primary Headwater Habitat Assessment Training – Geauga County, Ohio* 2012
- *132 Hour Occupational Safety and Health Professional Training – OSHA Academy* – May 2012
- *“Planning Hydrology for Constructed Wetlands”, Wetland Training Institute – State College, PA* – November 2011
- *“Grasses, Sedges, and Rushes” Pennsylvania Institute for Conservation Education – Huntingdon, PA* – August 2011
- *Hydrology of Wetlands Rutgers University – New Jersey* – May 2011
- *“Functional Assessment as the Basis for Mitigation of Wetland Impacts – Overview and Discussion, State College, PA – M.N. Gilbert Environmental* – April 2011
- *ACOE Wetland Delineation/ Regional Supplemental Training Richard Chinn Environmental Training – State College, PA* – March 2010

Mr. Fisher is a graduate from The Pennsylvania State University in 2009, where he was awarded a Bachelors degree in Environmental Soil Science. Mr. Fisher is a Professional Wetland Scientist (PWS) certified by the Society of Wetland Scientists (SWS) that manages projects and field crews for WHM. Mr. Fisher is also the Health and Safety Officer for WHM in which he oversees and implements the corporate Health and Safety Plan. Mr. Fisher has over 10 years of professional experience with Project Management, GIS Analysis and Mapping, environmental permitting, wetland delineations, stream assessments, pipeline routing, wetland mitigation, functional assessments, ORAM, riparian planting, project management and oversight.

Professional Experience

General Environmental Projects

- Managed different environmental projects in Pennsylvania, Maryland and Ohio.
- Completed local, state and federal environmental permitting for various types of development and water quality projects, which included detail studies/reports and thorough coordination with regulatory agencies;
- Composed various Environmental Reports for landfills, gas companies, wind farms, construction companies, private landowners, and regulatory agencies.
- Performed land analysis's using GIS Software for determining suitable areas for development.

Environmental Projects

- Performed wetland monitoring and maintenance on various wetlands.
- Performed Stream Surveys.
- Practiced wetland delineations using US Army Corps of Engineers Wetlands Delineation Manual 1987 and applicable regional supplements.
- Used surveying equipment to characterize stream profiles for mapping and design purposes.
- Delineated wetlands and water resources at several projects throughout Pennsylvania, Ohio and West Virginia.
-

Health and Safety Experience

- Developed Site Health and Safety Plans for several projects in different industries.
- Completes Hazard Assessments for all WHM projects.
- Implements the WHM Corporate Health and Safety Plan.
- Oversees all Health and Safety training and record keeping.
- Oversees and conducts company Health and Safety Trainings
- Manages the WHM ISNET world and PEC Safety Compliance Pro accounts.

Education

- B.S., *Geography (Environmental Science Concentration)*, Mansfield University of Pennsylvania, 2011
- *Minor in Geology*

Certifications

- *NASSCO PACP/LACP & MACP Certification*
Certification # U-1116-07005878

Professional Training

- *OSHA 40 Hour HAZWOPER Training: Compliance Solutions*, - November 2019
- *First Aid/CPR/AED Certification- Heartsaver* – September 2019
- *ESRI 8.0 hour Remote Sensing Training* – May 2013
- *ESRI 8.0 hour Geodetic Awareness Training* – May 2013
- *ESRI Intermediate GIS Concepts Training* – October 2013
- *ESRI ArcGIS for Petroleum Training* – October 2012
- *Regional Supplement to USACE Delineation Manual, PA – MN Gilbert Environmental* – April 2011

Frank Norris is a professional environmental scientist and cartographer with 10 years of experience in mapping and database management programs including ESRI ArcMap, AutoCAD Civil 3D, InfoNet, and EqUIS Database systems. In addition to his experience as a cartographer, he has experience with environmental monitoring, permitting, and performing wetland delineations all in accordance with national, state, and local criteria and guidelines. Mr. Norris graduated in 2011 from Mansfield University with a degree in Geography with a concentration in Environmental Science. Since graduation, he has been associated with various projects and has gained skills through his previous experiences in various industries such as Oil and Natural Gas Exploration, Transportation, Real Estate Development, and Public Infrastructure projects pertaining to wastewater and stormwater systems. Mr. Norris is also a skilled team leader with previous experience improving systems and workflows while communicating initiatives and technical concepts to project stakeholders, senior project management, and junior staff members.

Professional Experience

Mapping and Surveying

- Plan, design, draft and analyze topographic plans and details using AutoCAD Civil 3D 2019 for various projects utilizing field collected data and other associated data
- Organized plotting and locating over 200k acres of Legacy Oil and Gas leases using AutoCAD Civil 3D
- Used GIS software for compiling field collected data, land use data, tabular data, and other data to produce figures for analysis and to calculate statistics of various environmental projects
- Utilized GPS units for surveying various points and boundaries for mapping purposes
- Performed land analysis's using GIS Software for determining suitable areas for development based on environmental parameters
- Updated, configured, and tested files to perform SDE synchronization within InfoNet databases, leading to streamlined engineering and GIS teams utilizing up to date resources
- Developed and initiated web mapping interface for over 250 miles of municipal owned wastewater collection lines and associated documentation
- Collaborated on CCTV and GPS field collection surveys with field mapping and electronic deliverables provided to field crews and client leadership
- Developed mapping and data summary tables for Oil and Gas Pad restoration and extension packages to be submitted to PA DEP

Wetland and Stream Projects

- Environmental Permitting for the PA DEP and U.S. Army Corp of Engineers including; but not limited to NPDES, E&S Plans, Joint Permits, and General Permits;
- Performed wetland and stream delineations in Pennsylvania, Ohio, and New York
- Performed wetland monitoring and maintenance on mitigation wetland sites
- Led wetland delineation team to complete seismic survey of property and rerouting of seismic equipment when necessary
- Collected water samples and water quality data.

Equipment and Mapping

- Performed mapping tasks and collection of field data utilizing Trimble GPS surveying equipment for various types of projects
- Utilized ESRI ArcGIS and AutoCAD software for mapping and data analysis.

EDUCATION

- B.S. *Environmental Resource Management, the Pennsylvania State University, 2010*

HEALTH & SAFETY

CERTIFICATIONS & TRAINING-

- ISN-03894196
- *Atlantic Sunrise safety training – September 2017*
- *Kinder Morgan Safety Orientation – October 2017*
- *Adult First Aid/CPR– American Heart Association, Pennsylvania – June 2015*
- *OSHA 40 Hour HAZWOPER Training; All Probe Environmental; October 2017*
- *OSHA 8 Hour HAZWOPER Refresher Training – November 2018*
- *OSHA 8 Hour HAZWOPER Refresher Training – December 2019*

PROFESSIONAL TRAINING

- *Basic Wetland Delineation – Wetland Training Institute – Richmond, VA, November 2020*
- *Northeastern Plants of the Wetland Boundary Online – Wetland Training Institute – November 2020*
- *Stream Habitat and Measurements Techniques – National Conservation Training Center – Shepherdstown, WV, March 2017*
- *FWS Geospatial Workshop – National Conservation Training Center – Shepherdstown, WV, March 2016*
- *Overview of Wetland Delineation Protocols and the Interim NC/NE Regional Supplement to the USACE Delineation Manual – State College, PA, April 2011*

Curtis George graduated from the Pennsylvania State University with a B.S. degree in Environmental Resource Management and minors in Watershed and Water Resource Management and Wildlife and Fisheries sciences. Throughout his career, Curtis has worked with private, state and federal agencies to gain experience performing a wide range of biological tasks throughout the United States. He has a background with wetlands and watershed management and has gained lots of knowledge performing surveys and using GIS software.

PROFESSIONAL EXPERIENCE

Environmental Experience

- Led wetland crews to perform wetland delineations for proposed construction sites;
- Participated in surveys of biological and physical parameters for stream restoration projects;
- Performed construction oversight for wetland creation projects;
- Performed a variety of biological surveys for birds, macroinvertebrates, herps, fish and plants;
- Controlled invasive plants and animal species using both manual and chemical means;
- Raised fish for stocking in state waterways;
- Contributed to report writing and permit preparation;
- Performed post construction monitoring on various oil and gas related projects.

Mapping and Surveying

- Used survey grade Trimble equipment to perform RTK elevation surveys for various biological and resiliency projects.
- Performed bathymetry surveys for creating sediment and water movement models;
- Utilized GIS software to create maps for various projects and to manipulate survey data;
- Performed surveys and tasks using Trimble Juno Series and GeoHX handheld GPS units;
- Used various GPS units to navigate the back country.

Charly Bloom, Environmental Technician

EDUCATION

- *Environmental & Ecological Biology, Bachelor of Science, Lock Haven University, Pennsylvania, 2019.*

PROFESSIONAL TRAINING

- *OSHA 40 Hour HAZWOPER Training; AllProbe Environmental; June 2019*

Ms. Bloom is a graduate from Lock Haven University in 2019, where she was awarded a Bachelors degree in Biological Environmental and Ecological Science. Ms. Bloom is an Environmental Technician that works in the field and wetland crews for WHM.

Professional Experience

General Environmental Projects

- Used GIS software for mapping and analysis
- Used a Trimble GPS for mapping boundaries for mapping purposes
- Composed various Environmental Reports for landfills, gas companies, wind farms, construction companies, private landowners, and regulatory agencies

Environmental Projects

- Performed wetland monitoring and maintenance on various wetlands
- Performed Stream Surveys
- Performed wetland and watercourse delineations using US Army Corps of Engineers Wetlands Delineation Manual 1987 and applicable regional supplements

Education

- B.A., *Wildlife and Fisheries Science*, The Pennsylvania State University, 2016

Health and Safety Training

- OSHA 40 Hour HAZWOPER Training; *All Probe Environmental*; April 2018
- OSHA 8 Hour HAZWOPER Refresher Training; *All Probe Environmental*; March 2019, March 2020
- *Williams Safety Training*; April 2018, May 2019

Professional Training

- *Northeastern Plants of the Wetland Boundary Online*; Wetland Training Institute 2020
- *Basic Wetland Delineation Online with Field Practicum*; Wetland Training Institute 2020

Cameron Clark is a graduate from The Pennsylvania State University in 2016, where he was awarded a Bachelors degree in Wildlife and Fisheries Science. Mr. Clark is a certified Timber Rattlesnake Monitor of WHM. Mr. Clark has over 3 years of professional experience with handling venomous reptiles and also field experience on pipeline construction projects and wetland delineations.

Professional Experience

General Environmental Projects

- Located and removed Timber Rattlesnakes from pipeline work area;
- Used a Trimble GPS for mapping boundaries for mapping purposes;
- Participated in Phase 2 Timber Rattlesnake Den Habitat surveys;
- Conducted vegetation surveys to map forest density, and;
- Used ratio-telemetry to track Timber Rattlesnakes.

Wetland and Stream Restoration Projects

- Performed wetland monitoring and maintenance on various wetlands;
- Practiced wetland delineations using US Army Corps of Engineers Wetland Delineation Manual 1987 and applicable regional supplements;
- Helped construct dams, cross veins and mud sills to improve stream habitat for trout species;
- Delineated wetlands and water resources at several projects throughout Pennsylvania;
- Carried out small mammal surveys to predict population density;
- Completed trail reconstruction projects to improve recreational opportunities;
- Performed oversight on riparian buffer replanting plan on Atlantic Sunrise pipeline, and;
- Provided oversight for the completion of offsite compensatory wetland mitigation.

Philip R. Dunning, Senior Biologist, Senior Herpetologist

Education

- M.S., *Biological Science, East Stroudsburg University, 2007*
- B.S., *Wildlife and Fisheries Sciences, Pennsylvania State University 2003*

Certifications

- *Pennsylvania Fish & Boat Commission Approved Timber Rattlesnake Surveyor and Construction Site Monitor*
- *NJ Approved Primary Venomous Snake Monitor*

Health and Safety Training

- *ISN 0323972*
- *40 Hour HAZWOPER – June 2016*
- *8 Hour HAZWOPER Refresher – March 2020*
- *Energy Transfer Contractor Safety Orientation – December 2016*
- *Southwest Energy Training Assurance Program (TAP) – 2015 Core and Supplement – December 2016*
- *Shell Contractor HSE Handbook – September 2016*
- *Adult First Aid/CPR – American Red Heart Association, Pennsylvania – February 2016*
- *Williams Safety Training, April 2020*

Professional Training

- *Army Corps of Engineers Wetland Delineation / Regional Supplement / Waters of the United States Training – April 2016*

Mr. Dunning is recognized by the Pennsylvania Fish & Boat Commission as a Qualified Timber Rattlesnake Surveyor and by the New Jersey Endangered and Threatened Species Program as a Qualified Timber Rattlesnake Biologist and Surveyor. He specializes in surveys and studies of threatened and endangered species, general herpetological surveys, endangered mammal surveys, biological/ecological assessments, and natural resource inventories. He is also experienced in vernal pool surveys, Bog Turtle Surveys, presence/absence determination, and macro invertebrate sampling, wetland delineations, and rare, threatened, and endangered plant surveys

Professional Experience

Timber Rattlesnake Experience

- Oversees All Timber Rattlesnake Projects;
- Led/supervised/managed phase I, II and III timber rattlesnake surveys throughout Pennsylvania and New Jersey;
- Completed and submitted final technical proposals and reports related to phase I, II and III surveys and studies;
- Published presentation abstracts and popular articles in scientific journals or newsletters;
- Conducted Timber Rattlesnake construction monitoring projects; and
- Timber Rattlesnake Historic Den Assessments.

Other Relevant Experience

- Natural Environment Inventories and Analysis;
- Endangered Species Surveys;
- Qualified New Jersey Primary Venomous Snake Monitor;
- Northern Copperhead Habitat Field Work;
- Northern Copperhead Trapping for Telemetry Project;
- Bog Turtle Phase I Habitat Assessments;
- Bog Turtle Phase II Physical Surveys and Trapping Services;
- Wetland Assessments and Delineations;
- Phase I and Phase II Timber Rattlesnake Survey Crew Leader;
- Phase I Allegheny Woodrat Surveys;
- Presence/Absence surveys for Small-footed Myotis;
- Bat Mist-Netting Technician;
- Southern Hognose, Canebrake, Pine Snake Radio Tracking;
- Whip-poor-will and Chuck-Will's-Widow Point Call Survey; and
- Macro-Invertebrate Sampling;
- State Rare, Threatened, and Endangered Plant Surveys;
- Assisted in several Plant Surveys for *Glyceria obtusa*, *Platanthera blephariglottis*, *Solidago uliginosa*, and *Solidago speciosa*.

APPENDIX C

EFFORT LOOP WETLAND AND WATERCOURSE DELINEATION
REPORT (OMITTED)

APPENDIX D

REGIONAL ENERGY LATERAL WETLAND AND WATERCOURSE
DELINEATION REPORT (OMITTED)

APPENDIX E

COMPRESSOR STATION 200 WETLAND AND WATERCOURSE
DELINEATION REPORT



TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT

APPENDIX E
COMPRESSOR STATION 200 WETLAND AND WATERCOURSE DELINEATION REPORT
EAST WHITELAND TOWNSHIP,
CHESTER COUNTY, PENNSYLVANIA

Table of Contents

Section

- 1.0 Introduction
- 2.0 Desktop Analysis
 - 2.1 USGS Topographic and LiDAR Data
 - 2.2 Aerial Photography
 - 2.3 National Wetland Inventory
 - 2.4 USDA/NRCS Soil Descriptions
 - 2.5 Watersheds
- 3.0 Results
 - 3.1 Wetlands
 - 3.2 Waterways
- 4.0 Conclusions
- 5.0 References

Figures

- 1 Project Location Map
- 2 USDA-NRCS Soils and NWI Map

Attachments

- A Wetland and Water Resource Delineation Data Package
 - Water Resources Delineation Map
 - Photographic Documentation
 - Wetland, Upland and Waterway Data Forms
- B Wetland and Water Resource Summary Tables

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT

APPENDIX E

COMPRESSOR STATION 200 WETLAND AND WATERCOURSE DELINEATION REPORT

EAST WHITELAND TOWNSHIP,
CHESTER COUNTY, PENNSYLVANIA

1.0 INTRODUCTION

WHM Consulting, LLC (WHM) was retained by Transcontinental Gas Pipe Line Company, LLC (Transco) to conduct a delineation of wetland and water resources associated with the Regional Energy Access Expansion Project – Compressor Station 200 (Project) located in East Whiteland Township, Chester County, Pennsylvania (Figure 1 – Project Location Map). The purpose of this investigation was to determine whether regulated wetlands and waters exist within the subject project area in accordance with U.S. Army Corps of Engineers (USACE) guidelines which are regulated under Section 404 of the Clean Water Act (CWA) and Pa Code 25 Chapter 105. This report provides information on the desktop analysis, data collected, delineation field findings, and results pertaining to wetland and watercourses identified in the study area. The delineation was performed on July 7, 2020.

2.0 DESKTOP ANALYSIS

Prior to conducting field investigations, a review of natural resource data associated with the investigation area was completed to help establish probable areas where wetlands and watercourses could be located before conducting the onsite field investigation. The following sections outlined specific data reviewed for the investigation area.

2.1 USGS TOPOGRAPHIC, USGS NHD, AND LiDAR DATA

The 7.5-minute USGS quadrangle for Malvern, Pennsylvania, was reviewed in the vicinity of the project area. Waterways in the National Hydrography Dataset were also noted. For more detailed topographic information, PAMAP LiDAR (2-foot Intervals) was reviewed to determine slope breaks and microtopography that could result in wetlands and/or waterways.

2.2 AERIAL PHOTOGRAPHY

Multiple sources of online accessible current and historical aerial imagery were reviewed. In particular, leaf-off aerial imagery was evaluated for saturation that may persist long enough into the growing season to create wetland conditions.

2.3 NATIONAL WETLAND INVENTORY

The U.S. Fish and Wildlife Service National Wetlands Inventory (NWI) mapping within and surrounding the project area is presented in Figure 2 - USDA-NRCS Soils and NWI Map. According to NWI mapping there is 1 NWI wetlands located within the investigation area. Each NWI wetland and their wetland type is provided in Table 2-1

Cowardin Code	Cowardin Classification	Number In Investigation Area
PUBHh	Palustrine Unconsolidated Bottom Permanently Flooded Diked/Impounded	1

Table 2-1: NWI Wetland Cowardin classification and counts within the Project investigation area

2.4 USDA/NRCS SOIL DESCRIPTIONS

The soil associations onsite are identified through the soil map units mapped by the United States Department of Agriculture – Natural Resources Conservation Service (USDA-NRCS) in the Web Soil Survey. In addition, the hydric soils list for Chester County was reviewed to determine if these soils are rated as Hydric Soils or contain Hydric Inclusions. There are five (5) soil mapping units located within the investigation area. Each soil series and their hydric rating is provided in Table 2-2.

Soil Mapping Unit	Map Unit Name	Slope (%)	Hydric Soil/ Hydric Inclusion
ClB	Clarksburg Silt Loam	3 to 8	Yes
CtA	Conestoga Silt Loam	0 to 3	No
CtB	Conestoga Silt Loam	3 to 8	No
GdC	Gladstone Gravelly Loam	8 to 15	No
UrgB	Urban Land-Conestoga Complex	0 to 8	No

Table 2-2: Soil Mapping Unit and Hydric Soils Rating for the Project investigation area

2.5 WATERSHEDS

There are two watersheds onsite, both with the name Valley Creek. The Valley Creek watershed in the northern part of investigation area is classified as Exceptional Value, Migratory Fishes (EV, MF), while the Valley Creek watershed in the southern part of the investigation area is classified as Cold Water Fishes, Migratory Fishes (CWF, MF) under PA Code 25, Chapter 93 Water Quality Standards.

3.0 RESULTS

After the completion of a desktop analysis, a formal wetland delineation was completed. Areas exhibiting the potential for regulated wetlands and waters were evaluated to determine whether they satisfied the USACE and/or PADEP requirements. Attachment A includes specific information for each resource including: wetland delineation mapping, photographic documentation, and data forms. Attachment B – Wetland and Water Resource Summary Tables, provides specific information for each resource identified within the investigation area. The following sections provide a brief summary of the resources identified within the investigation area.

3.1 WETLANDS

In total, five (5) wetlands were identified during the delineation. Most of the wetlands identified had been previously impacted during past projects within the existing

compressor station facility. Wetlands were defined as either "Other" or "Exceptional Value" based on Pa Code Title 25, Chapter 105.17 – Wetlands. Approximately 6,899 square feet of PEM wetlands, 376 square feet of palustrine scrub-shrub (PSS) wetlands, 6,757 square feet of palustrine forested (PFO) wetlands, and 106 square feet of palustrine open water wetlands (POW) were identified.

3.2 WATERWAYS

There were no watercourses identified within the investigation area.


4.0 CONCLUSIONS


Based on the results of the field investigation 14,138 square feet of wetlands were identified within the investigation area. Any impacts to the identified resources would require authorization under PADEP and USACE guidelines.

5.0 REFERENCES

- Cowardin, L. M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands deepwater habitats of the United States. U.S. Department of the Interior and the Fish and Wildlife Service, Washington, D.C.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Munsell Color (Firm). Munsell Soil Color Charts: with Genuine Munsell Color Chips. Grand Rapids, MI: Munsell Color, 2010. Print.
- Pennsylvania Code. 2017. Pennsylvania Code Title 25, Chapter 105 <http://www.pacodeandbulletin.gov/Display/pacode?file=/secure/pacode/data/025/chapter105/chap105toc.html&d=>. Accessed September 23, 2020
- Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online: <http://websoilsurvey.sc.egov.usa.gov/>. Accessed 08/12/2020.
- U.S. Army Corps of Engineers 2018. National Wetland Plant List, version 3.4. U.S. Army Corps of Engineers Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH. <http://wetland-plans.usace.army.mil/>.
- U.S. Army Corps of Engineers. 2011. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountain and Piedmont Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, C. V. Noble, and J. F. Berkowitz. ERDC/EL TR-12-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.
- U.S. Fish and Wildlife Service. National Wetland Inventory website. 2018. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>.
- United States Geological Survey. Topographic Quadrangle 7.5-minute Series Quadrangles, Malvern, Pennsylvania.
- United States Geological Survey. 2018. Hydrography: National Hydrography Dataset and Watershed Boundary Dataset. <http://nhd.usgs.gov/>. Accessed October, 2020.

FIGURES



 Water Resources Investigation Area

1 inch = 2,000 feet
 0 2,000 4,000 Feet
 Copyright © 2013 National Geographic Society, I-cubed



2525 Green Tech Drive, Suite B,
 State College, PA 16803
 Tele: 814.689.1650 Fax: 814.689.1557

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT
COMPRESSOR STATION 200
 PROJECT LOCATION MAP

EAST WHITELAND TOWNSHIP

CHESTER COUNTY

PENNSYLVANIA

Date:	2/17/2021
WHM PROJECT NUMBER:	WILLIAMS20271
Drawn By:	CSB
Figure Number:	1


M:\GIS\PROJECTS\REGIONAL_ENERGY_ACCESS_COMPRESSOR_STATION_200\CS200_PROJECT_LOCATION_MAPPING_10272020.mxd



N:\PROJECTS\REGIONAL_ENERGY_ACCESS_COMPRESSOR_STATION_200\WETLAND DELINEATION_SOIL_NWI_CS200_Mapping.mxd

Legend

- NWI Wetlands
- Soil Boundary
- Water Resources Investigation Area
- Parcel Boundary



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



WHM
consulting, LLC

2525 Green Tech Drive, Suite B,
State College, PA 16803
Tele: 814.689.1650 Fax: 814.689.1557

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT
COMPRESSOR STATION 200

USDA - NRCS SOILS AND NWI MAP


EAST WHITELAND TOWNSHIP CHESTER COUNTY PENNSYLVANIA

Date:	11/6/2020
WHM PROJECT NUMBER:	WILLIAMS20271
Drawn By:	CSB
Figure Number:	2

ATTACHMENT A
WETLAND AND WATER RESOURCE DELINEATION DATA PACKAGE


WETLAND DELINEATION AND PHOTOGRAPHIC DOCUMENTATION
MAP

M:\GIS\PROJECTS\REGIONAL_ENERGY_ACCESS_COMPRESSOR_STATION_200\CS200_WETLAND_DELINEATION_MAPPING_09162020.mxd



TGoM Fee; 10-300/225.5L
Transcontinental Gas
Pipe Line Company, LLC

Photo Location
 Data Point
 Open Ended Boundary
 Water Resources Investigation Area
 Parcel Boundary
 Previously Delineated
Delineated Wetlands
 PEM
 PFO
 POW
 PSS



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community

2525 Green Tech Drive, Suite B,
 State College, PA 16803
 Tele: 814.689.1650 Fax: 814.689.1557

TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC
REGIONAL ENERGY ACCESS EXPANSION PROJECT
COMPRESSOR STATION 200
WETLAND AND WATERCOURSE DELINEATION MAP

EAST WHITELAND TOWNSHIP

CHESTER COUNTY

PENNSYLVANIA

Date:	2/17/2021
WHM PROJECT NUMBER:	WILLIAMS20271
Drawn By:	CSB
Figure Number:	3

PHOTOGRAPHIC DOCUMENTATION



ID: Photo 1

Date: 7/7/2020

Taken by: CC

Comments:
This photo shows a South/Southeastern view of W66-T1-01a.



ID: Photo 2

Date: 7/7/2020

Taken by: CC

Comments:
This photo shows a North view of W66-T1-01c.



ID: Photo 3
Date: 7/7/2020
Taken by: CC
Comments:
This photo gives a Southern view of W67-T1.



ID: Photo 4
Date: 7/29/2020
Taken by: CC
Comments:
This photo gives a Northern view of W68-T1



ID: Photo 5

Date: 7/7/2020

Taken by: CC

Comments:
This photo shows a West/Southwest view of W68-T1



ID: Photo 6

Date: 8/13/2020

Taken by: EL

Comments:
This photo gives a Eastern view of W69-T1.



ID: Photo 7

Date: 7/7/2020

Taken by: CC

Comments:

This photo gives a South/Southwest view of WT10-001-001

WETLAND AND UPLAND DATA FORMS

VEGETATION - Use scientific names of plants

Sampling Point: W66-T1-01a

<u>Tree Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>0</u> =	Total Cover	

<u>Sapling/Shrub Stratum</u> (Plot Size: <u>15'</u>)			
	Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>0</u> =	Total Cover	

<u>Herb Stratum</u> (Plot Size: <u>5'</u>)			
	Absolute % Cover	Dominant Species	Indicator Status
1	<u>20</u>	<u>Juncus effusus</u>	<u>OBL</u>
2	<u>20</u>	<u>Bidens fondosa</u>	<u>FACW</u>
3	<u>20</u>	<u>Ludwigia palustris</u>	<u>OBL</u>
4	<u>10</u>	<u>Carex vulpinoidea</u>	<u>OBL</u>
5	<u>10</u>	<u>Carex scoparia</u>	<u>FACW</u>
6	<u>10</u>	<u>Leersia oryzoides</u>	<u>OBL</u>
7	_____	_____	_____
	<u>90</u> =	Total Cover	

<u>Woody vine Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
	<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across all Strata: 3 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species 60 x 1 = 60

FACW species 30 x 2 = 60

FAC species _____ x 3 = _____

FACU species _____ x 4 = _____

UPL species _____ x 5 = _____

Column totals 90 (A) 120 (B)

Prevalence Index = B/A = 1.33

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Yes X No _____

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: W66-T1-01a

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-3	10YR 4/2	95	7.5YR 5/8	5	C	M	Silt loam	
3-12	10YR 5/2	90	7.5YR 5/8	10	C	M	Clay loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

Indicators for Problematic Hydric Soils:

- | | | |
|---------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> Histisol (A1) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | <input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B) | <input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L) | <input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Dark Surface (S7) (LRR K, L) |
| <input type="checkbox"/> Stratified Layers (A5) | <input checked="" type="checkbox"/> Depleted Matrix (F3) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Redox Dark Surface (F6) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Depleted Dark Surface (F7) | <input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Redox Depressions (F8) | <input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149E) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | | <input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| <input type="checkbox"/> Sandy Redox (S5) | | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Stripped Matrix (S6) | | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Dark Surface (S7) (LRR R, MLRA 149B) | | <input type="checkbox"/> Other (Explain in Remarks) |

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches) _____

Hydric soil present? Yes No

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: W66-T1-01c

<u>Tree Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>30</u>	<u>Y</u>	<u>FAC</u>
2	<u>10</u>	<u>N</u>	<u>FACW</u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>40</u> =	Total Cover	
<u>Sapling/Shrub Stratum</u> (Plot Size: <u>15'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>30</u>	<u>Y</u>	<u>OBL</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>30</u> =	Total Cover	
<u>Herb Stratum</u> (Plot Size: <u>5'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>30</u>	<u>Y</u>	<u>OBL</u>
2	<u>20</u>	<u>Y</u>	<u>OBL</u>
3	<u>10</u>	<u>N</u>	<u>FACW</u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>60</u> =	Total Cover	
<u>Woody vine Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u> </u>	<u> </u>	<u> </u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
	<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 4 (A)

Total Number of Dominant Species Across all Strata: 4 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species 80 x 1 = 80

FACW species 20 x 2 = 40

FAC species 30 x 3 = 90

FACU species 0 x 4 = 0

UPL species 0 x 5 = 0

Column totals 130 (A) 210 (B)

Prevalence Index = B/A = 1.62

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: W66-T1-01c

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-6	10YR 4/2	90	7.5YR 5/8	10	C	M	Silt loam	
6-12	10YR 5/2	80	7.5YR 5/8	20	C	M	Clay loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

Indicators for Problematic Hydric Soils:

- | | | |
|---------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> Histisol (A1) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | <input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B) | <input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L) | <input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Dark Surface (S7) (LRR K, L) |
| <input type="checkbox"/> Stratified Layers (A5) | <input checked="" type="checkbox"/> Depleted Matrix (F3) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Redox Dark Surface (F6) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Depleted Dark Surface (F7) | <input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Redox Depressions (F8) | <input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149E) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | | <input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| <input type="checkbox"/> Sandy Redox (S5) | | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Stripped Matrix (S6) | | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Dark Surface (S7) (LRR R, MLRA 149B) | | <input type="checkbox"/> Other (Explain in Remarks) |

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches) _____

Hydric soil present? Yes No

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: UP-W66-T1-1C

Tree Stratum (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>40</u>	<u>Y</u>	<u>FAC</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>40</u> =	Total Cover	

Sapling/Shrub Stratum (Plot Size: <u>15'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>20</u>	<u>Y</u>	<u>FACU</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>20</u> =	Total Cover	

Herb Stratum (Plot Size: <u>5'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>40</u>	<u>Y</u>	<u>FAC</u>
2	<u>20</u>	<u>Y</u>	<u>UPL</u>
3	<u>20</u>	<u>Y</u>	<u>FACU</u>
4	<u>20</u>	<u>Y</u>	<u>FACU</u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>100</u> =	Total Cover	

Woody vine Stratum (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>20</u>	<u>Y</u>	<u>FACU</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
	<u>20</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across all Strata: 7 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 28.57% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species	<u>0</u> x 1 =	<u>0</u>
FACW species	<u>0</u> x 2 =	<u>0</u>
FAC species	<u>80</u> x 3 =	<u>240</u>
FACU species	<u>80</u> x 4 =	<u>320</u>
UPL species	<u>20</u> x 5 =	<u>100</u>
Column totals	<u>180</u> (A)	<u>660</u> (B)

Prevalence Index = B/A = 3.67

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present?

Yes	<u> </u>	No	<u>X</u>
-----	-------------	----	----------

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: UP-W66-T1-1C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-6	10 YR 4/3	100					Silt Loam	
6-14	10 YR 4/4	100					Silt Loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains

**Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

- Histisol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR R, MLRA 149B)
- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

Indicators for Problematic Hydric Soils:

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Dark Surface (S7) (LRR K, L)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149B)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric soil present? Yes _____ No X

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: W67-T1-1a

<u>Tree Stratum</u> (Plot Size: <u>30'</u>)		Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____	_____
2	_____	_____	_____	_____
3	_____	_____	_____	_____
4	_____	_____	_____	_____
5	_____	_____	_____	_____
6	_____	_____	_____	_____
7	_____	_____	_____	_____
		<u>0</u> =	Total Cover	

<u>Sapling/Shrub Stratum</u> (Plot Size: <u>15'</u>)		Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____	_____
2	_____	_____	_____	_____
3	_____	_____	_____	_____
4	_____	_____	_____	_____
5	_____	_____	_____	_____
6	_____	_____	_____	_____
7	_____	_____	_____	_____
		<u>0</u> =	Total Cover	

<u>Herb Stratum</u> (Plot Size: <u>5'</u>)		Absolute % Cover	Dominant Species	Indicator Status
1	<u><i>Scripus cyperinus</i></u>	<u>40</u>	<u>Y</u>	<u>OBL</u>
2	<u><i>Juncus effusus</i></u>	<u>20</u>	<u>N</u>	<u>OBL</u>
3	<u><i>Solidago rugosa</i></u>	<u>15</u>	<u>N</u>	<u>FAC</u>
4	<u><i>Persicaria sagittata</i></u>	<u>15</u>	<u>N</u>	<u>OBL</u>
5	<u><i>Microstegium vimineum</i></u>	<u>15</u>	<u>N</u>	<u>FAC</u>
6	<u><i>Mikania micrantha</i></u>	<u>5</u>	<u>N</u>	<u>UPL</u>
7	_____	_____	_____	_____
		<u>110</u> =	Total Cover	

<u>Woody vine Stratum</u> (Plot Size: <u>30'</u>)		Absolute % Cover	Dominant Species	Indicator Status
1	_____	_____	_____	_____
2	_____	_____	_____	_____
3	_____	_____	_____	_____
4	_____	_____	_____	_____
		<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across all Strata: 1 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species 75 x 1 = 75

FACW species 0 x 2 = 0

FAC species 30 x 3 = 90

FACU species 0 x 4 = 0

UPL species 5 x 5 = 25

Column totals 110 (A) 190 (B)

Prevalence Index = B/A = 1.73

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: W67-T1-1a

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-4	10YR 4/2	100					Clay loam	
4-12	10YR 4/2	90	7.5YR 5/6	10	C	M	Clay loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

Indicators for Problematic Hydric Soils:

- | | | |
|---------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> Histisol (A1) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | <input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B) | <input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L) | <input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Dark Surface (S7) (LRR K, L) |
| <input type="checkbox"/> Stratified Layers (A5) | <input checked="" type="checkbox"/> Depleted Matrix (F3) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Redox Dark Surface (F6) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Depleted Dark Surface (F7) | <input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Redox Depressions (F8) | <input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149E) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | | <input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| <input type="checkbox"/> Sandy Redox (S5) | | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Stripped Matrix (S6) | | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Dark Surface (S7) (LRR R, MLRA 149B) | | <input type="checkbox"/> Other (Explain in Remarks) |

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____
 Depth (inches) _____

Hydric soil present? Yes No

Remarks:

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: REA- Station 200 City/County: Chester Sampling Date 7/7/2020
 Applicant/Owner: Transcontinental Pipe Line Company, LLC State: PA Sampling Point UP-W67-T1-1a
 Investigator(s): CG, PH Section, Township, Range East Whiteland
 Landform (hillslope, terrace, etc.): Flat plain Local relief (concave, convex, none): None Slope (%): 0-3%
 Subregion (LRR or MLRA): LRR R Lat.: _____ Long.: _____ Datum: NAD 1983
 Soil Map Unit Name CIB NWI Classification None
 Are climatic/hydrologic conditions of the site typical for this time of the year? Yes X No _____ (If no, explain in remarks)
 Are vegetation N, soil N, or hydrology N significantly disturbed? Are "normal circumstances" present? Yes X No _____
 Are vegetation N, soil N, or hydrology N naturally problematic? (If needed, explain any answers in remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic vegetation present? <u> N </u> Hydric soil present? <u> N </u> Wetland hydrology present? <u> N </u>	Is the sampled area within a wetland? Yes _____ No <u> X </u> If yes, optional wetland site ID _____
------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------

Remarks: (Explain alternative procedures here or in a separate report.) Upland point on a mowed path near a fenceline

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply) <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	Secondary Indicators (minimum of two required) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5) <input type="checkbox"/> Microtopographic Relief (D4)
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Field Observations: Surface water present? Yes _____ No <u> X </u> Depth (inches) _____ Water table present? Yes _____ No <u> X </u> Depth (inches) _____ Saturation present? Yes _____ No <u> X </u> Depth (inches) _____ (includes capillary fringe)	Wetland hydrology present? Yes _____ No <u> X </u>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------

Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: UP-W67-T1-1a

Tree Stratum (Plot Size: _____ 30' _____)				Dominance Test Worksheet	
	Absolute % Cover	Dominant Species	Indicator Staus	Number of Dominant Species that are OBL, FACW, or FAC: _____ 2 _____ (A)	
1	<u>5</u>	<u>Y</u>	<u>FAC</u>	Total Number of Dominant Species Across all Strata: _____ 3 _____ (B)	
2	_____	_____	_____	Percent of Dominant Species that are OBL, FACW, or FAC: _____ 66.00% _____ (A/B)	
3	_____	_____	_____	Prevalence Index Worksheet Total % Cover of: OBL species _____ x 1 = _____ FACW species _____ x 2 = _____ FAC species <u>50</u> x 3 = <u>150</u> FACU species <u>55</u> x 4 = <u>220</u> UPL species <u>5</u> x 5 = <u>25</u> Column totals <u>110</u> (A) <u>395</u> (B) Prevalence Index = B/A = <u>3.59</u>	
4	_____	_____	_____		
5	_____	_____	_____		
6	_____	_____	_____		
7	_____	_____	_____		
<u>5</u> = Total Cover					
Sapling/Shrub Stratum (Plot Size: _____ 15' _____)					
	Absolute % Cover	Dominant Species	Indicator Staus	_____ 1 - Rapid test for hydrophytic vegetation	
1	_____	_____	_____	<input checked="" type="checkbox"/> 2 - Dominance test is >50%	
2	_____	_____	_____	<input checked="" type="checkbox"/> 3 - Prevalence index is ≤3.0*	
3	_____	_____	_____	_____ 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)	
4	_____	_____	_____	_____ 5 - Problematic hydrophytic vegetation* (explain)	
5	_____	_____	_____	*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
6	_____	_____	_____	Definitions of Vegetation Strata:	
7	_____	_____	_____	Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.	
<u>0</u> = Total Cover				Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.	
Herb Stratum (Plot Size: _____ 5' _____)				Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
	Absolute % Cover	Dominant Species	Indicator Staus	Woody vines - All woody vines greater than 3.28 ft in height.	
1	<u>40</u>	<u>Y</u>	<u>FACU</u>	Hydrophytic vegetation present? Yes _____ No <input checked="" type="checkbox"/>	
2	<u>40</u>	<u>Y</u>	<u>FAC</u>		
3	<u>10</u>	<u>N</u>	<u>FACU</u>		
4	<u>5</u>	<u>N</u>	<u>FAC</u>		
5	<u>5</u>	<u>N</u>	<u>UPL</u>		
6	<u>5</u>	<u>N</u>	<u>FACU</u>		
<u>105</u> = Total Cover					
Woody vine Stratum (Plot Size: _____ 30' _____)					
	Absolute % Cover	Dominant Species	Indicator Staus		
1	_____	_____	_____		
2	_____	_____	_____		
3	_____	_____	_____		
4	_____	_____	_____		
<u>0</u> = Total Cover					

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: UP-W67-T1-1a

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-12	10YR 4/1	100					Clay loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

- Histisol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (LRR R, MLRA 149B)

- Polyvalue Below Surface (S8) (LRR R, MLRA 149B)
- Thin Dark Surface (S9) (LRR R, MLRA 149B)
- Loamy Mucky Mineral (F1) (LRR K, L)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

Indicators for Problematic Hydric Soils:

- 2 cm Muck (A10) (LRR K, L, MLRA 149B)
- Coast Prairie Redox (A16) (LRR K, L, R)
- 5 cm Mucky Peat or Peat (S3) (LRR K, L, R)
- Dark Surface (S7) (LRR K, L)
- Polyvalue Below Surface (S8) (LRR K, L)
- Thin Dark Surface (S9) (LRR K, L)
- Iron-Manganese Masses (F12) (LRR K, L, R)
- Piedmont Floodplain Soils (F19) (MLRA 149E)
- Mesic Spodic (TA6) (MLRA 144A, 145, 149B)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____
 Depth (inches) _____

Hydric soil present? Yes _____ No X

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: W68-T1-1b

Tree Stratum (Plot Size: _____ 30' _____)				Dominance Test Worksheet	
	Absolute % Cover	Dominant Species	Indicator Status	Number of Dominant Species that are OBL, FACW, or FAC: _____ 3 _____ (A)	
1 _____	_____	_____	_____	Total Number of Dominant Species Across all Strata: _____ 3 _____ (B)	
2 _____	_____	_____	_____		
3 _____	_____	_____	_____		
4 _____	_____	_____	_____		
5 _____	_____	_____	_____		
6 _____	_____	_____	_____		
7 _____	_____	_____	_____		
_____ 0 _____ = Total Cover				Prevalence Index Worksheet	
Sapling/Shrub Stratum (Plot Size: _____ 15' _____)				Total % Cover of:	
	Absolute % Cover	Dominant Species	Indicator Status	OBL species _____ 125 _____ x 1 = _____ 125 _____	
1 _____ <i>Salix nigra</i> _____	60	Y	OBL	FACW species _____ x 2 = _____	
2 _____	_____	_____	_____	FAC species _____ x 3 = _____	
3 _____	_____	_____	_____	FACU species _____ x 4 = _____	
4 _____	_____	_____	_____	UPL species _____ x 5 = _____	
5 _____	_____	_____	_____	Column totals _____ 125 _____ (A) _____ 125 _____ (B)	
6 _____	_____	_____	_____	Prevalence Index = B/A = _____ 1.00 _____	
7 _____	_____	_____	_____	Hydrophytic Vegetation Indicators:	
_____ 60 _____ = Total Cover				_____ 1 - Rapid test for hydrophytic vegetation	
				<input checked="" type="checkbox"/> 2 - Dominance test is >50%	
				<input checked="" type="checkbox"/> 3 - Prevalence index is ≤3.0*	
				4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)	
				_____ 5 - Problematic hydrophytic vegetation* (explain)	
				*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic	
Herb Stratum (Plot Size: _____ 5' _____)				Definitions of Vegetation Strata:	
	Absolute % Cover	Dominant Species	Indicator Status	Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.	
1 _____ <i>Iris pseudacorus</i> _____	40	Y	OBL	Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.	
2 _____ <i>Carex lupulina</i> _____	20	Y	OBL	Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.	
3 _____ <i>Juncus effusus</i> _____	5	N	OBL	Woody vines - All woody vines greater than 3.28 ft in height.	
4 _____	_____	_____	_____	Hydrophytic vegetation present? Yes <input checked="" type="checkbox"/> No _____	
5 _____	_____	_____	_____		
6 _____	_____	_____	_____		
7 _____	_____	_____	_____		
_____ 65 _____ = Total Cover					
Woody vine Stratum (Plot Size: _____ 30' _____)					
	Absolute % Cover	Dominant Species	Indicator Status		
1 _____	_____	_____	_____		
2 _____	_____	_____	_____		
3 _____	_____	_____	_____		
4 _____	_____	_____	_____		
_____ 0 _____ = Total Cover					
Remarks: (Include photo numbers here or on a separate sheet)					

SOIL

Sampling Point: W68-T1-1b

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-2	10YR 6/2	100					Sand	
2-12	1)YR 7/1	90	7.5YR 6/8	10	C	M	Clay	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

Indicators for Problematic Hydric Soils:

- | | | |
|---------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> Histisol (A1) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | <input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B) | <input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L) | <input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Dark Surface (S7) (LRR K, L) |
| <input type="checkbox"/> Stratified Layers (A5) | <input type="checkbox"/> Depleted Matrix (F3) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Redox Dark Surface (F6) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Depleted Dark Surface (F7) | <input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Redox Depressions (F8) | <input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149E) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | | <input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| <input type="checkbox"/> Sandy Redox (S5) | | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Stripped Matrix (S6) | | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Dark Surface (S7) (LRR R, MLRA 149B) | | <input type="checkbox"/> Other (Explain in Remarks) |

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches) _____

Hydric soil present? Yes No

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: W68-T1-1C

<u>Tree Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>60</u>	<u>Y</u>	<u>OBL</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>60</u> =	Total Cover	
<u>Sapling/Shrub Stratum</u> (Plot Size: <u>15'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>20</u>	<u>Y</u>	<u>OBL</u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>20</u> =	Total Cover	
<u>Herb Stratum</u> (Plot Size: <u>5'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>30</u>	<u>Y</u>	<u>OBL</u>
2	<u>10</u>	<u>N</u>	<u>OBL</u>
3	<u>5</u>	<u>N</u>	<u>OBL</u>
4	<u> </u>	<u> </u>	<u> </u>
5	<u> </u>	<u> </u>	<u> </u>
6	<u> </u>	<u> </u>	<u> </u>
7	<u> </u>	<u> </u>	<u> </u>
	<u>45</u> =	Total Cover	
<u>Woody vine Stratum</u> (Plot Size: <u>30'</u>)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u> </u>	<u> </u>	<u> </u>
2	<u> </u>	<u> </u>	<u> </u>
3	<u> </u>	<u> </u>	<u> </u>
4	<u> </u>	<u> </u>	<u> </u>
	<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 3 (A)

Total Number of Dominant Species Across all Strata: 3 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species	<u>125</u> x 1 =	<u>125</u>
FACW species	<u>0</u> x 2 =	<u>0</u>
FAC species	<u>0</u> x 3 =	<u>0</u>
FACU species	<u>0</u> x 4 =	<u>0</u>
UPL species	<u>0</u> x 5 =	<u>0</u>
Column totals	<u>125</u> (A)	<u>125</u> (B)

Prevalence Index = B/A = 1.00

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present? Yes X No

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: W68-T1-1C

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-12	10 YR 7/1	80	7/5 YR 5/8	20	C	M	Clay Loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains

**Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

- Histisol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (**LRR R, MLRA 149B**)
- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

Indicators for Problematic Hydric Soils:

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Dark Surface (S7) (**LRR K, L**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric soil present? Yes No

Remarks:

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: REA- Station 200 City/County: _____ Sampling Date 7/7/2020
 Applicant/Owner: Transcontinental Pipe Line Company, LLC State: PA Sampling Point UP-W68-T1-1a
 Investigator(s): CG, PH Section, Township, Range _____
 Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): None Slope (%): 0-3%
 Subregion (LRR or MLRA): LRR R Lat.: _____ Long.: _____ Datum: NAD 1983
 Soil Map Unit Name CIB NWI Classification None
 Are climatic/hydrologic conditions of the site typical for this time of the year? Yes X No _____ (If no, explain in remarks)
 Are vegetation N, soil N, or hydrology N significantly disturbed? Are "normal circumstances" present? Yes X No _____
 Are vegetation N, soil N, or hydrology N naturally problematic? (If needed, explain any answers in remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic vegetation present? <u> N </u> Hydric soil present? <u> N </u> Wetland hydrology present? <u> N </u>	Is the sampled area within a wetland? Yes _____ No <u> X </u> If yes, optional wetland site ID _____
------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------

Remarks: (Explain alternative procedures here or in a separate report.) Upland point on top of dike wall above a pond

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply) <input type="checkbox"/> Surface Water (A1) <input type="checkbox"/> Water-Stained Leaves (B9) <input type="checkbox"/> High Water Table (A2) <input type="checkbox"/> Aquatic Fauna (B13) <input type="checkbox"/> Saturation (A3) <input type="checkbox"/> Marl Deposits (B15) <input type="checkbox"/> Water Marks (B1) <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <input type="checkbox"/> Sediment Deposits (B2) <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <input type="checkbox"/> Drift Deposits (B3) <input type="checkbox"/> Presence of Reduced Iron (C4) <input type="checkbox"/> Algal Mat or Crust (B4) <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <input type="checkbox"/> Iron Deposits (B5) <input type="checkbox"/> Thin Muck Surface (C7) <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <input type="checkbox"/> Other (Explain in Remarks) <input type="checkbox"/> Sparsely Vegetated Concave Surface (B8)	Secondary Indicators (minimum of two required) <input type="checkbox"/> Surface Soil Cracks (B6) <input type="checkbox"/> Drainage Patterns (B10) <input type="checkbox"/> Moss Trim Lines (B16) <input type="checkbox"/> Dry-Season Water Table (C2) <input type="checkbox"/> Crayfish Burrows (C8) <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <input type="checkbox"/> Stunted or Stressed Plants (D1) <input type="checkbox"/> Geomorphic Position (D2) <input type="checkbox"/> Shallow Aquitard (D3) <input type="checkbox"/> FAC-Neutral Test (D5) <input type="checkbox"/> Microtopographic Relief (D4)
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Field Observations: Surface water present? Yes _____ No <u> X </u> Depth (inches) _____ Water table present? Yes _____ No <u> X </u> Depth (inches) _____ Saturation present? Yes _____ No <u> X </u> Depth (inches) _____ (includes capillary fringe)	Wetland hydrology present? Yes _____ No <u> X </u>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------

Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available

Remarks:

VEGETATION - Use scientific names of plants

Sampling Point: UP-W68-T1-1a

<u>Tree Stratum</u> (Plot Size: ____ 30' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>5</u>	<u>Y</u>	<u>FACU</u>
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>5</u> =	Total Cover	

<u>Sapling/Shrub Stratum</u> (Plot Size: ____ 15' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>5</u>	<u>Y</u>	<u>UPL</u>
2	<u>5</u>	<u>Y</u>	<u>FACU</u>
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>10</u> =	Total Cover	

<u>Herb Stratum</u> (Plot Size: ____ 5' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>20</u>	<u>Y</u>	<u>FAC</u>
2	<u>20</u>	<u>Y</u>	<u>FACU</u>
3	<u>15</u>	<u>N</u>	<u>FACU</u>
4	<u>10</u>	<u>N</u>	<u>FACU</u>
5	<u>10</u>	<u>N</u>	<u>UPL</u>
6	<u>5</u>	<u>N</u>	<u>FACU</u>
7	<u>5</u>	<u>N</u>	<u>UPL</u>
8	<u>5</u>	<u>N</u>	<u>FAC</u>
	<u>90</u> =	Total Cover	

<u>Woody vine Stratum</u> (Plot Size: ____ 30' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
	<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 1 (A)

Total Number of Dominant Species Across all Strata: 5 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 20.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species x 1 =

FACW species x 2 =

FAC species 25 x 3 = 75

FACU species 60 x 4 = 240

UPL species 20 x 5 = 100

Column totals 105 (A) 415 (B)

Prevalence Index = B/A = 3.95

Hydrophytic Vegetation Indicators:

 1 - Rapid test for hydrophytic vegetation

X 2 - Dominance test is >50%

X 3 - Prevalence index is ≤3.0*

 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)

 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

Tree - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.

Herb - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present?

Yes No X

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: UP-W68-T1-1a

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-12	10yR 4/4	100					Clay	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains **Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

Indicators for Problematic Hydric Soils:

- | | | |
|---------------------------------------------------------------|--------------------------------------------------------------------------|----------------------------------------------------------------------|
| <input type="checkbox"/> Histisol (A1) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR R, MLRA 149B) | <input type="checkbox"/> 2 cm Muck (A10) (LRR K, L, MLRA 149B) |
| <input type="checkbox"/> Histic Epipedon (A2) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR R, MLRA 149B) | <input type="checkbox"/> Coast Prairie Redox (A16) (LRR K, L, R) |
| <input type="checkbox"/> Black Histic (A3) | <input type="checkbox"/> Loamy Mucky Mineral (F1) (LRR K, L) | <input type="checkbox"/> 5 cm Mucky Peat or Peat (S3) (LRR K, L, R) |
| <input type="checkbox"/> Hydrogen Sulfide (A4) | <input type="checkbox"/> Loamy Gleyed Matrix (F2) | <input type="checkbox"/> Dark Surface (S7) (LRR K, L) |
| <input type="checkbox"/> Stratified Layers (A5) | <input type="checkbox"/> Depleted Matrix (F3) | <input type="checkbox"/> Polyvalue Below Surface (S8) (LRR K, L) |
| <input type="checkbox"/> Depleted Below Dark Surface (A11) | <input type="checkbox"/> Redox Dark Surface (F6) | <input type="checkbox"/> Thin Dark Surface (S9) (LRR K, L) |
| <input type="checkbox"/> Thick Dark Surface (A12) | <input type="checkbox"/> Depleted Dark Surface (F7) | <input type="checkbox"/> Iron-Manganese Masses (F12) (LRR K, L, R) |
| <input type="checkbox"/> Sandy Mucky Mineral (S1) | <input type="checkbox"/> Redox Depressions (F8) | <input type="checkbox"/> Piedmont Floodplain Soils (F19) (MLRA 149E) |
| <input type="checkbox"/> Sandy Gleyed Matrix (S4) | | <input type="checkbox"/> Mesic Spodic (TA6) (MLRA 144A, 145, 149B) |
| <input type="checkbox"/> Sandy Redox (S5) | | <input type="checkbox"/> Red Parent Material (TF2) |
| <input type="checkbox"/> Stripped Matrix (S6) | | <input type="checkbox"/> Very Shallow Dark Surface (TF12) |
| <input type="checkbox"/> Dark Surface (S7) (LRR R, MLRA 149B) | | <input type="checkbox"/> Other (Explain in Remarks) |

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches) _____

Hydric soil present? Yes _____ No X

Remarks:

WETLAND DETERMINATION DATA FORM - Northcentral and Northeast Region

Project/Site: REA- Station 200 City/County: Chester Sampling Date: 7/7/2020
 Applicant/Owner: Transcontinental Gas Pipe Line Company, LLC State: PA Sampling Point: W69-T1-1c
 Investigator(s): DW, CG Section, Township, Range: East Whiteland
 Landform (hillslope, terrace, etc.): none Local relief (concave, convex, none): None Slope (%): 3-8%
 Subregion (LRR or MLRA): LRR R Lat.: 40.052634 Long.: -75.587097 Datum: NAD 1983
 Soil Map Unit Name Conestoga silt loam (CtB) NWI Classification: None
 Are climatic/hydrologic conditions of the site typical for this time of the year? Yes X No (If no, explain in remarks)
 Are vegetation N , soil N , or hydrology N significantly disturbed? Are "normal circumstances" present? Yes X No
 Are vegetation N , soil N , or hydrology N naturally problematic? (If needed, explain any answers in remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic vegetation present? <u> </u> Y <u> </u> Hydric soil present? <u> </u> Y <u> </u> Wetland hydrology present? <u> </u> Y <u> </u>	Is the sampled area within a wetland? Yes <u> </u> X <u> </u> No <u> </u> If yes, optional wetland site ID: <u> </u>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Remarks: (Explain alternative procedures here or in a separate report.) Small road runoff wetland

HYDROLOGY

Primary Indicators (minimum of one is required; check all that apply) <input checked="" type="checkbox"/> Surface Water (A1) <u> </u> <input checked="" type="checkbox"/> Water-Stained Leaves (B9) <u> </u> <input type="checkbox"/> High Water Table (A2) <u> </u> <input type="checkbox"/> Aquatic Fauna (B13) <u> </u> <input checked="" type="checkbox"/> Saturation (A3) <u> </u> <input type="checkbox"/> Marl Deposits (B15) <u> </u> <input type="checkbox"/> Water Marks (B1) <u> </u> <input type="checkbox"/> Hydrogen Sulfide Odor (C1) <u> </u> <input type="checkbox"/> Sediment Deposits (B2) <u> </u> <input type="checkbox"/> Oxidized Rhizospheres on Living Roots (C3) <u> </u> <input type="checkbox"/> Drift Deposits (B3) <u> </u> <input type="checkbox"/> Presence of Reduced Iron (C4) <u> </u> <input type="checkbox"/> Algal Mat or Crust (B4) <u> </u> <input type="checkbox"/> Recent Iron Reduction in Tilled Soils (C6) <u> </u> <input type="checkbox"/> Iron Deposits (B5) <u> </u> <input type="checkbox"/> Thin Muck Surface (C7) <u> </u> <input type="checkbox"/> Inundation Visible on Aerial Imagery (B7) <u> </u> <input type="checkbox"/> Other (Explain in Remarks) <u> </u> <input checked="" type="checkbox"/> Sparsely Vegetated Concave Surface (B8) <u> </u>	Secondary Indicators (minimum of two required) <input type="checkbox"/> Surface Soil Cracks (B6) <u> </u> <input type="checkbox"/> Drainage Patterns (B10) <u> </u> <input type="checkbox"/> Moss Trim Lines (B16) <u> </u> <input type="checkbox"/> Dry-Season Water Table (C2) <u> </u> <input type="checkbox"/> Crayfish Burrows (C8) <u> </u> <input type="checkbox"/> Saturation Visible on Aerial Imagery (C9) <u> </u> <input type="checkbox"/> Stunted or Stressed Plants (D1) <u> </u> <input type="checkbox"/> Geomorphic Position (D2) <u> </u> <input type="checkbox"/> Shallow Aquitard (D3) <u> </u> <input type="checkbox"/> FAC-Neutral Test (D5) <u> </u> <input type="checkbox"/> Microtopographic Relief (D4) <u> </u>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Field Observations: Surface water present? Yes <u> </u> X <u> </u> No <u> </u> Depth (inches): <u> </u> 1 <u> </u> Water table present? Yes <u> </u> No <u> </u> X <u> </u> Depth (inches): <u> </u> Saturation present? Yes <u> </u> X <u> </u> No <u> </u> Depth (inches): <u> </u> Surface <u> </u> (includes capillary fringe)	Wetland hydrology present? Yes <u> </u> X <u> </u> No <u> </u>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------

Describe recorded data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: small road runoff wetland

VEGETATION - Use scientific names of plants

Sampling Point: W69-T1-1c

<u>Tree Stratum</u> (Plot Size: ____ 30' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>40</u>	<u>Y</u>	<u>FAC</u>
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>40</u> =	Total Cover	
<u>Sapling/Shrub Stratum</u> (Plot Size: ____ 15' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
7	_____	_____	_____
	<u>0</u> =	Total Cover	
<u>Herb Stratum</u> (Plot Size: ____ 5' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	<u>15</u>	<u>Y</u>	<u>OBL</u>
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
5	_____	_____	_____
6	_____	_____	_____
8	_____	_____	_____
	<u>15</u> =	Total Cover	
<u>Woody vine Stratum</u> (Plot Size: ____ 30' ____)			
	Absolute % Cover	Dominant Species	Indicator Staus
1	_____	_____	_____
2	_____	_____	_____
3	_____	_____	_____
4	_____	_____	_____
	<u>0</u> =	Total Cover	

Dominance Test Worksheet

Number of Dominant Species that are OBL, FACW, or FAC: 2 (A)

Total Number of Dominant Species Across all Strata: 2 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: 100.00% (A/B)

Prevalence Index Worksheet

Total % Cover of:

OBL species 15 x 1 = 15

FACW species 0 x 2 = 0

FAC species 40 x 3 = 120

FACU species 0 x 4 = 0

UPL species 0 x 5 = 0

Column totals 55 (A) 135 (B)

Prevalence Index = B/A = 2.45

Hydrophytic Vegetation Indicators:

- 1 - Rapid test for hydrophytic vegetation
- X 2 - Dominance test is >50%
- X 3 - Prevalence index is ≤3.0*
- 4 - Morphological adaptations* (provide supporting data in Remarks or on a separate sheet)
- 5 - Problematic hydrophytic vegetation* (explain)

*Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic

Definitions of Vegetation Strata:

- Tree** - Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.
- Sapling/shrub** - Woody plants less than 3 in. DBH and greater than 3.28 ft (1 m) tall.
- Herb** - All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.
- Woody vines** - All woody vines greater than 3.28 ft in height.

Hydrophytic vegetation present?

Yes X No

Remarks: (Include photo numbers here or on a separate sheet)

SOIL

Sampling Point: W69-T1-1c

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix		Redox Features				Texture	Remarks
	Color (moist)	%	Color (moist)	%	Type*	Loc**		
0-4	10YR 4/1	90	7.5YR 5/8	10	C	M	Silt loam	
4-14	10YR 5/1	80		20	C	M	Clay loam	

*Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains

**Location: PL=Pore Lining, M=Matrix

Hydric Soil Indicators:

- Histisol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7) (**LRR R, MLRA 149B**)
- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)

Indicators for Problematic Hydric Soils:

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Dark Surface (S7) (**LRR K, L**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (TF2)
- Very Shallow Dark Surface (TF12)
- Other (Explain in Remarks)

*Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric soil present? Yes No

Remarks:

ATTACHMENT B
WETLAND RESOURCE SUMMARY TABLES

WETLAND RESOURCE SUMMARY TABLE

**TRANSCONTINENTAL GAS PIPE LINE COMPANY, LLC (TRANSCO)
REGIONAL ENERGY ACCESS EXPANSION PROJECT - COMPRESSOR STATION 200
WETLAND RESOURCE SUMMARY TABLE**

Wetland ID	Dataform ID	Cowardin Code	Area (sq. ft.)	Open-Ended Boundary	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Chapter 105.17 Wetland Designation	Watershed Information			Wetland Description
									Watershed Name	PA Code Chapter 93 Water Quality Designated Use	PA Code Chapter 93 Water Quality Existing Use	
W66-T1	W66-T1-01a	PEM	6,660	NO	ISOLATE	40.050669	-75.586758	OTHER	Valley Creek	EV, MF	-	PEM/PFO wetland depression in an old wetland creation area near a compressor station.
	W66-T1-01c	PFO	5,075									
W67-T1	WW67-T1-01a	PEM	79	NO	ISOLATE	40.050945	-75.58607	OTHER	Valley Creek	EV, MF	-	PEM wetland in a depression along the edge of a patch of woods near a maintained fenceline.
W68-T1	W68-T1-1b	PSS	376	Yes	ISOLATE	40.051019	-75.589502	OTHER	Trib 00279 to Valley Creek	CWF, MF	-	PSS/PFO/POW wetland fringe along the edge of a pond that is becoming overgrown.
	W68-T1-1c	PFO	1,580									
	-	POW	106									
W69-T1	W69-T1-1c	PFO	102	NO	ISOLATE	40.052616	-75.587081	OTHER	Valley Creek	EV, MF	-	PFO wetland depression near a road where stormwater runoff settles.
W-T10-001a-1		PEM	160	NO	ISOLATE	40.049621	-75.586154	OTHER	Valley Creek	EV, MF	-	PEM wetland in a maintained field near a compressor station.
Total PEM Wetlands			6,899									
Total PSS Wetlands			376									
Total PFO Wetlands			5,283									
Total POW Wetlands			106									
TOTAL			14,138									

APPENDIX F

DELAWARE RIVER REGULATOR WETLAND AND WATERCOURSE
DELINEATION REPORT (OMITTED)

APPENDIX G

MAIN LINE A REGULATOR WETLAND AND WATERCOURSE
DELINEATION REPORT (OMITTED)