



August 21, 2026

Dear Customer,

The following is the proof-of-delivery for tracking number: 533294809975

Delivery Information:

Status:	Delivered	Delivered To:	Shipping/Receiving
Signed for by:	L.Dhannon	Delivery Location:	
Service type:	FedEx Priority Overnight		
Special Handling:	Deliver Weekday		WILLIAMSPORT, PA,
		Delivery date:	Aug 20, 2026 11:30

Shipping Information:

Tracking number:	533294809975	Ship Date:	Aug 19, 2026
		Weight:	0.5 LB/0.23 KG

Recipient:	Shipper:
WILLIAMSPORT, PA, US,	MOON TOWNSHIP, PA, US,

Reference	334-659 P STAUDENMEIER
Department Number	LYCOMING COUNTY COMMISSIO

FedEx Express proof-of-delivery details appear below; however, no signature is currently available for this shipment. Please check again later for a signature.

Thank you for choosing FedEx



August 19, 2026

Lycoming County Commissioners
48 West Third Street
Williamsport, PA 17701

Dear Commissioners:

Subject: Acts 14, 67, 68, and 127 Notification
Saluda Access Road and Staging Area
Gamble and Cascade Townships, Lycoming County, Pennsylvania
CEC Project 334-659

This notice, under the requirements of Acts 14, 67, 68, and 127, is to inform you that, on behalf of Pennsylvania General Energy Co., LLC (PGE), Civil & Environmental Consultants, Inc. (CEC) is applying for coverage under an Erosion and Sediment Control General Permit (ESCGP-4) from the Pennsylvania Department of Environmental Protection (PADEP) and a Joint Permit Application for a Water Obstruction and Encroachment Permit from the PADEP and a Section 404 Clean Water Act Permit from the U.S. Army Corps of Engineers for the proposed project. The ESCG-4 is required for earth disturbance associated with oil and gas exploration, production, processing or treatment operations or transmission facilities.

Applicant Contact: Kendra Schiappa
Pennsylvania General Energy Co., LLC
120 Market Street
Warren, PA 16365
Phone: 814-723-3230

Project Location: Gamble and Cascade Townships, Lycoming County, Pennsylvania

Project Description: The proposed project includes the construction of a 3.9-mile-long permanent access road and staging area. The proposed road will provide access to an existing well pad and future well pads proposed on the state forest tract. The proposed staging area will be used to store equipment and materials for the construction of future well pads and will later be used as a well pad.

Section 1905-A of the Commonwealth Administrative Code, as amended by Act 14, requires that PADEP permit applicants give written notice to the municipalities and the counties in which the permitted activity is located. The written notices shall be received by the municipalities and counties at least 30 days before the PADEP may issue or deny the permit.

Acts 67, 68, and 127, which amended the Municipalities Planning Code to support sound land use practices and planning efforts, direct state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure and specify that state agencies may rely upon comprehensive plans and zoning ordinances under certain conditions as described in Sections 619.2 and 1105 of the Municipalities Planning Code.

Lycoming County Commissioners
CEC Project 334-659
Page 2
August 19, 2026

Please review the enclosed General Information Form and complete the enclosed Notification of Planned Land Development form. Please return the land development form within 30 days to:

Civil & Environmental Consultants, Inc.
ATTN: Bethanie Hepner
700 Cherrington Parkway
Moon Township, PA 15108

We will include the completed land development form with our permit applications to PADEP. If the form is not received within 30 days, PADEP will assume there are no substantive land use conflicts and proceed with the normal permit application review process.

The ESCGP-4 Notice of Intent, erosion and sediment control plans, and the post construction stormwater management plan are available online through PADEP's e-Permitting System by selecting the project, ESCGP permit, and the "Public Permit Review" link found on this page: https://www.ahs.dep.pa.gov/eFACTSWeb/searchResults_singleClient.aspx?ClientID=213205. If you have trouble accessing these documents and would like a copy of them, please contact Bethanie Hepner of CEC at bhepner@cecinc.com or 412-275-2937.

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.



Bethanie Hepner
Project Manager



Peter Staudenmeier
Vice President

Enclosures: Site Location Map, General Information Form, and Notification of Planned Land Development Form


ATTACHMENT 1
SITE LOCATION MAP

\\cecinc.com\global\Projects\330-000\334-659\GIS\Maps\EC06_Saluda_Pad_C_JPA\334659_EC06_Saluda_Main_Pad_Access_Delineation_Map\334659_EC06_Saluda_Pad_C_JPA.aprx [334659_EC06_Saluda_Pad_C_JPA_FIG_4.1_SITE_LOCATION_MAP] 8/13/2026 3:04 PM (small)



REFERENCE(S):

1. USGS TOPOGRAPHIC MAP/ ARCGIS MAP SERVICE:
HTTP://GOTO.ARCGISONLINE.COM/MAPS/USA_TOPO_MAPS,
ACCESSED 8/17/2026.



ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE IN THE STATE OF NORTH CAROLINA WILL BE PROVIDED BY CEC SURVEYING AND LANDSCAPE ARCHITECTS OF NC, PLLC. SERVICES IN PUERTO RICO WILL BE PROVIDED BY CEC ENGINEERS & CONSULTANTS, LLC. LANDSCAPE ARCHITECTURE SERVICES IN THE STATE OF OHIO WILL BE PROVIDED BY CEC LANDSCAPE ARCHITECTS, LLC.



**Civil & Environmental
Consultants, Inc.**

700 Cherrington Parkway
Moon Township, PA 15108

Ph: 412.429.2324 · 800.365.2324

www.cecinc.com

PENNSYLVANIA GENERAL ENERGY CO., LLC
SALUDA ACCESS ROAD AND STAGING AREA
GAMBLE AND CASCADE TOWNSHIPS,
LYCOMING COUNTY, PENNSYLVANIA

SITE LOCATION MAP

DRAWN BY:	SRS	CHECKED BY:	JWR	APPROVED BY:	PMS*	FIGURE NO:	1
DATE:	8/13/2026	SCALE:	1" = 2,000'	PROJECT NO:	334-659		

*Hand Signature on file

ATTACHMENT 2

GENERAL INFORMATION FORM



GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This form is used by the Department of Environmental Protection (DEP) to inform our programs regarding what other DEP permits or authorizations may be needed for the proposed project or activity. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the DEP.

Related ID#s (If Known)		DEP USE ONLY
Client ID# 213205	APS ID#	Date Received & General Notes
Site ID#	Auth ID#	
Facility ID#		

CLIENT INFORMATION

DEP Client ID# 213205	Client Type/Code LLC	Dun & Bradstreet ID#	
Legal Organization Name or Registered Fictitious Name Pennsylvania General Energy Co., LLC		Employer ID# (EIN) 432002031	Is the EIN a SSN? ☐ Yes ☒ No
State of Incorporation or Registration of Fictitious Name Pennsylvania	☐ Corporation ☒ LLC ☐ Partnership ☐ LLP ☐ LP ☐ Sole Proprietorship ☐ Association/Organization ☐ Estate/Trust ☐ Other		
Individual Last Name	First Name	MI	Suffix
Additional Individual Last Name	First Name	MI	Suffix
Mailing Address Line 1 120 Market Street		Mailing Address Line 2	
Address Last Line – City Warren	State PA	ZIP+4 16365	Country United States of America
Client Contact Last Name Schiappa	First Name Kendra	MI	Suffix
Client Contact Title Environmental Manager	Phone 814-723-3230	Ext 129	Cell Phone 814-779-2670
Email Address kendraschiappa@penngeneralenergy.com	FAX		

SITE INFORMATION

DEP Site ID#	Site Name Saluda Access Road and Staging Area				
EPA ID#	Estimated Number of Employees to be Present at Site				
Description of Site The proposed project traverses mixed deciduous and coniferous forests and existing forest roads.					
Tax Parcel ID(s):					
County Name(s)	Municipality(ies)	City	Boro	Twp	State
Lycoming	Gamble	☐	☐	☒	PA
Lycoming	Cascade	☐	☐	☒	PA

Site Location Line 1		Site Location Line 2	
Wallis Run Road			
Site Location Last Line – City	State	ZIP+4	
Trout Run	PA	17771	
Detailed Written Directions to Site			
From Williamsport, PA: Take the US-15 S/I-180 E ramp toward Lewisburg. Merge onto I-180 E and continue for about 4 miles. Take Exit 21 for PA-87N/N Loyalsock Ave (signs for Farragut). Turn left onto PA-87 N/N Loyalsock Ave and follow it for 14.3 miles. After passing through Warrensville, turn left onto PA-973 W. Continue for about 0.1 miles and turn right onto Wallis Run Rd. In two miles you will arrive at the proposed permanent access road entrance you will arrive at the proposed permanent access road entrance (41.415537, -76.8680936).			
Site Contact Last Name	First Name	MI	Suffix
Schiappa	Kendra		
Site Contact Title		Site Contact Firm	
Environmental Manager		Pennsylvania General Energy Co., LLC	
Mailing Address Line 1		Mailing Address Line 2	
120 Market Street			
Mailing Address Last Line – City		State	ZIP+4
Warren		PA	16365
Phone	Ext	FAX	Email Address
814-723-3230	129		kendraschiappa@penngeneralenergy.com
NAICS Codes (Two- & Three-Digit Codes – List All That Apply)			6-Digit Code (Optional)
21,211			
Client to Site Relationship			
LESOP			

FACILITY INFORMATION

Modification of Existing Facility		Yes	No
1.	Will this project modify an existing facility, system, or activity?	☐	☒
2.	Will this project involve an addition to an existing facility, system, or activity?	☐	☒
<i>If "Yes", check all relevant facility types and provide DEP facility identification numbers below.</i>			
Facility Type	DEP Fac ID#	Facility Type	DEP Fac ID#
☐ Air Emission Plant		☐ Industrial Minerals Mining Operation	
☐ Beneficial Use (water)		☐ Laboratory Location	
☐ Blasting Operation		☐ Land Recycling Cleanup Location	
☐ Captive Hazardous Waste Operation		☐ Mine Drainage Treatment / Land Recycling Project Location	
☐ Coal Ash Beneficial Use Operation		☐ Municipal Waste Operation	
☐ Coal Mining Operation		☐ Oil & Gas Encroachment Location	
☐ Coal Pillar Location		☐ Oil & Gas Location	
☐ Commercial Hazardous Waste Operation		☐ Oil & Gas Water Poll Control Facility	
☐ Dam Location		☐ Public Water Supply System	
☐ Deep Mine Safety Operation -Anthracite		☐ Radiation Facility	
☐ Deep Mine Safety Operation -Bituminous		☐ Residual Waste Operation	
☐ Deep Mine Safety Operation -Ind Minerals		☐ Storage Tank Location	
☐ Encroachment Location (water, wetland)		☐ Water Pollution Control Facility	
☐ Erosion & Sediment Control Facility		☐ Water Resource	
☐ Explosive Storage Location		☐ Other:	

Latitude/Longitude Point of Origin	Latitude			Longitude							
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds					
PNDI	41	23	50	-76	52	33					
Horizontal Accuracy Measure	Feet		--or--	Meters							
Horizontal Reference Datum Code	☐	North American Datum of 1927									
	☒	North American Datum of 1983									
	☐	World Geodetic System of 1984									
Horizontal Collection Method Code	HGIS										
Reference Point Code	CNTAR										
Altitude	Feet	1560	--or--	Meters							
Altitude Datum Name	☒	The National Geodetic Vertical Datum of 1929									
	☐	The North American Vertical Datum of 1988 (NAVD88)									
Altitude (Vertical) Location Datum Collection Method Code	TOPO										
Geometric Type Code	POINT										
Data Collection Date	8/15/2025										
Source Map Scale Number	1	Inch(es)	=	2000	Feet						
	--or--	Centimeter(s)	=		Meters						

PROJECT INFORMATION

Project Name

Saluda Access Road and Staging Area

Project Description

The proposed project includes the construction of a 3.9-mile-long permanent access road and staging area. The proposed road will facilitate access to an existing well pad and future well pads proposed on the state forest tract. The proposed staging area will be used to store equipment and materials for the construction of future well pads and will later be used as a well pad.

Project Consultant Last Name	First Name	MI	Suffix
Staudenmeier	Peter	M	
Project Consultant Title	Consulting Firm		
Principal	Civil & Environmental Consultants, Inc.		
Mailing Address Line 1	Mailing Address Line 2		
700 Cherrington Parkway			
Address Last Line – City	State	ZIP+4	
Moon Township			
Phone	Ext	FAX	Email Address
(412) 249-2294			pstaudenmeier@cecinc.com
Time Schedules	Project Milestone (Optional)		

1. Is the project located in or within a 0.5-mile radius of an Environmental Justice community as defined by DEP? ☐ Yes ☒ No

To determine if the project is located in or within a 0.5-mile radius of an environmental justice community, please use the [online PennEnviroScreen tool](#). To see specific EJ areas, select the appropriate year of your submittal from the themes box on the right.

2. Have you informed the surrounding community prior to submitting the application to the Department? ☒ Yes ☐ No

Method of notification: ACT 14 Letters

3. Have you addressed community concerns that were identified? ☒ Yes ☐ No ☐ N/A

If no, please briefly describe the community concerns that have been expressed and not addressed.

See Attachment 2-1

4. Is your project funded by state or federal grants? ☐ Yes ☒ No

Note: If "Yes", specify what aspect of the project is related to the grant and provide the grant source, contact person and grant expiration date.

Aspect of Project Related to Grant

Grant Source: _____

Grant Contact Person: _____

Grant Expiration Date: _____

5. Is this application for an authorization on Appendix A of the Land Use Policy? (For referenced list, see Appendix A of the Land Use Policy attached to GIF instructions) ☒ Yes ☐ No

Note: If "No" to Question 5, the application is not subject to the Land Use Policy.

If "Yes" to Question 5, the application is subject to this policy and the Applicant should answer the additional questions in the **Land Use Information** section.

LAND USE INFORMATION

Note: Applicants should submit copies of local land use approvals or other evidence of compliance with local comprehensive plans and zoning ordinances.

1. Is there an adopted county or multi-county comprehensive plan? ☒ Yes ☐ No

2. Is there a county stormwater management plan? ☒ Yes ☐ No

3. Is there an adopted municipal or multi-municipal comprehensive plan? ☒ Yes ☐ No

4. Is there an adopted county-wide zoning ordinance, municipal zoning ordinance or joint municipal zoning ordinance? ☒ Yes ☐ No

Note: If the Applicant answers "No" to either Questions 1, 3 or 4, the provisions of the PA MPC are not applicable and the Applicant does not need to respond to questions 5 and 6 below.

If the Applicant answers "Yes" to questions 1, 3 and 4, the Applicant should respond to questions 5 and 6 below.

5. Does the proposed project meet the provisions of the zoning ordinance or does the proposed project have zoning approval? If zoning approval has been received, attach documentation. ☒ Yes ☐ No

6. Have you attached Municipal and County Land Use Letters for the project? ☒ Yes ☐ No

COORDINATION INFORMATION

Note: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 [at PHMC's online portal, PA-SHARE](#).

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.	☐ Yes	☒ No
1.1	Will this coal mining project involve coal preparation/processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?	☐ Yes	☐ No
1.2	Will this coal mining project involve coal preparation/processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?	☐ Yes	☐ No
1.3	Will this coal mining project involve coal preparation/processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?	☐ Yes	☐ No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	☐ Yes	☐ No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	☐ Yes	☐ No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?	☐ Yes	☐ No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.	☐ Yes	☒ No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?	☐ Yes	☐ No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?	☐ Yes	☐ No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?	☐ Yes	☐ No

2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	☐	Yes	☐	No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	☐	Yes	☐	No
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0.	☒	Yes	☐	No
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)?	☒	Yes	☐	No
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .	☐	Yes	☒	No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?	☐	Yes	☒	No
4.0	Will the project involve a construction activity that results in earth disturbance? If "Yes", specify the total disturbed acreage.	☒	Yes	☐	No
4.0.1	Total Disturbed Acreage 44.3 acres				
4.0.2	Will the project discharge or drain to a special protection water (EV or HQ) or an EV wetland?	☒	Yes	☐	No
4.0.3	Will the project involve a construction activity that results in earth disturbance in the area of the earth disturbance that are contaminated at levels exceeding residential or non-residential medium-specific concentrations (MSCs) in 25 Pa. Code Chapter 250 at residential or non-residential construction sites, respectively?	☐	Yes	☒	No
5.0	Does the project involve any of the following: water obstruction and/or encroachment, wetland impacts, or floodplain project by the Commonwealth/political subdivision or public utility? If "Yes", respond to 5.1-5.7. If "No", skip to Question 6.0.	☒	Yes	☐	No

5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?	☒ Yes	☐ No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?	☒ Yes	☐ No
5.3	Floodplain Projects by the Commonwealth, a Political Subdivision of the Commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?	☒ Yes	☐ No
5.4	Is your project an interstate transmission natural gas pipeline?	☐ Yes	☒ No
5.5	Does your project consist of linear construction activities which result in earth disturbance in two or more DEP regions AND three or more counties?	☐ Yes	☒ No
5.6	Does your project utilize Floodplain Restoration as a best management practice for Post Construction Stormwater Management?	☐ Yes	☒ No
5.7	Does your project utilize Class V Gravity / Injection Wells as a best management practice for Post Construction Stormwater Management?	☐ Yes	☒ No
6.0	Will the project involve discharge of construction related stormwater to a dry swale, surface water, ground water or separate storm water system?	☐ Yes	☒ No
6.1	Will the project involve discharge of industrial waste stormwater or wastewater from an industrial activity or sewage to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?	☐ Yes	☒ No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?	☐ Yes	☒ No
8.0	Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If “Yes”, indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i>, where applicable.	☐ Yes	☒ No
	8.0.1 Estimated Proposed Flow (gal/day)		
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?	☐ Yes	☒ No

9.0.1	Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.	☐ Yes	☐ No
-------	--	------------------------------	-----------------------------

10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year).	☐ Yes	☒ No
------	--	------------------------------	--

10.0.1	Gallons Per Year (residential septage) _____
10.0.2	Dry Tons Per Year (biosolids) _____

11.0	Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam.	☐ Yes	☒ No
------	---	------------------------------	--

11.0.1	Dam Name _____
--------	-----------------------

12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam.	☐ Yes	☒ No
------	---	------------------------------	--

12.0.1	Dam Name _____
--------	-----------------------

13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)?	☐ Yes	☒ No
------	--	------------------------------	--

13.0.1	If "Yes", is the operation subject to the agricultural exemption in 35 P.S. § 4004.1?	☐ Yes	☐ No
--------	---	------------------------------	-----------------------------

13.0.2 If the answer to 13.0.1 is "No", identify each type of emission followed by the estimated amount of that emission.

Enter all types & amounts of emissions; separate each set with semicolons.

14.0	Does the project include the construction or modification of a drinking water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes," check all proposed sub-facilities.	☐ Yes	☒ No
------	--	------------------------------	--

14.0.1	Number of Persons Served _____
14.0.2	Number of Employee/Guests _____
14.0.3	Number of Connections _____

14.0.4	Sub-Fac: Distribution System	☐ Yes	☐ No
14.0.5	Sub-Fac: Water Treatment Plant	☐ Yes	☐ No
14.0.6	Sub-Fac: Source	☐ Yes	☐ No
14.0.7	Sub-Fac: Pump Station	☐ Yes	☐ No
14.0.8	Sub-Fac: Transmission Main	☐ Yes	☐ No
14.0.9	Sub-Fac: Storage Facility	☐ Yes	☐ No

15.0	Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery?	☐ Yes	☒ No
16.0	Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project.	☐ Yes	☒ No
16.0.1	Supplier's Name _____		
16.0.2	Letter of Approval from Supplier is Attached	☐ Yes	☐ No
17.0	Will this project be served by on-lot drinking water wells?	☐ Yes	☒ No
18.0	Will this project involve a new or increased drinking water withdrawal from a river, stream, spring, lake, well or other water bod(ies)? If "Yes," reference Safe Drinking Water Program.	☐ Yes	☒ No
18.0.1	Source Name _____		
19.0	Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes," indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.	☐ Yes	☒ No
19.0.1	Type & Amount _____		
20.0	Will your project involve the removal of coal, minerals, contaminated media, or solid waste as part of any earth disturbance activities?	☐ Yes	☒ No
21.0	Does your project involve installation of a field constructed underground storage tank? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
21.0.1	Enter all substances & capacity of each; separate each set with semicolons.		
22.0	Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
22.0.1	Enter all substances & capacity of each; separate each set with semicolons.		
23.0	Does your project involve installation of a tank greater than 1,100 gallons which will contain a highly hazardous substance as defined in DEP's Regulated Substances List, 2570-BK-DEP2724? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
23.0.1	Enter all substances & capacity of each; separate each set with semicolons.		

24.0 Does your project involve installation of a storage tank at a new facility with a total AST capacity greater than 21,000 gallons? If "Yes", list each Substance & its Capacity.
☐ Yes ☒ No
Note: Applicant may need a Storage Tank Site Specific Installation Permit.

24.0.1 Enter all substances & capacity of each; separate each set with semicolons.

NOTE: If the project includes the installation of a regulated storage tank system, including diesel emergency generator systems, the project may require the use of a Department Certified Tank Handler. For a full list of regulated storage tanks and substances, please go to www.dep.pa.gov search term storage tanks

25.0 Will the intended activity involve the use of a radiation source? ☐ Yes ☒ No

CERTIFICATION

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

For applicants supplying an EIN number: I am applying for a permit or authorization from the Pennsylvania Department of Environmental Protection (DEP). As part of this application, I will provide DEP with an accurate EIN number for the applicant entity. By filing this application with DEP, I hereby authorize DEP to confirm the accuracy of the EIN number provided with the Pennsylvania Department of Revenue. As applicant, I further consent to the Department of Revenue discussing the same with DEP prior to issuance of the Commonwealth permit or authorization.

Type or Print Name Kendra Schiappa – Pennsylvania General Energy Co., LLC

Kendra Schiappa
Signature

Environmental Manager
Title

8/18/2026
Date

ATTACHMENT 3

NOTIFICATION OF PLANNED LAND DEVELOPMENT FORM

County Notification Form



Pennsylvania
Department of
Environmental Protection

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF CLEAN WATER

County Notification of Planned Land Development
For Chapter 102 Permits

Project Information	
Applicant Name: <u>Penn. General Energy Co., LLC</u>	Contact Name: <u>Kendra Schiappa</u>
Applicant Address: <u>120 Market Street</u>	Contact Phone: <u>814-724-3230</u>
Applicant City, State, ZIP: <u>Warren, PA 16365</u>	County: <u>Lycoming</u>
Description of Proposed Land Development and Stormwater Controls: See letter and attached General Information Form and Site Location Map. Tax Parcel IDs: 14-251-105.B;14-500-001;14-232-123.B;06-232-123;06-232-122.C	Municipality: <u>Gamble and Cascade</u>
Tax Parcel ID(s) Affected by Proposed Land Development: <u>See above.</u>	Project Area: <u>44.3</u> acres ☐ Phased Disturbance: <u>44.3</u> acres Surface Waters Receiving Stormwater Discharges: <u>Loyalsock Creek Basin (Exisitng Use: EV, MF)</u>
Consultant Name: <u>Bethanie Hepner</u>	Discharge to: ☐ MS4 ☐ Other SS ☐ CSS Consultant Email: <u>bhepner@cecinc.com</u>
The following information was submitted to the county for this project: <u>Site Location Map</u>	
☐ Land Development / Subdivision Plan ☐ E&S Plan ☐ PCSM Plan ☒ Other: <u>General Info Form</u>	
County Plan Information	
Name of county organization completing this assessment:	
1. Is there an adopted county or multi-county comprehensive plan? ☐ Yes ☐ No	
2. If Yes to #1, is the proposed project consistent with the county plan? ☐ Yes ☐ No	
3. Is there a DEP-approved Act 167 stormwater management plan? ☐ Yes ☐ No ☐ CCD	
4. If Yes to #3, is the proposed project consistent with the Act 167 plan, without waiver? ☐ Yes ☐ No ☐ CCD	
5. If Yes to #3, list the date of the latest plan / update approved by DEP: ☐ CCD	
Applicant Certification	County Acknowledgement
I certify under penalty of law (see 18 Pa.C.S. § 4904 (relating to unsworn falsification)) that the information reported herein was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the information, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	The county acknowledges that a permit application for the above-referenced project has been submitted to a reviewing agency and that notification requirements of Act 14 of 1984 and Acts 67, 68, and 127 of 2000 have been satisfied. The information reported herein by the applicant regarding county plan information is true and accurate. County acknowledgment of receipt of notification shall not be construed as project approval.
Kendra Schiappa	
Applicant Name	County Representative Name
<i>Kendra Schiappa</i>	
Applicant Signature	County Representative Signature
Environmental Manager	
Applicant Title	County Representative Title
8/18/2026	
Date of Signature	Date of Signature



August 20, 2026

Dear Customer,

The following is the proof-of-delivery for tracking number: 533294810019

Delivery Information:

Status:	Delivered	Delivered To:	Residence
Signed for by:	Signature not required	Delivery Location:	
Service type:	FedEx Priority Overnight		
Special Handling:	Deliver Weekday; Residential Delivery		MUNCY, PA,
		Delivery date:	Aug 20, 2026 13:23

Shipping Information:

Tracking number:	533294810019	Ship Date:	Aug 19, 2026
		Weight:	0.5 LB/0.23 KG
Recipient:		Shipper:	
MUNCY, PA, US,		MOON TOWNSHIP, PA, US,	

Reference	334-659 P STAUDENMEIER
Department Number	GAMBLE TOWNSHIP SUPERVISO

Proof-of-delivery details appear below; however, no signature is available for this FedEx Express shipment because a signature was not required.

Thank you for choosing FedEx



August 19, 2026

Gamble Township Supervisors
c/o Raine Ohnnmeiss
2449 German Road
Muncy, PA 17756

Dear Supervisors:

Subject: Acts 14, 67, 68, and 127 Notification
Saluda Access Road and Staging Area
Gamble and Cascade Townships, Lycoming County, Pennsylvania
CEC Project 334-659

This notice, under the requirements of Acts 14, 67, 68, and 127, is to inform you that, on behalf of Pennsylvania General Energy Co., LLC (PGE), Civil & Environmental Consultants, Inc. (CEC) is applying for coverage under an Erosion and Sediment Control General Permit 4 (ESCGP-4) from the Pennsylvania Department of Environmental Protection (PADEP) and a Joint Permit Application for a Water Obstruction and Encroachment Permit from the PADEP and a Section 404 Clean Water Act Permit from the U.S. Army Corps of Engineers for the proposed project. The ESCG-4 is required for earth disturbance associated with oil and gas exploration, production, processing or treatment operations or transmission facilities and the JPA is required for impacts to wetlands and streams.

Applicant Contact: Kendra Schiappa
Pennsylvania General Energy Co., LLC
120 Market Street
Warren, PA 16365
Phone: 814-723-3230

Project Location: Gamble and Cascade Townships, Lycoming County, Pennsylvania

Project Description: The proposed project includes the construction of a 3.9-mile-long permanent access road and staging area. The proposed road will provide access to an existing well pad and future well pads proposed on the state forest tract. The proposed staging area will be used to store equipment and materials for the construction of future well pads and will later be used as a well pad.

Section 1905-A of the Commonwealth Administrative Code, as amended by Act 14, requires that PADEP permit applicants give written notice to the municipalities and the counties in which the permitted activity is located. The written notices shall be received by the municipalities and counties at least 30 days before the PADEP may issue or deny the permit.

Acts 67, 68, and 127, which amended the Municipalities Planning Code to support sound land use practices and planning efforts, direct state agencies to consider comprehensive plans and zoning ordinances when reviewing applications for permitting of facilities or infrastructure and specify that state agencies may rely upon comprehensive plans and zoning ordinances under certain conditions as described in Sections 619.2 and 1105 of the Municipalities Planning Code.

Gamble Township Supervisors
CEC Project 334-659
Page 2
August 19, 2026

Please review the enclosed General Information Form and complete the enclosed Notification of Planned Land Development form. Please return the land development form within 30 days to:

Civil & Environmental Consultants, Inc.
ATTN: Bethanie Hepner
700 Cherrington Parkway
Moon Township, PA 15108

We will include the completed land development form with our permit applications to PADEP. If the form is not received within 30 days, PADEP will assume there are no substantive land use conflicts and proceed with the normal permit application review process.

The ESCGP-4 Notice of Intent, erosion and sediment control plans, and the post construction stormwater management plan are available online through PADEP's e-Permitting System by selecting the project, ESCGP permit, and the "Public Permit Review" link found on this page: https://www.ahs.dep.pa.gov/eFACTSWeb/searchResults_singleClient.aspx?ClientID=213205. If you have trouble accessing these documents and would like a copy of them, please contact Bethanie Hepner of CEC at bhepner@cecinc.com or 412-275-2937.

Sincerely,

CIVIL & ENVIRONMENTAL CONSULTANTS, INC.



Bethanie Hepner
Project Manager



Peter Staudenmeier
Vice President

Enclosures: Site Location Map, General Information Form, and Notification of Planned Land Development Form


ATTACHMENT 1
SITE LOCATION MAP

\\cecinc.com\global\Projects\330-000\334-659\GIS\Maps\EC06_Saluda_Pad_C_JPA\334659_EC06_Saluda_Main_Pad_Access_Delineation_Map\334659_EC06_Saluda_Pad_C_JPA.aprx [334659_EC06_Saluda_Pad_C_JPA_FIG_4.1_SITE_LOCATION_MAP] 8/13/2026 3:04 PM (small)



REFERENCE(S):

1. USGS TOPOGRAPHIC MAP/ ARCGIS MAP SERVICE:
HTTP://GOTO.ARCGISONLINE.COM/MAPS/USA_TOPO_MAPS,
ACCESSED 8/17/2026.



ENGINEERING, SURVEYING AND LANDSCAPE ARCHITECTURE IN THE STATE OF NORTH CAROLINA WILL BE PROVIDED BY CEC SURVEYING AND LANDSCAPE ARCHITECTS OF NC, PLLC. SERVICES IN PUERTO RICO WILL BE PROVIDED BY CEC ENGINEERS & CONSULTANTS, LLC. LANDSCAPE ARCHITECTURE SERVICES IN THE STATE OF OHIO WILL BE PROVIDED BY CEC LANDSCAPE ARCHITECTS, LLC.



Civil & Environmental
Consultants, Inc.

700 Cherrington Parkway
Moon Township, PA 15108

Ph: 412.429.2324 · 800.365.2324

www.cecinc.com

PENNSYLVANIA GENERAL ENERGY CO., LLC
SALUDA ACCESS ROAD AND STAGING AREA
GAMBLE AND CASCADE TOWNSHIPS,
LYCOMING COUNTY, PENNSYLVANIA

SITE LOCATION MAP

DRAWN BY:	SRS	CHECKED BY:	JWR	APPROVED BY:	PMS*	FIGURE NO:	1
DATE:	8/13/2026	SCALE:	1" = 2,000'	PROJECT NO:	334-659		

*Hand Signature on file

ATTACHMENT 2

GENERAL INFORMATION FORM



GENERAL INFORMATION FORM – AUTHORIZATION APPLICATION

Before completing this General Information Form (GIF), read the step-by-step instructions provided in this application package. This form is used by the Department of Environmental Protection (DEP) to inform our programs regarding what other DEP permits or authorizations may be needed for the proposed project or activity. This version of the General Information Form (GIF) must be completed and returned with any program-specific application being submitted to the DEP.

Related ID#s (If Known)		DEP USE ONLY
Client ID# 213205	APS ID#	Date Received & General Notes
Site ID#	Auth ID#	
Facility ID#		

CLIENT INFORMATION

DEP Client ID# 213205	Client Type/Code LLC	Dun & Bradstreet ID#	
Legal Organization Name or Registered Fictitious Name Pennsylvania General Energy Co., LLC		Employer ID# (EIN) 432002031	Is the EIN a SSN? ☐ Yes ☒ No
State of Incorporation or Registration of Fictitious Name Pennsylvania	☐ Corporation ☒ LLC ☐ Partnership ☐ LLP ☐ LP ☐ Sole Proprietorship ☐ Association/Organization ☐ Estate/Trust ☐ Other		
Individual Last Name	First Name	MI	Suffix
Additional Individual Last Name	First Name	MI	Suffix
Mailing Address Line 1 120 Market Street		Mailing Address Line 2	
Address Last Line – City Warren	State PA	ZIP+4 16365	Country United States of America
Client Contact Last Name Schiappa	First Name Kendra	MI	Suffix
Client Contact Title Environmental Manager	Phone 814-723-3230	Ext 129	Cell Phone 814-779-2670
Email Address kendraschiappa@penngeneralenergy.com	FAX		

SITE INFORMATION

DEP Site ID#	Site Name Saluda Access Road and Staging Area				
EPA ID#	Estimated Number of Employees to be Present at Site				
Description of Site The proposed project traverses mixed deciduous and coniferous forests and existing forest roads.					
Tax Parcel ID(s):					
County Name(s)	Municipality(ies)	City	Boro	Twp	State
Lycoming	Gamble	☐	☐	☒	PA
Lycoming	Cascade	☐	☐	☒	PA

Site Location Line 1		Site Location Line 2	
Wallis Run Road			
Site Location Last Line – City	State	ZIP+4	
Trout Run	PA	17771	
Detailed Written Directions to Site			
From Williamsport, PA: Take the US-15 S/I-180 E ramp toward Lewisburg. Merge onto I-180 E and continue for about 4 miles. Take Exit 21 for PA-87N/N Loyalsock Ave (signs for Farragut). Turn left onto PA-87 N/N Loyalsock Ave and follow it for 14.3 miles. After passing through Warrensville, turn left onto PA-973 W. Continue for about 0.1 miles and turn right onto Wallis Run Rd. In two miles you will arrive at the proposed permanent access road entrance you will arrive at the proposed permanent access road entrance (41.415537, -76.8680936).			
Site Contact Last Name	First Name	MI	Suffix
Schiappa	Kendra		
Site Contact Title		Site Contact Firm	
Environmental Manager		Pennsylvania General Energy Co., LLC	
Mailing Address Line 1		Mailing Address Line 2	
120 Market Street			
Mailing Address Last Line – City		State	ZIP+4
Warren		PA	16365
Phone	Ext	FAX	Email Address
814-723-3230	129		kendraschiappa@penngeneralenergy.com
NAICS Codes (Two- & Three-Digit Codes – List All That Apply)			6-Digit Code (Optional)
21,211			
Client to Site Relationship			
LESOP			

FACILITY INFORMATION

Modification of Existing Facility		Yes	No
1.	Will this project modify an existing facility, system, or activity?	☐	☒
2.	Will this project involve an addition to an existing facility, system, or activity?	☐	☒
<i>If "Yes", check all relevant facility types and provide DEP facility identification numbers below.</i>			
Facility Type	DEP Fac ID#	Facility Type	DEP Fac ID#
☐ Air Emission Plant		☐ Industrial Minerals Mining Operation	
☐ Beneficial Use (water)		☐ Laboratory Location	
☐ Blasting Operation		☐ Land Recycling Cleanup Location	
☐ Captive Hazardous Waste Operation		☐ Mine Drainage Treatment / Land Recycling Project Location	
☐ Coal Ash Beneficial Use Operation		☐ Municipal Waste Operation	
☐ Coal Mining Operation		☐ Oil & Gas Encroachment Location	
☐ Coal Pillar Location		☐ Oil & Gas Location	
☐ Commercial Hazardous Waste Operation		☐ Oil & Gas Water Poll Control Facility	
☐ Dam Location		☐ Public Water Supply System	
☐ Deep Mine Safety Operation -Anthracite		☐ Radiation Facility	
☐ Deep Mine Safety Operation -Bituminous		☐ Residual Waste Operation	
☐ Deep Mine Safety Operation -Ind Minerals		☐ Storage Tank Location	
☐ Encroachment Location (water, wetland)		☐ Water Pollution Control Facility	
☐ Erosion & Sediment Control Facility		☐ Water Resource	
☐ Explosive Storage Location		☐ Other:	

Latitude/Longitude Point of Origin	Latitude			Longitude				
	Degrees	Minutes	Seconds	Degrees	Minutes	Seconds		
PNDI	41	23	50	-76	52	33		
Horizontal Accuracy Measure	Feet			--or--	Meters			
Horizontal Reference Datum Code	☐ North American Datum of 1927 ☒ North American Datum of 1983 ☐ World Geodetic System of 1984							
Horizontal Collection Method Code	HGIS							
Reference Point Code	CNTAR							
Altitude	Feet			1560	--or--	Meters		
Altitude Datum Name	☒ The National Geodetic Vertical Datum of 1929 ☐ The North American Vertical Datum of 1988 (NAVD88)							
Altitude (Vertical) Location Datum Collection Method Code	TOPO							
Geometric Type Code	POINT							
Data Collection Date	8/15/2025							
Source Map Scale Number	1	Inch(es)	=	2000	Feet			
	--or--	Centimeter(s)	=		Meters			

PROJECT INFORMATION

Project Name

Saluda Access Road and Staging Area

Project Description

The proposed project includes the construction of a 3.9-mile-long permanent access road and staging area. The proposed road will facilitate access to an existing well pad and future well pads proposed on the state forest tract. The proposed staging area will be used to store equipment and materials for the construction of future well pads and will later be used as a well pad.

Project Consultant Last Name	First Name	MI	Suffix
Staudenmeier	Peter	M	
Project Consultant Title	Consulting Firm		
Principal	Civil & Environmental Consultants, Inc.		
Mailing Address Line 1	Mailing Address Line 2		
700 Cherrington Parkway			
Address Last Line – City	State	ZIP+4	
Moon Township			
Phone	Ext	FAX	Email Address
(412) 249-2294			pstaudenmeier@cecinc.com
Time Schedules	Project Milestone (Optional)		

1. Is the project located in or within a 0.5-mile radius of an Environmental Justice community as defined by DEP? ☐ Yes ☒ No

To determine if the project is located in or within a 0.5-mile radius of an environmental justice community, please use the [online PennEnviroScreen tool](#). To see specific EJ areas, select the appropriate year of your submittal from the themes box on the right.

2. Have you informed the surrounding community prior to submitting the application to the Department? ☒ Yes ☐ No

Method of notification: ACT 14 Letters

3. Have you addressed community concerns that were identified? ☒ Yes ☐ No ☐ N/A

If no, please briefly describe the community concerns that have been expressed and not addressed.

See Attachment 2-1

4. Is your project funded by state or federal grants? ☐ Yes ☒ No

Note: If "Yes", specify what aspect of the project is related to the grant and provide the grant source, contact person and grant expiration date.

Aspect of Project Related to Grant

Grant Source: _____

Grant Contact Person: _____

Grant Expiration Date: _____

5. Is this application for an authorization on Appendix A of the Land Use Policy? (For referenced list, see Appendix A of the Land Use Policy attached to GIF instructions) ☒ Yes ☐ No

Note: If "No" to Question 5, the application is not subject to the Land Use Policy.

If "Yes" to Question 5, the application is subject to this policy and the Applicant should answer the additional questions in the **Land Use Information** section.

LAND USE INFORMATION

Note: Applicants should submit copies of local land use approvals or other evidence of compliance with local comprehensive plans and zoning ordinances.

1. Is there an adopted county or multi-county comprehensive plan? ☒ Yes ☐ No

2. Is there a county stormwater management plan? ☒ Yes ☐ No

3. Is there an adopted municipal or multi-municipal comprehensive plan? ☒ Yes ☐ No

4. Is there an adopted county-wide zoning ordinance, municipal zoning ordinance or joint municipal zoning ordinance? ☒ Yes ☐ No

Note: If the Applicant answers "No" to either Questions 1, 3 or 4, the provisions of the PA MPC are not applicable and the Applicant does not need to respond to questions 5 and 6 below.

If the Applicant answers "Yes" to questions 1, 3 and 4, the Applicant should respond to questions 5 and 6 below.

5. Does the proposed project meet the provisions of the zoning ordinance or does the proposed project have zoning approval? If zoning approval has been received, attach documentation. ☒ Yes ☐ No

6. Have you attached Municipal and County Land Use Letters for the project? ☒ Yes ☐ No

COORDINATION INFORMATION

Note: The PA Historical and Museum Commission must be notified of proposed projects in accordance with DEP Technical Guidance Document 012-0700-001 [at PHMC's online portal, PA-SHARE](#).

If the activity will be a mining project (i.e., mining of coal or industrial minerals, coal refuse disposal and/or the operation of a coal or industrial minerals preparation/processing facility), respond to questions 1.0 through 2.5 below.

If the activity will not be a mining project, skip questions 1.0 through 2.5 and begin with question 3.0.

1.0	Is this a coal mining project? If "Yes", respond to 1.1-1.6. If "No", skip to Question 2.0.	☐ Yes	☒ No
1.1	Will this coal mining project involve coal preparation/processing activities in which the total amount of coal prepared/processed will be equal to or greater than 200 tons/day?	☐ Yes	☐ No
1.2	Will this coal mining project involve coal preparation/processing activities in which the total amount of coal prepared/processed will be greater than 50,000 tons/year?	☐ Yes	☐ No
1.3	Will this coal mining project involve coal preparation/processing activities in which thermal coal dryers or pneumatic coal cleaners will be used?	☐ Yes	☐ No
1.4	For this coal mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	☐ Yes	☐ No
1.5	Will this coal mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	☐ Yes	☐ No
1.6	Will this coal mining project involve underground coal mining to be conducted within 500 feet of an oil or gas well?	☐ Yes	☐ No
2.0	Is this a non-coal (industrial minerals) mining project? If "Yes", respond to 2.1-2.6. If "No", skip to Question 3.0.	☐ Yes	☒ No
2.1	Will this non-coal (industrial minerals) mining project involve the crushing and screening of non-coal minerals other than sand and gravel?	☐ Yes	☐ No
2.2	Will this non-coal (industrial minerals) mining project involve the crushing and/or screening of sand and gravel with the exception of wet sand and gravel operations (screening only) and dry sand and gravel operations with a capacity of less than 150 tons/hour of unconsolidated materials?	☐ Yes	☐ No
2.3	Will this non-coal (industrial minerals) mining project involve the construction, operation and/or modification of a portable non-metallic (i.e., non-coal) minerals processing plant under the authority of the General Permit for Portable Non-metallic Mineral Processing Plants (i.e., BAQ-PGPA/GP-3)?	☐ Yes	☐ No

2.4	For this non-coal (industrial minerals) mining project, will sewage treatment facilities be constructed and treated waste water discharged to surface waters?	☐	Yes	☐	No
2.5	Will this non-coal (industrial minerals) mining project involve the construction of a permanent impoundment meeting one or more of the following criteria: (1) a contributory drainage area exceeding 100 acres; (2) a depth of water measured by the upstream toe of the dam at maximum storage elevation exceeding 15 feet; (3) an impounding capacity at maximum storage elevation exceeding 50 acre-feet?	☐	Yes	☐	No
3.0	Will your project, activity, or authorization have anything to do with a well related to oil or gas production, have construction within 200 feet of, affect an oil or gas well, involve the waste from such a well, or string power lines above an oil or gas well? If "Yes", respond to 3.1-3.3. If "No", skip to Question 4.0.	☒	Yes	☐	No
3.1	Does the oil- or gas-related project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water (including wetlands)?	☒	Yes	☐	No
3.2	Will the oil- or gas-related project involve discharge of industrial wastewater or stormwater to a dry swale, surface water, ground water or an existing sanitary sewer system or storm water system? If "Yes", discuss in <i>Project Description</i> .	☐	Yes	☒	No
3.3	Will the oil- or gas-related project involve the construction and operation of industrial waste treatment facilities?	☐	Yes	☒	No
4.0	Will the project involve a construction activity that results in earth disturbance? If "Yes", specify the total disturbed acreage.	☒	Yes	☐	No
4.0.1	Total Disturbed Acreage 44.3 acres				
4.0.2	Will the project discharge or drain to a special protection water (EV or HQ) or an EV wetland?	☒	Yes	☐	No
4.0.3	Will the project involve a construction activity that results in earth disturbance in the area of the earth disturbance that are contaminated at levels exceeding residential or non-residential medium-specific concentrations (MSCs) in 25 Pa. Code Chapter 250 at residential or non-residential construction sites, respectively?	☐	Yes	☒	No
5.0	Does the project involve any of the following: water obstruction and/or encroachment, wetland impacts, or floodplain project by the Commonwealth/political subdivision or public utility? If "Yes", respond to 5.1-5.7. If "No", skip to Question 6.0.	☒	Yes	☐	No

5.1	Water Obstruction and Encroachment Projects – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a watercourse, floodway or body of water?	☒ Yes	☐ No
5.2	Wetland Impacts – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a wetland?	☒ Yes	☐ No
5.3	Floodplain Projects by the Commonwealth, a Political Subdivision of the Commonwealth or a Public Utility – Does the project involve any of the following: placement of fill, excavation within or placement of a structure, located in, along, across or projecting into a floodplain?	☒ Yes	☐ No
5.4	Is your project an interstate transmission natural gas pipeline?	☐ Yes	☒ No
5.5	Does your project consist of linear construction activities which result in earth disturbance in two or more DEP regions AND three or more counties?	☐ Yes	☒ No
5.6	Does your project utilize Floodplain Restoration as a best management practice for Post Construction Stormwater Management?	☐ Yes	☒ No
5.7	Does your project utilize Class V Gravity / Injection Wells as a best management practice for Post Construction Stormwater Management?	☐ Yes	☒ No
6.0	Will the project involve discharge of construction related stormwater to a dry swale, surface water, ground water or separate storm water system?	☐ Yes	☒ No
6.1	Will the project involve discharge of industrial waste stormwater or wastewater from an industrial activity or sewage to a dry swale, surface water, ground water or an existing sanitary sewer system or separate storm water system?	☐ Yes	☒ No
7.0	Will the project involve the construction and operation of industrial waste treatment facilities?	☐ Yes	☒ No
8.0	Will the project involve construction of sewage treatment facilities, sanitary sewers, or sewage pumping stations? If “Yes”, indicate estimated proposed flow (gal/day). Also, discuss the sanitary sewer pipe sizes and the number of pumping stations/treatment facilities/name of downstream sewage facilities in the <i>Project Description</i>, where applicable.	☐ Yes	☒ No
	8.0.1 Estimated Proposed Flow (gal/day)		
9.0	Will the project involve the subdivision of land, or the generation of 800 gpd or more of sewage on an existing parcel of land or the generation of an additional 400 gpd of sewage on an already-developed parcel, or the generation of 800 gpd or more of industrial wastewater that would be discharged to an existing sanitary sewer system?	☐ Yes	☒ No

9.0.1	Was Act 537 sewage facilities planning submitted and approved by DEP? If "Yes" attach the approval letter. Approval required prior to 105/NPDES approval.	☐ Yes	☐ No
10.0	Is this project for the beneficial use of biosolids for land application within Pennsylvania? If "Yes" indicate how much (i.e. gallons or dry tons per year).	☐ Yes	☒ No
10.0.1	Gallons Per Year (residential septage) _____		
10.0.2	Dry Tons Per Year (biosolids) _____		
11.0	Does the project involve construction, modification or removal of a dam? If "Yes", identify the dam.	☐ Yes	☒ No
11.0.1	Dam Name _____		
12.0	Will the project interfere with the flow from, or otherwise impact, a dam? If "Yes", identify the dam.	☐ Yes	☒ No
12.0.1	Dam Name _____		
13.0	Will the project involve operations (excluding during the construction period) that produce air emissions (i.e., NOX, VOC, etc.)?	☐ Yes	☒ No
13.0.1	If "Yes", is the operation subject to the agricultural exemption in 35 P.S. § 4004.1?	☐ Yes	☐ No
13.0.2	If the answer to 13.0.1 is "No", identify each type of emission followed by the estimated amount of that emission. Enter all types & amounts of emissions; separate each set with semicolons.		
14.0	Does the project include the construction or modification of a drinking water supply to serve 15 or more connections or 25 or more people, at least 60 days out of the year? If "Yes," check all proposed sub-facilities.	☐ Yes	☒ No
14.0.1	Number of Persons Served _____		
14.0.2	Number of Employee/Guests _____		
14.0.3	Number of Connections _____		
14.0.4	Sub-Fac: Distribution System	☐ Yes	☐ No
14.0.5	Sub-Fac: Water Treatment Plant	☐ Yes	☐ No
14.0.6	Sub-Fac: Source	☐ Yes	☐ No
14.0.7	Sub-Fac: Pump Station	☐ Yes	☐ No
14.0.8	Sub-Fac: Transmission Main	☐ Yes	☐ No
14.0.9	Sub-Fac: Storage Facility	☐ Yes	☐ No

15.0	Will your project include infiltration of storm water or waste water to ground water within one-half mile of a public water supply well, spring or infiltration gallery?	☐ Yes	☒ No
16.0	Is your project to be served by an existing public water supply? If "Yes", indicate name of supplier and attach letter from supplier stating that it will serve the project.	☐ Yes	☒ No
16.0.1	Supplier's Name _____		
16.0.2	Letter of Approval from Supplier is Attached	☐ Yes	☐ No
17.0	Will this project be served by on-lot drinking water wells?	☐ Yes	☒ No
18.0	Will this project involve a new or increased drinking water withdrawal from a river, stream, spring, lake, well or other water bod(ies)? If "Yes," reference Safe Drinking Water Program.	☐ Yes	☒ No
18.0.1	Source Name _____		
19.0	Will the construction or operation of this project involve treatment, storage, reuse, or disposal of waste? If "Yes," indicate what type (i.e., hazardous, municipal (including infectious & chemotherapeutic), residual) and the amount to be treated, stored, re-used or disposed.	☐ Yes	☒ No
19.0.1	Type & Amount _____		
20.0	Will your project involve the removal of coal, minerals, contaminated media, or solid waste as part of any earth disturbance activities?	☐ Yes	☒ No
21.0	Does your project involve installation of a field constructed underground storage tank? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
21.0.1	Enter all substances & capacity of each; separate each set with semicolons.		
22.0	Does your project involve installation of an aboveground storage tank greater than 21,000 gallons capacity at an existing facility? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
22.0.1	Enter all substances & capacity of each; separate each set with semicolons.		
23.0	Does your project involve installation of a tank greater than 1,100 gallons which will contain a highly hazardous substance as defined in DEP's Regulated Substances List, 2570-BK-DEP2724? If "Yes," list each Substance & its Capacity. Note: Applicant may need a Storage Tank Site Specific Installation Permit.	☐ Yes	☒ No
23.0.1	Enter all substances & capacity of each; separate each set with semicolons.		

24.0 Does your project involve installation of a storage tank at a new facility with a total AST capacity greater than 21,000 gallons? If "Yes", list each Substance & its Capacity.
☐ Yes ☒ No
Note: Applicant may need a Storage Tank Site Specific Installation Permit.

24.0.1 Enter all substances & capacity of each; separate each set with semicolons.

NOTE: If the project includes the installation of a regulated storage tank system, including diesel emergency generator systems, the project may require the use of a Department Certified Tank Handler. For a full list of regulated storage tanks and substances, please go to www.dep.pa.gov search term storage tanks

25.0 Will the intended activity involve the use of a radiation source? ☐ Yes ☒ No

CERTIFICATION

I certify that I have the authority to submit this application on behalf of the applicant named herein and that the information provided in this application is true and correct to the best of my knowledge and information.

For applicants supplying an EIN number: I am applying for a permit or authorization from the Pennsylvania Department of Environmental Protection (DEP). As part of this application, I will provide DEP with an accurate EIN number for the applicant entity. By filing this application with DEP, I hereby authorize DEP to confirm the accuracy of the EIN number provided with the Pennsylvania Department of Revenue. As applicant, I further consent to the Department of Revenue discussing the same with DEP prior to issuance of the Commonwealth permit or authorization.

Type or Print Name Kendra Schiappa – Pennsylvania General Energy Co., LLC

Kendra Schiappa
Signature

Environmental Manager
Title

8/18/2026
Date

ATTACHMENT 3

NOTIFICATION OF PLANNED LAND DEVELOPMENT FORM

Municipal Notification Form



Pennsylvania
Department of
Environmental Protection

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF CLEAN WATER

**Municipal Notification of Planned Land Development
For Chapter 102 Permits**

Project Information

Applicant Name:	Penn. General Energy Co., LLC	Contact Name:	Kendra Schiappa
Applicant Address:	120 Market Street	Contact Phone:	814-723-3230
Applicant City, State, ZIP:	Warren, PA 16365	County:	Lycoming
Description of Proposed Land Development and Stormwater Controls:	Municipality: Gamble and Cascade		
See letter and attached General Information Form and Site Location Map. Tax Parcel IDs: 14-251-105.B;14-500-001;14-232-123.B;06-232-123;06-232-122.C		Project Area:	44.3 acres ☐ Phased
		Disturbance:	44.3 acres
		Surface Waters Receiving Stormwater Discharges:	
		Loyalsock Creek Basin (Existing Use: EV, MF)	
Tax Parcel ID(s) Affected by Proposed Land Development:			

See above.

Discharge to: ☐ MS4 ☐ Other SS ☐ CSS

Consultant Name: **Bethanie Hepner**

Consultant Email: **bhepner@cecinc.com**

The following information was submitted to the municipality for this project: **Site Location Map**

☐ Land Development / Subdivision Plan ☐ E&S Plan ☐ PCSM Plan ☒ Other: **General Info Form**

Municipal Plan / Ordinance Information

1. Is there an adopted municipal or multi-municipal comprehensive plan?	☐ Yes	☐ No
2. Is there an enacted municipal or multi-municipal zoning ordinance?	☐ Yes	☐ No
3. If Yes to #2, is the proposed project consistent with the ordinance?	☐ Yes	☐ No
4. Is there a municipal stormwater management ordinance?	☐ Yes	☐ No
5. If Yes to #4, is the proposed project consistent with the ordinance, without waiver?	☐ Yes	☐ No
6. If Yes to #4, indicate type of ordinance:	☐ Act 167	☐ DEP Model Ordinance ☐ Other

Applicant Certification

I certify under penalty of law (see 18 Pa.C.S. § 4904 (relating to unsworn falsification)) that the information reported herein was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the information, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Municipal Acknowledgement

The municipality acknowledges that a permit application for the above-referenced project has been submitted to a reviewing agency and that notification requirements of Act 14 of 1984 and Acts 67, 68, and 127 of 2000 have been satisfied. The information reported herein by the applicant regarding municipal plan and ordinance information is true and accurate. The municipality reserves the right to comment to the reviewing agency relative to comprehensive plans, zoning, and stormwater ordinance consistency. Municipal acknowledgment of receipt of notification shall not be construed as project approval.

Kendra Schiappa

Applicant Name

Kendra Schiappa

Applicant Signature

Environmental Manager

Applicant Title

8/18/2026

Date of Signature

Municipal Representative Name

Municipal Representative Signature

Municipal Representative Title

Date of Signature



Pennsylvania State Historic Preservation Office

PENNSYLVANIA HISTORICAL AND MUSEUM COMMISSION

September 25, 2025

Sent Via PA-SHARE

RE: ER Project # 2025PR03814.002, Saluda Access, Department of Environmental Protection, Gamble Township, Lycoming County

Dear Submitter,

Thank you for submitting information concerning the above referenced project. The Pennsylvania State Historic Preservation Office (PA SHPO) reviews projects in accordance with state and federal laws. Section 106 of the National Historic Preservation Act of 1966, and the implementing regulations (36 CFR Part 800) of the Advisory Council on Historic Preservation, is the primary federal legislation. The Environmental Rights amendment, Article 1, Section 27 of the Pennsylvania Constitution and the Pennsylvania History Code, 37 Pa. Cons. Stat. Section 500 et seq. (1988) is the primary state legislation. These laws include consideration of the project's potential effects on both historic and archaeological resources.

Archaeological Resources

No Archaeological Concerns - Environmental Review - Negative Survey Report/Negative Survey Form

This report meets our standards and specifications as outlined in Guidelines for Archaeological Investigations in Pennsylvania (SHPO 2021) and the Secretary of the Interior's Guidelines for Archaeological Documentation. We agree with the recommendations of this report, and in our opinion, no further archaeological work is necessary for this project. If project plans should change and/or you should be made aware of historic property concerns, please reinitiate consultation with our office using PA-SHARE.

For questions concerning archaeological resources, please contact Justin McKeel at jusmckeel@pa.gov.

Sincerely,

Barbara Frederick
Environmental Review Division Manager



Pennsylvania State Historic Preservation Office

PENNSYLVANIA HISTORICAL AND MUSEUM COMMISSION

January 26, 2026

Sent Via PA-SHARE

RE: ER Project # 2025PR03585.003, Tracts 723/724 Project at Loyalsock State Forest,
Department of Conservation and Natural Resources, Gamble Township, Lycoming County

Dear Submitter,

Thank you for submitting information concerning the above referenced project. The Pennsylvania State Historic Preservation Office (PA SHPO) reviews projects in accordance with state and federal laws. Section 106 of the National Historic Preservation Act of 1966, and the implementing regulations (36 CFR Part 800) of the Advisory Council on Historic Preservation, is the primary federal legislation. The Environmental Rights amendment, Article 1, Section 27 of the Pennsylvania Constitution and the Pennsylvania History Code, 37 Pa. Cons. Stat. Section 500 et seq. (1988) is the primary state legislation. These laws include consideration of the project's potential effects on both historic and archaeological resources.

Archaeological Resources

No Archaeological Concerns - Environmental Review - Negative Survey Report/Negative Survey Form

This report meets our standards and specifications as outlined in Guidelines for Archaeological Investigations in Pennsylvania (SHPO 2021) and the Secretary of the Interior's Guidelines for Archaeological Documentation. We agree with the recommendations of this report, and in our opinion, no further archaeological work is necessary for this project. Furthermore, PA SHPO concurs with the placement of a 25-ft exclusionary buffer around the springhead located in the northwest portion of the LOD. If project plans should change and/or you should be made aware of historic property concerns, please reinitiate consultation with our office using PA-SHARE.

For questions concerning archaeological resources, please contact Kristen Walczesky at kwalczesky@pa.gov.

Sincerely,

Barbara Frederick
Environmental Review Division Manager