



2655 Park Center Dr., Suite A
Simi Valley, CA 93065
T: +1 805 526 7161
F: +1 805 526 7270
www.alsglobal.com

LABORATORY REPORT

March 7, 2016

Rob Nieman
ALS Environmental
4388 Glendale Milford Road
Cincinnati, OH 45242

RE: Keystone Landfill/PADOH/PADEP

Dear Rob:

Enclosed are the results of the sample submitted to our laboratory on February 25, 2016. For your reference, these analyses have been assigned our service request number P1600967.

All analyses were performed according to our laboratory's NELAP and DoD-ELAP-approved quality assurance program. The test results meet requirements of the current NELAP and DoD-ELAP standards, where applicable, and except as noted in the laboratory case narrative provided. For a specific list of NELAP and DoD-ELAP-accredited analytes, refer to the certifications section at www.alsglobal.com. Results are intended to be considered in their entirety and apply only to the samples analyzed and reported herein.

If you have any questions, please call me at (805) 526-7161.

Respectfully submitted,

ALS | Environmental

By Sue Anderson at 10:32 am, Mar 07, 2016

For Kate Aguilera
Project Manager



2655 Park Center Dr., Suite A
Simi Valley, CA 93065
T: +1 805 526 7161
F: +1 805 526 7270
www.alsglobal.com

Client: ALS Environmental
Project: Keystone Landfill/PADOH/PADEP

Service Request No: P1600967

CASE NARRATIVE

The sample was received intact under chain of custody on February 25, 2016 and was stored in accordance with the analytical method requirements. Please refer to the sample acceptance check form for additional information. The results reported herein are applicable only to the condition of the sample at the time of sample receipt.

Sulfur Analysis

The sample was analyzed for twenty sulfur compounds per ASTM D 5504-12 using a gas chromatograph equipped with a sulfur chemiluminescence detector (SCD). All compounds with the exception of hydrogen sulfide and carbonyl sulfide are quantitated against the initial calibration curve for methyl mercaptan. This method is included on the laboratory's NELAP scope of accreditation, however it is not part of the DoD-ELAP or AIHA-LAP accreditation.

Volatile Organic Compound Analysis

The sample was also analyzed for volatile organic compounds in accordance with EPA Method TO-15 from the Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Edition (EPA/625/R-96/010b), January, 1999. This procedure is described in laboratory SOP VOA-TO15. The analytical system was comprised of a gas chromatograph / mass spectrometer (GC/MS) interfaced to a whole-air preconcentrator. This method is included on the laboratory's NELAP and DoD-ELAP scope of accreditation, however it is not part of the AIHA-LAP accreditation. Any analytes flagged with an X are not included on the NELAP or DoD-ELAP accreditation.

The upper control criterion was exceeded for Vinyl Chloride in the Continuing Calibration Verification (CCV). Since the apparent problem equates to a potential high bias and the field sample analyzed in this sequence did not contain the analyte in question, the data quality has not been affected. No corrective action was required.

The container was cleaned, prior to sampling, down to the method reporting limit (MRL) reported for this project. Please note, projects which require reporting below the MRL could have results between the MRL and method detection limit (MDL) that are biased high.

The results of analyses are given in the attached laboratory report. All results are intended to be considered in their entirety, and ALS Environmental (ALS) is not responsible for utilization of less than the complete report.

Use of ALS Environmental (ALS)'s Name. Client shall not use ALS's name or trademark in any marketing or reporting materials, press releases or in any other manner ("Materials") whatsoever and shall not attribute to ALS any test result, tolerance or specification derived from ALS's data ("Attribution") without ALS's prior written consent, which may be withheld by ALS for any reason in its sole discretion. To request ALS's consent, Client shall provide copies of the proposed Materials or Attribution and describe in writing Client's proposed use of such Materials or Attribution. If ALS has not provided written approval of the Materials or Attribution within ten (10) days of receipt from Client, Client's request to use ALS's name or trademark in any Materials or Attribution shall be deemed denied. ALS may, in its discretion, reasonably charge Client for its time in reviewing Materials or Attribution requests. Client acknowledges and agrees that the unauthorized use of ALS's name or trademark may cause ALS to incur irreparable harm for which the recovery of money damages will be inadequate. Accordingly, Client acknowledges and agrees that a violation shall justify preliminary injunctive relief. For questions contact the laboratory.



2655 Park Center Dr., Suite A
 Simi Valley, CA 93065
 T: +1 805 526 7161
 F: +1 805 526 7270
www.alsglobal.com

ALS Environmental – Simi Valley

CERTIFICATIONS, ACCREDITATIONS, AND REGISTRATIONS

Agency	Web Site	Number
AIHA	http://www.aihaaccreditedlabs.org	101661
Arizona DHS	http://www.azdhs.gov/lab/license/env.htm	AZ0694
DoD ELAP	http://www.pjlabs.com/search-accredited-labs	L15-398
Florida DOH (NELAP)	http://www.doh.state.fl.us/lab/EnvLabCert/WaterCert.htm	E871020
Maine DHHS	http://www.maine.gov/dhhs/mecdc/environmental-health/water/dwp-services/labcert/labcert.htm	2014025
Minnesota DOH (NELAP)	http://www.health.state.mn.us/accreditation	977273
New Jersey DEP (NELAP)	http://www.nj.gov/dep/oqa/	CA009
New York DOH (NELAP)	http://www.wadsworth.org/labcert/elap/elap.html	11221
Oregon PHD (NELAP)	http://public.health.oregon.gov/LaboratoryServices/EnvironmentalLaboratoryAccreditation/Pages/index.aspx	4068-001
Pennsylvania DEP	http://www.depweb.state.pa.us/labs	68-03307 (Registration)
Texas CEQ (NELAP)	http://www.tceq.texas.gov/field/qa/env_lab_accreditation.html	T104704413-15-6
Utah DOH (NELAP)	http://www.health.utah.gov/lab/labimp/certification/index.html	CA01627201 5-5
Washington DOE	http://www.ecy.wa.gov/programs/eap/labs/lab-accreditation.html	C946

Analyses were performed according to our laboratory's NELAP and DoD-ELAP approved quality assurance program. A complete listing of specific NELAP and DoD-ELAP certified analytes can be found in the certifications section at www.alsglobal.com, or at the accreditation body's website.

Each of the certifications listed above have an explicit Scope of Accreditation that applies to specific matrices/methods/analytes; therefore, please contact the laboratory for information corresponding to a particular certification.

ALS ENVIRONMENTAL

DETAIL SUMMARY REPORT


Client: ALS Environmental
 Project ID: Keystone Landfill/PADOH/PADEP

Service Request: P1600967

Date Received: 2/25/2016
 Time Received: 09:05

ASTM D 5504-12 - Sulfur Can
TO-15 - VOC Cans

Client Sample ID	Lab Code	Matrix	Date Collected	Time Collected	Container ID	Pi1 (psig)	Pf1 (psig)		
1602917-06A (KSL02192016-Summa)	P1600967-001	Air	2/19/2016	10:55	AS00425	0.49	3.16	X	X



Subcontractor:
 ALS Simi Valley
 2655 Park Center Drive
 Suite A
 Simi Valley, CA

TEL: (805) 526-7161
 FAX: (805) 526-7270
 Acct #:

Date: **26-Feb-16**
 COC ID: **3640**
 Due Date **08-Mar-16**

Page 1 of 1

CHAIN-OF-CUSTODY RECORD

Customer Information		Project Information		Parameter/Method Request for Analysis																		
Purchase Order	31-1925	Project Name	1602917	A	Sulfur gases by ASTM 5504 Mod. (A5504)																	
Work Order		Project Number		B	TO-15 by GC/MS (ETO-15)																	
Company Name	ALS Group USA, Corp	Bill To Company	ALS Group USA, Corp	C																		
Send Report To	Rob Nieman	Inv Attn	Accounts Payable	D																		
Address	4388 Glendale Milford Rd	Address	4388 Glendale Milford Rd	E																		
City/State/Zip	Cincinnati, Ohio 45242-	City/State/Zip	Cincinnati, Ohio 45242-	F																		
Phone	(513) 733-5336	Phone	(513) 733-5336	G																		
Fax	(513) 733-5347	Fax	(513) 733-5347	H																		
eMail Address	alsen.reporting@alsglobal.com	eMail CC		I																		
Sample ID	1602917-06A (KSL021916-Summa)	Matrix	Air	Collection Date	24hr	Bottle	(1) SUMMA	A	B	C	D	E	F	G	H	I	J					
					19/Feb/2016			X	X													

Comments:

Relinquished by:	Date/Time	Received by:	Date/Time	Cooler IDs	Report/QC Level
Relinquished by:	Date/Time	Received by:	Date/Time		Std

SUMMA

Air - Chain of Custody Record & Analytical Service Request



2855 Park Center Drive, Suite A
 Simi Valley, California 93065
 Phone (805) 526-7161
 Fax (805) 526-7270

Company Name & Address (Reporting Information) Pennsylvania Dept. of Environmental Protection 2 Public Square Wilkes-Barre, PA 18701-1915		Project Name: Keystone Landfill/PADOH/PADEP		Requested Turnaround Time in Business Days (Surcharges) please circle 1 Day (100%) 2 Day (75%) 3 Day (50%) 4 Day (35%) 5 Day (25%) 10-Day-Standard		ALS Project No 21600067	
Project Manager: Roger Bellas		Project Number: _____ P.O. # / Billing Information: _____ Sampler (Print & Sign): _____		Analysis Method: _____		ALS Contact: _____	
Phone: (570) 826-2511 Fax: (570) 826-5448 Email Address for Result Reporting: RBELLAS@PA.GOV		Laboratory ID Number: _____ Date Collected: 2/19/16 Time Collected: 1055		Canister ID (Bar code # - AC, SC, etc.): 14199 Flow Controller ID (Bar code # - FC #): SFC00008 Canister Start Pressure (Hg): -28 Canister End Pressure (Hg/psig): -1 Sample Volume: _____		Legal Seal #: 106593	
Client Sample ID: KS102192016		Report Tier Levels - please select Tier I - Results (Default in not specified) _____ Tier II (Results + QC Summaries) _____ Tier III (Results + QC & Calibration Summaries) _____ Tier IV (Date Validation Package) 10% Surcharge _____		EDD required YES / No _____ Type: _____ Units: _____		Chain of Custody Seal: (Circle) INTACT _____ BROKEN _____ ABSENT _____	
Relinquished by: (Signature) _____ Date: 2/19/16 Time: 1145		Relinquished by: (Signature) _____ Date: _____ Time: _____		Received by: (Signature) _____ Date: _____ Time: _____		Received by: (Signature) _____ Date: _____ Time: _____	
Project Requirements (MRLs, QAPP) _____		Cooler / Blank Temperature _____ °C					

**ALS Environmental
Sample Acceptance Check Form**

Client: ALS Environmental Work order: P1600967
 Project: Keystone Landfill/PADOH/PADEP
 Sample(s) received on: 2/25/16 Date opened: 2/25/16 by: KKELPE

Note: This form is used for all samples received by ALS. The use of this form for custody seals is strictly meant to indicate presence/absence and not as an indication of compliance or nonconformity. Thermal preservation and pH will only be evaluated either at the request of the client and/or as required by the method/SOP.

- | | Yes | No | N/A |
|---|-------------------------------------|-------------------------------------|-------------------------------------|
| 1 Were sample containers properly marked with client sample ID? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2 Did sample containers arrive in good condition? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3 Were chain-of-custody papers used and filled out? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4 Did sample container labels and/or tags agree with custody papers? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5 Was sample volume received adequate for analysis? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6 Are samples within specified holding times? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7 Was proper temperature (thermal preservation) of cooler at receipt adhered to? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 8 Were custody seals on outside of cooler/Box/Container? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Location of seal(s)? <u>sealing inner box</u> Sealing Lid? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Were signature and date included? | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| Were seals intact? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9 Do containers have appropriate preservation , according to method/SOP or Client specified information? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Is there a client indication that the submitted samples are pH preserved? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Were VOA vials checked for presence/absence of air bubbles? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Does the client/method/SOP require that the analyst check the sample pH and <u>if necessary</u> alter it? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 10 Tubes: Are the tubes capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 11 Badges: Are the badges properly capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| Are dual bed badges separated and individually capped and intact? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |

Lab Sample ID	Container Description	Required pH *	Received pH	Adjusted pH	VOA Headspace (Presence/Absence)	Receipt / Preservation Comments
P1600967-001.01	6.0 L Silonite Can					

Explain any discrepancies: (include lab sample ID numbers): short sulfur HT

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: ALS Environmental
Client Sample ID: 1602917-06A (KSL02192016-Summa)
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P1600967-001

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890B/GC30/SCD
 Analyst: Mike Conejo
 Sample Type: 6.0 L Silonite Canister
 Test Notes:
 Container ID: AS00425

Date Collected: 2/19/16
 Time Collected: 10:55
 Date Received: 2/25/16
 Date Analyzed: 2/25/16
 Time Analyzed: 16:00
 Volume(s) Analyzed: 1.0 ml(s)

Initial Pressure (psig): 0.49 Final Pressure (psig): 3.16

Canister Dilution Factor: 1.18

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	8.2	ND	5.9	
463-58-1	Carbonyl Sulfide	ND	14	ND	5.9	
74-93-1	Methyl Mercaptan	ND	12	ND	5.9	
75-08-1	Ethyl Mercaptan	ND	15	ND	5.9	
75-18-3	Dimethyl Sulfide	ND	15	ND	5.9	
75-15-0	Carbon Disulfide	ND	9.2	ND	3.0	
75-33-2	Isopropyl Mercaptan	ND	18	ND	5.9	
75-66-1	tert-Butyl Mercaptan	ND	22	ND	5.9	
107-03-9	n-Propyl Mercaptan	ND	18	ND	5.9	
624-89-5	Ethyl Methyl Sulfide	ND	18	ND	5.9	
110-02-1	Thiophene	ND	20	ND	5.9	
513-44-0	Isobutyl Mercaptan	ND	22	ND	5.9	
352-93-2	Diethyl Sulfide	ND	22	ND	5.9	
109-79-5	n-Butyl Mercaptan	ND	22	ND	5.9	
624-92-0	Dimethyl Disulfide	ND	11	ND	3.0	
616-44-4	3-Methylthiophene	ND	24	ND	5.9	
110-01-0	Tetrahydrothiophene	ND	21	ND	5.9	
638-02-8	2,5-Dimethylthiophene	ND	27	ND	5.9	
872-55-9	2-Ethylthiophene	ND	27	ND	5.9	
110-81-6	Diethyl Disulfide	ND	15	ND	3.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 1

Client: ALS Environmental
Client Sample ID: Method Blank
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P160225-MB

Test Code: ASTM D 5504-12
 Instrument ID: Agilent 7890B/GC30/SCD
 Analyst: Mike Conejo
 Sample Type: 6.0 L Silonite Canister
 Test Notes:

Date Collected: NA
 Time Collected: NA
 Date Received: NA
 Date Analyzed: 2/25/16
 Time Analyzed: 14:57
 Volume(s) Analyzed: 1.0 ml(s)

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
7783-06-4	Hydrogen Sulfide	ND	7.0	ND	5.0	
463-58-1	Carbonyl Sulfide	ND	12	ND	5.0	
74-93-1	Methyl Mercaptan	ND	9.8	ND	5.0	
75-08-1	Ethyl Mercaptan	ND	13	ND	5.0	
75-18-3	Dimethyl Sulfide	ND	13	ND	5.0	
75-15-0	Carbon Disulfide	ND	7.8	ND	2.5	
75-33-2	Isopropyl Mercaptan	ND	16	ND	5.0	
75-66-1	tert-Butyl Mercaptan	ND	18	ND	5.0	
107-03-9	n-Propyl Mercaptan	ND	16	ND	5.0	
624-89-5	Ethyl Methyl Sulfide	ND	16	ND	5.0	
110-02-1	Thiophene	ND	17	ND	5.0	
513-44-0	Isobutyl Mercaptan	ND	18	ND	5.0	
352-93-2	Diethyl Sulfide	ND	18	ND	5.0	
109-79-5	n-Butyl Mercaptan	ND	18	ND	5.0	
624-92-0	Dimethyl Disulfide	ND	9.6	ND	2.5	
616-44-4	3-Methylthiophene	ND	20	ND	5.0	
110-01-0	Tetrahydrothiophene	ND	18	ND	5.0	
638-02-8	2,5-Dimethylthiophene	ND	23	ND	5.0	
872-55-9	2-Ethylthiophene	ND	23	ND	5.0	
110-81-6	Diethyl Disulfide	ND	12	ND	2.5	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 1

Client: ALS Environmental
Client Sample ID: Lab Control Sample
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
ALS Sample ID: P160225-LCS

Test Code: ASTM D 5504-12
Instrument ID: Agilent 7890B/GC30/SCD
Analyst: Mike Conejo
Sample Type: 6.0 L Silonite Canister
Test Notes:

Date Collected: NA
Date Received: NA
Date Analyzed: 2/25/16
Volume(s) Analyzed: NA ml(s)

CAS #	Compound	Spike Amount ppbV	Result ppbV	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
7783-06-4	Hydrogen Sulfide	1,000	828	83	65-138	
463-58-1	Carbonyl Sulfide	1,000	851	85	60-135	
74-93-1	Methyl Mercaptan	1,000	866	87	57-140	

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 3

Client: ALS Environmental
Client Sample ID: 1602917-06A (KSL02192016-Summa)
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P1600967-001

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:
 Container ID: AS00425

Date Collected: 2/19/16
 Date Received: 2/25/16
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): 0.49 Final Pressure (psig): 3.16

Canister Dilution Factor: 1.18

CAS #	Compound	Result	MRL	Result	MRL	Data Qualifier
		µg/m ³	µg/m ³	ppbV	ppbV	
115-07-1	Propene	ND	0.59	ND	0.34	
75-71-8	Dichlorodifluoromethane (CFC 12)	2.8	0.59	0.57	0.12	
74-87-3	Chloromethane	ND	0.59	ND	0.29	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.59	ND	0.084	
75-01-4	Vinyl Chloride	ND	0.59	ND	0.23	
106-99-0	1,3-Butadiene	ND	0.59	ND	0.27	
74-83-9	Bromomethane	ND	0.59	ND	0.15	
75-00-3	Chloroethane	ND	0.59	ND	0.22	
64-17-5	Ethanol	ND	5.9	ND	3.1	
75-05-8	Acetonitrile	ND	0.59	ND	0.35	
107-02-8	Acrolein	ND	2.4	ND	1.0	
67-64-1	Acetone	ND	5.9	ND	2.5	
75-69-4	Trichlorofluoromethane	1.3	0.59	0.24	0.11	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	5.9	ND	2.4	
107-13-1	Acrylonitrile	ND	0.59	ND	0.27	
75-35-4	1,1-Dichloroethene	ND	0.59	ND	0.15	
75-09-2	Methylene Chloride	ND	0.59	ND	0.17	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	0.59	ND	0.19	
76-13-1	Trichlorotrifluoroethane	ND	0.59	ND	0.077	
75-15-0	Carbon Disulfide	ND	5.9	ND	1.9	
156-60-5	trans-1,2-Dichloroethene	ND	0.59	ND	0.15	
75-34-3	1,1-Dichloroethane	ND	0.59	ND	0.15	
1634-04-4	Methyl tert-Butyl Ether	ND	0.59	ND	0.16	
108-05-4	Vinyl Acetate	ND	5.9	ND	1.7	
78-93-3	2-Butanone (MEK)	ND	5.9	ND	2.0	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 2 of 3

Client: ALS Environmental
Client Sample ID: 1602917-06A (KSL02192016-Summa)
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P1600967-001

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:
 Container ID: AS00425

Date Collected: 2/19/16
 Date Received: 2/25/16
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): 0.49 Final Pressure (psig): 3.16

Canister Dilution Factor: 1.18

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	ND	0.59	ND	0.15	
141-78-6	Ethyl Acetate	3.1	1.2	0.85	0.33	
110-54-3	n-Hexane	ND	0.59	ND	0.17	
67-66-3	Chloroform	ND	0.59	ND	0.12	
109-99-9	Tetrahydrofuran (THF)	ND	0.59	ND	0.20	
107-06-2	1,2-Dichloroethane	ND	0.59	ND	0.15	
71-55-6	1,1,1-Trichloroethane	ND	0.59	ND	0.11	
71-43-2	Benzene	0.62	0.59	0.19	0.18	
56-23-5	Carbon Tetrachloride	ND	0.59	ND	0.094	
110-82-7	Cyclohexane	ND	1.2	ND	0.34	
78-87-5	1,2-Dichloropropane	ND	0.59	ND	0.13	
75-27-4	Bromodichloromethane	ND	0.59	ND	0.088	
79-01-6	Trichloroethene	ND	0.59	ND	0.11	
123-91-1	1,4-Dioxane	ND	0.59	ND	0.16	
80-62-6	Methyl Methacrylate	ND	1.2	ND	0.29	
142-82-5	n-Heptane	ND	0.59	ND	0.14	
10061-01-5	cis-1,3-Dichloropropene	ND	0.59	ND	0.13	
108-10-1	4-Methyl-2-pentanone	ND	0.59	ND	0.14	
10061-02-6	trans-1,3-Dichloropropene	ND	0.59	ND	0.13	
79-00-5	1,1,2-Trichloroethane	ND	0.59	ND	0.11	
108-88-3	Toluene	ND	0.59	ND	0.16	
591-78-6	2-Hexanone	ND	0.59	ND	0.14	
124-48-1	Dibromochloromethane	ND	0.59	ND	0.069	
106-93-4	1,2-Dibromoethane	ND	0.59	ND	0.077	
123-86-4	n-Butyl Acetate	ND	0.59	ND	0.12	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 3 of 3

Client: ALS Environmental
Client Sample ID: 1602917-06A (KSL02192016-Summa)
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P1600967-001

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:
 Container ID: AS00425

Date Collected: 2/19/16
 Date Received: 2/25/16
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Initial Pressure (psig): 0.49 Final Pressure (psig): 3.16

Canister Dilution Factor: 1.18

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	0.59	ND	0.13	
127-18-4	Tetrachloroethene	ND	0.59	ND	0.087	
108-90-7	Chlorobenzene	ND	0.59	ND	0.13	
100-41-4	Ethylbenzene	ND	0.59	ND	0.14	
179601-23-1	m,p-Xylenes	ND	1.2	ND	0.27	
75-25-2	Bromoform	ND	0.59	ND	0.057	
100-42-5	Styrene	ND	0.59	ND	0.14	
95-47-6	o-Xylene	ND	0.59	ND	0.14	
111-84-2	n-Nonane	ND	0.59	ND	0.11	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.59	ND	0.086	
98-82-8	Cumene	ND	0.59	ND	0.12	
80-56-8	alpha-Pinene	ND	0.59	ND	0.11	
103-65-1	n-Propylbenzene	ND	0.59	ND	0.12	
622-96-8	4-Ethyltoluene	ND	0.59	ND	0.12	
108-67-8	1,3,5-Trimethylbenzene	ND	0.59	ND	0.12	
95-63-6	1,2,4-Trimethylbenzene	ND	0.59	ND	0.12	
100-44-7	Benzyl Chloride	ND	0.59	ND	0.11	
541-73-1	1,3-Dichlorobenzene	ND	0.59	ND	0.098	
106-46-7	1,4-Dichlorobenzene	ND	0.59	ND	0.098	
95-50-1	1,2-Dichlorobenzene	ND	0.59	ND	0.098	
5989-27-5	d-Limonene	ND	0.59	ND	0.11	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.59	ND	0.061	
120-82-1	1,2,4-Trichlorobenzene	ND	0.59	ND	0.080	
91-20-3	Naphthalene	ND	0.59	ND	0.11	
87-68-3	Hexachlorobutadiene	ND	0.59	ND	0.055	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 1 of 3

Client: ALS Environmental
Client Sample ID: Method Blank
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P160301-MB

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:

Date Collected: NA
 Date Received: NA
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result	MRL	Result	MRL	Data Qualifier
		µg/m ³	µg/m ³	ppbV	ppbV	
115-07-1	Propene	ND	0.50	ND	0.29	
75-71-8	Dichlorodifluoromethane (CFC 12)	ND	0.50	ND	0.10	
74-87-3	Chloromethane	ND	0.50	ND	0.24	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	ND	0.50	ND	0.072	
75-01-4	Vinyl Chloride	ND	0.50	ND	0.20	
106-99-0	1,3-Butadiene	ND	0.50	ND	0.23	
74-83-9	Bromomethane	ND	0.50	ND	0.13	
75-00-3	Chloroethane	ND	0.50	ND	0.19	
64-17-5	Ethanol	ND	5.0	ND	2.7	
75-05-8	Acetonitrile	ND	0.50	ND	0.30	
107-02-8	Acrolein	ND	2.0	ND	0.87	
67-64-1	Acetone	ND	5.0	ND	2.1	
75-69-4	Trichlorofluoromethane	ND	0.50	ND	0.089	
67-63-0	2-Propanol (Isopropyl Alcohol)	ND	5.0	ND	2.0	
107-13-1	Acrylonitrile	ND	0.50	ND	0.23	
75-35-4	1,1-Dichloroethene	ND	0.50	ND	0.13	
75-09-2	Methylene Chloride	ND	0.50	ND	0.14	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	ND	0.50	ND	0.16	
76-13-1	Trichlorotrifluoroethane	ND	0.50	ND	0.065	
75-15-0	Carbon Disulfide	ND	5.0	ND	1.6	
156-60-5	trans-1,2-Dichloroethene	ND	0.50	ND	0.13	
75-34-3	1,1-Dichloroethane	ND	0.50	ND	0.12	
1634-04-4	Methyl tert-Butyl Ether	ND	0.50	ND	0.14	
108-05-4	Vinyl Acetate	ND	5.0	ND	1.4	
78-93-3	2-Butanone (MEK)	ND	5.0	ND	1.7	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 2 of 3

Client: ALS Environmental
Client Sample ID: Method Blank
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P160301-MB

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:

Date Collected: NA
 Date Received: NA
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
156-59-2	cis-1,2-Dichloroethene	ND	0.50	ND	0.13	
141-78-6	Ethyl Acetate	ND	1.0	ND	0.28	
110-54-3	n-Hexane	ND	0.50	ND	0.14	
67-66-3	Chloroform	ND	0.50	ND	0.10	
109-99-9	Tetrahydrofuran (THF)	ND	0.50	ND	0.17	
107-06-2	1,2-Dichloroethane	ND	0.50	ND	0.12	
71-55-6	1,1,1-Trichloroethane	ND	0.50	ND	0.092	
71-43-2	Benzene	ND	0.50	ND	0.16	
56-23-5	Carbon Tetrachloride	ND	0.50	ND	0.080	
110-82-7	Cyclohexane	ND	1.0	ND	0.29	
78-87-5	1,2-Dichloropropane	ND	0.50	ND	0.11	
75-27-4	Bromodichloromethane	ND	0.50	ND	0.075	
79-01-6	Trichloroethene	ND	0.50	ND	0.093	
123-91-1	1,4-Dioxane	ND	0.50	ND	0.14	
80-62-6	Methyl Methacrylate	ND	1.0	ND	0.24	
142-82-5	n-Heptane	ND	0.50	ND	0.12	
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	ND	0.11	
108-10-1	4-Methyl-2-pentanone	ND	0.50	ND	0.12	
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	ND	0.11	
79-00-5	1,1,2-Trichloroethane	ND	0.50	ND	0.092	
108-88-3	Toluene	ND	0.50	ND	0.13	
591-78-6	2-Hexanone	ND	0.50	ND	0.12	
124-48-1	Dibromochloromethane	ND	0.50	ND	0.059	
106-93-4	1,2-Dibromoethane	ND	0.50	ND	0.065	
123-86-4	n-Butyl Acetate	ND	0.50	ND	0.11	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

RESULTS OF ANALYSIS

Page 3 of 3

Client: ALS Environmental
Client Sample ID: Method Blank
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P160301-MB

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:

Date Collected: NA
 Date Received: NA
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 1.00 Liter(s)

Canister Dilution Factor: 1.00

CAS #	Compound	Result µg/m ³	MRL µg/m ³	Result ppbV	MRL ppbV	Data Qualifier
111-65-9	n-Octane	ND	0.50	ND	0.11	
127-18-4	Tetrachloroethene	ND	0.50	ND	0.074	
108-90-7	Chlorobenzene	ND	0.50	ND	0.11	
100-41-4	Ethylbenzene	ND	0.50	ND	0.12	
179601-23-1	m,p-Xylenes	ND	1.0	ND	0.23	
75-25-2	Bromoform	ND	0.50	ND	0.048	
100-42-5	Styrene	ND	0.50	ND	0.12	
95-47-6	o-Xylene	ND	0.50	ND	0.12	
111-84-2	n-Nonane	ND	0.50	ND	0.095	
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	ND	0.073	
98-82-8	Cumene	ND	0.50	ND	0.10	
80-56-8	alpha-Pinene	ND	0.50	ND	0.090	
103-65-1	n-Propylbenzene	ND	0.50	ND	0.10	
622-96-8	4-Ethyltoluene	ND	0.50	ND	0.10	
108-67-8	1,3,5-Trimethylbenzene	ND	0.50	ND	0.10	
95-63-6	1,2,4-Trimethylbenzene	ND	0.50	ND	0.10	
100-44-7	Benzyl Chloride	ND	0.50	ND	0.097	
541-73-1	1,3-Dichlorobenzene	ND	0.50	ND	0.083	
106-46-7	1,4-Dichlorobenzene	ND	0.50	ND	0.083	
95-50-1	1,2-Dichlorobenzene	ND	0.50	ND	0.083	
5989-27-5	d-Limonene	ND	0.50	ND	0.090	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.50	ND	0.052	
120-82-1	1,2,4-Trichlorobenzene	ND	0.50	ND	0.067	
91-20-3	Naphthalene	ND	0.50	ND	0.095	
87-68-3	Hexachlorobutadiene	ND	0.50	ND	0.047	

ND = Compound was analyzed for, but not detected above the laboratory reporting limit.

MRL = Method Reporting Limit - The minimum quantity of a target analyte that can be confidently determined by the referenced method.

ALS ENVIRONMENTAL

SURROGATE SPIKE RECOVERY RESULTS

Page 1 of 1

Client: ALS Environmental
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister(s)
 Test Notes:

Date(s) Collected: 2/19/16
 Date(s) Received: 2/25/16
 Date(s) Analyzed: 3/1/16

Client Sample ID	ALS Sample ID	1,2-Dichloroethane-d4	Toluene-d8	Bromofluorobenzene	Acceptance Limits	Data Qualifier
		Percent Recovered	Percent Recovered	Percent Recovered		
Method Blank	P160301-MB	127	96	86	70-130	
Lab Control Sample	P160301-LCS	123	92	88	70-130	
1602917-06A (KSL02192016-Summa)	P1600967-001	124	94	90	70-130	

Surrogate percent recovery is verified and accepted based on the on-column result.

Reported results are shown in concentration units and as a result of the calculation, may vary slightly from the on-column percent recovery.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 1 of 3

Client: ALS Environmental
Client Sample ID: Lab Control Sample
Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967
 ALS Sample ID: P160301-LCS

Test Code: EPA TO-15
 Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8
 Analyst: Wida Ang
 Sample Type: 6.0 L Silonite Canister
 Test Notes:

Date Collected: NA
 Date Received: NA
 Date Analyzed: 3/1/16
 Volume(s) Analyzed: 0.125 Liter(s)

CAS #	Compound	Spike Amount µg/m ³	Result µg/m ³	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
115-07-1	Propene	196	198	101	49-131	
75-71-8	Dichlorodifluoromethane (CFC 12)	188	201	107	65-117	
74-87-3	Chloromethane	200	217	109	48-132	
76-14-2	1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC 114)	204	189	93	65-122	
75-01-4	Vinyl Chloride	200	239	120	65-128	
106-99-0	1,3-Butadiene	206	213	103	62-143	
74-83-9	Bromomethane	202	202	100	65-130	
75-00-3	Chloroethane	200	194	97	69-126	
64-17-5	Ethanol	998	1030	103	57-126	
75-05-8	Acetonitrile	212	185	87	51-134	
107-02-8	Acrolein	214	183	86	55-146	
67-64-1	Acetone	1,080	960	89	57-120	
75-69-4	Trichlorofluoromethane	216	185	86	59-139	
67-63-0	2-Propanol (Isopropyl Alcohol)	418	432	103	59-129	
107-13-1	Acrylonitrile	212	216	102	64-136	
75-35-4	1,1-Dichloroethene	216	195	90	72-123	
75-09-2	Methylene Chloride	222	180	81	63-117	
107-05-1	3-Chloro-1-propene (Allyl Chloride)	218	224	103	50-141	
76-13-1	Trichlorotrifluoroethane	220	182	83	68-118	
75-15-0	Carbon Disulfide	210	161	77	55-143	
156-60-5	trans-1,2-Dichloroethene	210	211	100	69-129	
75-34-3	1,1-Dichloroethane	212	197	93	66-122	
1634-04-4	Methyl tert-Butyl Ether	216	205	95	55-128	
108-05-4	Vinyl Acetate	1,040	975	94	66-140	
78-93-3	2-Butanone (MEK)	220	195	89	62-127	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result. Reported results are shown in concentration units and as a result of the calculation, may vary slightly.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 2 of 3

Client: ALS Environmental

Client Sample ID: Lab Control Sample

Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967

ALS Sample ID: P160301-LCS

Test Code: EPA TO-15

Date Collected: NA

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: NA

Analyst: Wida Ang

Date Analyzed: 3/1/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 0.125 Liter(s)

Test Notes:

CAS #	Compound	Spike Amount µg/m ³	Result µg/m ³	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
156-59-2	cis-1,2-Dichloroethene	218	214	98	65-125	
141-78-6	Ethyl Acetate	428	455	106	64-132	
110-54-3	n-Hexane	212	179	84	58-126	
67-66-3	Chloroform	224	203	91	68-117	
109-99-9	Tetrahydrofuran (THF)	220	181	82	64-123	
107-06-2	1,2-Dichloroethane	214	220	103	63-124	
71-55-6	1,1,1-Trichloroethane	210	210	100	68-120	
71-43-2	Benzene	226	183	81	61-110	
56-23-5	Carbon Tetrachloride	230	214	93	65-137	
110-82-7	Cyclohexane	424	383	90	68-122	
78-87-5	1,2-Dichloropropane	216	199	92	67-122	
75-27-4	Bromodichloromethane	218	226	104	71-124	
79-01-6	Trichloroethene	216	170	79	71-121	
123-91-1	1,4-Dioxane	210	211	100	67-122	
80-62-6	Methyl Methacrylate	422	380	90	76-130	
142-82-5	n-Heptane	216	186	86	67-125	
10061-01-5	cis-1,3-Dichloropropene	208	210	101	73-131	
108-10-1	4-Methyl-2-pentanone	220	229	104	66-132	
10061-02-6	trans-1,3-Dichloropropene	210	228	109	76-135	
79-00-5	1,1,2-Trichloroethane	216	196	91	73-121	
108-88-3	Toluene	218	166	76	67-117	
591-78-6	2-Hexanone	220	224	102	59-128	
124-48-1	Dibromochloromethane	220	190	86	73-132	
106-93-4	1,2-Dibromoethane	218	181	83	73-128	
123-86-4	n-Butyl Acetate	226	227	100	61-136	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result. Reported results are shown in concentration units and as a result of the calculation, may vary slightly.

ALS ENVIRONMENTAL

LABORATORY CONTROL SAMPLE SUMMARY

Page 3 of 3

Client: ALS Environmental

Client Sample ID: Lab Control Sample

Client Project ID: Keystone Landfill/PADOH/PADEP

ALS Project ID: P1600967

ALS Sample ID: P160301-LCS

Test Code: EPA TO-15

Date Collected: NA

Instrument ID: Tekmar AUTOCAN/Agilent 5973inert/6890N/MS8

Date Received: NA

Analyst: Wida Ang

Date Analyzed: 3/1/16

Sample Type: 6.0 L Silonite Canister

Volume(s) Analyzed: 0.125 Liter(s)

Test Notes:

CAS #	Compound	Spike Amount µg/m ³	Result µg/m ³	% Recovery	ALS	Data Qualifier
					Acceptance Limits	
111-65-9	n-Octane	210	175	83	67-124	
127-18-4	Tetrachloroethene	202	141	70	65-126	
108-90-7	Chlorobenzene	220	167	76	68-120	
100-41-4	Ethylbenzene	218	179	82	69-123	
179601-23-1	m,p-Xylenes	428	362	85	67-125	
75-25-2	Bromoform	228	173	76	68-153	
100-42-5	Styrene	222	194	87	68-132	
95-47-6	o-Xylene	210	179	85	67-124	
111-84-2	n-Nonane	204	191	94	60-130	
79-34-5	1,1,2,2-Tetrachloroethane	210	188	90	72-128	
98-82-8	Cumene	208	169	81	67-124	
80-56-8	alpha-Pinene	212	184	87	67-129	
103-65-1	n-Propylbenzene	204	175	86	67-125	
622-96-8	4-Ethyltoluene	214	179	84	66-128	
108-67-8	1,3,5-Trimethylbenzene	214	177	83	65-125	
95-63-6	1,2,4-Trimethylbenzene	218	197	90	62-134	
100-44-7	Benzyl Chloride	220	233	106	74-145	
541-73-1	1,3-Dichlorobenzene	228	176	77	63-133	
106-46-7	1,4-Dichlorobenzene	208	164	79	62-129	
95-50-1	1,2-Dichlorobenzene	220	180	82	62-134	
5989-27-5	d-Limonene	210	223	106	66-137	
96-12-8	1,2-Dibromo-3-chloropropane	218	190	87	71-147	
120-82-1	1,2,4-Trichlorobenzene	230	201	87	60-145	
91-20-3	Naphthalene	218	223	102	56-158	
87-68-3	Hexachlorobutadiene	230	178	77	56-139	

Laboratory Control Sample percent recovery is verified and accepted based on the on-column result. Reported results are shown in concentration units and as a result of the calculation, may vary slightly.