

## Application



Pennsylvania  
Department of  
Environmental Protection

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF CLEAN WATER

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
INDIVIDUAL PERMIT FOR DISCHARGES OF  
STORMWATER ASSOCIATED WITH CONSTRUCTION ACTIVITIES  
APPLICATION**

DEP / CCD USE ONLY	
Date Received: _____	Permit ID: _____
Date Determined Complete: _____	Date of: <input type="checkbox"/> Return <input type="checkbox"/> Withdrawal <input type="checkbox"/> Denial
Draft Permit Issued Date: _____	
Issuance Date: _____	Date Resubmission Received: _____
Effective Date: _____	Expiration Date: _____
GENERAL INFORMATION	
1. Applicant Name(s):	<b>Homer City Generation, L.P.</b>
2. <input type="checkbox"/> There are co-applicants	<i>(If checked, attach a separate certification for each co-applicant)</i>
3. Applicant Type:	a. <input type="checkbox"/> Individual      b. <input type="checkbox"/> Non-Government
	c. <input checked="" type="checkbox"/> Private Business <i>(Attach documentation identifying the names of each current owner, member, etc.)</i>
	Structure: <input type="checkbox"/> LLC <input type="checkbox"/> SP <input checked="" type="checkbox"/> Partnership <input type="checkbox"/> Corporation <input type="checkbox"/> Other: _____
	<input type="checkbox"/> Registered with PA Department of State      File No.:
	d. <input type="checkbox"/> Government <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> County <input type="checkbox"/> Municipal <input type="checkbox"/> School District
4. Application Type:	<input checked="" type="checkbox"/> New <input type="checkbox"/> Renewal <input type="checkbox"/> Major Amendment <input type="checkbox"/> Minor Amendment
	Permit No.: PA
5. Project Type:	<input type="checkbox"/> Residential <input type="checkbox"/> Commercial <input type="checkbox"/> Industrial <input type="checkbox"/> Agricultural <input checked="" type="checkbox"/> Utilities
	<input type="checkbox"/> Roadways <input type="checkbox"/> Redevelopment <input type="checkbox"/> Site Restoration <input type="checkbox"/> Other
6. Project Site Name:	HCPP Pipeline
7. Primary NAICS Code:	<b>221210</b>
8. Project Description:	<p><b>Homer City Generation, L.P. proposes to construct approximately 5.8 miles of one (1) 30-inch steel gas distribution pipeline and approximately 0.4 mile of one (1) overhead power line within a 70-foot to 125-foot wide limit of disturbance, as well as temporary workspace areas to support construction. This project will also consist of the construction of an approximately 0.9-acre permanent gravel Metering and Regulation (M&amp;R) and Interconnect Facility with associated permanent gravel access roads, a 900 square foot (sf) gravel pad and associated access road for an electric tap, and PCSM Stormwater Control Measures.</b></p> <p>The proposed project begins in Burrell Township, Indiana County approximately 1.6 miles northwest of the intersection of State Route (S.R.) 119 and State Route (S.R.) 22 at the proposed M&amp;R and Interconnect Facility. The M&amp;R and Interconnect Facility is located off an existing third-party gravel access road that connects to Campbells Mill Rd (S.R. 3011) in Burrell Township, Indiana County, Pennsylvania. From the M&amp;R and Interconnect Facility, one (1) 30-inch steel gas distribution pipeline will traverse in a northerly direction for approximately 5.8 miles, ending at the proposed redeveloped Homer City Generating Station located in Center Township, Indiana County, Pennsylvania. The pipeline will cross Falling Run Road (Twp 449), McConnell Road (Twp 592), Blacklick Road (S.R. 3013), Dickey Road (Twp 455), and Power Plant Road (Twp 680). The electric power tap site is located off of Country Lane Road (Twp 442). From the electric power tap, an overhead electric line will traverse in a northerly direction for approximately 0.4 mile, ending at the M&amp;R and Interconnect Facility.</p>

**A technical revision has been made to add an access route to the project LOD for use in monitoring the proposed Horizontal Direction Drilling (HDD) Bore underneath Blacklick Creek. In addition, the Pennsylvania Game Commission (PGC) has requested a specific seed mix be used during site restoration within state game lands. The additional seed mix has been added to the vegetative stabilization detail on the E&S and PCSM/SR drawings.**

9.  Common Plan of Development or Sale                      No. phases:                      No. phases complete:
10. Anticipated Earth Disturbance Start Date:    June 2026                      Earth Disturbance End Date:    August 2027
11.  Stormwater will be discharged to Impaired Waters or Special Protection Waters (Module 3 is attached)
12.  The project site is within 150 feet of Special Protection Waters (Module 4 is attached)

<b>EXISTING PERMITS</b>			
<b>Type of Permit</b>	<b>Permit No.</b>	<b>Date Issued</b>	<b>Issued By</b>

PROJECT SITE AND EARTH DISTURBANCE INFORMATION						
			Project Site	Earth Disturbance		
1. Total Area (acres):			104.9	104.9		
2. Pre-Construction Impervious Area (acres):			4.50	4.50		
3. Post-Construction Impervious Area (acres):			5.55	5.55		
4. Project Site Pre-Construction Land Uses:			5. Project Site Post-Construction Land Uses:			
Land Use	% of Total			Land Use	% of Total	
Agricultural	77.6			Agricultural	77.6	
Industrial	5.2			Industrial	11.2	
Wooded	17.2			Wooded	1.0	
				Meadow ROW	10.2	
6. Number of proposed lots or parcels comprising the project site:			N/A			
7. Number of proposed lots or parcels within the project site that are expected to be sold prior to project completion:			0			
8. Number of proposed lots or parcels within the project site with PCSM SCMs that are expected to be sold prior to project completion:			0			
<p><b>NOTE – Permittees are required to provide a copy of the long-term O&amp;M Plan and record drawings or equivalent to new owners of properties containing PCSM SCMs; complete the New Property Owner Notification form (3800-FM-BCW0271i) and provide it to the new property owner; and submit the New Property Owner Notification form to DEP/CCD within 30 days of the date of transfer of a property.</b></p>						
9. County Name	Municipality Name		City	Boro	Twp	State
Indiana	Burrell, Black Lick, Center		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	PA
10. County Name	Municipality Name		City	Boro	Twp	State
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PA
11. Site Location Address	<b>Linear Project - See Site Location Map</b>					
12. Site Location City, State, ZIP	Blairsville, PA 15717					
13. Report latitude and longitude at the center of the proposed disturbed area (decimal degrees).	Latitude: <b>40.483444</b> Longitude: <b>-79.219061</b>					
14. Horizontal Reference Datum:	<input type="checkbox"/> NAD of 1927 <input checked="" type="checkbox"/> NAD of 1983 <input type="checkbox"/> WGS of 1984 <input type="checkbox"/> Other _____					
15. There will be off-site construction support activities.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
16. If Yes to #15, identify the nature of known off-site support activities whose disturbance is included in #1, above:						
Description of Off-Site Support Activity	Distance from Site	Disturbance Area				
	mi	acres				
	mi	acres				
17. Identify any other off-site support activities whose disturbance is not included in #1, above (see instructions).						
Description of Off-Site Support Activity	Distance from Site	Disturbance Area				
	mi	acres				
	mi	acres				

<b>PROJECT SITE AND EARTH DISTURBANCE INFORMATION</b>	
18. Check the appropriate box concerning fill material (see instructions):	
<input type="checkbox"/> No fill material is expected to be imported to the project site.	
<input checked="" type="checkbox"/> It is expected that fill will be needed for this project. The source of fill has not yet been determined but will undergo environmental due diligence when identified.	
<input type="checkbox"/> It is expected that fill will be needed for this project. The applicant has identified the source of the fill and has determined the material to be clean fill. DEP's online Certification of Clean Fill form has been submitted.	
<input type="checkbox"/> It is expected that fill will be needed for this project, which is located on a site that is being remediated to Act 2 standards and will be utilized in accordance with DEP standards under that program.	
<input type="checkbox"/> It is expected that fill will be needed for this project. The applicant has identified the source of the fill and has determined it to be regulated fill. The regulated fill is authorized on the project site under a Waste Management General Permit No. WMGR096 authorization dated: _____.	
<input type="checkbox"/> It is expected that fill will be needed for this project, which is not on an Act 2 site. The applicant has identified the fill and has determined that it does not meet criteria for clean fill. The applicant is seeking authorization to use the regulated fill from DEP's Waste Management Program.	
19. <input type="checkbox"/> An Environmental Site Assessment (ESA) has been completed	<input type="checkbox"/> Soil samples have been analyzed
20. The site is currently or was previously enrolled in DEP's Act 2 Program. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
21. Act 2 cleanup standards have been met. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
22. Is Act 537 sewage planning approval needed for this project? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach approval letter if available)	
23. Is a Chapter 105 permit or authorization required? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
24. If Yes to #23, identify the necessary authorization. <input type="checkbox"/> Joint Permit <input checked="" type="checkbox"/> General Permit <input type="checkbox"/> Waiver	
25. If Yes to #23, report the disturbed area not subject to NPDES permit requirements (acres): 0.0	
26. Other DEP/CCD permits or authorizations are required. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
27. If Yes, identify the necessary authorizations.	
<b>COMPLIANCE HISTORY</b>	
Was/Is the applicant, facility owner or operator in violation of any DEP regulation, permit, order, or schedule of compliance at this or any other facility or project site within the past five (5) years? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If "Yes," list each permit, order or schedule of compliance and provide current compliance status. Use additional sheets to provide information on all permits.	
Permit Program: See Attached	Permit No.:
Brief Description of Non-Compliance:	
Steps Taken to Achieve Compliance	Date(s) Compliance Achieved
Current Compliance Status: <input checked="" type="checkbox"/> In Compliance <input type="checkbox"/> In Non-Compliance	

**STORMWATER DISCHARGE INFORMATION**

1. List all stormwater discharge points (DPs) **during construction** and provide the information requested below (see instructions).  Chesapeake Bay

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired ?	TMDL?
			See attached		ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. List all stormwater DPs **after construction and stabilization are complete** and provide the information requested below.

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired ?	TMDL?
			See attached		ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. Stormwater will be managed using  non-discharge alternative(s)  ABACT BMPs/SCMs for stormwater discharges during and following construction.

4. Will any of the points identified above discharge to a sewer system?  Yes  No Is the sewer an MS4 or CSS?  Yes  No

Name of storm sewer owner/operator: \_\_\_\_\_ Will there be an increase in rate, volume or WQ?  Yes  No

5. Identify and describe all non-stormwater discharges that are expected to occur during permit coverage. Describe the frequency and volume of all such discharges.

No non-stormwater discharges are anticipated.

6. Will stormwater flow off the project site through properties owned by others prior to reaching a surface water or storm sewer during or following construction?  Yes  No

If Yes to #6, has an easement been obtained?  Yes  No

**NOTE** – The applicant is expected to: 1) secure legal authority for discharges on or through property not owned by the applicant; 2) provide for adequate E&S controls and a stable conveyance as necessary to prevent accelerated erosion; and 3) complete an EP Analysis when necessary according to the Instructions.

**APPLICANT CERTIFICATION**

I certify under penalty of law that this application and all related attachments were prepared by me or under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my own knowledge and on inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. The responsible official's signature also verifies that BMPs, SCMs, E&S Plan, PPC Plan, PCSM Plan, and other controls will be implemented to ensure that water quality standards and effluent limits are attained and that I will submit a Notice of Termination (NOT) to DEP/CCD upon final stabilization of the project site if I am the permittee or co-permittee at that time. I grant permission to DEP/CCD and EPA to enter the project site for inspection purposes. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment or both for knowing violations pursuant to Section 309(c)(4) of the Clean Water Act and 18 Pa. C.S.A. § 4904.

For applicants that are individuals or sole proprietors, check the box below and proceed to the signature section.

**Individual / Sole Proprietor**

For all other applicants, select the applicable box after reviewing the certification below.

I hereby certify that I am the signatory pursuant to 25 Pa, Code § 92a.22 and 40 CFR § 122.22 and that I am the person who is responsible for decision-making regarding environmental compliance functions for the entity named below, the manager of one or more manufacturing, production, or operating facilities of the applicant and am authorized to make management decisions which govern the operation of regulated facility including having explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure the applicant's long-term environmental compliance with environmental laws and regulations, and I am responsible for ensuring that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements.

**Corporation/Company:** I am the  Responsible Corporate Officer  President  Vice President  
 Secretary  Treasurer  Other: \_\_\_\_\_ for \_\_\_\_\_

**LLC:** I am a person either holding a position designated or individually listed on a "Certificate of Limited Liability Company Authority" filed with the Pennsylvania Department of State as a position/person with the authority to bind the company OR the person listed in the LLC's most current and active operating agreement as having the authority to bind the company. **Attach the applicable "Certificate of Limited Liability Company Authority" or operating agreement.** If the operating agreement is attached, identify the page and paragraph containing the applicable information.


**Partnership:** I am a general partner of \_\_\_\_\_  
 Partnership  LP  LLP

**Government:** I am the principal executive officer or ranking elected official of \_\_\_\_\_  
 Federal  State  Municipal  Other

**Power of Attorney / delegation of contractual authority** (documentation supporting delegation of contracting authority must be provided) for Homer City Generation, L.P.

Joel S. Heiser  
Name (type or print legibly)

General Counsel & Secretary  
Title

  
Signature

September 24, 2025  
Date Signed

**HCG GP LLC**  
**Delegation of Authority**

**September 9, 2025**

I, Corey Hessen, Chief Executive Officer of HCG GP LLC, the general partner of Homer City Generation L.P., the owner of the Homer City Generating Station, hereby revoke any prior Delegation of Authority and designate each of the following individuals as an Authorized Individual with the authority to execute and deliver, for and on behalf of Homer City Generation L.P., such submissions, filings, and other reports to governmental and regulatory agencies as may be required by such agencies and are reasonably deemed necessary or appropriate by such Authorized Individual in the context of the management of the Homer City Generating Station by HCG GP LLC. For the avoidance of doubt, the revocation of any prior Delegation of Authority shall not impact any submissions, filings, and other reports to governmental and regulatory agencies made prior to the date set forth above (the "Effective Date") by any prior Authorized Individual, and I hereby ratify and affirm any such filings made by any prior Authorized Individual prior to the Effective Date.

The following Authorized Individuals are authorized to take any and all actions as such individual or individuals may reasonably deem necessary and appropriate therewith:

Joel S. Heiser  
General Counsel and Secretary  
HCG GP LLC

Adam P. Ritts  
Manager, Health & Safety  
HCG GP LLC

Ryan J. Day  
Manager, Environmental  
HCG GP LLC

This designation of Authorized Individuals shall be filed with the official records of Homer City Generation L.P. and is executed and effective as of the Effective Date with respect to each of such individuals until December 31, 2026, or until sooner revoked with respect to any or all such individuals by HCG GP LLC.

**HCG GP LLC,**  
a Delaware limited liability company

By:  \_\_\_\_\_  
Corey Hessen, Chief Executive Officer

---

## **DISCHARGE POINTS**

---



## STORMWATER DISCHARGE INFORMATION

1. List all stormwater discharge points (DPs) **during construction** and provide the information requested below (see instructions).

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired?	TMDL?
001	40° 27' 06.41"	-79° 14' 37.56"	Stream 46	CWF	Varies*	No	Yes	No
002	40° 27' 20.99"	-79° 14' 45.44"	Stream 3	CWF	Varies*	No	Yes	No
003	40° 27' 22.19"	-79° 14' 40.00"	Stream 2	CWF	Varies*	No	Yes	No
004	40° 27' 24.91"	-79° 14' 43.74"	Stream 4	CWF	Varies*	No	Yes	No
005	40° 27' 27.60"	-79° 14' 46.92"	Stream 5	CWF	Varies*	No	Yes	No
006	40° 27' 30.71"	-79° 14' 40.70"	Stream 10	CWF	Varies*	No	Yes	No
007	40° 27' 33.34"	-79° 14' 43.68"	Stream 9	CWF	Varies*	No	Yes	No
008	40° 27' 41.95"	-79° 14' 26.79"	Stream 6	CWF	Varies*	No	Yes	No
009	40° 27' 43.93"	-79° 14' 31.22"	Stream 6	CWF	Varies*	No	Yes	No
010	40° 27' 44.06"	-79° 14' 38.88"	Stream 6	CWF	Varies*	No	Yes	No
011	40° 27' 43.15"	-79° 14' 35.53"	Stream 7	CWF	Varies*	No	Yes	No
012	40° 27' 45.94"	-79° 14' 32.62"	Stream 6	CWF	190 ft	No	Yes	No
013	40° 27' 44.38"	-79° 14' 29.17"	Stream 6	CWF	120 ft	No	Yes	No
014	40° 27' 46.81"	-79° 14' 37.87"	Stream 8	CWF	Varies*	No	Yes	No
015	40° 27' 53.56"	-79° 14' 14.89"	Stream 20	CWF	Varies*	No	Yes	No
016	40° 28' 02.70"	-79° 14' 00.30"	Stream 41	CWF	Varies*	No	Yes	No
017	40° 28' 13.29"	-79° 14' 01.35"	Stream 18 (Blacklick Creek)	TSF	Varies*	No	Yes	No
018	40° 28' 15.72"	-79° 13' 59.50"	Stream 18 (Blacklick Creek)	TSF	Varies*	No	Yes	No
019	40° 28' 20.27"	-79° 13' 55.69"	Stream 50	CWF	Varies*	No	Yes	No
020	40° 28' 22.87"	-79° 13' 54.06"	Stream 62	CWF	Varies*	No	Yes	No
021	40° 28' 19.20"	-79° 14' 19.18"	Stream 22 (Muddy Run)	CWF	Varies*	No	Yes	No
022	40° 28' 23.99"	-79° 14' 05.23"	Stream 21	CWF	Varies*	No	Yes	No
023	40° 28' 27.39"	-79° 13' 51.34"	Stream 61	CWF	Varies*	No	Yes	No
024	40° 28' 43.05"	-79° 13' 39.77"	Stream 42	CWF	Varies*	No	Yes	No
025	40° 28' 45.87"	-79° 13' 35.41"	Stream 51	CWF	Varies*	No	Yes	No
026	40° 28' 46.85"	-79° 13' 33.97"	Stream 52	CWF	Varies*	No	Yes	No
027	40° 29' 35.67"	-79° 12' 51.79"	Stream 67	CWF	Varies*	No	Yes	No
028	40° 29' 35.48"	-79° 12' 51.96"	Stream 72	CWF	Varies*	No	Yes	No
029	40° 29' 31.36"	-79° 12' 49.66"	Stream 73	CWF	Varies*	No	Yes	No
030	40° 29' 33.55"	-79° 12' 46.71"	Stream 64	CWF	Varies*	No	Yes	No

## STORMWATER DISCHARGE INFORMATION

1. List all stormwater discharge points (DPs) **during construction** and provide the information requested below (see instructions).

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired?	TMDL?
031	40° 29' 38.29"	-79° 12' 46.18"	Stream 66	CWF	Varies*	No	Yes	No
032	40° 29' 39.01"	-79° 12' 46.93"	Stream 67	CWF	Varies*	No	Yes	No
033	40° 29' 41.60"	-79° 12' 50.97"	Stream 54	CWF	Varies*	No	Yes	No
034	40° 29' 49.96"	-79° 12' 54.81"	Stream 70	CWF	Varies*	No	Yes	No
035	40° 30' 03.69"	-79° 12' 47.73"	Stream 44	CWF	Varies*	No	Yes	No
036	40° 30' 04.66"	-79° 12' 47.65"	Stream 25	CWF	Varies*	No	Yes	No
037	40° 30' 22.60"	-79° 12' 37.62"	Stream 28	CWF	Varies*	No	Yes	No
038	40° 30' 22.84"	-79° 12' 37.59"	Stream 59	CWF	Varies*	No	Yes	No
039	40° 30' 23.28"	-79° 12' 33.48"	Stream 56	CWF	Varies*	No	Yes	No
040	40° 30' 24.35"	-79° 12' 33.83"	Stream 60	CWF	Varies*	No	Yes	No
041	40° 30' 26.70"	-79° 12' 46.98"	Stream 69	CWF	Varies*	No	Yes	No
042	40° 30' 27.29"	-79° 12' 47.20"	Stream 68	CWF	Varies*	No	Yes	No
043	40° 30' 33.33"	-79° 12' 38.44"	Stream 63	CWF	Varies*	No	Yes	No
044	40° 30' 33.98"	-79° 12' 38.37"	Stream 65	CWF	Varies*	No	Yes	No
045	40° 30' 37.62"	-79° 12' 39.54"	Stream 71	CWF	Varies*	No	Yes	No
046	40° 30' 52.10"	-79° 12' 29.90"	Stream 48	CWF	Varies*	No	Yes	No
047	40° 30' 52.98"	-79° 12' 29.61"	Stream 49	CWF	Varies*	No	Yes	No
048	40° 30' 57.82"	-79° 12' 27.51"	Stream 14	CWF	Varies*	No	Yes	No

\*In accordance with the NPDES Individual Permit Instructions, DPs have been added for each receiving surface water, many of which do not propose concentrated flow originating within the project. Since these DPs are not actual concentrated flow discharge points, the distance to surface water is variable and is noted as such.

## STORMWATER DISCHARGE INFORMATION

1. List all stormwater DPs **after construction and stabilization are complete** and provide the information requested below.

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired?	TMDL?
001	40° 27' 06.41"	-79° 14' 37.56"	Stream 46	CWF	500	Yes	Yes	No
002	40° 27' 20.99"	-79° 14' 45.44"	Stream 3	CWF	Varies*	No	Yes	No
003	40° 27' 22.19"	-79° 14' 40.00"	Stream 2	CWF	87	Yes	Yes	No
004	40° 27' 24.91"	-79° 14' 43.74"	Stream 4	CWF	210	Yes	Yes	No
005	40° 27' 27.60"	-79° 14' 46.92"	Stream 5	CWF	Varies*	No	Yes	No
006	40° 27' 30.71"	-79° 14' 40.70"	Stream 10	CWF	Varies*	No	Yes	No
007	40° 27' 33.34"	-79° 14' 43.68"	Stream 9	CWF	Varies*	No	Yes	No
008	40° 27' 41.95"	-79° 14' 26.79"	Stream 6	CWF	Varies*	No	Yes	No
009	40° 27' 43.93"	-79° 14' 31.22"	Stream 6	CWF	Varies*	No	Yes	No
010	40° 27' 44.06"	-79° 14' 38.88"	Stream 6	CWF	Varies*	No	Yes	No
011	40° 27' 43.15"	-79° 14' 35.53"	Stream 7	CWF	Varies*	No	Yes	No
014	40° 27' 46.81"	-79° 14' 37.87"	Stream 8	CWF	Varies*	No	Yes	No
015	40° 27' 53.56"	-79° 14' 14.89"	Stream 20	CWF	Varies*	No	Yes	No
016	40° 28' 02.70"	-79° 14' 00.30"	Stream 41	CWF	Varies*	No	Yes	No
017	40° 28' 13.29"	-79° 14' 01.35"	Stream 18 (Blacklick Creek)	TSF	Varies*	No	Yes	No
018	40° 28' 15.72"	-79° 13' 59.50"	Stream 18 (Blacklick Creek)	TSF	Varies*	No	Yes	No
019	40° 28' 20.27"	-79° 13' 55.69"	Stream 50	CWF	Varies*	No	Yes	No
020	40° 28' 22.87"	-79° 13' 54.06"	Stream 62	CWF	Varies*	No	Yes	No
021	40° 28' 19.20"	-79° 14' 19.18"	Stream 22 (Muddy Run)	CWF	Varies*	No	Yes	No
022	40° 28' 23.99"	-79° 14' 05.23"	Stream 21	CWF	Varies*	No	Yes	No
023	40° 28' 27.39"	-79° 13' 51.34"	Stream 61	CWF	Varies*	No	Yes	No
024	40° 28' 43.05"	-79° 13' 39.77"	Stream 42	CWF	Varies*	No	Yes	No
025	40° 28' 45.87"	-79° 13' 35.41"	Stream 51	CWF	Varies*	No	Yes	No
026	40° 28' 46.85"	-79° 13' 33.97"	Stream 52	CWF	Varies*	No	Yes	No
027	40° 29' 35.67"	-79° 12' 51.79"	Stream 67	CWF	Varies*	No	Yes	No
028	40° 29' 35.48"	-79° 12' 51.96"	Stream 72	CWF	Varies*	No	Yes	No
029	40° 29' 31.36"	-79° 12' 49.66"	Stream 73	CWF	Varies*	No	Yes	No
030	40° 29' 33.55"	-79° 12' 46.71"	Stream 64	CWF	Varies*	No	Yes	No
031	40° 29' 38.29"	-79° 12' 46.18"	Stream 66	CWF	Varies*	No	Yes	No
032	40° 29' 39.01"	-79° 12' 46.93"	Stream 67	CWF	Varies*	No	Yes	No

## STORMWATER DISCHARGE INFORMATION

1. List all stormwater DPs **after construction and stabilization are complete** and provide the information requested below.

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired?	TMDL?
033	40° 29' 41.60"	-79° 12' 50.97"	Stream 54	CWF	Varies*	No	Yes	No
034	40° 29' 49.96"	-79° 12' 54.81"	Stream 70	CWF	Varies*	No	Yes	No
035	40° 30' 03.69"	-79° 12' 47.73"	Stream 44	CWF	Varies*	No	Yes	No
036	40° 30' 04.66"	-79° 12' 47.65"	Stream 25	CWF	Varies*	No	Yes	No
037	40° 30' 22.60"	-79° 12' 37.62"	Stream 28	CWF	Varies*	No	Yes	No
038	40° 30' 22.84"	-79° 12' 37.59"	Stream 59	CWF	Varies*	No	Yes	No
039	40° 30' 23.28"	-79° 12' 33.48"	Stream 56	CWF	Varies*	No	Yes	No
040	40° 30' 24.35"	-79° 12' 33.83"	Stream 60	CWF	Varies*	No	Yes	No
041	40° 30' 26.70"	-79° 12' 46.98"	Stream 69	CWF	Varies*	No	Yes	No
042	40° 30' 27.29"	-79° 12' 47.20"	Stream 68	CWF	Varies*	No	Yes	No
043	40° 30' 33.33"	-79° 12' 38.44"	Stream 63	CWF	Varies*	No	Yes	No
044	40° 30' 33.98"	-79° 12' 38.37"	Stream 65	CWF	Varies*	No	Yes	No
045	40° 30' 37.62"	-79° 12' 39.54"	Stream 71	CWF	Varies*	No	Yes	No
046	40° 30' 52.10"	-79° 12' 29.90"	Stream 48	CWF	Varies*	No	Yes	No
047	40° 30' 52.98"	-79° 12' 29.61"	Stream 49	CWF	Varies*	No	Yes	No
048	40° 30' 57.82"	-79° 12' 27.51"	Stream 14	CWF	Varies*	No	Yes	No

\*In accordance with the NPDES Individual Permit Instructions, DPs have been added for each receiving surface water, many of which do not propose concentrated flow originating within the project. Since these DPs are not actual concentrated flow discharge points, the distance to surface water is variable and is noted as such.