

































Table 1  
Potable Well Analytical Results Summary

| Sample Address                           | Well Depth (feet) | Pump Depth (feet) | Sample Location | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |          |        |
|--|-------------------|-------------------|-----------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|----------|--------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                 |            |                | 5              | 1,000                | 700                  | 10,000      | 20                       | 840                | 100                           | 130                           | 130                       | 5                        | 0.05                  | 5        |        |
| [REDACTED]                               | Unknown           | Unknown           | Pressure Tank   | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.0096                | 1.3                   |          |        |
|  |                   |                   | Kitchen Sink    | 01/27/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.50                  | ND<0.0094             | ND<0.12  |        |
|  |                   |                   |                 | 03/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 04/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 05/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/17/2025 | 5.5            | ND<0.19        | ND<0.13              | 0.78                 | ND<0.13     | ND<0.13                  | ND<0.13            | 1.6                           | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/29/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | 0.23 J                        | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 09/24/2025 | 0.97           | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 12/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 01/28/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 03/30/2026 | 4.2            | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.19            | 0.50                          | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 04/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 05/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/29/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 09/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 12/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 01/28/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 03/30/2026 | ND<0.21        | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 04/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 05/09/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 07/29/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | ND<0.3 |
|  |                   |                   |                 | 09/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005 | 1.1    |
|  | 12/01/2025        | ND<0.19           | ND<0.19         | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |          |        |
|  | 01/28/2026        | ND<0.19           | ND<0.19         | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |          |        |
|  | 03/30/2026        | ND<0.21           | ND<0.28         | ND<0.21    | ND<0.50        | ND<0.12        | ND<0.19              | ND<0.19              | ND<0.23     | ND<0.21                  | ND<0.20            | ND<0.18                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |          |        |
|  | Unknown           | 145               | Kitchen Sink    | 02/28/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | 0.19 J                |          |        |
|  |                   |                   |                 | 03/18/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |          |        |
|  |                   |                   |                 | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |          |        |
|  |                   |                   |                 | 05/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |          |        |



















Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                        | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |           |         |
|---|-------------------|-------------------|--|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|-----------|---------|
|   |                   |                   |  |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                         | 0.05                     | 5                     |           |         |
| EP MSCs for a Residential, Used Aquifer |                   |                   |  |            |                |                |                      |                      |             |                          |                    |                               |                               |                           |                          |                       |           |         |
| [REDACTED]                              | Unknown           | <250              | Outside Spigot                         | 02/05/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.0094                | 4.0                   |           |         |
|   |                   |                   |  | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.20                       | ND<0.10                       | ND<0.10                   | ND<0.10                  | ND<0.0095             | 1.1       |         |
|   |                   |                   | Kitchen Sink (post charcoal treatment) | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.20                       | ND<0.10                   | ND<0.10                  | ND<0.10               | ND<0.0095 | ND<0.12 |
|   |                   |                   | POET-Influent                          | 03/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 04/28/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 05/27/2025 | 0.21 J         | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 07/21/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 09/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 10/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 12/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 02/19/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 05/07/2026 | ND<0.21        | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.23            | ND<0.21                       | ND<0.20                       | ND<0.18                   | ND<0.18                  | ND<0.18               | ND<0.005  | ND<0.3  |
|   |                   |                   | POET-Midfluent                         | 03/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 04/28/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 05/27/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 07/21/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 09/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 10/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 12/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 02/19/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 05/07/2026 | ND<0.21        | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.23            | ND<0.21                       | ND<0.20                       | ND<0.18                   | ND<0.18                  | ND<0.18               | ND<0.005  | ND<0.3  |
|   |                   |                   | POET-Effluent                          | 03/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 04/28/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 05/27/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 07/21/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 09/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
|   |                   |                   |  | 10/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3  |
| 12/17/2025                              | ND<0.19           | ND<0.19           |  | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.14              | ND<0.13     | ND<0.15                  | ND<0.15            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |           |         |
| 02/19/2026                              | ND<0.19           | ND<0.19           |  | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.14              | ND<0.13     | ND<0.15                  | ND<0.15            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |           |         |
| 05/07/2026                              | ND<0.21           | ND<0.28           |  | ND<0.21    | ND<0.50        | ND<0.12        | ND<0.19              | ND<0.23              | ND<0.21     | ND<0.20                  | ND<0.18            | ND<0.18                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |           |         |

Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet) | Pump Depth (feet) | Sample Location              | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |         |          |      |
|---|-------------------|-------------------|------------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|---------|----------|------|
| EP MSCs for a Residential, Used Aquifer |                   |                   |                              |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                         | 0.05                     | 5                     |         |          |      |
| [REDACTED]                              | 400               | <350              | Outside Spigot               | 09/25/2023 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | -                         | -                        | -                     |         |          |      |
|   |                   |                   |                              | 01/31/2025 | 39             | 7.9            | 49                   | 230                  | 0.2         | 18                       | 160                | 180                           | ND<0.50                       | ND<0.50                   | ND<0.0094                | ND<0.12               |         |          |      |
|   |                   |                   |                              | 01/31/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.50                  | ND<0.0094             | 0.63    |          |      |
|   |                   |                   |                              | 03/10/2026 | 0.39 J         | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.23            | ND<0.21                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.005              | ND<0.3  |          |      |
|   |                   |                   |                              | 02/14/2025 | 92             | 80             | 41                   | 310                  | 0.33 J      | 13                       | 110                | 280                           | 120                           | ND<0.10                   | ND<0.0095                | ND<0.12               |         |          |      |
|   |                   |                   |                              | 02/24/2025 | 58             | 9.4            | ND<0.10              | 250                  | 0.42 J      | ND<0.10                  | 140                | 450                           | 200                           | ND<0.10                   | ND<0.0094                | ND<0.12               |         |          |      |
|   |                   |                   |                              | 03/21/2025 | 150            | 36             | 17                   | 390                  | 0.30 J      | 9.8                      | 120                | 480                           | 210                           | 4.3                       | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   |                              | 04/23/2025 | 39             | 5.5            | 7.5                  | 200                  | 0.64        | 3.6                      | 82                 | 240                           | 98                            | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   |                              | 05/19/2025 | 8.0            | 1.8            | 5.8                  | 84                   | ND<0.13     | 3.6                      | 110                | 280                           | 160                           | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   |                              | 06/19/2025 | 32             | 19             | 5.7                  | 120                  | 0.39 J      | 1.3                      | 28                 | 95                            | 86                            | 0.76                      | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 07/03/2025                   | 13         | 310            | 10             | 280                  | ND<0.13              | 3.2         | 34                       | 190                | 150                           | 0.16 J                        | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 07/24/2025                   | 0.98       | 11             | 3.4            | 80                   | 0.51                 | 1.2         | 20                       | 72                 | 99                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 09/02/2025                   | ND<0.19    | ND<0.19        | 0.24 J         | 2.7                  | ND<0.13              | 0.21 J      | 2.7                      | 14                 | 68                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 09/18/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | 0.90 J               | ND<0.13              | ND<0.13     | 0.92                     | 2.7                | 66                            | ND<0.15                       | ND<0.005                  | 1.0 J                    |                       |         |          |      |
|   |                   |                   | 10/02/2025                   | 0.51       | 1.4            | 1.7            | 17                   | 0.20 J               | 0.63        | 8.2                      | 38                 | 76                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 10/28/2025                   | ND<0.19    | 0.30 J         | 0.22 J         | 3.7                  | ND<0.13              | ND<0.13     | 2.0                      | 8.9                | 23                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 12/18/2025                   | 0.60       | 2.1            | 1.8            | 21                   | ND<0.13              | 0.56        | 10                       | 36                 | 56                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 01/14/2026                   | 1.3        | 3.8            | 4.4            | 42                   | ND<0.13              | 1.0         | 17                       | 60                 | 67                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 02/12/2026                   | 1.0        | 2.0            | 3.8            | 36                   | ND<0.13              | 1.0         | 17                       | 68                 | 73                            | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 03/10/2026                   | 1.4        | 1.1            | 2.1            | 22                   | 0.25 J               | 0.61        | 12                       | 36                 | 35                            | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 04/28/2026                   | 3.3        | 4.1            | 4.8            | 44                   | 0.13 J               | 1.4         | 21                       | 85                 | 75                            | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 02/14/2025                   | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | ND<0.12               |         |          |      |
|   |                   |                   | 02/24/2025                   | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0095                | ND<0.12               |         |          |      |
|   |                   |                   | 03/21/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 04/23/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 05/19/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 06/19/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 07/03/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 07/24/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 09/02/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | 0.17 J             | 0.17 J                        | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 09/18/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | 1.4                      |                       |         |          |      |
|   |                   |                   | 10/02/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 10/28/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 12/18/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 01/14/2026                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 02/12/2026                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 03/10/2026                   | ND<0.21    | ND<0.28        | ND<0.21        | ND<0.50              | ND<0.12              | ND<0.19     | ND<0.23                  | ND<0.21            | ND<0.20                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 04/28/2026                   | ND<0.21    | ND<0.28        | ND<0.21        | ND<0.50              | ND<0.12              | ND<0.19     | ND<0.23                  | ND<0.21            | ND<0.20                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 02/14/2025                   | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | ND<0.12               |         |          |      |
|   |                   |                   | 02/24/2025                   | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0095                | ND<0.12               |         |          |      |
|   |                   |                   | 03/21/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 04/23/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 05/19/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 06/19/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 07/03/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 07/24/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 09/02/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 09/18/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | 1.2                   |         |          |      |
|   |                   |                   | 10/02/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 10/28/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 12/18/2025                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 01/14/2026                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 02/12/2026                   | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |         |          |      |
|   |                   |                   | 03/10/2026                   | ND<0.21    | ND<0.28        | ND<0.21        | ND<0.50              | ND<0.12              | ND<0.19     | ND<0.23                  | ND<0.21            | ND<0.20                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | 04/28/2026                   | ND<0.21    | ND<0.28        | ND<0.21        | ND<0.50              | ND<0.12              | ND<0.19     | ND<0.23                  | ND<0.21            | ND<0.20                       | ND<0.18                       | ND<0.005                  | ND<0.3                   |                       |         |          |      |
|   |                   |                   | Effluent - Upstairs Bathroom |            |                |                | 07/24/2025           | ND<0.19              | ND<0.19     | ND<0.13                  | ND<0.19            | ND<0.13                       | ND<0.13                       | ND<0.14                   | ND<0.13                  | ND<0.15               | ND<0.15 | ND<0.005 | 13.6 |





Table 1  
Potable Well Analytical Results Summary

| Sample Address                           | Well Depth (feet) | Pump Depth (feet) | Sample Location          | Date       | Benzene (µg/L) | Toluene (µg/L)           | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |           |           |          |          |       |
|--|-------------------|-------------------|--------------------------|------------|----------------|--------------------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|-----------|-----------|----------|----------|-------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                          |            |                | 5                        | 1,000                | 700                  | 10,000      | 20                       | 840                | 100                           | 130                           | 130                       | 5                        | 0.05                  | 5         |           |          |          |       |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink             | 02/10/2025 | ND<0.50        | ND<0.50                  | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.50                  | ND<0.0093             | 0.38 J    |           |          |          |       |
|  |                   |                   |                          | 02/26/2025 | ND<0.10        | ND<0.10                  | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.20                       | ND<0.10                       | ND<0.10                   | ND<0.10                  | ND<0.10               | ND<0.0094 | ND<0.12   |          |          |       |
|  |                   |                   | Basement (Influent)      | 02/26/2025 | ND<0.10        | ND<0.10                  | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.20                       | ND<0.10                   | ND<0.10                  | ND<0.10               | ND<0.0094 | 2.8       |          |          |       |
|  |                   |                   | Influent                 | 03/12/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 1.7       |          |          |       |
|  |                   |                   |                          | 04/10/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 2.6       |          |          |       |
|  |                   |                   | Pressure Tank (Influent) | 05/07/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 4.2       |          |          |       |
|  |                   |                   |                          | 06/02/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 6.2       |          |          |       |
|  |                   |                   |                          | 10/20/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 1.5       |          |          |       |
|  |                   |                   |                          | 03/12/2026 | ND<0.21        | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | 3.4       |          |          |       |
|  |                   |                   |                          | 04/29/2026 | ND<0.21        | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | 2.5       |          |          |       |
|  |                   |                   | POET-Influent            | 08/26/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 3.3       |          |          |       |
|  |                   |                   |                          | 01/08/2026 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 3.3       |          |          |       |
|  |                   |                   | POET-Midfluent           | 03/12/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 04/10/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 05/07/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 06/02/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 1.0       |          |          |       |
|  |                   |                   |                          | 08/26/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 10/20/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 01/08/2026 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   | POET-Effluent            | 03/12/2026 | ND<0.21        | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 04/29/2026 | ND<0.21        | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 03/12/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 04/10/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   |                          | 05/07/2025 | ND<0.19        | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  |                   |                   | Kitchen Sink (Effluent)  | 04/29/2026 | ND<0.21        | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | 0.4 J     |          |          |       |
|  |                   |                   | [REDACTED]               | Unknown    | Unknown        | Wellhead with Bailer     | 02/17/2025           | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                       | ND<0.50                       | ND<0.50                   | ND<0.50                  | ND<0.50               | ND<0.50   | ND<0.0095 | 0.78     |          |       |
|  |                   |                   |                          |            |                | Pressure Tank (Influent) | 11/14/2025           | ND<0.19              | ND<0.19     | ND<0.13                  | ND<0.19            | ND<0.13                       | ND<0.13                       | ND<0.13                   | ND<0.14                  | ND<0.13               | ND<0.15   | ND<0.15   | ND<0.005 | ND<0.3   |       |
|  |                   |                   |                          |            |                |                          | 03/16/2026           | ND<0.21              | ND<0.28     | ND<0.21                  | ND<0.50            | ND<0.12                       | ND<0.12                       | ND<0.19                   | ND<0.23                  | ND<0.21               | ND<0.20   | ND<0.18   | ND<0.005 | 0.5 J    |       |
|  |                   |                   |                          |            |                | POET-Influent            | 03/27/2025           | ND<0.19              | ND<0.19     | ND<0.13                  | ND<0.19            | ND<0.13                       | ND<0.13                       | ND<0.13                   | ND<0.13                  | ND<0.14               | ND<0.13   | ND<0.15   | ND<0.15  | ND<0.005 | 0.6 J |
|  |                   |                   |                          |            |                |                          | 09/04/2025           | ND<0.19              | ND<0.19     | ND<0.13                  | ND<0.19            | ND<0.13                       | ND<0.13                       | ND<0.13                   | ND<0.13                  | ND<0.14               | ND<0.13   | ND<0.15   | ND<0.15  | ND<0.005 | 2     |
| 01/09/2026                               | ND<0.19           | ND<0.19           |                          |            |                | ND<0.13                  | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.14                       | ND<0.13                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |           |          |          |       |
| POET-Midfluent                           | 03/27/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  | 09/04/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  | 11/14/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  | 01/09/2026        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
| 03/16/2026                               | ND<0.21           | ND<0.28           |                          |            |                | ND<0.21                  | ND<0.50              | ND<0.12              | ND<0.12     | ND<0.19                  | ND<0.23            | ND<0.21                       | ND<0.20                       | ND<0.18                   | ND<0.18                  | ND<0.005              | ND<0.3    |           |          |          |       |
| POET-Effluent                            | 03/27/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | ND<0.3    |          |          |       |
|  | 09/04/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 2.2       |          |          |       |
| 1st Floor Bathroom (Effluent)            | 11/14/2025        | ND<0.19           |                          |            |                | ND<0.19                  | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.13            | ND<0.13                       | ND<0.14                       | ND<0.13                   | ND<0.15                  | ND<0.15               | ND<0.005  | 0.4 J     |          |          |       |
|  | 03/16/2026        | ND<0.21           |                          |            |                | ND<0.28                  | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.12                  | ND<0.19            | ND<0.23                       | ND<0.21                       | ND<0.20                   | ND<0.18                  | ND<0.18               | ND<0.005  | 0.4 J     |          |          |       |
| Upstairs Bathroom Sink (Effluent)        | 01/09/2026        | ND<0.19           | ND<0.19                  | ND<0.13    | ND<0.19        | ND<0.13                  | ND<0.13              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | 0.5 J                    |                       |           |           |          |          |       |

























Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet)   | Pump Depth (feet)       | Sample Location            | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethyl-benzene (µg/L) | 1,3,5-Trimethyl-benzene (µg/L) | 1,2-Dichloro-ethane (µg/L) | 1,2-Dibromo-ethane (µg/L) | Dissolved Lead (µg/L) |   |
|---|---------------------|-------------------------|----------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|--------------------------------|--------------------------------|----------------------------|---------------------------|-----------------------|---|
| EP MSCs for a Residential, Used Aquifer |                     |                         |                            |            |                | 5              | 1,000                | 700                  | 10,000      | 20                       | 840                | 100                            | 130                            | 130                        | 5                         | 0.05                  | 5 |
| [REDACTED]                              | Unknown             | Unknown                 | Kitchen Sink               | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0094                 | 0.24 J                |   |
|   |                     |                         |                            | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   | Unknown             | Unknown                 | Kitchen Sink               | 02/17/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                        | ND<0.50                        | ND<0.50                    | ND<0.0094                 | ND<0.12               |   |
|   |                     |                         |                            | 03/07/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   | Unknown             | Unknown                 | Kitchen Sink               | 02/20/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0094                 | 0.19 J                |   |
|   |                     |                         |                            | 03/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   |                     |                         |                            | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   | Unknown             | Unknown                 | Kitchen Sink               | 02/15/2025 | ND<0.50        | ND<0.50        | ND<0.50              | ND<0.50              | ND<0.50     | ND<0.50                  | ND<0.50            | ND<0.50                        | ND<0.50                        | ND<0.50                    | ND<0.0094                 | ND<0.12               |   |
|   |                     |                         |                            | 03/05/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   | Unknown             | Unknown                 | Kitchen Sink (First Floor) | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0096                 | ND<0.12               |   |
|   |                     |                         |                            | 03/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |   |
|   | ~50-192             | Close to the bottom     | Pressure Tank              | 02/17/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0094                 | 220                   |   |
| Pressure Tank (Influent)                |                     |                         | 03/07/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | 0.7 J                     |                       |   |
|   |                     |                         | 04/04/2025                 | ND<0.19    | 4.6            | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 05/12/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 05/23/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
| POET-Midfluent                          |                     |                         | 05/12/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 05/23/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
| Kitchen Sink (Effluent)                 |                     |                         | 03/07/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 04/04/2025                 | ND<0.19    | 0.31 J         | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 05/12/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | 0.42 J                         | ND<0.005                   | ND<0.3                    |                       |   |
|   | 05/23/2025          | ND<0.19                 | ND<0.19                    | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.14              | ND<0.13     | ND<0.15                  | 0.45 J             | ND<0.005                       | ND<0.3                         |                            |                           |                       |   |
| ~250                                    | Close to the bottom | Kitchen Sink            | 02/17/2025                 | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                        | ND<0.10                        | ND<0.0095                  | ND<0.12                   |                       |   |
|   |                     |                         | 03/07/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 04/04/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 05/23/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
| 300                                     | ~100                | Kitchen Sink            | 02/17/2025                 | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                        | ND<0.0094                      | ND<0.12                    |                           |                       |   |
| ~50                                     | Close to the bottom | Kitchen Sink (Effluent) | 02/17/2025                 | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                        | ND<0.10                        | ND<0.0094                  | ND<0.12                   |                       |   |
|   |                     |                         | 03/07/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
| Unknown                                 | Unknown             | Basement Pre-Treatment  | 02/18/2025                 | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                        | ND<0.10                        | ND<0.0094                  | 0.44 J                    |                       |   |
|   |                     | Kitchen Sink (Effluent) | 03/05/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | 1.4                       |                       |   |
|   |                     |                         | 03/05/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
| Unknown                                 | Unknown             | Kitchen Sink            | 02/07/2025                 | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                        | ND<0.10                        | ND<0.0092                  | ND<0.12                   |                       |   |
|   |                     |                         | 03/04/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |
|   |                     |                         | 03/26/2025                 | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                        | ND<0.15                        | ND<0.005                   | ND<0.3                    |                       |   |

Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet) | Pump Depth (feet)      | Sample Location         | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |        |
|---|-------------------|------------------------|-------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|--------|
| EP MSCs for a Residential, Used Aquifer |                   |                        |                         |            |                | 5              | 1,000                | 700                  | 10,000      | 20                       | 840                | 100                           | 130                           | 130                       | 5                        | 0.05                  | 5      |
| Unknown                                 | Unknown           | Unknown                | Kitchen Sink            | 04/07/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 05/02/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 07/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 11/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        | POET-Influent           | 02/13/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 05/02/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 07/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 11/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        | POET-Midfluent          | 02/13/2026 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 05/02/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 07/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
|   |                   |                        |                         | 11/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |        |
| POET-Effluent                           | 02/13/2026        | ND<0.19                | ND<0.19                 | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |        |
|   | 05/02/2025        | ND<0.19                | ND<0.19                 | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |        |
|   | 07/24/2025        | ND<0.19                | ND<0.19                 | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |        |
|   | 11/04/2025        | ND<0.19                | ND<0.19                 | ND<0.13    | ND<0.19        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |        |
| Unknown                                 | Unknown           | Kitchen Sink           | 02/19/2025              | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.20              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0096                | ND<0.12               |        |
|   |                   |                        | 03/07/2025              | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |        |
|   |                   |                        | 04/04/2025              | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |        |
| Unknown                                 | Unknown           | Pre-Treatment Pressure | 02/19/2025              | ND<0.10    | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.20              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0094                 | ND<0.12                  |                       |        |
|   |                   |                        | 03/07/2025              | ND<0.19    | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |        |
| 140-149                                 | 125-129           | Unknown                | Kitchen Sink            | 04/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 03/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.001                 | 1.6                   |        |
|   |                   |                        |                         | 04/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| 149                                     | 147               | Unknown                | Kitchen Sink            | 06/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 11/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 03/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| Unknown                                 | Unknown           | Unknown                | Bathroom Sink           | 03/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 04/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 05/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 08/11/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 11/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 03/02/2026 | ND<0.21        | ND<0.28        | ND<0.21              | ND<0.50              | ND<0.12     | ND<0.19                  | ND<0.23            | ND<0.21                       | ND<0.20                       | ND<0.18                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 07/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | 2.8                   |        |
| Unknown                                 | Unknown           | Unknown                | POET-Influent           | 11/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 11/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 11/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| Unknown                                 | Unknown           | Unknown                | Kitchen Sink            | 03/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | 0.6 J                 |        |
|   |                   |                        |                         | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| Unknown                                 | Unknown           | Unknown                | Pressure Tank           | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0095                | 2.2                   |        |
|   |                   |                        |                         | 03/28/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | 1.6                   |        |
| 150-180                                 | 137-150           | Unknown                | Outside Spigot - Back   | 02/27/2025 | ND<0.10        | 0.12 J         | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.10                  | ND<0.0095             | 0.40 J |
|   |                   |                        |                         | 03/06/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
|   |                   |                        |                         | 05/01/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| ~150-180                                | ~150-180          | Unknown                | Outside Spigot Adjacent | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | 0.50 J                |        |
|   |                   |                        |                         | 03/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |
| ~80                                     | ~80-100           | Unknown                | Kitchen Sink            | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0095                | ND<0.12               |        |
|   |                   |                        |                         | 03/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |        |



Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet) | Pump Depth (feet) | Sample Location                        | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethyl-benzene (µg/L) | 1,3,5-Trimethyl-benzene (µg/L) | 1,2-Dichloro-ethane (µg/L) | 1,2-Dibromo-ethane (µg/L) | Dissolved Lead (µg/L) |
|---|-------------------|-------------------|--|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|--------------------------------|--------------------------------|----------------------------|---------------------------|-----------------------|
| EP MSCs for a Residential, Used Aquifer |                   |                   |  |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                            | 130                            | 5                          | 0.05                      | 5                     |
| [REDACTED]                              | Unknown           | Unknown           | Kitchen Sink                           | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   |  | 05/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   | 115               | 100               | Pre-Treatment Pressure Tank (Influent) | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0098                 | ND<0.12               |
|   |                   |                   |  | 03/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Basement Sink (Effluent)               | 02/22/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0094                 | ND<0.12               |
|   |                   |                   |  | 03/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Kitchen Sink (First Floor)             | 05/16/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   | NA                | NA                | Northwest Side of Pond                 | 03/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   | Unknown           | Unknown           | Well (Outfall Pipe)                    | 03/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   | Unknown           | Unknown           | Bathroom Sink (First                   | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
| [REDACTED]                              | Unknown           | 80-100            | Kitchen Sink                           | 02/27/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0095                 | ND<0.12               |
|   |                   |                   | Kitchen Sink                           | 03/17/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Influent                               | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | 0.6 J                 |
|   |                   |                   | Midfluent                              | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Effluent                               | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
| [REDACTED]                              | ~150              | Unknown           | Kitchen Sink                           | 02/18/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0093                 | ND<0.12               |
|   |                   |                   | POET-Influent                          | 03/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | POET-Midfluent                         | 04/12/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | POET-Effluent                          | 04/12/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
| [REDACTED]                              | ~140              | Unknown           | Kitchen Sink                           | 02/18/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0094                 | ND<0.12               |
|   |                   |                   | POET-Influent                          | 03/07/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | POET-Midfluent                         | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | POET-Effluent                          | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
| [REDACTED]                              | Unknown           | Unknown           | Kitchen Sink                           | 02/14/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                        | ND<0.10                        | ND<0.10                    | ND<0.0095                 | ND<0.12               |
|   |                   |                   |  | 03/14/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Influent                               | 04/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Midfluent                              | 04/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
| [REDACTED]                              | Unknown           | Unknown           | Effluent                               | 04/04/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Kitchen Sink (First Floor)             | 03/13/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Influent                               | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Midfluent                              | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |
|   |                   |                   | Effluent                               | 04/03/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                        | ND<0.15                        | ND<0.15                    | ND<0.005                  | ND<0.3                |





Table 1  
Potable Well Analytical Results Summary

| Sample Address                           | Well Depth (feet) | Pump Depth (feet) | Sample Location          | Date       | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |           |
|--|-------------------|-------------------|--------------------------|------------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|-----------|
| DEP MSCs for a Residential, Used Aquifer |                   |                   |                          |            | 5              | 1,000          | 700                  | 10,000               | 20          | 840                      | 100                | 130                           | 130                           | 5                         | 0.05                     | 5                     |           |
| [REDACTED]                               | 265               | 210               | Pressure Tank            | 02/07/2025 | 0.44 J         | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | 0.21 J                |           |
|  |                   |                   | Utility Sink             | 02/26/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.20            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.10                  | ND<0.0094             | ND<0.12   |
|  |                   |                   | POET-Influent            | 03/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   |                          | 04/23/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   |                          | 05/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   | POET-Midfluent           | 03/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   |                          | 04/23/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   |                          | 05/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   | POET-Effluent            | 03/24/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   |                          | 04/23/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   | Basement Sink (Effluent) | 05/19/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.15                  | ND<0.005              | ND<0.3    |
|  |                   |                   | [REDACTED]               | 125-165    | Unknown        | Kitchen Sink   | 02/14/2025           | ND<0.10              | ND<0.10     | ND<0.10                  | ND<0.10            | ND<0.10                       | ND<0.20                       | ND<0.10                   | ND<0.10                  | ND<0.10               | ND<0.0095 |
| Utility Sink                             | 03/05/2025        | ND<0.19           |                          |            |                | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |           |
| Influent                                 | 03/31/2025        | ND<0.19           |                          |            |                | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| Effluent                                 | 03/31/2025        | ND<0.19           |                          |            |                | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | ~30               | Unknown           | Kitchen Sink             | 02/15/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0093                 | ND<0.12                  |                       |           |
|  |                   |                   | Utility Sink             | 03/06/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Influent                 | 03/28/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Effluent                 | 04/22/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink             | 02/15/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0095                 | ND<0.12                  |                       |           |
|  |                   |                   | Utility Sink             | 03/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Kitchen Sink             | 02/25/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0095                | ND<0.12               |           |
|  |                   |                   |                          | 03/18/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | 120               | 105               | Influent                 | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Midfluent                | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Effluent                 | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Effluent                 | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink             | 02/19/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0094                 | ND<0.12                  |                       |           |
|  |                   |                   | Utility Sink             | 03/06/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Influent                 | 03/26/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Effluent                 | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink             | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Effluent                 | 04/15/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Kitchen Sink             | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Outside Spigot           | 02/14/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0095                 | ND<0.12                  |                       |           |
|  |                   |                   | Utility Sink             | 03/05/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Pressure Tank            | 03/31/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Pressure Tank            | 02/13/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0094                | 0.32 J                |           |
|  |                   |                   | Pressure Tank            | 03/05/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | Pressure Tank            | 04/08/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | Kitchen Sink             | 02/17/2025 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.10                   | ND<0.0096                | ND<0.12               |           |
|  |                   |                   | POET-Influent            | 03/07/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | 0.4 J                 |           |
|  |                   |                   | POET-Midfluent           | 04/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
| [REDACTED]                               | Unknown           | Unknown           | POET-Effluent            | 05/10/2025 | ND<0.19        | ND<0.19        | 0.55                 | 2.5                  | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |
|  |                   |                   | POET-Effluent            | 05/10/2025 | ND<0.19        | ND<0.19        | ND<0.13              | ND<0.19              | ND<0.13     | ND<0.13                  | ND<0.14            | ND<0.13                       | ND<0.15                       | ND<0.15                   | ND<0.005                 | ND<0.3                |           |













Table 1  
Potable Well Analytical Results Summary

| Sample Address                          | Well Depth (feet)         | Pump Depth (feet)                 | Sample Location | Date    | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Total Xylenes (µg/L) | MTBE (µg/L) | Isopropyl Benzene (µg/L) | Naphthalene (µg/L) | 1,2,4-Trimethylbenzene (µg/L) | 1,3,5-Trimethylbenzene (µg/L) | 1,2-Dichloroethane (µg/L) | 1,2-Dibromoethane (µg/L) | Dissolved Lead (µg/L) |   |
|---|---------------------------|-----------------------------------|-----------------|---------|----------------|----------------|----------------------|----------------------|-------------|--------------------------|--------------------|-------------------------------|-------------------------------|---------------------------|--------------------------|-----------------------|---|
| EP MSCs for a Residential, Used Aquifer |                           |                                   |                 |         |                | 5              | 1,000                | 700                  | 10,000      | 20                       | 840                | 100                           | 130                           | 130                       | 5                        | 0.05                  | 5 |
| 50 or 650                               | Unknown                   | Kitchen Sink                      | 03/12/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           |                                   | 04/23/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
| 60-80                                   | 45-60                     | Kitchen Sink                      | 03/04/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           |                                   | 03/26/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
| 60-70                                   | 60-65                     | Kitchen Sink                      | 03/31/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           |                                   | 04/01/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
| >400                                    | Unknown                   | Pressure Tank                     | 02/17/2025      | ND<0.10 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0097                 | ND<0.12                  |                       |   |
|   |                           | Kitchen Sink                      | 03/17/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | Pressure Tank (Influent)          | 04/03/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | Midfluent                         | 04/03/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
| Main House Well - Unknown               | Main House Well - Unknown | Kitchen Sink                      | 02/20/2025      | ND<0.10 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0094                 | ND<0.12                  |                       |   |
|   |                           | Main House Well - Kitchen Sink    | 03/07/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | 04/21/2025                        | ND<0.19         | ND<0.19 | ND<0.13        | ND<0.19        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Main House POET-Influent          | 08/25/2025      | ND<0.19 | ND<0.19        | ND<0.13        | 0.40 J               | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | 09/09/2025                        | ND<0.19         | ND<0.19 | ND<0.13        | 0.31 J         | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Main House POET-Midfluent         | 08/25/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | 09/09/2025                        | ND<0.19         | ND<0.19 | ND<0.13        | ND<0.19        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Main House POET-Effluent          | 08/25/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | 09/09/2025                        | ND<0.19         | ND<0.19 | ND<0.13        | ND<0.19        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Guest House                       | 03/07/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | 0.4 J                    |                       |   |
|   |                           | Guest House Well - Kitchen Sink   | 04/21/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | 0.5 J                    |                       |   |
|   |                           | Guest House POET-Influent         | 08/25/2025      | ND<0.19 | ND<0.19        | 0.44 J         | 1.7 J                | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | 0.4 J                    |                       |   |
|   |                           | 09/09/2025                        | ND<0.19         | ND<0.19 | 0.27 J         | 1.4 J          | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Guest House POET-Midfluent        | 08/25/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
| 09/09/2025                              | ND<0.19                   | ND<0.19                           | ND<0.13         | ND<0.19 | ND<0.13        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |   |
| Guest House POET-Effluent               | 08/25/2025                | ND<0.19                           | ND<0.19         | ND<0.13 | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.14              | ND<0.13     | ND<0.15                  | ND<0.15            | ND<0.005                      | ND<0.3                        |                           |                          |                       |   |
| 09/09/2025                              | ND<0.19                   | ND<0.19                           | ND<0.13         | ND<0.19 | ND<0.13        | ND<0.13        | ND<0.14              | ND<0.13              | ND<0.15     | ND<0.15                  | ND<0.005           | ND<0.3                        |                               |                           |                          |                       |   |
| 650                                     | 450                       | Kitchen Sink (Effluent)           | 03/18/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           |                                   | 04/16/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
| 530-935                                 | Unknown                   | Spigot attached to Barn           | 02/18/2025      | ND<0.10 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0094                 | ND<0.12                  |                       |   |
|   |                           |                                   | 03/13/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           |                                   | 04/07/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
| 305                                     | Unknown                   | Backyard Spigot Attached to House | 02/18/2025      | ND<0.10 | ND<0.10        | ND<0.10        | ND<0.10              | ND<0.10              | ND<0.10     | ND<0.20                  | ND<0.10            | ND<0.10                       | ND<0.10                       | ND<0.0094                 | ND<0.12                  |                       |   |
|   |                           | Influent                          | 03/13/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
|   |                           | 04/11/2025                        | ND<0.19         | ND<0.19 | ND<0.13        | ND<0.19        | ND<0.13              | ND<0.13              | ND<0.14     | ND<0.13                  | ND<0.15            | ND<0.15                       | ND<0.005                      | ND<0.3                    |                          |                       |   |
|   |                           | Midfluent                         | 04/11/2025      | ND<0.19 | ND<0.19        | ND<0.13        | ND<0.19              | ND<0.13              | ND<0.13     | ND<0.14                  | ND<0.13            | ND<0.15                       | ND<0.15                       | ND<0.005                  | ND<0.3                   |                       |   |
| Effluent                                | 04/11/2025                | ND<0.19                           | ND<0.19         | ND<0.13 | ND<0.19        | ND<0.13        | ND<0.13              | ND<0.14              | ND<0.13     | ND<0.15                  | ND<0.15            | ND<0.005                      | ND<0.3                        |                           |                          |                       |   |





