Module 16: Large Noncoal Blast Plan (Chapter 211/§§ 77.561/77.562/77.563/77.564)

New □ Revised	Permittee Neiswonger Construction Inc Permit No. 63192001 Mine Name Maggie Lynn Underground Mine County Washington Township Deemston Borough
Blasting Contractor	-
Blasting Contractor ATF Permit License No	-
An application for proposed blasting shall contain a blasting plan for how the applicant intends to comply with §§ 77.561-77.565 (relating following; drilling patterns, including size, number, depths and spacing types of initiation and detonation controls, sequence and timing of firit responsible for blasting operations at a blasting site shall be familian performance standards (25 Pa. Code Chapter § 77.453). A permit issued under the Noncoal Surface Mining and Act (52 P. S. §§ 3301-3326), and the regulations promulgated thereund blasting activity shall act as a blasting activity permit issued under 25 for a blasting activity permit shall be prepared by a blaster and shall be prepared by a blaster and shall be prepared by a blaster and shall the proposed blasting activity complies with the applicable statute Code Chapter § 211.121, 25 Pa. Code Chapter § 211.124).	to use of explosives) and including the g of holes, charge and packing of holes, ng holes, and scaled distance. Persons with the blasting plan and site-specific and Conservation and Reclamation er (25 Pa. Code Chapter 77), authorizing 5 Pa. Code Chapter 211. An application hall include information needed by the cons and conditions necessary to ensure
Sections 16.1 through 16.12 and Sections 16.14 through 16.17 must be Section 16.13 (relating to public notice of blasting schedule) must be There shall be no blasting until a blast plan has been approved by the There is a fee required under 25 PA Code Chapter § 77.106 for each https://www.dep.pa.gov/Business/Land/Mining/BureauofDistrictMiningfee rates.	submitted prior to blast plan approval. Department. blast plan application. Please refer to:
Is the fee being submitted with the application?	
☐ Yes No	

16.1a Blast Loading Plan 1 (§ 77.453)

		MAX	MAX	BURI	BURDEN		BURDEN SPAC		PACING HOLED		DEPTH		STEMMING	
	Hole DIA.	# HOLES	# ROWS	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	TYPE			
Α	6¾"	200	10	10'	25′	10′	25′	10′	85′	9′	Competent Drill Cuttings			
В	6¾"	200	10	9′	20'	9′	20′	9′	85′	8′	Competent Drill Cuttings			
С	5½" 5 ⁷ / ₈ "	200	10	7′	15'	7′	15′	7′	85′	6′	Competent Drill Cuttings			
D	4½" 5″	200	10	6′	15′	6′	15′	6′	85′	5½"	Competent Drill Cuttings			
E	3" 3½"	200	10	5′	14′	5′	14'	4′	50′	3′	Competent Drill Cuttings			

Maximum explosives weight	per delay (less tha	n 8ms) <u>775</u>	Minimum Scaled Distance	27			
Specific Type of Explosives 9	Cast boosters, anfo	o, emulsion, stingers,	AP Plus, Det. Cord, emulsion	sticks, Pre split.			
Method of blast initiation	Electric ⊠	Non-Electric	⊠ Other ⊠				
Explain Other Electronic Detonators							

Comments:

A	If blasting is to occur near or proceeds towards dwellings or structures discretion will be used to maintain a minimum scaled distance of 27 or more. The pounds per delay, hole diameters, number of holes per pattern, spacings, burdens, hole depths and amount of stemming will be adjusted and crushed stone stemming may be used to prevent fly-rock and maintain acceptable vibration and air blast levels. Stone production holes will not exceed 50' deep
В	
С	·
D	
E	

16.1b Blast Loading Plan 2 (§ 77.453)

	Hole DIA.	MAX # HOLES	# #	BURDEN		SPACING		HOLE DEPTH		STEMMING	
				MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	TYPE
А	1"	200	NA	0'	4'	0,	6'	C'	401	O.	None, Clay dummies,
В	2.25"	200	NA	2'	4	2'	6'	5'	18'	2'	Foam Plugs
С											
D											
Е											·

	Maximum explosives weight per delay (less than 8ms) $\frac{775}{}$ Minimum Scaled Distance $\frac{27}{}$
	Specific Type of Explosives Cast boosters, anfo, emulsion, stingers, AP Plus, Det. Cord, emulsion sticks, Pre split.
	Method of blast initiation Electric ⊠ Non-Electric ⊠ Other ⊠ Explain Other <u>Electronic Electronic Detonators</u>
Con	nments:
Α	Actual opening of the deep mine until officially underground blasting takes over Minimum SD of 27.
В	
С	>
	·
D	
Е	

16.2 Peak Particle Velocity and Airblast Limits (§§ 211.151 (c),(d))

Blasts shall be designed and conducted to meet the maximum allowable peak particle velocity indicated by Figure 1 of 25 PA Code Chapter 211.151 (c) and not exceed the noise levels specified in Table 1 of 25 PA Code Chapter 211.151 (d) at the closest building not owned or leased by the permittee or its customer.

The Department may establish an alternative peak particle velocity or airblast level if it determines that an alternative standard is appropriate or if the owner and lessee, if leased to another party, of a structure located on the permit area have each signed a waiver releasing the vibration limit. The waiver shall be clear, knowing and specific. (attachment(s) **NOTE:** Additional review time will be necessary if the applicant submits a waiver for an alternative peak particle or airblast limit at a structure.

16.3	Will the sequence and timing of hole detonation be determined by considering factors such as geology, direction and proximity of homes or other structures, permit boundaries, or the locations of underground or overhead utilities. (§ 77.453) ☐ No
16.4	Will the loading of holes be determined by considering factors such as geology, direction and proximity of homes or other structures, permit boundaries, or the locations of underground or overhead utilities. (§ 77.453) ☐ No
16.5	Blasting near Dwellings, Public Buildings or Schools (§ 77.564(g)(3))
	Will blasting occur within 1,000 feet of any dwelling, public building or school? ☐ Yes ☐ No
	Indicate distance to the nearest dwelling or structure, neither owned nor leased by Permittee, from the area where blasting will occur. $\underline{2,005}$ feet
16.6	If blasting will occur within 1,000 feet of any public building or school, explain how notification required by 25 Pa Code § 77.564(g)(3) will be made.
	Not applicable
16.7	Will blasting be conducted within 300 feet of an occupied dwelling? (§ 77.564(g)(4)) ☐ Yes ☐ No
16.7a	If blasting is proposed within 300 feet of an occupied dwelling provide a notarized written waiver from the owner each dwelling specifying the distance blasting may occur to the dwelling (Note: If the waiver includes an increase in the peak particle velocity limits or in the airblast limits, in 25 Pa Code Section 211.151(c) and (d), the alternative limits must be specified in the waiver). (Attachment) (§ 77.564(g)(4))
16.8	Will blasting will be conducted within 800 feet of any public road? (§ 77.564(g)(1)) ☐ Yes ☐ No
16.8a	If blasting will be conducted within 800 feet of any public road describe the precautions that will be taken to protect the travelling public (can be submitted as an attachment): (§ 77.564(g)(1))
	When blasting within 800 feet of a public road the orientation of the blast will be directed away from the public road. Hole diameters, number of rows, hole sizes, spacings, burdens and the total pounds per delay will be adjusted downward. When needed stemming will be increased

16.9 Blast Area (§§ 77.564(d)(1), 77.564(e))

Describe how the blast area as defined in 25 Pa Code Section 211.101 will be determined, the procedures for notification of all persons who may have access to the blast area, and how the blast area will be secured and safeguarded (can be submitted as an attachment):

All areas in and surrounding the blast area will be cleared prior to blasting. All roads leading into the blast area will be barricaded. Signs will be posted at the mine entrance to control access to the blasting area. At least 1 minute but not more than 2 minutes prior to detonation, sound a warning signal of 3 blasts, each lasting approximately 5 seconds. The warning signal shall be of sufficient power to be heard one-half (1/2) mile from the blast site. After the blaster-in-charge has determined the blast area is safe, the blaster-in-charge will sound an all-clear signal, consisting of one long blast, lasting approximately 10 seconds. This all-clear signal shall be of sufficient power to be heard one-half (1/2) mile from the blast site.

		est, lasting approximately 10 seconds. This all-clear signal shall wer to be heard one-half (1/2) mile from the blast site.		ilcient
16.10	Unde	rground Mines (§ 77.551)		
		lasting occur within 500 feet to any point over or adjacent to an active or abandon ground mine?	ned portion of ☐ Yes	an active ⊠ No
	If yes	attach completed MSHA form. (Attachment)		
16.11	Unde	rground Utility Lines (§ 211.181-182)		
	Will b	lasting be conducted within 200 of feet Underground Utility Lines?		☐ No
		lerground utililities are located within 200 feet of the area where blasting will occeation sent to the owner(s) (submit as an attachment).	ur, attach a co	opy of the
		re are any requests for waiver of any of the provisions of 211.182 attach copies wner(s) of the utilities (submit as an attachment).	of any agreen	nents with
16.12	Strea	nms (§ 73 P.S. s 166(d)		
		sting will occur within 100 feet of any streams, identify the stream and indicate the from the stream. <i>Not Applicable</i> m: Distance:	ne distance bl	asting will
16.13	Publ	ic Notice of Blasting Schedule (§ 77.563)		
	Subr	nit the following to the Department prior to the initiation of blasting.		
	a)	A Copy of the public notice of the blasting schedule that is published in a n circulation in the locality of the area where blasting will occur (submit as an attack)	ewspaper of chment)	general
	b)	A List of the Local governments and public utilities that are located within 1,000 to blasting will occur, who received copies of the blasting schedule. (Note: These of the blasting schedule.) (submit as an attachment)		
16.14	Ехрі	osive Storage (§ 87.65(a)(11)		
If "ye:	s" prov	ves be stored within the proposed blasting area? ☐ Yes ☐ No vide current explosives storage security plan number		
If no e Blasti	explair ng ma	the disposition of explosives materials used for this project. terials will be delivered to the site as needed. If any materials are not used that	day they will l	be returned
to the	blasti	ng company. No blasting materials will be stored at the Maggie Lynn site.		

16.15 Blast Plan Preparer (§ 211.124(a))

	The PA license Mining Authoriz	d blaster who prepared this a _l ation Only)	pplication must print ar	ıd sign name below. (C	eneral or Surfac	e
	Licensed Blaste	er <u>Craig Bryan</u> Print	· 	ž.		
	Licensed Blaste	er <u>Cruing Bouge</u> Sign	— Date <u>10/19/2</u> ′	1 Blaster's license Nu General or Surface Mil	mber BL- <u>6627</u> ning Authorization	_ n)
16.16	Permittee Auth	norization Representative (§	77.107)			
	The permittee of	or an authorized representative	e of the permittee must	print and sign name be	low.	
	Permittee or Au	thorized Representative <u>Craig</u>	Bryan Print		*	
	Permittee or Au	thorized Representative(Sign Sign	Date <u>10/19/</u>	21	
16.17	occur.) (If exploincluded on the of streams, gas	nt-delineates where blasting values are going to be stored of map.) The map should accus wells and lines, other undractures. (§§ 211.124(7)), (77.4)	on the mine site, the loo rately show, at a minir ground utilities, overh	cation of the explosives	s storage must be ies, the locations	e s
16.18	List of attachm	nents (Check all that apply)				
	Blast Area MSHA Fo	caution Description a Security Plan orm				-
Depar	tment Use Only:					
DEP B	Blasting Inspector	Print				
DEP B	Blasting Inspector	Sign	Date			
Recon	nmendation -	☐ Approval	☐ Disapproval		d u	
Comm	nents:					,
		,		,		