



March 30, 2022

VIA ELECTRONIC DELIVERY

Richard Walton
Westmoreland Sanitary Landfill, LLC
111 Conner Lane
Belle Vernon, PA 15012-4519
rwalton@nobleenviro.com

Re: Additional Facility for Leachate
Sanitary Landfill
Permit No. 100277
Rostraver Township, Westmoreland County

Dear Mr. Walton:

As required by Paragraph 5 of the February 13, 2020 Consent Order and Agreement, Sanitary Landfill has requested written approval from the Department of Environmental Protection (DEP) to transport its landfill leachate to an additional treatment facility. The request was made by email dated February 24, 2022 from Mr. Jason Horan.

This letter grants written approval for leachate from Sanitary Landfill to be transported to the Johnstown Redevelopment Authority Dornick Point Sewage Treatment Plant for processing. Prior to transporting your leachate to this facility, you should be sure that the Dornick Point Sewage Treatment Plant has all of the approvals that they need from the DEP's Clean Water program to accept this additional waste stream.

If you have any questions, please contact me at **412.442.4130**.

Sincerely,

Sharon Svitek

Sharon Svitek
Program Manager
Bureau of Waste Management

cc: B. Minemyer, bminemyer@nobleenviro.com
J. Horan, jhoran@nobleenviro.com
C. Kriley, DEP CW
L. Fike, DEP WM
Region