

PENNSYLVANIA BULLETIN

Volume 55
Saturday, October 4, 2025 • Harrisburg, PA
Number 40
Pages 6941—7104

See Part II page 7071
for the Subject Index for
January—September 2025

Part I

Agencies in this issue

The Courts
Department of Banking and Securities
Department of Community and Economic
Development
Department of Education
Department of Environmental Protection
Department of Health
Department of Revenue
Independent Regulatory Review Commission
Insurance Department
Liquor Control Board
Pennsylvania Public Utility Commission
Philadelphia Parking Authority
State Board of Barber Examiners
State Board of Funeral Directors
State Horse Racing Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 611, October 2025

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2025 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

LOCAL COURT RULES

Clinton County

Local criminal rules 113 and 316; No. AD-11-2025 .. 6949
Local rule 205.1; No. AD-943-2025 6950

Delaware County

Adoption of rule 205.4 electronic filing and service
of legal papers; CV-2022-003777 6950

Montgomery County

Stay of litigation for Pennsylvania Office of Attorney
General; administrative order 2025-00001 6954

RULES OF EVIDENCE

Order amending Rule 106 of the Pennsylvania
Rules of Evidence; No. 1022 Supreme Court rules
docket. 6949

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 6966

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Notices

Recovery Housing Program Annual Performance
Review; availability for public comment 6966

DEPARTMENT OF EDUCATION

Notices

Designation of school districts to receive Duquesne
City School District's high school students 6967

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices 6967
Bid opportunity (3 documents) 7039
Mosquito-borne Disease Control county grants; no-
tice of availability 7039
Pennsylvania's 2025 Annual Ambient Air Monitor-
ing Network Plan 7040
State Implementation Plan revision; concerning rea-
sonably available control technology determina-
tions for the 2015 ozone national ambient air
quality standards 7040

DEPARTMENT OF HEALTH

Notices

Long-term care nursing facilities; requests for ex-
ception 7041
Organ Donation Advisory Committee meeting 7041
Renal Disease Advisory Committee meeting 7042
Special Pharmaceutical Benefits Program Advisory
Council public meeting 7042

DEPARTMENT OF REVENUE

Notices

Pennsylvania Hundreds in the Clouds fast play
game 5301 7042
Pennsylvania Lightning Loot fast play game 5300 .. 7047
Pennsylvania Mo\$t Wanted fast play game 5298 7053
Pennsylvania Suite Winnings fast play game 5299 .. 7057

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Actions taken by the Commission 7063

INSURANCE DEPARTMENT

Notices

Appeal of Stacy Lee Daley under the Quality Health
Care Accountability and Protection Article; QCC
Insurance Company; doc. No. HC25-08-010 7063
Appeal of USA Staffing Solutions; Pennsylvania Com-
pensation Rating Bureau; doc. No. CL25-07-037 .. 7064

LIQUOR CONTROL BOARD

Rules and Regulations

Hearings by video teleconference 6956

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications 7064
Service of notice of motor carrier formal complaints .. 7064

PHILADELPHIA PARKING AUTHORITY

Notices

Service of notice of motor carrier applications in the
City of Philadelphia 7066

STATE BOARD OF BARBER EXAMINERS

Proposed Rulemaking

Licensure by endorsement 6959

STATE BOARD OF FUNERAL DIRECTORS

Proposed Rulemaking

Licensure by endorsement 6962

STATE HORSE RACING COMMISSION

Notices

Receipt of matters subject to intervention 7066

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2025.

4 Pa. Code (Administration)

Adopted Rules

7	2419
71	257
105	5862
177	6414
601a	2035
602a	2035
603a	2035
604a	2035
605a	2035
606a	2035
607a	2035
608	2035
609	2035
610	2035
611	2035
612	2035
613	2035
614	2035
615	2035

Statements of Policy

1	4807
9	43, 484, 1075, 2098, 2991, 3422, 3738, 4039, 4370, 4980, 6699, 6864

7 Pa. Code (Agriculture)

141	3565
143	3565
144	3565
145	3565
146	3565
147	3565
149	3565
150	3224, 3565
151	3565

10 Pa. Code (Banking and Securities)

Proposed Rules

5	4547
---	------

Statements of Policy

19	5687
----	------

22 Pa. Code (Education)

Adopted Rules

4	1234, 2255
---	------------

25 Pa. Code (Environmental Protection)

Adopted Rules

77	3868
93	5658

Proposed Rules

91	2589
93	914
122	4188
129	725
250	4346
977	481

28 Pa. Code (Health and Safety)

Proposed Rules

23	4351
----	------

31 Pa. Code (Insurance)

Adopted Rules

61	6537
----	------

34 Pa. Code (Labor and Industry)

Adopted Rules

5	6415
27	3870
38	3870
47	3870
60	3870
123	719

Proposed Rules

101	3226
401	5666
405	5666

Statements of Policy

47	2275
----	------

37 Pa. Code (Law)

Adopted Rules

94	4689
481	2254

Statements of Policy

281	2993
-----	------

40 Pa. Code (Liquor)

Adopted Rules

15	6956
17	6956

43 Pa. Code (Military Affairs)

Proposed Rules

5	1421
5A	1421

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

7	451
15	5114
18	4534
20	454
21	3565
25	457, 3872
27	4335
33	4972
36	4180
40	4542
41	5116
45	4974

Proposed Rules

3	6959
11	4692
13	6962
20	4022, 4356, 5866
21	728, 4360
27	3873, 4335
39	4030
41	3730

52 Pa. Code (Public Utilities)**Adopted Rules**

3	6829
53	6180
65	6829
66	6829

Statements of Policy

56	268
69	1447

55 Pa. Code (Human Services)**Adopted Rules**

1187	5119
1189	5119
5230	463

58 Pa. Code (Recreation)**Adopted Rules**

51	6276
63	2069
69	2070, 6277
107	6278
135	3570
139	3571
141	3583
143	3585, 3587
147	3588, 6538, 6539
603a	261
617b	2071, 4012, 4794
625b	4794
627b	2071
629b	2071
631b	2071
633a	261
633b	2071, 4012, 4794
635b	4794
637b	2071
641b	6050
643b	6050
649b	6050
653b	6050
655b	6050
657b	6050
674b	6050
687a	261
691	2071
692	2071
693	4794
694	4794
695	6050
812a	261
819a	261

Proposed Rules

51	3881
65	6541, 6543
69	3882
107	3883
111	6544
135	2257
139	2257
141	2267
143	2269, 2271
147	2272, 3736, 3737

Statements of Policy

57	1926, 6279
----------	------------

67 Pa. Code (Transportation)**Adopted Rules**

47	4690
----------	------

Proposed Rules

83	6078
173	5684
175	3394
441	25

204 Pa. Code (Judicial System General Provisions)**Adopted Rules**

29	4959
----------	------

Proposed Rules

83	3339
----------	------

207 Pa. Code (Judicial Conduct)**Adopted Rules**

105	4521, 6825
115	4521, 6825
121	4521, 6825

210 Pa. Code (Appellate Procedure)**Adopted Rules**

1	659
5	4961
11	4961
37	2984
63	660
65	2731
69	2984, 5855

Proposed Rules

5	2730
19	1923

225 Pa. Code (Rules of Evidence)**Adopted Rules**

Art. I	6949
Art. VIII	5100

231 Pa. Code (Rules of Civil Procedure)**Adopted Rules**

200	438
1910	2985, 5978
1915	238, 660, 3342
4000	661, 6532
Part II	7

Proposed Rules

200	6168
1000	6679
1930	2732
Part II	5856, 5858, 6684

234 Pa. Code (Rules of Criminal Procedure)**Adopted Rules**

4	702
10	702

Proposed Rules

1	5101
4	663
5	2733
7	663
10	663

237 Pa. Code (Juvenile Rules)**Adopted Rules**

1	3366
11	244, 4524

12244, 4524
13244, 4524
14244, 4524
154524
164524

Proposed Rules

1 2245

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules

200 5859
500 5859
1200708, 1791

Proposed Rules

200 2987
500 441

249 Pa. Code (Philadelphia Rules)

Unclassified 2095, 2250, 3728, 5103

252 Pa. Code (Allegheny County Rules)

Unclassified 20, 2251, 3860,

255 Pa. Code (Local Court Rules)

Unclassified21, 22, 23, 253, 256, 443, 444, 446,
447, 450, 714, 717, 904, 909, 1221, 1229, 1231,
1233, 1420, 1671, 1791, 1792, 1925, 2095, 2096,
2097, 2251, 2422, 2423, 2586, 2851, 2990, 3110,
3111, 3220, 3221, 3222, 3372, 3564, 3864, 3865,
4005, 4179, 4333, 4532, 4533, 4676, 4687, 4790,
4791, 4964, 4965, 4971, 5104, 5105, 5106, 5107,
5108, 5647, 5648, 6044, 6171, 6174, 6176, 6177,
6409, 6411, 6412, 6413, 6533, 6536, 6695, 6826,
6827, 6949, 6950, 6954

THE COURTS

Title 225—RULES OF EVIDENCE

[225 PA. CODE ART. I]

Order Amending Rule 106 of the Pennsylvania Rules of Evidence; No. 1022 Supreme Court Rules Docket

Order

Per Curiam

And Now, this 22nd day of September, 2025, upon the recommendation of the Committee on Rules of Evidence; the proposal having been submitted without publication pursuant to Pa.R.J.A. 103(a)(3):

It is Ordered pursuant to Article V, Section 10 of the Constitution of Pennsylvania that Rule 106 of the Pennsylvania Rules of Evidence is amended in the attached form.

This Order shall be processed in accordance with Pa.R.J.A. 103(b), and shall be effective January 1, 2026.

Additions to the rule are shown in bold and are underlined.

Deletions from the rule are shown in bold and brackets.

Annex A

TITLE 225. RULES OF EVIDENCE

ARTICLE I. GENERAL PROVISIONS

Rule 106. Remainder of or Related Writings or Recorded Statements.

* * * * *

Comment:

This rule [is identical to] and F.R.E. 106 differ in two respects. First, F.R.E. 106, unlike this rule, does not require a statement to be written or recorded. Rather, F.R.E. 106 “covers all statements, including oral statements that have not been recorded.” F.R.E. 106, Advisory Committee Notes, 2023 Amendments, ¶ 3. Second, F.R.E. 106 permits the adverse party to introduce any other part of the statement or any other statement over a hearsay objection so long as the completing statement ought, in fairness, be considered at the same time. F.R.E. 106. The Pennsylvania rule is silent on this point. A similar principle is expressed in [Pa.R.C.P. No.] Pa.R.Civ.P. 4020(a)(4), which states: “If only part of a deposition is offered in evidence by a party, any other party may require the offering party to introduce all of it which is relevant to the part introduced, and any party may introduce any other parts.”

* * * * *

[*Official Note*: Adopted May 8, 1998, effective October 1, 1998; rescinded and replaced January 17, 2013, effective March 18, 2013.

Committee Explanatory Reports:

Final Report explaining the January 17, 2013 rescission and replacement published with the Court’s Order at 43 Pa.B. 651 (February 2, 2013).]

SUPREME COURT OF PENNSYLVANIA COMMITTEE ON RULES OF EVIDENCE

ADOPTION REPORT

Amendment of Pa.R.E. 106

On September 22, 2025, the Supreme Court amended the Comment to Pa.R.E. 106. The Committee on Rules of Evidence has prepared this Adoption Report describing the rulemaking process. An Adoption Report should not be confused with Comments to the rules. *See* Pa.R.J.A. 103, cmt. The statements contained herein are those of the Committee, not the Court.

The Comment to Pa.R.E. 106 previously stated that the rule is identical to F.R.E. 106. However, F.R.E. 106 was amended, effective December 1, 2023. Upon review, the Committee recommended that the Comment to Pa.R.E. 106 be amended to identify the differences that now exist between the two rules.

Additionally, the following commentary has been removed:

Official Note: Adopted May 8, 1998, effective October 1, 1998; rescinded and replaced January 17, 2013, effective March 18, 2013.

Committee Explanatory Reports:

Final Report explaining the January 17, 2013 rescission and replacement published with the Court’s Order at 43 Pa.B. 651 (February 2, 2013).

* * * * *

The amendment was not published for comment because it is technical in nature and does not affect practice or procedure. This amendment becomes effective on January 1, 2026.

[Pa.B. Doc. No. 25-1345. Filed for public inspection October 3, 2025, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CLINTON COUNTY

Local Criminal Rules 113 and 316; No. AD-11-2025

Amended Administrative Order

And Now, this 23rd day of September, 2025, the Court hereby adopts the following Local Criminal Rules 113 and 316, effective thirty (30) days after the publication of the same in *The Pennsylvania Bulletin*.

Erin J. Karmen, Esquire, Judicial Law Clerk, is Ordered and Directed to do the following:

1. File one (1) copy of this Order and the following Local Criminal Rules 113 and 316 with the Administrative Office of Pennsylvania (AOPC) via email to adminrules@pacourts.us.

2. File one (1) copy of this Order and the following Local Criminal Rules 113 and 316 with the Legislative Bureau for publication in *The Pennsylvania Bulletin*.

3. Publish a copy of this Order and the following Local Criminal Rules 113 and 316 on the Clinton County Court website.

By the Court

CRAIG P. MILLER,
President Judge

Rule 113. Copy Requirements for Multiple Docket Numbers.

Any party filing a document with the Office of Clerk of Courts shall, when said document contains multiple docket numbers in the caption, provide the filing office one (1) copy of the document for each docket number listed in the caption, to be placed in the appropriate official Court file. Any party failing to provide the sufficient number of copies shall be surcharged by the Office of Clerk of Courts the expense incurred by said office in producing the appropriate number of copies.

Rule 316. ARD Program Costs.

1. All defendants admitted into the Accelerated Rehabilitative Disposition (ARD) Program shall be required to pay in addition to Court costs, fees, and restitution, program costs which will offset the administration of the Program.

2. The program costs are hereby established to be Seven Hundred Fifty and 00/100 (\$750.00) Dollars or as otherwise established by the Presiding Judge.

3. Said program costs will be distributed as follows:

A. Two Hundred and 00/100 (\$200.00) Dollars to the Office of District Attorney for reviewing, participating, and recommending an individual defendant for participation in the ARD Program;

B. Five Hundred Fifty and 00/100 (\$550.00) Dollars to the Office of Adult Probation for administering the ARD Program; or

C. As directed by the President Judge.

4. ARD Program costs paid to the Office of District Attorney shall be placed in a separate account to be administered by the District Attorney; and

5. ARD Program costs paid to the Office of Adult Probation shall be placed in a separate account to be administered by the Chief Probation Officer.

6. This Order shall be effective on **January 1, 2026** and shall apply to all defendants that are placed into the ARD Program on or after that date.

[Pa.B. Doc. No. 25-1346. Filed for public inspection October 3, 2025, 9:00 a.m.]

Title 255—LOCAL COURT RULES

CLINTON COUNTY

Local Rule 205.1; No. AD-943-2025

Administrative Order

And Now, this 22nd day of September, 2025, the Court hereby adopts the following Local Rule 205.1, effective thirty (30) days after the publication of same in *The Pennsylvania Bulletin*.

Erin J. Karmen, Esquire, Judicial Law Clerk, is Ordered and Directed to do the following:

1. File one (1) copy of this Order and the following Local Rule 205.1 with the Administrative Office of Pennsylvania (AOPC) via email to adminrules@pacourts.us.

2. File one (1) copy of this Order and the following Local Rule 205.1 with the Legislative Bureau for publication in *The Pennsylvania Bulletin*.

3. Publish a copy of this Order and the following Local Rule 205.1 on the Clinton County Court website.

By the Court

CRAIG P. MILLER,
President Judge

Rule 205.1. Copy Requirements for Multiple Docket Numbers.

Any party filing a document with the Office of Prothonotary shall, when said document contains multiple docket numbers in the caption, provide the filing office one (1) copy of the document for each docket number listed in the caption, to be placed in the appropriate official Court file. Any party failing to provide the sufficient number of copies shall be surcharged by the Office of Prothonotary the expense incurred by said office in producing the appropriate number of copies.

[Pa.B. Doc. No. 25-1347. Filed for public inspection October 3, 2025, 9:00 a.m.]

Title 255—LOCAL COURT RULES

DELAWARE COUNTY

Adoption of Rule 205.4 Electronic Filing and Service of Legal Papers; CV-2022-003777

Administrative Order

And Now, to wit, this 22nd day of September, 2025, it is hereby *Ordered* that Delaware County Local Rule 205.4 for the Electronic Filing and Service of Legal Papers is *Amended*. This rule shall be effective upon publication on the UJS Web Portal at <https://ujportal.pacourts.us/>. Use of the Delaware County Electronic Filing System for Family Law cases shall commence on October 15, 2025, at 8:30 AM as provided by Local Rule 205.4 unless otherwise ordered by this court.

It Is Further Ordered that in accordance with 201 Pa. Code Rule 103, the Solicitor for Internal Management shall:

(a) File one (1) certified copy of this Order with the Administrative Office of the Pennsylvania Courts;

(b) File two (2) certified copies of this Order with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*;

(c) Publish a copy of this Order on the website of the Delaware County Court of Common Pleas;

(d) File one (1) certified copy of this Order with the Office of Judicial Support of the Court of Common Pleas of Delaware County; and

(e) Forward one (1) copy of this Order for publication in the *Delaware County Legal Journal*.

By the Court

LINDA A. CARTISANO,
President Judge

Note: This rule is adopted as required by Pa.R.C.P. No. 239.9.

Delaware County Local Rule 205.4.**(a)(1) Commencement**

(i) On the commencement date, all parties may electronically file all “legal papers” as defined in Pa.R.C.P. No. 205.4(a)(2), with the Office of Judicial Support through Delaware County’s Electronic Filing system as more specifically provided in Pennsylvania Rule of Civil Procedure No. 205.4 and Delaware County Civil Rule 205.4.

(ii) Ninety (90) days from the commencement date, parties shall electronically file all “legal papers” as defined in Pa.R.C.P. No. 205.4(a)(2), with the Office of Judicial Support through Delaware County’s Electronic Filing system as more specifically provided in Pennsylvania Rule of Civil Procedure No. 205.4 and Delaware County Civil Rule 205.4.

(iii) On the commencement date, all parties in Family Law cases (i.e. custody, divorce, special relief, equitable distribution) may electronically file all “legal papers” as defined in Pa.R.C.P. No. 205.4(a)(2), with the Office of Judicial Support through Delaware County’s Electronic Filing system as more specifically provided in Pennsylvania Rule of Civil Procedure No. 205.4 and Delaware County Civil Rule 205.4. For purposes of filing legal papers electronically, Family Law cases are considered to be Custody, Partial Custody and Visitation of Minor Children under Pa.R.C.P. 1951.1; Special Relief under Pa.R.C.P. 1913.13; Actions for Divorce or for Annulments of Marriage under Pa.R.C.P. 1920.1.

(iv) Ninety (90) days from the commencement date, parties in Family Law cases shall electronically file all “legal papers” as defined in Pa.R.C.P. No. 205.4(a)(2), with the Office of Judicial Support through Delaware County’s Electronic Filing system as more specifically provided in Pennsylvania Rule of Civil Procedure No. 205.4 and Delaware County Civil Rule 205.4.

Explanatory Note: The term “legal paper” as defined in Pa.R.C.P. No. 205.4(a)(2) encompasses all pleadings and all other papers filed with the Office of Judicial Support—including exhibits and attachments—even if the legal papers are not adversarial in nature and do not require the non-filing party or parties to respond.

(2) As used in this rule the following words shall have the following meanings:

CMS (Case Management System): A Court case management system manages the receipt, processing, storage and retrieval of data associated with a case and performs actions on the data.

Electronic Filing (E-Filing): The electronic transmission, acceptance and processing of a filing. A submission consists of data, one or more documents, and/or images. The definition of electronic filing does not apply to facsimile or e-mail.

Electronic Service (E-Service): The electronic transmission of an original document to all other electronically-registered case participants via the electronic filing system. Upon the completion of any transmission to the electronic filing system, an electronic receipt shall be issued to the sender acknowledging receipt by the electronic filing system.

EFS: Delaware County Electronic Filing System.

(b)(1) Authorized Electronic Format of Legal Papers Electronically Filed

All legal papers shall be filed in a portable document format (“pdf”). A legal paper presented for filing in hard

copy or in a format other than portable document format shall be converted to a portable document format and maintained by the Office of Judicial Support pursuant to Pa.R.C.P. 205.4(b)(1)

(2) This Rule shall not apply to legal papers related to actions in Support as defined in Pa.R.C.P. 1910.1 through 1910.50 and 1930.1 through 1940.9.; Protection from Abuse under Pa.R.C.P. 1901.3; Protection of Victims of Sexual Violence or Intimidation under Pa.R.C.P. 1951; Petition for Writ of Seizure pursuant to Pa.R.C.P. 1075; Petition to Postpone Sheriff’s Sale Pa.R.C.P. 3132; Petition to Appoint a Constable.; Claim of Exemption pursuant to Pa.R.C.P. 3123.1; Appeal from Denial of Right to Know Request under Pa.R.J.A. 509. Registration of Foreign Divorce Decree; Registration of Foreign Custody Order and Notice of Intention to Resume Prior Name. This rule shall also not apply to certified zoning records which include blueprints and/or plot plans under Delaware County Local Rule 27.

(3) This Rule shall not apply to legal papers submitted by a party in response to the Court’s notice and Divorce Decree checklist requiring corrections to existing or not yet filed documents for the Court to complete the processing of a divorce action and final adoption of a divorce decree, QDRO or other orders specifically requested to be corrected by the Divorce Decree checklist. The legal papers/corrections shall be filed in the Office of Judicial Support. The filing party shall provide a time stamped copy of the papers to the Court Administrator’s Office pursuant to the Divorce Decree checklist instructions. The copies shall include corrections or amendments to existing filings previously docketed.

Explanatory Note: Legal papers submitted in response to the Court’s Notice and Divorce Decree checklist and motions or petitions seeking relief in emergency situations, injunctive relief or stay of proceedings shall not be filed through the EFS system but shall be taken to the Office of Judicial Support to be time-stamped, processed, and docketed and then brought by the party seeking the decree, QDRO, order or emergency relief or the stay of proceedings to the Court Administrator’s Office for reference to the appropriate judge.

(c)(1) Website. Access to the Website.

(i) *Website.* All legal papers shall be filed electronically through Delaware County’s Electronic Filing system Electronic Filing system “EFS” which shall be accessible through the County of Delaware website <https://delcoefile.co.delaware.pa.us/login> or at such other website as may be designated from time to time.

(ii) Use of the EFS shall be in accordance with the local rule and instructions contained on the website.

(iii) *Access to the Website.* To obtain access to the Delaware County Electronic Filing System, counsel and self-represented litigant must apply for and receive a User Name and Password.

(iv) Registered users shall be individuals, and not law firms, agencies, corporations nor other groups.

(v) User access may be suspended to prevent fraud, to maintain security of the system and network, to prevent an unacceptable level of congestion, or to prevent a disruption to the EFS or another user.

(d)(1) *Payment of Filing Fees under the EFS system.*

(i) The Office of Judicial Support will accept for payment of all filing fees through PayPal.

(ii) The Office of Judicial Support will not accept advance deposits for future filings.

(e) *Reserved*(f)(1) *Filing Status Messages*

(i) Upon receipt of the electronic document, the Office of Judicial Support shall provide the filing party with an acknowledgment, which includes the date and time the document was received by the Delaware County Electronic Filing system.

(ii) After review of the electronic document, the Office of Judicial Support shall provide the filing party with e-mail notification, or notification on the Delaware County Electronic Filing System, that the document has been accepted for filing ("filed") or refused and not accepted for filing.

(2) *Official Record*

(i) When an electronic document is accepted, the document is the official record.

(ii) In custody and equitable distribution cases before a hearing officer, parties shall NOT E-file exhibits to be presented to the hearing officer prior to or at the time of the hearing. The parties shall bring a copy of all exhibits to the hearing. The hearing officer, as is practicable, shall either return the copy to the parties who presented the exhibits or give to court staff to shred the documents.

(iii) In arbitration cases before a panel of arbitrators or sole arbitrator, parties shall NOT E-file exhibits to be presented to the arbitrators prior to or at the time of the hearing. The parties shall bring a copy of all exhibits to the hearing. The panel or sole arbitrator after hearing the matter, shall either return the copy to the parties who submitted the exhibits or give to court staff to shred the documents.

Explanatory Note: This subsection (ii) to (iv) is designed to alleviate the necessity of court staff printing copies of the pleadings and voluminous exhibits used in de novo hearings. Parties may bring a copy of pleadings and/or exhibits to the hearing with the expectation the copies shall be returned or destroyed.

(3) *Signatures and Verifications*

(i) The electronic filing of documents utilizing the issued User Name and Password as provided by this rule and Pa.R.C.P. No. 205.4, constitutes the party's signature on electronic documents as provided by Pa.R.C.P. No. 1023.1 and, if the filing party is an attorney, constitutes a certification of authorization to file it as provided in Pa.R.C.P. No. 205.1.

(ii) The electronic document filed by a party must include a signature block, and the name of the filer under whose User Name and Password the document is submitted. The document may be submitted with the filers scanned signature or "/s/" and the filer's named typed in the space where the signature would otherwise appear on the document.

(iii) If an attorney is the filing party, the Pennsylvania Supreme Court Attorney Identification number must be included under the signature line. The correct format for an attorney signature is as follows:

/s/ Attorney name
Pa Supreme Court ID #
Attorney for (Plaintiff/Defendant) XYZ Corporation
ABC Law Firm
ADDRESS
TELEPHONE NUMBER
FAX NUMBER—(FAX)
E-MAIL ADDRESS

(iv) An authorized electronic filer must not allow their user name and password to be used by anyone other than an agent who is authorized by the electronic filer.

(v) Electronic filers shall notify the Office of Judicial Support's Help Desk immediately if there has been any unauthorized use of their EFS user name and password.

(vi) The Verification required by Pa.R.C.P. Nos. 206.1 and 1024 and the signature page(s) of any document or legal paper executed by a client or other persons other than the filing party must be scanned and attached to the electronic filing in a portable document format at the time the legal paper is submitted.

(vii) Documents requiring signatures of more than one party must be scanned and attached to the electronic filing in a portable document format at the time the legal paper is submitted.

(viii) The original of a sworn or verified document that is electronically filed (e.g. affidavit) or is contained with an electronic filing (e.g. verification) shall be maintained by the electronic filer and made available upon direction of the court or reasonable request of the signatory or opposing party.

Explanatory Note: This subsection is designed to address issues which may arise regarding signatures on legal documents. A filer's use of the User Name and Password issued through the Delaware County Electronic Filing System is the filer's "electronic signature". However, legal documents often require verifications executed by non-filers. In addition, many legal documents require multiple signatures. Deficiencies in content and execution could be subject to preliminary objections. In order to avoid prejudicial delay, this section requires the filing party to scan such legal documents or signature pages and include them as part of the electronic filing at the time of submission. Original copies should be kept as provided for in Pa.R.C.P. No. 205.4(b)(4).

(4) *Electronic Filing Fees and Costs.*

(i) The Office of Judicial Support shall collect an electronic filing user fee for each legal paper or exhibit filed as established by the Office of Judicial Support with the approval of the President Judge of the Delaware County Court of Common Pleas.

(ii) In addition to such electronic filing user fee, the Office of Judicial Support is authorized to charge a fee as set forth from time to time for each page of a legal paper or exhibit which is filed in hard copy format and which must be converted by the Office of Judicial Support to a portable document format.

(iii) Electronic filers shall alert the EFS to any payment errors within forty-five (45) days of the payment date by notifying the Office of Judicial Support's Help Desk.

(5) *Other Procedures Necessary to the Operation of a System of Electronic Filing:* authorized by Pa.R.C.P. No. 205.4(f), the following administrative procedures are adopted:

(i) If a document is accepted, it shall be deemed to have been filed as of the date and time it was received by the Delaware County Electronic Filing System; provided, however, that if a document is submitted without the requisite fee, the document shall be deemed to have been accepted for filing as of the date payment was received. The Office of Judicial Support is authorized to refuse for filing a document submitted without the requisite payment. If the electronic document other than original process is accepted for filing, it will be electronically served as authorized by Pa.R.C.P. No. 205.4(g)(1)(ii) and service shall be effectuated as provided in Pa.R.C.P. No. 205.4(g)(2)(ii).

(ii) *Termination Notice.* In addition to the procedures set forth in Pa.R.C.P. No. 230.2, in cases where a party is a registered user of the Delaware County Electronic Filing System, notice of proposed termination may also be electronic.

(iii) An electronic filer is not required to file any paper copies unless specifically required by the court.

Note: In addition to the electronic paper, a Judge may request counsel or a self-represented litigant to provide a courtesy copy of a pleading(s) or other such material including but not limited to a memorandum of law, a pre-trial binder for the Court including relevant pleadings, a pre-trial memo, if any, stipulations and pre-labeled exhibits which may be useful to a Judge in preparation for trial. The Court may also request courtesy motions, petitions and answers to such pleadings from time to time.

(iv) An electronic filer is not required to file multiple copies of documents unless requested by the Court, or as specified elsewhere in these local rules. If documents are to be served electronically, the electronic filer is not required to provide envelopes, unless requested by the Court or as specified elsewhere in the local rules, except for those parties who are to receive the document by regular mail or other means of service as required by other rules.

(v) Electronic filing is permitted at all times when the EFS is available. If the EFS is unavailable at the time a registered user attempts to file a document, the registered user shall make reasonable efforts to file the document as soon as the unavailability ends.

(vi) If a registered user believes the unavailability of the EFS prevented a timely filing to the party's prejudice, the registered user may submit a motion to the court within ten (10) days of the registered user's unsuccessful attempt to file the document. The motion shall state the date and time of the first unsuccessful attempt to file the document electronically, the date(s) and time(s) of any subsequent attempts to file the document electronically, and why the delay was prejudicial.

(vii) The filing deadline for any document filed electronically is 11:59:59PM EST/EDT.

(viii) *Documents with Attachments.* Attachments, including exhibits, that are part of any filing, shall be filed electronically at the same time as the document.

(ix) An attachment or exhibit that exceeds the technical standards for the EFS or is unable to be electronically filed must be filed as ordered by the court. A Notice of Exhibit Attachment shall be filed in the EFS referencing such an exhibit with specifically and stating the reason why the exhibit was not filed electronically.

(x) The Court may, on its own motion or for good cause shown, order a filing be made under seal. Filings requested to be made under seal shall be submitted to the Office of Judicial Support over the counter rather than through EFS.

(xi) Sealed or confidential documents may be submitted for electronic filing in a manner that maintains confidentiality under applicable law.

(xii) Filings not under seal are public and parties shall comply with the Public Access policy related to case records of the Appellate and Trial Courts of the Unified Judicial System of Pennsylvania under 204 Pa. Code 213.81 and Delaware County Administrative Rule No. 17-5120.

Note: As required by Pa.R.C.P. No. 205.4(c)(1), access to the Delaware County Electronic Filing System shall be available at all times, except for required maintenance. However, legal papers can only be reviewed during normal court hours. Therefore, parties are cautioned to file required legal papers in advance of any filing deadline to enable timely correction and re-submission in the event a legal paper is not accepted or is refused for filing. The Office of Judicial Support may refuse for filing any legal paper submitted without the required filing fees as provided by 42 Pa.C.S. § 1725(c)(2)(xix), or, at the Office of Judicial Support's discretion, may authorize the filer to submit the required filing fees within a stated time period after which the Office of Judicial Support may refuse the legal paper for filing if payment is not received.

(6) If a legal paper is refused for filing, the Office of Judicial Support shall specify the reason. Subject to the provisions of subsection Rule 205.4(e)(1)(i), a legal paper refused for filing shall be deemed as not having been filed.

(7) Neither the Court nor the Office of Judicial Support are required to maintain a hard copy of any legal paper or exhibit, notice, or order filed or maintained electronically under this rule.

(8) If a legal paper is electronically filed, the Delaware County Civil Electronic Filing System will automatically serve all persons who have previously submitted electronic filings in the same case, pursuant to Delaware County Civil Rule *205.4 and Pa.R.C.P. No. 205.4(g) but the filing party must serve all others as required by rules of Court. All legal papers filed in a hard-copy format must be served by the filing party as required by rules of court.

Note: A party has the responsibility of providing legal papers and other correspondence to the Delaware County Sheriff's Office for service of original process pursuant to Pa.R.C.P. 400—425. The Delaware County Electronic Filing Service or CMS program does not encompass the Delaware County Sheriff's Office.

(9) Documents shall use the universal PDF standard and shall be no more than 25 megabytes (mb). Files that exceed this limit must be split into multiple files so that each individual file is less than 25 megabytes (mb).

(10) Color shall be Black and White, resolution of 300 dpi. If a filer has a document that is color or greystroke, the document shall not be filed electronically but must be submitted to the Office of Judicial Support.

(11) All pleadings must conform to Pennsylvania Rule of Civil Procedure 204.1(1) so that the size of the document be 8 1/2 inch by 11 inch paper.

(12) Any font that is not part of the Microsoft default font list must be embedded in the PDF document.

(13) PDF properties (Title, Author, Subject, and Keywords) should be removed from the document. Documents cannot be password protected or encrypted. Documents names shall not include any special characters such / : * ? “ < >

(g)(1) *Service by Electronic Transmission*

(i) Service shall be made to registered users through the EFS and to all others as otherwise provided in the Pennsylvania Rules of Civil Procedure. Service by the EFS is complete upon transmission on a Saturday, a Sunday, a holiday recognized by Delaware County, or after 5:00PM EST/EDT, shall be considered complete on the next day that is not a Saturday, Sunday or recognized Delaware County holiday.

(ii) Other than original service, the electronic filer shall not be required to serve a paper copy of the electronic filing on the opposing party if the opposing party is a registered user on the EFS and the electronic filing has been served on them through the EFS.

(h) An AOPC Civil Court Cover Sheet pursuant to Pa.R.C.P. No. 205.5 shall be required and must be scanned separately from the original pleading.

Note: The following documents may be filed through the EFS system. The Office of Judicial Support, once accepted, will forward the document to Court Administration for review and processing:

(1) Certificate of Readiness pursuant to Local Rule 241; (2) Debtor's Exemption under Local Rule 3123; (3) Application for Continuance in arbitration cases pursuant to Delaware County Local Rule 1303(f) or for a hearing related to a petition or motion (Local Rule 206.1(a)(1) and 208.3(b)(1)); (4) License Suspension Appeal (Local Rule 29); (5) Tax Assessment Appeal (Local Rule 30); (6) Board of View (Local Rule 622(k)); and (7) Request for Extension pursuant to Local Rule 1028.

Once filed through the EFS system, the document will be processed by the Court Administrator and notice of the outcome and/or a hearing date, if any, will be sent electronically to the filing party. The party requesting a continuance shall provide advance notice to all parties in a case, state if the continuance is opposed or unopposed, and be responsible to notify all parties of the outcome of the request prior to a listed hearing or event.

Applications for Continuance in assigned cases may be filed electronically at the Court's discretion subject to the assigned judge's guidelines.

Motions or petitions seeking relief in emergency situations or stay of proceedings shall not be filed through the EFS system but shall be taken to the Office of Judicial Support to be time-stamped, processed, and docketed and then brought by the party seeking the emergency relief or the stay of proceedings to the Court Administrator for reference to the appropriate judge.

Note: This rule is adopted as required by Pa.R.C.P. No. 239.9.

[Pa.B. Doc. No. 25-1348. Filed for public inspection October 3, 2025, 9:00 a.m.]

Title 255—LOCAL COURT RULES

MONTGOMERY COUNTY

Stay of Litigation for Pennsylvania Office of Attorney General; Administrative Order 2025-00001

Amended Order

And Now, this 17th day of September, 2025, the Administrative Order of the undersigned dated September 15, 2025 is hereby *Amended* to direct the Prothonotary that a copy of the September 15, 2025 Administrative Order be filed in each docket on the following list.

All other provisions of the Administrative Order dated September 15, 2025 remain in full force and effect.

By the Court

CAROLYN TORNETTA CARLUCCIO,
President Judge

Gregory R. Webber
Bar ID: 83749

- 2023-17944
- 2021-00522
- 2024-26508
- 2024-28233
- 2024-18861
- 2023-10060
- 2024-03280
- 2024-26163
- 2024-16978
- 2024-08663
- 2021-15265
- 2019-21724
- 2020-05865
- 2023-04659
- 2024-16551
- 2024-03213
- 2024-20853
- 2023-20258
- 2024-03297
- 2025-18094
- 2024-20135
- 2024-05348
- 2020-14637

Dawn Tan
Bar ID: 316711

- 2020-01771
- 2020-17769
- 2018-03532
- 2024-06169
- 2023-07449
- 2023-16660
- 2024-06369
- 2023-15526
- 2023-09767
- 2024-07616
- 2024-02717
- 2023-02693
- 2025-07676
- 2025-01324
- 2020-06928
- 2023-06662

- 2024-23193
- 2025-02200
- 2024-22924
- 2025-14987
- 2024-26776
- 2025-14563
- 2020-12409
- 2025-06472
- 2025-08032
- 2024-22103
- 2022-17092
- 2023-02922
- 2024-01616

Kevin Bradford
Bar ID: 88576

- 2011-31973
- 2024-29127
- 2025-07354
- 2022-03166

Jeff Mozdziok
Bar ID: 320543

- 2020-12444
- 2025-00981

[Pa.B. Doc. No. 25-1349. Filed for public inspection October 3, 2025, 9:00 a.m.]

RULES AND REGULATIONS

Title 40—LIQUOR

LIQUOR CONTROL BOARD

[40 PA. CODE CHS. 15 AND 17]

Hearings by Video Teleconference

The Liquor Control Board (board), under the authority of section 207(i) of the Liquor Code (47 P.S. § 2-207(i)), amends §§ 15.46 and 17.32 (relating to hearings before the OALJ; and hearings on supersedeas applications) and adds § 17.16 (relating to hearings on license applications) to read as set forth in Annex A.

Summary

This final-form rulemaking specifies the manner in which hearings before the Office of Administrative Law Judge (OALJ), as well as hearings on license applications before the board, will be conducted. Pre-hearing procedures are also provided.

Under section 464 of the Liquor Code (47 P.S. § 4-464), the board is authorized to “fix a time and place for hearing” on license applications, which include nonrenewal matters and transfers. Section 464 of the Liquor Code places few requirements on the conduct of these hearings and leaves many of the specifics to the board’s discretion. Similarly, under § 15.46(a), hearings before the OALJ are conducted in accordance with 1 Pa. Code §§ 35.121—35.133 (relating to hearing; and transcript), that is, the General Rules of Administrative Practice and Procedure. Of those provisions, the only general requirement pertaining to the time and place of hearings states that the agency will initiate hearings by issuance of an order or notice. See 1 Pa. Code § 35.121 (relating to initiation of hearings).

Accordingly, this final-form rulemaking amends § 15.46 to include subsection (c), which specifies that hearings before the OALJ will generally be conducted virtually, although the OALJ has the discretion to hold in-person hearings upon good cause shown.

Section 17.16(a) provides for various pre-hearing procedures that have generally been in place since the start of the COVID-19 pandemic, albeit informally. Specifically, subsection (a) requires the parties to exchange pre-marked exhibits prior to the scheduled date of a hearing and provides that objections relating to an exhibit must be made at the time the proponent moves for admission during the hearing. It further gives the board’s Office of Chief Counsel and the assigned hearing examiner discretion to require the submission of pre-hearing memoranda. Subsection (b) allows for pre-hearing conferences, conducted by means of telephone, upon the request of a party. Subsection (c) specifies that hearings on licensing matters will generally be conducted virtually, although the board’s Office of Chief Counsel has the discretion to hold in-person hearings upon good cause shown. It further provides the procedure for the scheduling of hearings as well as the requirements for participation. It also requires the board to publish a dial-in number on the board’s website to allow members of the public to listen in to any licensing hearing.

Finally, § 17.32(a) is amended to specify that virtual hearings will generally be used. Further, since § 17.16 governs hearings on license applications, § 17.32, which was previously simply titled “Hearings,” could have

caused confusion. It is therefore being renamed to clarify that it is applicable only to hearings on supersedeas applications.

The board received comments from the Honorable Representative John Lawrence and the Independent Regulatory Review Commission (IRRC). The board’s responses to those comments are set forth in a separate document. In response to suggestions made by the commenters, the board amends §§ 15.46(c) and 17.16(c)(1) to make clear that hearings may be held at a physical location at the discretion of the OALJ and the board’s Office of Chief Counsel, respectively, upon a showing of good cause. Additionally, in response to IRRC’s comment, the board changed the word “shall” to “will” in §§ 15.46(c) and 17.16(c)(1). In response to the suggestions of Representative Lawrence, the board also amends § 17.16(a) to remove references to a specific type of document, that is, “PDF documents,” and amends § 17.16(c)(3) to make clear that the electronic hearing notices sent by the board’s Office of Chief Counsel will be in addition to any other notice required by law.

Affected Parties

Parties to a licensing hearing before the board, as well as a hearing before the OALJ, will be affected by this final-form rulemaking. Additionally, any witnesses or other hearing participants will be affected.

Paperwork Requirements

This final-form rulemaking requires board attorneys and licensees/applicants or their counsel to exchange pre-marked exhibits electronically prior to the hearing. It also requires the board to provide advance notice and instructions electronically to hearing participants. While this final-form rulemaking codifies certain pre-hearing procedures, for example, the exchange of exhibits, these procedures have been in place informally for many years.

Fiscal Impact

This final-form rulemaking is expected to have a positive fiscal impact on the board, including the OALJ, as well as licensees, applicants and the Pennsylvania State Police, Bureau of Liquor Control Enforcement.

Effective Date

This final-form rulemaking will become effective upon publication in the *Pennsylvania Bulletin*.

Contact Person

Questions regarding this final-form rulemaking should be addressed to Jason Worley, Chief Counsel, or Justin Blake, Deputy Chief Counsel, Office of Chief Counsel, Pennsylvania Liquor Control Board, Room 401, Northwest Office Building, Harrisburg, PA 17124-0001.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on May 17, 2023, the board submitted a copy of a Regulatory Analysis Form and a copy of the proposed rulemaking, published at 53 Pa.B. 3111 (June 10, 2023), to IRRC and to the chairperson of the Committee on Law and Justice of the Senate and the chairperson of the Liquor Control Committee of the House of Representatives for review and comment.

Under section 5(c) of the Regulatory Review Act, the board is required to submit to IRRC and the Senate and House committees copies of comments received during the public comment period, as well as other documents when

requested. In preparing this final-form rulemaking, the board has considered all comments received. The board responded to these comments in separate documents.

Under section 5.1(j.2) of the Regulatory Review Act (71 P.S. § 745.5a(j.2)), on August 20, 2025, the final-form rulemaking was deemed approved by the Senate and House committees. Under section 5.1(e) of the Regulatory Review Act, IRRC met on August 21, 2025, and approved the final-form rulemaking.

Findings

The board finds that:

1) Public notice of intention to adopt the administrative amendments adopted by this order has been given under sections 201 and 202 of the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1201 and 1202), referred to as the Commonwealth Documents Law, and the regulations thereunder, 1 Pa. Code §§ 7.1 and 7.2 (relating to notice of proposed rulemaking required; and adoption of regulations).

2) A public comment period was provided as required by law, and all comments received were considered in drafting this final-form rulemaking.

3) The amendments to this final-form rulemaking do not enlarge the original purpose of the proposed rulemaking published at 53 Pa.B. 3111.

4) This final-form rulemaking is necessary and appropriate for the administration of the authorizing statute.

Order

The board, acting under authorizing statute, orders that:

a) The regulations of the board, 40 Pa. Code Chapters 15 and 17, are amended by amending §§ 15.46 and 17.32 and adding § 17.16 to read as set forth in Annex A.

b) The board shall submit this final-form rulemaking to IRRC and the Senate and House committees as required by law.

c) The board shall submit this final-form rulemaking to the Office of Attorney General for approval as to form and legality as required by law.

d) The board shall certify this final-form rulemaking and deposit it with the Legislative Reference Bureau as required by law.

e) This final-form rulemaking shall take effect immediately upon publication in the *Pennsylvania Bulletin*.

DARRELL CLARKE,
Chairperson

(*Editor's Note:* See 55 Pa.B. 6508 (September 6, 2025) for IRRC's approval order.)

Fiscal Note: Fiscal Note 54-103 remains valid for the final adoption of the subject regulations.

Annex A

TITLE 40. LIQUOR

PART I. LIQUOR CONTROL BOARD

CHAPTER 15. SPECIAL RULES OF ADMINISTRATIVE PRACTICE AND PROCEDURE REGARDING MATTERS BEFORE THE OFFICE OF ADMINISTRATIVE LAW JUDGE

Subchapter D. FORMAL PROCEEDINGS

§ 15.46. Hearings before the OALJ.

(a) Hearings shall be in accordance with 1 Pa. Code §§ 35.121—35.128 and 35.131—35.133 (relating to hearing; and transcript).

(b) No person except the reporter engaged by the OALJ to record its proceedings may record mechanically or electronically a part of the proceedings in a hearing.

(c) Hearings before the OALJ will be conducted by video teleconference. Hearings may be conducted in person at the discretion of the ALJ, upon a showing of good cause.

CHAPTER 17. SPECIAL RULES OF PRACTICE AND PROCEDURE FOR MATTERS BEFORE THE BOARD

Subchapter B. LICENSE APPLICATIONS

§ 17.16. Hearings on license applications.

(a) *Pre-hearing procedures.*

(1) No later than 2 weeks prior to the date of the hearing, the assigned attorney for the Board's Bureau of Licensing shall electronically forward all Licensing exhibits to the parties, the hearing examiner and the court reporter. When submitting exhibits, the Licensing attorney shall identify the hearing by licensee or applicant name, hearing date and time. Each exhibit must be a separate file named and marked according to its Licensing exhibit number (for example, B1, B2 and the like).

(2) Licensees, applicants, protestants or intervenors, or their counsel, shall electronically submit all exhibits to ra-lbhearings@pa.gov at least 3 business days prior to the date of the hearing. When submitting exhibits, each participant shall, within the subject field of the email, identify the hearing by licensee or applicant name, hearing date and time. Each exhibit must be a separate file and must be named and marked as follows:

(i) For a license applicant, each exhibit must be named: A1, A2 and the like.

(ii) For an existing licensee, each exhibit must be named: L1, L2 and the like.

(iii) For a protestant or intervenor, each exhibit must be marked with the protestant or intervenor's name, followed by a sequential number, such as, Smith1, Smith2 and the like.

(3) Failure to provide a copy of an exhibit prior to the hearing may be grounds for its exclusion.

(4) Objections relating to exhibits shall be made during the hearing, at the time the party moves for admission.

(5) The hearing examiner or the Office of Chief Counsel of the Board may require the submission of pre-hearing memoranda to address issues that may arise at the hearing.

(b) *Pre-hearing conferences.*

(1) Upon the request of any party or the hearing examiner, and subject to approval by the Office of Chief Counsel of the Board, a telephonic pre-hearing conference may be held with the hearing examiner. A party requesting a pre-hearing conference shall submit this request, including the reasons therefore, to the Office of Chief Counsel of the Board and all other parties by means of email.

(2) Pre-hearing conferences may be held no earlier than 14 days, and no later than 3 days, prior to the scheduled date of the hearing.

(3) Notwithstanding the 3-business-day requirement of subsection (a)(2), parties shall electronically exchange all exhibits at least 1 business day prior to a pre-hearing conference.

(c) *Scheduling of hearings and requirements for participation.*

(1) Hearings will be conducted by video teleconference, unless the Office of Chief Counsel of the Board determines otherwise, upon a showing of good cause.

(2) Hearing attendees who participate in a hearing shall use both the audio and video functions of the Internet-based videoconferencing software. Each participant testifying as a witness shall use a separate electronic device with its own camera and microphone. Unless approved by the Office of Chief Counsel of the Board or the parties agree otherwise, no witness may testify using a device that is shared with another person. However, witnesses may share an electronic device with counsel during the times that the individual is not actively testifying.

(3) In addition to any other notice required by law, the Office of Chief Counsel of the Board will electronically send notice to the parties and the hearing examiner of the date and time set for the hearing. This notice will include the hyperlink needed to access the hearing. Hearing participants who have not received the required hyperlink shall request access by sending an email to ra-lbhearings@pa.gov no later than 3 business days prior to the scheduled hearing.

(4) The Board will provide written instructions explaining the virtual hearing requirements on its website. Hearing participants requiring assistance shall contact ra-lbhearings@pa.gov no later than 3 business days prior to the hearing to schedule a test of the Internet-based videoconferencing software.

(5) The Board will provide the dial-in number and corresponding access code for each hearing on its website to allow members of the public to listen in by telephone.

(d) This section supplements 1 Pa. Code Chapter 35, Subchapter B (relating to hearings and conferences).

Subchapter D. SUPERSEDEAS

§ 17.32. Hearings on supersedeas applications.

(a) The Board may schedule a hearing for the purpose of receiving relevant evidence on the issue of the grant or the removal of a supersedeas. The hearing may be scheduled and held within 10 days of the mailing date of the notice. Continuances will be granted solely at the discretion of the Board. Hearings will be conducted by video teleconference, unless the Office of Chief Counsel of the Board determines otherwise, upon a showing of good cause.

[Pa.B. Doc. No. 25-1350. Filed for public inspection October 3, 2025, 9:00 a.m.]

PROPOSED RULEMAKING

STATE BOARD OF BARBER EXAMINERS

[49 PA. CODE CH. 3]

Licensure by Endorsement

The State Board of Barber Examiners (board) proposes to amend §§ 3.1 and 3.103 (relating to definitions; and fees) and add §§ 3.16 and 3.17 (relating to licensure by endorsement; and provisional endorsement license) to read as set forth in Annex A.

Effective Date

This proposed rulemaking will be effective upon publication of the final-form rulemaking in the *Pennsylvania Bulletin*.

Statutory Authority

Section 3111 of 63 Pa.C.S. (relating to licensure by endorsement) requires licensing boards and commissions to “issue a license, certificate, registration or permit to an applicant to allow practice in this Commonwealth” provided the applicant meets the following criteria: “[h]olds a current license, certificate, registration or permit from another state, territory or country” whose licensing “requirements are substantially equivalent to or exceed the requirements . . . in this Commonwealth”; “[d]emonstrates competency”; “[h]as not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice that profession or occupation in this Commonwealth, unless the licensing board or licensing commission determines” such conduct is not an impediment to granting the “license, certificate, registration or permit”; “[i]s in good standing and has not been disciplined by the jurisdiction that issued the license, certificate, registration or permit, unless the . . . board or . . . commission determines” such conduct is not an impediment to granting the “license, certificate, registration or permit”; and the applicant pays fees, as established by regulation. Additionally, 63 Pa.C.S. § 3111 authorizes boards and commissions to “issue a provisional license, certificate, registration or permit” while an applicant is satisfying remaining requirements for licensure by endorsement, for which the board must set by regulation the terms of expiration.

Additionally, section 15-A.4(b) of the act of June 19, 1931 (P.L. 589, No. 202) (63 P.S. § 566.4(b)), referred to as the Barbers’ License Law (act), authorizes the board to “make such other rules and regulations and prescribe such other sanitary requirements as shall be deemed necessary to carry out the provisions of the act.”

Section 506 of The Administrative Code of 1929 (71 P.S. § 186) empowers “[t]he heads of all administrative departments, the several independent administrative boards and commissions, the several departmental administrative boards and commissions . . . to prescribe rules and regulations, not inconsistent with law, for the government of their respective departments, boards, or commissions”

The act of July 1, 2020 (P.L. 575, No. 53) added 63 Pa.C.S. § 3111 as part of the consolidation of the act of July 2, 1993 (P.L. 345, No. 48) (Act 48) (repealed) into 63 Pa.C.S. Chapter 31 (relating to powers and duties). The text of 63 Pa.C.S. § 3111 was originally added to Act 48 by the act of July 1, 2019 (P.L. 292, No. 41).

Background and Need for the Amendments

This proposed rulemaking is needed to effectuate 63 Pa.C.S. § 3111, which requires the board to issue a license, certificate, registration or permit to an applicant who is licensed in good standing in another jurisdiction and meets the requirements for licensure by endorsement as set forth in 63 Pa.C.S. § 3111. Under 63 Pa.C.S. § 3111(a)(1), the board must determine whether the other jurisdiction’s standards for licensure are substantially equivalent to or exceed those established by the board. Additionally, 63 Pa.C.S. § 3111(a)(2) requires the board to determine the methods of competency, including experience in the profession or occupation for at least 2 of the 5 years immediately preceding the filing of the application, or completion of continuing education. Under 63 Pa.C.S. § 3111(b)(2), the board must also establish, by regulation, the expiration of provisional endorsement licenses.

This proposed rulemaking sets forth the board’s criteria for eligibility for licensure by endorsement, including the specific methods required for an applicant to demonstrate competency. It also sets forth the requirements for granting a provisional endorsement license. Section 3111 of 63 Pa.C.S. further provides that the board may establish appropriate fees for this licensure.

This proposed rulemaking is applicable to barbers and barber-teachers, but not manager-barbers. The manager-barber license is somewhat unique to this Commonwealth. Most states do not have a separate and distinct license for manager-barbers or barber managers (terms which are used here interchangeably to refer to the same thing, namely, a credential issued specifically to managers of barbering establishments). It would be difficult if not impossible to perform any sort of meaningful comparison given that most jurisdictions do not offer an analogous license type. Even for those jurisdictions that do offer a manager license, the board would not view any other jurisdiction as substantially equivalent when assessing that jurisdiction’s requirements. The board’s theory exam for manager-barbers includes questions that test an applicant’s knowledge of current Commonwealth laws and regulations. Therefore, the board concluded it was not appropriate to include manager-barbers in these proposed regulations.

In accordance with the requirements of Executive Order 1996-1 (4 Pa. Code §§ 1.371—1.382 (relating to regulatory review and promulgation)), the board sent an exposure draft of this proposed rulemaking to interested parties on October 22, 2020, and asked for comments within 30 days. The board received no comments.

Description of the Proposed Amendments

The board proposes to amend § 3.1 by adding a definition for the term “jurisdiction” consistent with 63 Pa.C.S. § 3111. Proposed § 3.16 requires an applicant to satisfy six criteria for licensure by endorsement. Under subsection (a)(1), an applicant shall have a current license, certificate, registration or permit in good standing to practice in another jurisdiction whose standards are substantially equivalent to or exceed those established by the board under section 3(a) and (d) of the act (63 P.S. § 553(a) and (d)), and §§ 3.42, 3.71 and 3.90 (relating to examination; curriculum; and student curriculum). Proposed § 3.16(a)(1)(i) would further require an applicant to submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration

or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit. Because 63 Pa.C.S. § 3111 is applicable to territories and other countries where the applicable law, regulation or other rule may be in a language other than English, proposed § 3.16(a)(1)(ii) would require translation of the applicable law, regulation or other rule by a professional translation service, at the applicant's expense. Additionally, proposed subparagraph (iii) would require that the copy of the applicable law, regulation or other rule include the enactment date.

With regard to the requirement that an applicant for a barber license have a certain number of training hours, the board notes that the number of training hours varies widely from one jurisdiction to the next, but typically ranges from 1,000 to 1,500 hours. The board considers a requirement of 1,000 hours or more to be substantially equivalent to the board's requirement of 1,250 hours, as reflected in proposed subsection (a)(1).

Proposed subsection (a)(2) requires demonstration of competency. Under this provision, an applicant must provide proof of competency by demonstrating either experience in the practice of the profession as a barber or barber-teacher or achievement of a passing score on a board-approved skills examination. To demonstrate competency by experience, an applicant must show active engagement in the practice of the profession under a license, certificate, registration or permit in one or more jurisdictions that have substantially equivalent standards for at least 2 of the 5 years immediately preceding the filing of the application. To demonstrate competency through examination, an applicant must achieve a passing score on a board-approved skills examination within 18 months preceding the filing of the application.

Proposed subsection (a)(3) incorporates the statutory prohibition in 63 Pa.C.S. § 3111 pertaining to conduct that would constitute grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice the profession or occupation. Similarly, proposed § 3.16(a)(4) incorporates the statutory prohibition pertaining to prior discipline by the jurisdiction that issued the license, certificate, registration or permit.

Proposed subsection (a)(5) provides for payment of an application fee, as required by 63 Pa.C.S. § 3111(a)(5). No new fee is being proposed. Instead, the applicable fee for licensure by endorsement under 63 Pa.C.S. § 3111 for both barbers and barber-teachers will be the existing "licensure of barber by reciprocity" fee in § 3.103, which is currently \$65. The board further proposes to amend § 3.103 to rename that fee "licensure of barber or barber-teacher by reciprocity or endorsement."

Proposed § 3.16(a)(6) requires applicants to apply for licensure in accordance with the act and in the manner and format prescribed by the board in Chapter 3 (relating to State Board of Barber Examiners).

In proposed § 3.16(b), the board may require a personal interview or additional information to assist the board in determining eligibility and competency. When a personal interview is necessary, the applicant may request that the interview be conducted by video teleconference for good cause shown.

Consistent with 63 Pa.C.S. § 3111(a)(3) and (4), proposed § 3.16(c) would authorize the board, in its discretion, to determine that an act prohibited under section 15 of the act (63 P.S. § 565) or disciplinary action by another jurisdiction are not impediments to the granting of a license, certificate, registration or permit by endorsement

under 63 Pa.C.S. § 3111. Boards routinely consider whether discipline or prohibited acts are impediments to licensure. The board may consider the facts and circumstances surrounding the prohibited act or disciplinary action, an increase in age or maturity of the individual since the date of the prohibited act or disciplinary action, disciplinary history (or lack thereof) before and after the date of the prohibited act or disciplinary action, successful completion of education and training activities relating to the prohibited act or disciplinary action, and any other information relating to the fitness of the individual for licensure.

Consistent with 63 Pa.C.S. § 3111(b), proposed § 3.17(a) provides that the board may, in its discretion, issue a provisional endorsement license while an applicant is satisfying remaining requirements under 63 Pa.C.S. § 3111 and proposed § 3.16. Proposed § 3.17(b)(1) sets the expiration of a provisional endorsement license at 1 year, unless the board determines that an expiration date of less than 1 year is appropriate. Additionally, under subsection (b)(2), upon a written request, the board may extend the term of the provisional license upon a showing of good cause. Proposed subsection (c) sets forth reasons for which a provisional endorsement license will be terminated, including when the board denies or grants a license, the provisional endorsement licensee fails to comply with the terms of the provisional endorsement license or the provisional endorsement license expires. Finally, proposed subsection (d) clarifies that, while an individual may reapply for a license by endorsement under proposed § 3.16, the board will not issue a subsequent provisional endorsement license to an applicant who previously held a provisional endorsement license that expired or was terminated.

Fiscal Impact and Paperwork Requirements

This proposed rulemaking will have no adverse fiscal impact on the Commonwealth or its political subdivisions. The costs to the board related to processing applications for licensure by endorsement will be recouped through fees paid by applicants. Under § 3.103, all barber and barber-teacher applicants applying for licensure by reciprocity currently pay an application fee of \$65, which is the same fee that applicants for licensure by endorsement will pay. Applicants who choose to demonstrate competency by examination may incur the added cost of an examination fee.

Sunset Date

The board continuously monitors the cost effectiveness of the board's regulations. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on September 19, 2025, the board submitted a copy of this proposed rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the chairperson of the Consumer Protection and Professional Licensure Committee of the Senate and to the chairperson of the Professional Licensure Committee of the House of Representatives. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey comments, recommendations or objections to the proposed rulemaking within 30 days of the close of the public comment period. The comments, recommendations or objections shall specify the regulatory review criteria in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) which have not been met. The Regula-

tory Review Act specifies detailed procedures for review, prior to final publication of the rulemaking, by the board, the General Assembly and the Governor.

Public Comment

Interested persons are invited to submit written comments, recommendations or objections regarding this proposed rulemaking to Regulatory Counsel, State Board of Barber Examiners, P.O. Box 69523, Harrisburg, PA 17106-9523, RA-STRegulatoryCounsel@pa.gov within 30 days of publication of this proposed rulemaking in the *Pennsylvania Bulletin*. Reference "16A-4212 (Licensure by Endorsement)" when submitting comments.

AMBER DERR,
Chairperson

Fiscal Note: 16A-4212. No fiscal impact; recommends adoption.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 3. STATE BOARD OF BARBER EXAMINERS

GENERAL PROVISIONS

§ 3.1. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

* * * * *

EPA registered disinfectant—A product used to destroy pathogenic [**micro-organisms**] **microorganisms** that is registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) (7 U.S.C.[**A.**] §§ 136—136y).

Jurisdiction—A state, territory or country.

LICENSES

(*Editor's Note:* Sections 3.16 and 3.17 are proposed to be added and are printed in regular type to enhance readability.)

§ 3.16. Licensure by endorsement.

(a) *Requirements for issuance.* To be issued a license by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement), an applicant shall satisfy all of the following conditions:

(1) Have a current license, certificate, registration or permit in good standing to practice as a barber or barber-teacher in another jurisdiction whose licensure standards are substantially equivalent to or exceed those established under section 3(a) and (d) of the act (63 P.S. § 553(a) and (d)) and §§ 3.42, 3.71 and 3.90 (relating to examination; curriculum; and student curriculum). For an applicant seeking licensure by endorsement as a barber, the standards of a jurisdiction relating to minimum training hour requirements are substantially equivalent to those established by the Board under §§ 3.71 and 3.90 if the jurisdiction requires, at a minimum, the completion of at least 1,000 training hours.

(i) An applicant shall submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit.

(ii) If the applicable law, regulation or other rule is in a language other than English, at the applicant's expense, the applicable law, regulation or other rule shall be translated by a professional translation service and verified to be complete and accurate.

(iii) The copy of the applicable law, regulation or other rule must include the enactment date.

(2) Demonstrate competency by one of the following:

(i) Experience in the practice of barbering or as a barber-teacher by demonstrating, at a minimum, that the applicant has actively engaged in the practice of barbering or as a barber-teacher under a license, certificate, registration or permit in a jurisdiction or jurisdictions that have substantially equivalent licensure standards for at least 2 of the 5 years immediately preceding the filing of the application with the Board.

(ii) Achieve a passing score on a Board-approved barber or barber-teacher skills examination within 18 months preceding the filing of the application with the Board.

(3) Have not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice barbering or as a barber-teacher under section 15 of the act (63 P.S. § 565).

(4) Have not been disciplined by the jurisdiction that issued the license, certificate, registration or permit.

(5) Have paid the required application fee as required by § 3.103 (relating to fees).

(6) Have applied for licensure in accordance with this chapter in the manner and format prescribed by the Board.

(b) *Interview and additional information.* An applicant may be required to appear before the Board for a personal interview and may be required to submit additional information, including supporting documentation relating to competency and experience. The applicant may request that the interview be conducted by video teleconference for good cause shown.

(c) *Prohibited acts and discipline.* Notwithstanding subsection (a)(3) and (4), the Board may, in its discretion, determine that an act prohibited under section 15 of the act, or disciplinary action by another jurisdiction, is not an impediment to licensure under 63 Pa.C.S. § 3111.

§ 3.17. Provisional endorsement license.

(a) *Provisional endorsement license.* The Board may, in its discretion, issue a provisional endorsement license to an applicant while the applicant is satisfying remaining requirements for licensure by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement) and § 3.16 (relating to licensure by endorsement).

(b) *Expiration of a provisional endorsement license.*

(1) An individual holding a provisional endorsement license may practice for up to 1 year after issuance of the provisional endorsement license. The Board, in its discretion, may determine that an expiration date of less than 1 year is appropriate.

(2) Upon a written request and a showing of good cause, the Board may grant an extension of no longer than 1 year from the expiration date of the provisional endorsement license.

(c) *Termination of a provisional endorsement license.* A provisional endorsement license terminates if any of the following occurs:

- (1) The Board completes its assessment of the applicant and denies or grants the license.
- (2) The holder of the provisional license fails to comply with the terms of the provisional endorsement license.
- (3) The provisional endorsement license expires.
- (d) *Reapplication.* An individual may reapply for licensure by endorsement under § 3.16 after expiration or

termination of a provisional endorsement license; however, the Board will not issue a subsequent provisional endorsement license.

FEEs

§ 3.103. Fees.

(a) An applicant for a license, certificate, registration or service shall pay the following fees at the time of application:

			Effective July 1, 2022	Effective July 1, 2024
(1) Initial Application for Licensure				
	Barber	\$10	\$30	\$33
	Barber Shop Manager	\$10	\$30	\$33
	Barber Teacher	\$10	\$30	\$33
	Barber Shop	\$110	\$145	\$160
	Barber School	\$140	\$170	\$185
(2) Miscellaneous				
	Licensure of barber or barber-teacher by reciprocity or endorsement	\$55	\$60	\$65
	Change in Barber Shop—inspection required	\$90	\$115	\$125
	Change in Barber Shop—no inspection required	\$40	\$45	\$50
	Reinspection after first fail—new or change (shop or school)	\$90	\$75	\$82
	Verify license/permit/registration	\$15	\$20	\$22
	Certification of student status or student training hours	\$30	\$35	\$40

(b) An applicant for biennial renewal of a license, certificate or registration shall pay the following fees:

* * * * *

[Pa.B. Doc. No. 25-1351. Filed for public inspection October 3, 2025, 9:00 a.m.]

STATE BOARD OF
FUNERAL DIRECTORS
[49 PA. CODE CH. 13]
Licensure by Endorsement

The State Board of Funeral Directors (board) proposes to amend § 13.1 (relating to definitions) and add §§ 13.78 and 13.79 (relating to licensure by endorsement; and provisional endorsement license) to read as set forth in Annex A.

Effective Date

This proposed rulemaking will be effective upon publication of the final-form rulemaking in the *Pennsylvania Bulletin*.

Statutory Authority

The provisions of 63 Pa.C.S. § 3111 (relating to licensure by endorsement) require licensing boards and commissions to issue a license, certificate, registration or permit to an applicant to allow practice in this Commonwealth provided the applicant meets the following criteria: holds a current license, certificate, registration or permit from another state, territory or country whose licensing requirements are substantially equivalent to or

exceed the requirements established in this Commonwealth; demonstrates competency; has not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice that profession or occupation in this Commonwealth, unless the board or commission determines such conduct is not an impediment to granting the license, certificate, registration or permit; is in good standing and has not been disciplined by the jurisdiction that issued the license, certificate, registration or permit, unless the board or commission determines such conduct is not an impediment to granting the license, certificate, registration or permit and the applicant pays fees, as established by regulation. Additionally, 63 Pa.C.S. § 3111 authorizes boards and commissions to issue a provisional license, certificate, registration or permit while an applicant is satisfying remaining requirements for licensure by endorsement. The board must set the terms of expiration of provisional licenses by regulation.

Additionally, section 16(a) of the Funeral Director Law (act) (63 P.S. § 479.16(a)) empowers the board to “formulate necessary rules and regulations not inconsistent with this act for the proper conduct of the business or profession of funeral directing and as may be deemed necessary or proper to safeguard the interests of the public and the standards of the profession.”

Section 506 of The Administrative Code of 1929 (71 P.S. § 186) empowers the heads of all administrative departments, the several independent administrative boards and commissions and the several departmental administrative boards and commissions to prescribe rules and regulations, not inconsistent with law, for the government of their respective departments, boards or commissions.

The act of July 1, 2020 (P.L. 575, No. 53) added 63 Pa.C.S. § 3111 as part of the consolidation of the act of July 2, 1993 (P.L. 345, No. 48) (Act 48) (repealed) into 63 Pa.C.S. Chapter 31 (relating to powers and duties). The text of 63 Pa.C.S. § 3111 was originally added to Act 48 by the act of July 1, 2019 (P.L. 292, No. 41).

Background and Need for the Amendments

This proposed rulemaking is needed to effectuate 63 Pa.C.S. § 3111, which requires the board to issue a license, certificate, registration or permit to an applicant who is licensed in good standing in another jurisdiction and meets the requirements for licensure by endorsement as set forth in 63 Pa.C.S. § 3111. Under 63 Pa.C.S. § 3111(a)(1), the board must determine whether the other jurisdiction's standards for licensure are substantially equivalent to or exceed those established by the board. Additionally, 63 Pa.C.S. § 3111(a)(2) requires the board to determine the methods of competency, including experience in the profession or occupation for at least 2 of the 5 years immediately preceding the filing of the application or completion of continuing education. Under 63 Pa.C.S. § 3111(b)(2), the board must also establish, by regulation, the expiration of provisional endorsement licenses.

This proposed rulemaking sets forth the board's criteria for eligibility for licensure by endorsement, including the specific methods required for an applicant to demonstrate competency. It also sets forth the requirements for granting a provisional endorsement license. Section 3111 of 63 Pa.C.S. further provides that the board may establish appropriate fees for this licensure.

In accordance with the requirements of Executive Order 1996-1 (4 Pa. Code §§ 1.371—1.382 (relating to regulatory review and promulgation)), on March 22, 2021, the board sent an exposure draft of this proposed rulemaking to interested parties and asked for comments within 30 days. The board received one comment from a licensed funeral director and President/CEO of a licensed funeral establishment who expressed overall support for the regulation, while observing that the regulation would likely have a minimal, albeit positive, impact on a limited number of individuals. The commentator added that lowering barriers to licensure for military spouses alone makes the regulation a worthy revision. No other written comments were received.

Description of the Proposed Amendments

The board proposes to amend § 13.1 by adding a definition for the term "jurisdiction" consistent with 63 Pa.C.S. § 3111. Proposed § 13.78 requires an applicant to satisfy seven criteria for licensure by endorsement. Under proposed subsection (a)(1), an applicant shall have a current license, certificate, registration or permit in good standing to practice as a funeral director in another jurisdiction whose standards are substantially equivalent to or exceed those established by the board under section 3 of the act (63 P.S. § 479.3) and §§ 13.11 and 13.71 (relating to general requirements; and examination requirements). Proposed § 13.78(a)(1) further requires an applicant to submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice

in the jurisdiction that issued the license, certificate, registration or permit. This proposed rulemaking would also require that the copy of the applicable law, regulation or other rule include the enactment date. Additionally, because 63 Pa.C.S. § 3111 is applicable to territories and other countries where the applicable law, regulation or other rule may be in a language other than English, the board would require translation of the applicable law, regulation or other rule by a professional translation service, at the applicant's expense.

Proposed § 13.78(a)(2) requires demonstration of competency. Under this provision, an applicant must provide proof of competency by demonstrating either experience in the practice of the profession or completion of continuing education. To demonstrate competency by experience, an applicant must show active engagement in the practice of the profession under a license, certificate, registration or permit in one or more jurisdictions that have substantially equivalent standards for at least 2 of the 5 years immediately preceding the filing of the application. To demonstrate competency through continuing education, an applicant must submit proof of completion of 6 hours of continuing education which meets the requirements of section 10(b) of the act (63 P.S. § 479.10(b)) and §§ 13.401—13.406 (relating to continuing education). The continuing education must have been completed during the 24 months immediately preceding the filing of the application. The board proposes 24 months because a 24-month limitation correlates with the board's biennial renewal continuing education requirement.

Proposed § 13.78(a)(3) incorporates the statutory prohibition in 63 Pa.C.S. § 3111 pertaining to conduct that would constitute grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice the profession or occupation. Similarly, proposed § 13.78(a)(4) incorporates the statutory prohibition pertaining to prior discipline by the jurisdiction that issued the license, certificate, registration or permit.

Proposed § 13.78(a)(5) provides for payment of an application fee, as required by 63 Pa.C.S. § 3111(a)(5). No new fee is being proposed. Instead, the applicable fee for licensure by endorsement under 63 Pa.C.S. § 3111 will be the existing initial license fee, which for funeral directors is \$25 in the board's current fee schedule in § 13.12 (relating to fees).

Proposed § 13.78(a)(6) requires applicants to apply for licensure in accordance with the act and in the manner and format prescribed by the board in this chapter.

Proposed § 13.78(a)(7) requires the completion of 3 hours of training in child abuse recognition and reporting, which is mandated under 23 Pa.C.S. § 6383(b)(3)(i) (relating to education and training).

In proposed § 13.78(b), the board may require a personal interview or additional information to assist the board in determining eligibility and competency. When a personal interview is necessary, the applicant may request that the interview be conducted by video teleconference for good cause shown.

Consistent with 63 Pa.C.S. § 3111(a)(3) and (4), proposed § 13.78(c) authorizes the board, in its discretion, to determine that an act prohibited under section 11(a) of the act (63 P.S. § 479.11(a)) or § 13.202 (relating to unprofessional conduct) or disciplinary action by a jurisdiction, are not impediments to the granting of a license, certificate, registration or permit by endorsement under 63 Pa.C.S. § 3111. Boards routinely consider whether discipline or prohibited acts are impediments to licensure.

The board may consider the facts and circumstances surrounding the prohibited act or disciplinary action, an increase in age or maturity of the individual since the date of the prohibited act or disciplinary action, disciplinary history (or lack thereof) before and after the date of the prohibited act or disciplinary action, successful completion of education and training activities relating to the prohibited act or disciplinary action, and any other information relating to the fitness of the individual for licensure.

Consistent with section 63 Pa.C.S. § 3111(b), proposed § 13.79(a) provides that the board may, in its discretion, issue a provisional endorsement license while an applicant is satisfying remaining requirements under 63 Pa.C.S. § 3111 and proposed § 13.78. Proposed § 13.79(b)(1) sets the expiration of a provisional endorsement license at 1 year, unless the board determines that an expiration date of less than 1 year is appropriate. Additionally, under § 13.79(b)(2), upon a written request, the board may extend the term of the provisional license upon a showing of good cause. Proposed § 13.79(c) sets forth reasons for which a provisional endorsement license will be terminated, including when the board denies or grants a license, the provisional endorsement licensee fails to comply with the terms of the provisional endorsement license or the provisional endorsement license expires. Finally, proposed § 13.79(d) clarifies that, while an individual may reapply for a license by endorsement under proposed § 13.78, the board will not issue a subsequent provisional endorsement license to an applicant who previously held a provisional endorsement license that expired or was terminated.

Fiscal Impact and Paperwork Requirements

This proposed rulemaking will have no adverse fiscal impact on the Commonwealth or its political subdivisions. The costs to the board related to processing applications for licensure by endorsement will be recouped through fees paid by applicants. Under § 13.12, applicants for initial licensure must pay an application fee (which is currently \$25 for funeral directors), which is the same fee that applicants for licensure by endorsement under 63 Pa.C.S. § 3111 would pay. Applicants who apply for licensure by endorsement may incur continuing education expenses if they choose to demonstrate competency by completing 6 hours of continuing education. Applicants must complete child abuse recognition and reporting training, as required by 23 Pa.C.S. § 6383(b)(3)(i). There are free in-person and online child abuse recognition and reporting training options available; therefore, the board does not anticipate a negative fiscal impact for this statutorily mandated training.

Sunset Date

The board continuously monitors the cost effectiveness of the board's regulations. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on September 23, 2025, the board submitted a copy of this proposed rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and to the chairperson of the Consumer Protection and Professional Licensure Committee of the Senate and to the chairperson of the Professional Licensure Committee of the House of Representatives. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey comments, recommendations or objections to the proposed rulemaking within 30 days of the close of the public comment period. The comments, recommendations or objections shall specify the regulatory review criteria in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) which have not been met. The Regulatory Review Act specifies detailed procedures for review, prior to final publication of the rulemaking by the board, the General Assembly and the Governor.

Public Comment

Interested persons are invited to submit written comments, recommendations or objections regarding this proposed rulemaking to Regulatory Counsel, State Board of Funeral Directors, P.O. Box 69523, Harrisburg, PA 17106-9523, RA-STRegulatoryCounsel@pa.gov within 30 days of publication of this proposed rulemaking in the *Pennsylvania Bulletin*. Reference "16A-4832 (Licensure by Endorsement)" when submitting comments.

KENNETH C. DUPREE,
Chairperson

Fiscal Note: 16A-4832. No fiscal impact; recommends adoption.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 13. STATE BOARD OF FUNERAL DIRECTORS

GENERAL PROVISIONS

§ 13.1. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

* * * * *

Hour of continuing education—Sixty minutes of actual instruction in an approved course of continuing education.

Jurisdiction—A state, territory or country.

Licensed funeral director—An individual who has met the educational requirements and passed the examinations required by the act.

* * * * *

LICENSURE OF A FUNERAL DIRECTOR FROM ANOTHER [STATE] JURISDICTION

(*Editor's Note:* Sections 13.78 and 13.79 are proposed to be added and are printed in regular type to enhance readability.)

§ 13.78. Licensure by endorsement.

(a) *Requirements for issuance.* To be issued a license by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement), an applicant shall satisfy all of the following conditions:

(1) Have a current license, certificate, registration or permit in good standing to practice as a funeral director in another jurisdiction whose licensure standards are substantially equivalent to or exceed those established under section 3 of the act (63 P.S. § 479.3) and §§ 13.11 and 13.71 (relating to general requirements; and examination requirements). The following apply:

(i) An applicant shall submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit.

(ii) If the applicable law, regulation or other rule is in a language other than English, at the applicant's expense the applicable law, regulation or other rule shall be translated by a professional translation service and verified to be complete and accurate.

(iii) The copy of the applicable law, regulation or other rule must include the enactment date.

(2) Demonstrate competency by one of the following:

(i) Experience in the profession of funeral directing by demonstrating, at a minimum, that the applicant has actively engaged in the practice of funeral directing under a license, certificate, registration or permit in a jurisdiction or jurisdictions that have substantially equivalent licensure standards, for at least 2 of the 5 years immediately preceding the filing of the application with the Board.

(ii) Completion of 6 hours of continuing education that meets the requirements of section 10(b) of the act (63 P.S. § 479.10(b)) and §§ 13.401—13.406 (relating to continuing education) during the 24 months immediately preceding the filing of the application with the Board.

(3) Have not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice funeral directing under section 11(a) of the act (63 P.S. § 479.11(a)) or § 13.202 (relating to unprofessional conduct).

(4) Have not been disciplined by the jurisdiction that issued the license, certificate, registration or permit.

(5) Have paid the initial license fee as required by § 13.12 (relating to fees).

(6) Have applied for licensure in accordance with this chapter in the manner and format prescribed by the Board.

(7) Have completed 3 hours of training in child abuse recognition and reporting from an approved provider as required in 23 Pa.C.S. § 6383(b)(3)(i) (relating to education and training) and § 13.308(a) (relating to child abuse recognition and reporting—mandatory training requirement).

(b) *Interview and additional information.* An applicant may be required to appear before the Board for a personal interview and may be required to submit additional information, including supporting documentation relating to competency and experience. The applicant may request the interview to be conducted by video teleconference for good cause shown.

(c) *Prohibited acts and discipline.* Notwithstanding subsection (a)(3) and (4), the Board may, in its discretion, determine that an act prohibited under section 11(a) of the act or § 13.202, or disciplinary action by another jurisdiction, is not an impediment to licensure under 63 Pa.C.S. § 3111.

§ 13.79. Provisional endorsement license.

(a) *Provisional endorsement license.* The Board may, in its discretion, issue a provisional endorsement license to an applicant while the applicant is satisfying remaining requirements for licensure by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement) and § 13.78 (relating to licensure by endorsement).

(b) *Expiration of provisional endorsement license.*

(1) An individual holding a provisional endorsement license may practice for up to 1 year after issuance of the provisional endorsement license. The Board, in its discretion, may determine that an expiration date of less than 1 year is appropriate.

(2) Upon a written request and a showing of good cause, the Board may grant an extension of no longer than 1 year from the expiration date of the provisional endorsement license.

(c) *Termination of provisional endorsement license.* A provisional endorsement license terminates if any of the following occurs:

(1) The Board completes its assessment of the applicant and denies or grants the license.

(2) The holder of the provisional license fails to comply with the terms of the provisional endorsement license.

(3) The provisional endorsement license expires.

(d) *Reapplication.* An individual may reapply for licensure by endorsement under § 13.78 after expiration or termination of a provisional endorsement license; however, the Board will not issue a subsequent provisional endorsement license.

[Pa.B. Doc. No. 25-1352. Filed for public inspection October 3, 2025, 9:00 a.m.]

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 23, 2025.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by email to ra-bnbnksbmssnspt@pa.gov or for credit unions, by email to ra-bncusubmissions@pa.gov and trust companies, by email to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-18-2025	Citizens and Northern Corporation Wellsboro Tioga County Application for approval to acquire 100% of Susquehanna Community Financial, Inc., West Milton, PA, and thereby indirectly acquire 100% of Susquehanna Community Bank, West Milton, PA.	Approved

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
09-18-2025	Citizens and Northern Bank Wellsboro Tioga County Application for approval to merge Susquehanna Community Bank, West Milton, PA, with and into Citizens and Northern Bank, Wellsboro, PA.	Approved

CREDIT UNIONS

No activity.

The Department's website at www.pa.gov/dobs includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 25-1353. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Recovery Housing Program Annual Performance Review; Availability for Public Comment

The Department of Community and Economic Development (Department) is seeking public comments on the Commonwealth's Recovery Housing Program's (Program)

annual performance. This review is a requirement under "Notice of FY2020 Allocations, Waivers, and Alternative Requirements for the Pilot Recovery Housing Program" published at 85 FR 75361 (November 25, 2020). The annual performance report is available online at the Department's website at <https://dced.pa.gov/library/?wpdmc2=capers-2024-2028/> or the Department of Drug and Alcohol Program's website at <https://www.pa.gov/agencies/ddap/about-us/bulletins-updates#accordion-0bc3bd5f9a-item-bcbc161be5>.

Comments on the report must be submitted by 4 p.m. on October 20, 2025. Individuals can provide feedback by email submission to dcdechdpubliccomments@pa.gov or written comments to David Grey, Chief of Compliance and Technical Services, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 25-1354. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Designation of School Districts to Receive Duquesne City School District's High School Students

The Duquesne City School District (Duquesne) eliminated its high school program in 2007. Section 14 of the act of July 20, 2007 (P.L. 278, No. 45) (Act 45) governed the reassignment of Duquesne's high school students until Act 45 was declared unconstitutional by the Commonwealth Court in 2010. In part, Act 45 authorized the Secretary of Education (Secretary) to designate two or more school districts to accept Duquesne's high school students. Under Act 45, the then-Secretary of Education designated the East Allegheny School District (East Allegheny) and the West Mifflin Area School District (West Mifflin) to accept Duquesne's high school students on a tuition basis.

Shortly after Act 45 was struck down, the act of November 23, 2010 (P.L. 1350, No. 123) (Act 123) was enacted. The enactment of Act 123 resulted in significant amendments to section 1607 of the Public School Code of

1949 (School Code) (24 P.S. § 16-1607). Section 1607 of the School Code authorizes the Secretary to designate two or more school districts to accept Duquesne's high school students. When Act 123 was enacted, East Allegheny and West Mifflin were designated to continue to accept Duquesne's high school students.

The designation of East Allegheny and West Mifflin to accept Duquesne's 9—12 grade students for the 2025-2026 school year remains unchanged.

As required under section 1607 of the School Code, the Department of Education provides the following information regarding the assignment of Duquesne's 9—12 grade students to East Allegheny and West Mifflin.

Assignment of Students

- Students entering grades 10, 11 or 12 shall be assigned to the same district to which they were assigned during the previous school year, unless otherwise requested.

- Students entering grade 9 will be assigned to the district they choose.

- Private, religious or charter school students who are residents of Duquesne and who wish to enroll in Duquesne and attend East Allegheny or West Mifflin must register as Duquesne students at the Duquesne Education Center to be assigned to either East Allegheny or West Mifflin.

- Students transferring into Duquesne will be given a choice between East Allegheny and West Mifflin and will be assigned to the district they choose.

Per Pupil Tuition Rate

The per pupil tuition rate that the designated districts shall receive for the 2025-2026 school year is \$18,031.86.

DR. CARRIE ROWE,
Acting Secretary

[Pa.B. Doc. No. 25-1355. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD450181	Chapter 102 Individual NPDES Permit	Transfer	Townshend Ind Asset LLC 1065 6th Avenue 5 Bryant Park 28th Flr New York, NY 10018-1878	Coolbaugh Township Monroe County	NERO
3622202	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Quarryville Resorts LP 38 Commerce Avenue SW Suite 200 Grand Rapids, MI 49503-4144	East Drumore Township Lancaster County	SCRO
PA0000914	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Amendment, Minor	Naval Reactors Lab Fld Ofc P.O. Box 109 West Mifflin, PA 15122-0109	West Mifflin Borough Allegheny County	SWRO
0525201	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	Everett Borough Area Municipal Authority Bedford County 100 Mechanic Street Everett, PA 15537-1177	Everett Borough Bedford County	SCRO
4371407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	National Association Church of God 410 Campground Road West Middlesex, PA 16159-2814	Shenango Township Mercer County	NWRO
PAG038630	PAG-03 NPDES General Permit for Industrial Stormwater	New	Cleveland Ind Recycling 3325 Middle Road Ashtabula, OH 44004-3911	Mercer Borough Mercer County	NWRO
PAG041562	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Kraynak Justin 380 Heasley Road Pulaski, PA 16143-1110	Shenango Township Mercer County	NWRO
PAG041563	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Merle & Theresa Wolfe 2943 Quance Road McKean, PA 16426-2139	McKean Township Erie County	NWRO
PAG041565	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Christy Dakota 214 Bestwick Road Mercer, PA 16137-3002	East Lackawannock Township Mercer County	NWRO
PAG041567	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Watson Mildred 51 Stoney Lonesome Road Clarion, PA 16214-3631	Monroe Township Clarion County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG046523	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Kelly Joseph 1123 Logans Ferry Road New Kensington, PA 15068-9258	Plum Borough Allegheny County	SWRO
PAG123749	PAG-12 NPDES General Permit for CAFOs	Amendment	Sweigart Kenton L 620 Greider Road Mount Joy, PA 17552-8911	East Donegal Township Lancaster County	SCRO
PAG123780	PAG-12 NPDES General Permit for CAFOs	Amendment	Brubaker Robert L Jr 2871 N Colebrook Road Manheim, PA 17545-8309	Mount Joy Township Lancaster County	SCRO
PAG153504	PAG-15 NPDES General Permit for Pesticides	Amendment	US Army Corp of Engineering 6145 Seven Points Road Hesston, PA 16647-8303	Penn Township Huntingdon County	SCRO
3625406	Pump Stations Individual WQM Permit	New	Strasburg Borough Authority 145 Precision Avenue Strasburg, PA 17579-9608	Strasburg Township Lancaster County	SCRO
01142502	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Shrout Thomas R 145 Kessel Run Spring Mills, PA 16875-8429	Halfmoon Township Centre County	NCRO
WQG01022506	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Kelly Joseph 1123 Logans Ferry Road New Kensington, PA 15068-9258	Plum Borough Allegheny County	SWRO
WQG01162503	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Watson Mildred 51 Stoney Lonesome Road Clarion, PA 16214-3631	Monroe Township Clarion County	NWRO
WQG01432511	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Kraynak Justin 380 Heasley Road Pulaski, PA 16143-1110	Shenango Township Mercer County	NWRO
WQG01432512	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	New	Christy Dakota 214 Bestwick Road Mercer, PA 16137-3002	East Lackawannock Township Mercer County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0024104, Sewage, SIC Code 4952, **Spring Township Municipal Authority**, P.O. Box 133, Beaver Springs, PA 17812-0133. Facility Name: Spring Township Municipal Authority Wastewater Treatment Plant. This existing facility is located in Spring Township, **Snyder County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Beaver Creek, is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.147 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	25	38	XXX	21	31	42
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	36	55	XXX	30	45	60
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	27	Report	XXX	22	Report	XXX
May 1 - Oct 31	9.0	13	XXX	7.5	11	15

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062863, Sewage, SIC Code 9223, **Pike County Commissioners**, 506 Broad Street, Milford, PA 18337-1539. Facility Name: Pike County Correctional Facility. This existing facility is located in Blooming Grove Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Billings Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-D and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0484 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0484 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	13.5	XXX	27
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	5.1	XXX	10.2
May 1 - Oct 31	XXX	XXX	XXX	1.7	XXX	3.4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0228281, Sewage, SIC Code 8661, **Tabernacle of the Living God**, P.O. Box 409, Milesburg, PA 16853-0409. Facility Name: Tabernacle of the Living God Small Flow Treatment Facility. This existing facility is located in Boggs Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Bald Eagle Creek (CWF), is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	XXX
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0012505, Industrial, SIC Code 3241, **Amrize Cement, Inc.**, 5160 Main Street, Whitehall, PA 18052. Facility Name: Amrize Whitehall Cement Plant. This existing facility is located in Whitehall Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, the Lehigh River (TSF, MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.41 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature, Delta (Discharge-Intake) (°C)	XXX	XXX	XXX	9.2	13.9	43.3
Total Suspended Solids Intake	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50.0
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Phenolics, Total	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

The proposed effluent limits for Outfall 002 are based on a design flow of 0.8 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature, Delta (Discharge-Intake) (°C)	XXX	XXX	XXX	9.2	13.9	43.3
Total Suspended Solids Intake	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	50.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	2,000	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Phenolics, Total	XXX	XXX	XXX	Report	XXX	XXX
Avg Qrtly						

The proposed effluent limits for Outfall 102 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls
- Cooling Water Intake Structure(s)
- Additional Requirements Applicable to Outfall 001 and Outfall 002
- PFAS Reduction Plan
- BMPs to Address Aqueous Film Forming Foam (AFFF)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0101176, Sewage, SIC Code 4952, 8800, **Harvey J Wolfe**, 1547 Rosely Road, Saint Marys, PA 15857-3116. Facility Name: Harvey J Wolfe SRSTP. This existing facility is located in Saint Marys City, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of South Fork West Creek (HQ-CWF, MF), is located in State Water Plan watershed 8-A and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0240141, Sewage, SIC Code 8800, **Stephen Sherk**, 20 Yohe Road, Bradford, PA 16701-2446. Facility Name: Stephen Sherk SRSTP. This existing facility is located in Corydon Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Willow Creek (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0272981, Sewage, SIC Code 8811, **Ashley A Pintado**, 113 Serenity Lane, Renfrew, PA 16053. Facility Name: Ashley A Pintado SRSTP. This existing facility is located in Forward Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Glade Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0296201, Sewage, SIC Code 8800, **Dean Meyer**, 1227 Markert Road, Wilcox, PA 15870-5608. Facility Name: Dean Meyer SRSTP. This proposed facility is located in Jones Township, **Elk County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Swamp Creek (HQ-CWF), is located in State Water Plan watershed 17-A and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0029297, Sewage, SIC Code 8052, **Department of Human Service**, 2525 N 7th Street, Harrisburg, PA 17110-2511. Facility Name: South Mountain Restoration Center. This existing facility is located in Quincy Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Rocky Mountain Creek (HQ-CWF, MF), is located in State Water Plan watershed 13-C and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .395 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.5 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.13
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50
May 1 - Oct 31	XXX	XXX	XXX	20.0	XXX	40
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .395 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0034363, Sewage, SIC Code 6515, **Stuart A. Hess**, 116b Blantz Road, Lititz, PA 17543-9573. Facility Name: Pine View Acres MHP. This existing facility is located in Penn Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, Unnamed Tributary to Chiques Creek (WWF), is located in State Water Plan watershed 7-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	27.0	XXX	54.0
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0039730, Sewage, SIC Code 4952, **Pure Events LP**, 3101 Chipmunk Crossing, Entriken, PA 16638-8623. Facility Name: Lake Raystown Resort. This existing facility is located in Lincoln Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Raystown Branch Juniata River (HQ-CWF, MF), is located in State Water Plan watershed 11-D and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
				2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0082571, Sewage, SIC Code 8661, **West Penn District Grace Brethren Men Inc.**, P.O. Box 95, Saxton, PA 16678-0095. Facility Name: Camp Mantowagan. This existing facility is located in Todd Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tatman Run (HQ-CWF, MF), is located in State Water Plan watershed 11-D and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.44	XXX	1.45
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50.0
May 1 - Oct 31	XXX	XXX	XXX	9.0	XXX	18.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083186, Sewage, SIC Code 1389, 4952, **Applegreen PA Welcome Center LLC**, 208 Harristown Road, Glen Rock, NJ 07452. Facility Name: Sideling Hill Turnpike Plaza. This existing facility is located in Taylor Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lick Branch (HQ-CWF), is located in State Water Plan watershed 12-C and is classified for High Quality Waters-Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.15	XXX	0.49
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Semi Avg	XXX	XXX

Sludge use and disposal description and location(s): Walters Septic Ag Site; East Hanover, Dauphin County for Agricultural Utilization.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0084492, Sewage, SIC Code 4952, **Halifax Village LLC**, P.O. Box 375, Gap, PA 17527-0375. Facility Name: Halifax Village. This existing facility is located in Halifax Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .062 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.20
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12
Nov 1 - Apr 30	XXX	XXX	XXX	2.0	XXX	4
May 1 - Oct 31	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

1. Stormwater prohibition
2. Approval contingencies
3. Management of collected screenings, slurries, sludges and other solids
4. Requirement to connect if a public sewer becomes available in the area
5. Chlorine minimization
6. Solids management requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0087513, Sewage, SIC Code 4952, **Mapleton Borough Area Joint Municipal Authority, Huntingdon County**, P.O. Box 415, Mapleton Depot, PA 17052-0415. Facility Name: Mapleton Area STP. This existing facility is located in Union Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Hares Valley Creek (TSF), is located in State Water Plan watershed 12-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
CBOD ₅	21.0	33.0	XXX	25.0	40.0	50.0
BOD ₅	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	25.0	38.0	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	12.5	XXX	XXX	15.0	XXX	30.0
May 1 - Oct 31	4.2	XXX	XXX	5.0	XXX	10.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0261866, Sewage, SIC Code 8811, **Kevin & Mariola McGee**, P.O. Box 596, Birdsboro, PA 19508-0596. Facility Name: 111 Amity Park Road SRSTP. This existing facility is located in Amity Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of a NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Monocacy Creek (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Submittal of annual monitoring reports
- Proper handling and disposal of sludge and solids

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0262102, Sewage, SIC Code 8811, **Jack A. Larkin**, 275 Pilgert Street, Alburtis, PA 18011-2435. Facility Name: 275 Pilgert Street SRSTP. This existing facility is located in Longswamp Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of a NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Lehigh Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality-Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Submittal of annual monitoring reports
- Proper handling and disposal of sludge and solids

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0267317, Sewage, SIC Code 8800, **Donna L Williamson**, 388 Hollen Road, Tyrone, PA 16686-7316. Facility Name: Donna L Williamson Residence. This existing facility is located in Antis Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Sugar Run (WWF, MF), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0267414, Sewage, SIC Code 8811, **Shonna Kephart**, 209 Yoders Drive, Altoona, PA 16601-8424. Facility Name: Blair Residence. This existing facility is located in Tyrone Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Sinking Run (CWF, MF), is located in State Water Plan watershed 11-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083691, Industrial, SIC Code 4941, **West Earl Township**, 157 W Metzler Road, P.O. Box 787, Brownstown, PA 17508. Facility Name: West Earl Township Water Authority System. This existing facility is located in West Earl Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, UNT to Conestoga River (WWF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of .0030 MGD.—Limits.

<i>Parameter</i>	<i>Mass Units (lbs/day)⁽¹⁾</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
TRC	XXX	XXX	XXX	0.5	XXX	1.6
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	XXX	1,500	1,875
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .0030 MGD.—Limits.

<i>Parameter</i>	<i>Mass Units (lbs/day)⁽¹⁾</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Daily Maximum</i>	
Ammonia—N	Report	Report	XXX	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	XXX	Report	XXX
Nitrite-Nitrate as N	Report	XXX	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083704, Industrial, SIC Code 4941, **Shippensburg Borough Authority**, P.O. Box 129, Shippensburg, PA 17257-0129. Facility Name: Gunter Valley WTP. This existing facility is located in Lurgan Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Trout Run (HQ-CWF, MF), is located in State Water Plan watershed 7-B and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30.0	60.0	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	3.0	5
Manganese, Total	Report	Report	XXX	1.0	1.5	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083917, Industrial, SIC Code 2296, 3011, 3052, **Ecore Tire Collection LLC**, 715 Fountain Avenue, Lancaster, PA 17601-4547. Facility Name: Ecore Tire Collection LLC, Chambersburg. This existing facility is located in Chambersburg Borough, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Conococheague Creek (WWF), is located in State Water Plan watershed 13-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .06 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Max			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office

PA0034185, Sewage, SIC Code 6515, **PWF1 High Meadows LLC**, 4751 Kendor Drive, New Kensington, PA 15068-9506. Facility Name: High Meadows MHP STP. This existing facility is located in Allegheny Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Allegheny River (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .026 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of .026 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	1.98	XXX	3.96
May 1 - Oct 31	XXX	XXX	XXX	1.4	XXX	2.8

The proposed effluent limits for Outfall 001 are based on a design flow of .026 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of .026 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0254975, Sewage, SIC Code 8811, **Mark R & Cari A Coe Skuse and Brian N & Jessica N Kirby, Joint Client**, 137 Brewer Road, Freedom, PA 15042-9636. Facility Name: 131 Brewer Rd SFTF. This existing facility is located in New Sewickley Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Snake Run (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .001 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255751, Sewage, SIC Code 8661, **Mountain View Mennonite Church**, 203 High Street, Salisbury, PA 15558-2203. Facility Name: Mountain View Mennonite Church Properties. This existing facility is located in Elk Lick Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Casselman River (CWF), is located in State Water Plan watershed 19-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PAI136142, MS4, **Bethel Park Borough, Allegheny County**, 5100 W Library Avenue, Bethel Park, PA 15102-2787.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Bethel Park Borough, **Allegheny County**. The receiving stream(s), Sawmill Run (WWF), Unnamed Tributary to Catfish Run (TSF), Piney Fork (TSF), Unnamed Tributary of Brush Run (WWF), Sleepy Hollow Run (TSF), Graesers Run (WWF), and Lick Run (TSF), is located in State Water Plan watershed 20-F and 19-C and is classified for Trout Stocking and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Southcentral Regional Office

Applicant: **Mr. Michael Gish**

Applicant Address: 53 Cooper Avenue, Landisville, PA 17538

Application Number: **PAD360147**

Application Type: New

Municipality/County: East Lampeter Township, **Lancaster County**

Project Site Name: Gish's Furniture

Total Earth Disturbance Area (acres): 4.69 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of coffee shop, four retail stores, two restaurant spaces, and a furniture store, along with associated improvements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southcentral Regional Office

Applicant: **PennDOT Engineering District 8-0**

Applicant Address: 2140 Herr Street, Harrisburg, PA 17103

Application Number: **PAD670035**

Application Type: Major Amendment

Municipality/County: City of York, North York Borough, Manchester Township, Spring Garden Township, and Springettsbury, **York County**

Project Site Name: I-83 North York Widening

Total Earth Disturbance Area (acres): 167.78 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek (WWF, MF), UNT to Mill Creek (WWF, MF), UNT Codorus Creek (WWF, MF), Mill Creek (WWF, MF) via wetlands, and Codorus Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To widen I-83 approximately 5 miles.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **Commonwealth of PA, Department of General Services**

Applicant Address: Arsenal Building, 1800 Herr Street, Harrisburg, PA 17103

Application Number: **PAD520024**

Application Type: Renewal

Municipality/County: Porter Township, **Pike County**

Project Site Name: Delaware State Forest Resource Center

Total Earth Disturbance Area (acres): 8.4 acres

Surface Waters Receiving Stormwater Discharges: UNT to Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is the construction of a 10,414 square-foot Resource Management Center and a 6,485 square-foot storage building and associated parking.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southwest Regional Office

Applicant: **Nemacolin Woodlands Inc.**

Applicant Address: 1001 Lafayette Drive, Farmington, PA 15437

Application Number: **PAD260018A-1**

Application Type: Major Amendment

Municipality/County: Henry Clay Township, **Fayette County**

Project Site Name: Nemacolin Shooting Academy

Total Earth Disturbance Area (acres): 43.4 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Sandy Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Phase 2 consists of removal of debris from shooting range activity in designated areas, and the excavation and treatment of contaminated soils on NWL property and adjoining properties. A haul road will be constructed for the transport of soils that are to be processed.

Special Conditions: 1. Earth disturbance may not commence until all authorizations necessary to complete construction have been obtained including, but not limited to Act 537 Sanitary Planning, Incidental Extraction or other Department Mining Permits, and DEP Waste Management material disposal approvals. 2. Infiltration testing shall be performed after construction of PCSM BMPs to verify the accuracy of the assumed infiltration rates used in the design of PCSM BMPs. Any deviation from the designed rates used in the calculations included with the approved permit application must be presented to the Department and demonstrated to not negatively impact the basins functions prior to submission of the Notice of Termination (NOT) for the permit. If a deviation from the design rates occurs which will cause Volume and Water Quality provided by the BMPs to no longer meet the regulations and/or guidance (SWM Manual or other DEP guidance) or otherwise negatively impact the function of these BMPs, a plan amendment must be submitted with calculations demonstrating regulatory compliance prior to submission of the Notice of Termination (NOT) for the permit. 3. All limitations, conditions, procedures, testing, and monitoring which is in the Soil Management Plan (SMP) and/or any Act 2 approved remediation plan or site characterization provided with this application are to be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP). a.) If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the SMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery. b.) Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Southeast Regional Office

Applicant: **Grove Meadow Developers LLC**

Applicant Address: 1171 Lancaster Avenue, Suite 201, Berwyn, PA 19312

Application Number: **PAD150383**

Application Type: New

Municipality/County: West Whiteland Township, **Chester County**

Project Site Name: Hoadley Tract

Total Earth Disturbance Area (acres): 6.38 acres

Surface Waters Receiving Stormwater Discharges: UNT to Broad Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Grove Meadow Developers LLC is proposing to consolidate four existing parcels into one and then subdivide the consolidated parcels into eight single family residential lots. The site is located on the west side of Grove Road in West Whiteland Township, Chester County.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **XCF Holding, LLC**

Applicant Address: 518 N. Graham Street, Allentown, PA 18109-2047

Application Number: **PAD480235**

Application Type: New

Municipality/County: Lehigh Township, **Northampton County**

Project Site Name: Quince Road Subdivision

Total Earth Disturbance Area (acres): 6.12 acres

Surface Waters Receiving Stormwater Discharges: UNT to Bertsch Creek (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project proposes to subdivide an existing parcel into six (6) buildable lots, each with a proposed single-family dwelling with private on lot water and septic utilities. Infiltration berms will be constructed to manage the increase in runoff associated with the project.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **City of Philadelphia DOA**

Applicant Address: 2 International Plaza, Suite 200, PHL Terminal D, Third Floor, Philadelphia, PA 19113.

Application Number: **PAD230012 A-30**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: PHL RW 9R-27L Rehabilitation Pkgs 2 and 3

Total Earth Disturbance Area (acres): 22.50 acres

Surface Waters Receiving Stormwater Discharges: Tidal Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Rehabilitation of runway 9R-27L, inclusive of mill and inlay and full-depth rehabilitation, as well as new geometry for high-speed exit taxiways.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Noel Berger Company, c/o David Noel**

Applicant Address: 2050 S. 12th Street, Allentown, PA 18103

Application Number: **PAD390355**

Application Type: New

Municipality/County: City of Allentown, **Lehigh County**

Project Site Name: Dual Temp Headquarters

Total Earth Disturbance Area (acres): 2.38 acres

Surface Waters Receiving Stormwater Discharges: UNT to the Little Lehigh Creek (aka Trout Creek) (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a 12,300 SF storage building, the construction of associated parking and sidewalks, the demolition of an existing structure with some parking spaces being constructed in its place, the construction of a three story building on the foundation of an existing building, along with the construction of associated stormwater management facilities. The stormwater management facilities include a subsurface detention basin and a spray irrigation system.

Special Conditions: No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southwest Regional Office

Applicant: **Peoples Natural Gas Company**

Applicant Address: 195 Donohoe Road, Greensburg, PA 15601

Application Number: **PA630006D**

Application Type: Major Amendment

Municipality/County: North Bethlehem Township and Somerset Township, **Washington County**

Project Site Name: Goodwin Tombaugh Phase 3 Areas 13—15

Total Earth Disturbance Area (acres): 29.1 acres

Surface Waters Receiving Stormwater Discharges: South Branch Pigeon Creek (WWF), North Branch Pigeon Creek (WWF), Center Branch Pigeon Creek (WWF), Pigeon Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Project consists of the installation of 11 miles of new 2-inch, 4-inch, and 6-inch plastic gas pipeline in North Bethlehem and Somerset Townships, Washington County, PA. The Project has been amended for realignment of the proposed natural gas pipeline due to landowner requests and construction feasibility.

Special Conditions: This permit does not authorize any obstructions or encroachments to any regulated watercourse or floodway. All permitting required for impacts to regulated watercourses or their floodway are subject to 25 Pa. Code Chapter 105. Appropriate authorization for impacts which require permitting under Chapter 105 must be obtained prior to beginning earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Southcentral Regional Office

Applicant: **Cross Roads CSG 1 LLC**

Applicant Address: 3050 Peach Tree Road, Floor 4, Suite 460, Atlanta, GA 30305

Application Number: **PAD670131**

Application Type: New

Municipality/County: Cross Roads Borough, **York County**

Project Site Name: Cross Roads CSG 1 LLC Solar Project

Total Earth Disturbance Area (acres): 14.57 acres

Surface Waters Receiving Stormwater Discharges: UNT to Rambo Run (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Installation of a small-scale ground-mounted solar array with associated utility construction, access roads, stormwater management, and erosion controls.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Southeast Regional Office

Applicant: **Samuel Fisher**

Applicant Address: 1272 Georgetown Road, Quarryville, PA 17566

Application Number: **PAD150375**

Application Type: New

Municipality/County: Upper Oxford Township, **Chester County**

Project Site Name: Samuel Fisher Land Development Plan

Total Earth Disturbance Area (acres): 5.49 acres

Surface Waters Receiving Stormwater Discharges: East Branch Big Elk Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a dwelling, bank barn, greenhouse, and infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **JoJaz Properties LLC**

Applicant Address: 242 Ziegler Road, Leesport, PA 19533-9413

Application Number: **PAD060053 A-1**

Application Type: Major Amendment

Municipality/County: Maiden Creek Township, **Berks County**

Project Site Name: JoJaz Land Development

Total Earth Disturbance Area (acres): 9.46 acres

Surface Waters Receiving Stormwater Discharges: Peters Creek (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Replacement of an existing structure with a modern structure that achieves the requirements of the owners business and renovation of existing structures to provide new useful commercial areas.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

Northeast Regional Office

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 1639 Church Road, Allentown, PA 18104-9342

Application Number: **PAD400099**

Application Type: New

Municipality/County: Hazle Township, **Luzerne County**

Project Site Name: SUSQ-TOMH New 230 kV Tap and HARW-TOMH New 230 kV Tap Project

Total Earth Disturbance Area (acres): 70.90 acres

Surface Waters Receiving Stormwater Discharges: Stony Creek (CWF, MF); Black Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed project includes the installation of approximately 1 mile of new steel monopole electric transmission poles and electric transmission lines to support a new customer project.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **Salem Solar 1, LLC**

Applicant Address: 55 Technology Drive, Suite 102, Lowell, MA 01851-5203

Application Number: **PAD640066**

Application Type: New

Municipality/County: Salem Township, **Wayne County**

Project Site Name: Salem Solar 1

Total Earth Disturbance Area (acres): 23.61 acres

Surface Waters Receiving Stormwater Discharges: UNTs to Jones Creek (HQ, CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The development of a 5MW solar farm. Development includes solar panels, equipment pads, security fence, and an associated access road and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Fair Family Farms 3949 Allegheny Road Manns Choice, PA 15550	Bedford County	312.8	692.84	Chicken Dairy	HQ	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Lauren Diller 1932 Mont Alto Road Chambersburg, PA 17202	Franklin County	290.2	801.7	Dairy Beef Poultry	NA	New
Brian Eckman 357 Black Barren Road Peach Bottom, PA 17563	Lancaster County	73.5	741.83	Swine Broilers	HQ	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Paul Barnes, P.E. at 570-826-2274 or paulbarnes@pa.gov.

Application No. 1144481, Construction, Public Water Supply.

Applicant	The Howard at Butler
Address	833 Scranton-Carbondale Highway Dickson City, PA 18508
Municipality	Butler Township
County	Luzerne County

Responsible Official	Jared Cooperman 833 Scranton-Carbondale Highway Dickson City, PA 18508
Consulting Engineer	Keystone Consulting Engineers, Inc. 5012 Medical Center Circle Suite 1 Allentown, PA 18106
Application Received	August 25, 2025
Description	The applicant has submitted an application for a new community water system in Butler Township called The Howard at Butler. It is a water system for a proposed 192-unit multi-family apartment complex. The proposed water system is an on-site groundwater well with a treatment building and ground-level steel water storage tank. The site is proposed to be served by the Butler Township sanitary sewer collection system.

Application No. 5285505, Construction, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Dimock Township
County	Susquehanna County
Responsible Official	Tony Nokovich 852 Wesley Drive Mechanicsburg, PA 17055
Consulting Engineer	Herbert, Rowland & Grugic, Inc. 220 West Kensinger Drive Suite 100 Cranberry Township, PA 16066
Application Received	September 23, 2025
Description	The applicant submitted a construction application for a new CWS. The new water system is a proposed groundwater (2 well) source with filters, reverse osmosis, remineralization, water storage tanks, high service pumps, and hydropneumatic tank to supply safe drinking water to customers through an approximately 6-mile distribution system.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Erin Yunik, Environmental Engineering Trainee, 814-332-6323.

Application No. 6125503, Construction, Public Water Supply.

Applicant	General Authority of Franklin
Address	430 Thirteenth Street Franklin, PA 16323
Municipality	City of Franklin
County	Venango County
Responsible Official	John Eckel Authority Chairman 430 Thirteenth Street Franklin, PA 16323
Consulting Engineer	Barry Martin English, P.E. The EADS Group 15392 Route 322 Clarion, PA 16214
Application Received	September 23, 2025
Description	Replacement of the existing Barrett Flats water treatment plant with a new WTP consisting of six existing wells, a new clear well, chlorine disinfection, phosphate, a new control building, a main pump room with six pumps, and a room for testing and monitoring the water quality. Water lines will be installed to connect the new potable water pumps to the existing water main.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epswwd@pa.gov.

Application No. 6325513, Construction, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Smith Township
County	Washington County
Responsible Official	Tony Nokovich 852 Wesley Drive Mechanicsburg, PA 17055
Consulting Engineer	Gwin, Dobson & Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602
Application Received	September 10, 2025

Description

Pennsylvania-American Water Company (PAWC) is proposing to install a booster pump station located at approximately 1295 Grant Street in the Village of Bulger, Smith Township. The station will consist of an above grade prefabricated building with three (3) booster pumps, each rated for 40 gallons per minute (gpm) at 60-feet, total dynamic head. Total rated pump station capacity is 80 gpm (0.115 million gallons per day) based on the operation of two (2) pumps with the third pump on stand-by.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public

involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Winders Sunoco Reading Real Estate, Primary Facility ID # **627993**, 80 Second Street, Montgomery, PA 17752, Montgomery Borough, **Lycoming County**. Aquaterra Technologies Inc., 901 S Bomar Street, Suite A, West Chester, PA 19382 on behalf of Retail/Service Station Operations, a series of Evergreen Resources Group LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Notice of Intent to Remediate. The NIR concerns remediation of site soil and groundwater contaminated with diesel fuel, leaded gasoline and unleaded gasoline. The applicant proposes to remediate the site to meet the site-specific standard. The Notice of Intent to Remediate was published in *Williamsport Sun-Gazette* on September 12, 2025. Application received: September 11, 2025.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Bushkill Elementary School, Primary Facility ID # **884691**, 131 North School Drive, Dingmans Ferry, PA 182328, Lehman Township, **Pike County**. Weaver Consultants Group, 2225 Sycamore Street, Harrisburg, PA 17011 on behalf of East Stroudsburg Area School District, 131 North School Drive, P.O. Box 298, Dingmans Ferry, PA 18328, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Pike County Courier* on August 22, 2025. Application received: September 18, 2025.

Barton Court Mobile Home Park—Lot 171, Primary Facility ID # **831982**, 171 Barton Court, Bartonsville, PA 18321, Pocono Township, **Monroe County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Arx Ventures, 1199 Lancaster Avenue, Suite 100, Berwyn, PA 19312, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of No. 2 heating oil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *Pocono Record* on September 4, 2025. Application received: September 22, 2025.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Russell D. Devan, Professional Geologist Manager, 484-250-5786.

Laboratory Testing Inc., Primary Facility ID # **862328**, 2331 Topaz Drive, Hatfield, PA 19440, Hatfield

Township, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464 on behalf of Michael McVaugh, MTJ Properties, LP, 2331 Topaz Drive, Hatfield, PA 19440, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents. The future use of the property is nonresidential. The proposed cleanup standards are the Statewide health and site-specific standards. The Notice of Intent to Remediate was published in *The Times Herald* on July 3, 2025. Application received: August 19, 2025.

6800 Essington Ave, Primary Facility ID # **853185**, 6800 Essington Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Tom Geiger, Apex Companies, 485 Route 1 South, Building B, Suite 130, Iselin, NJ 08830 on behalf of Richard Hoopis, PKST Philadelphia Essington 6800, LLC, 150 North Riverside Plaza, Suite 1950, Chicago, IL 60606, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be contaminated with chlorinated solvents, inorganics, lead, MTBE, other organics, and PAHs. The future use of the property is nonresidential. The proposed cleanup standard is the site-specific standard. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on October 20, 2021. Application received: August 29, 2025.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR066-NE003, Vac Trax, LLC, 108 Estates Blvd., Milford, PA 18337, Milford Township, **Pike County**. An application for determination of applicability for coverage under general permit number WMGR066 for the processing (collection, bulking, storage and incidental oil/water separation) of waste oil, virgin fuel oil tank bottoms, spent antifreeze and waste oil/water mixtures prior to beneficial use at 502 Properties located at 522 Routes 6 and 209 in Milford, PA. Application received: September 9, 2025. Supplemental information: September 17, 2025. Deemed administratively complete: September 17, 2025.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2511 or RA-EPWM-NERO@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Domenico Tuzzato, Environmental Engineering Manager, 717-705-4908

100739. WBLF Acquisition Company, LLC, 455 Poplar Neck Road, Birdsboro, PA 19805, Cumru Township, **Berks County**. Permit renewal of Permit No 100739 for the operation of the municipal landfill. Application received: September 3, 2025. Deemed administratively complete: September 19, 2025.

Comments or questions concerning the application should be directed to Domenico Tuzzato, Environmental Engineering Manager, 717-705-4908, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit

number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00026G: First Quality Products, 121 North Road, McElhattan, PA 17748, Wayne Township, **Clinton County**. Application received: May 15, 2025. The Department intends to issue a plan approval for the construction and temporary operation of a GDM manufactured adult brief underpad machine (NGUP1). The Department of Environmental Protection's (Department) review of the information submitted by First Quality Products, Inc. indicates that the air contamination sources to be constructed will comply with all regulatory requirements pertaining to air contamination sources and the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emission from the proposed sources included in this project will not exceed the following limits: VOCs—1.62 tons; and PM₁₀—less than 0.01 ton. In addition to the emission limitations, the following is a description of the conditions the Department intends to place in the plan approval in order to ensure compliance

with all applicable air quality regulatory requirements. Pursuant to the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12: the concentration of particulate matter in the exhaust of Control Device C120 shall not exceed 0.005 grain per dry standard cubic foot of effluent gas volume; there shall be no visible emissions from the exhaust of Control Device C120; (Compliance with this condition also ensures compliance with 25 Pa. Code §§ 123.13 and 123.41); the total combined volatile organic compound emissions (VOC) resulting from adhesive, ink and cleanup solvent usage associated with Source P120 shall not exceed 1.62 tons and there shall be no volatile hazardous air pollutant (VHAP) emissions; the VOC emissions resulting from the usage of all hot melt adhesives associated with Source P120 shall not exceed 1.05 tons; the acetone emissions resulting from the usage of any acetone based solvents associated with Source ID P120 shall not exceed 0.13 ton; the VOC emissions from the inks, makeup fluids and wash solvents usage associated with box and bag printing operation of Source ID P120 shall not exceed 0.14 ton; the adhesives used on, or in association with, Source P120 shall be restricted to hot melt adhesives which do not contain, as an intentionally added ingredient, any VOC or VHAP; hot melt adhesives may however result in the emission of VOC provided the emissions do not exceed 0.003 pound per pound of adhesive used; the VOC emissions from the general-purpose cleaning solvents (excluding acetone) associated with operation of Source ID P120 shall not exceed 0.43 ton; the total combined VOC-containing cleanup solvent used in association with Source P120 and associated box printers shall not exceed 65 gallons (excluding acetone); the cleanup solvent and solvent in the inks used in the bag printers associated with Source P120 shall be acetone only; no ink, solvent or adhesives used on Source P120 shall contain VHAP and hazardous air pollutants (HAP); the permittee shall only use isopropyl alcohol, mineral spirit, Video Jet M921-L Wash Solution, Video Jet V904-Q Cleaning Solution and Turtle wax super hard shell liquid wax (product code: T-123R(c)s/T-127R(c)) "or equivalent" as cleaning solvents in Source ID P120; the total combined VOC-containing ink used in association with Source P120 and associated bag and box printers shall not exceed 25 gallons; the total combined VOC-containing makeup used in association with Source P120 and associated bag and box printers shall not exceed 75 gallons. All permit limits are expressed in any 12 consecutive month period. Control Device C120 shall be equipped with instrumentation to continuously monitor the differential pressure across each of its four (4) component sections on a continuous basis. Such instrumentation shall be operated at any time the respective control device is being operated. The air compressor(s) supplying compressed air to Control Device C120 shall be equipped with an air dryer and an oil trap. All containers of VOC-containing materials, VHAP-containing materials and acetone-containing materials shall be kept closed except when removing material from, or placing material into, the containers. Any VOC-containing, VHAP-containing or acetone-containing cleaning cloths or rags shall be stored in closed containers except when in actual use and shall never be treated in any manner which would unnecessarily promote the evaporative loss of any VOC, VHAP or acetone to the atmosphere. The permittee shall keep on hand a sufficient quantity of spare drum filters, cartridge filters (pocket type and cassette type) and HEPA filters for Control Device C120 in order to be able to immediately replace any worn or damaged drum filters, cartridge filters or HEPA filters requiring replacement due to deterioration. The permittee shall maintain accurate and

comprehensive records of the identity and amount of each adhesive, ink, cleanup solvent and any other VOC-containing material, VHAP-containing material or acetone-containing material used in, or in association with, Source P120 during each month. Additionally, the permittee shall keep records of the VOC content of each such material, the content of each individual HAP in each such material and the acetone content of each such material. All records generated pursuant to this condition shall be retained for at least five (5) years and shall be made available to the Department upon request. The facility will remain a natural minor facility. If the Department determines that the sources are modified and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 18-00026G, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to the provisions of 25 Pa. Code Chapter 127, Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Environmental Engineer Manager, 570-826-2357.

40-00158B: Amazon Data Services, Inc., 13200 Woodland Park Road, Herndon, PA 20171, Salem Township, **Luzerne County.** Application received: April 1, 2025. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Amazon Data Services, Inc. for their facility located in Salem Township, Luzerne County. Plan Approval No. 40-00158B will be incorporated into an initial State-Only (Synthetic Minor) Operating Permit at a later date. Plan Approval No. 40-00158B is for a data center proposing to install an additional forty-eight (48) 2,750 kW critical emergency generators, four (4) 750 kW house emergency generators, and one (1) 250 kW auxiliary emergency generator engine. All proposed critical and house emergency generator engines at the data center are EPA Tier II certified and will be installed with add-on selective catalytic reduction, diesel oxidation catalysts, and diesel particulate filters to achieve EPA Tier IV equivalent emission standards. The auxiliary emergency generator and fire pump engines will be EPA Tier III certified engines. The emergency generators and fire pumps will be fueled by both ultra-low sulfur diesel fuel (ULSD) and renewable diesel conforming to ASTM D975 specifications for petroleum, including hydrotreated vegetable oil (HVO). The emergency engines are subject to 40 CFR Part 60 Subpart IIII and 40 CFR Part 63 Subpart ZZZZ requirements. The company has proposed a 12-month rolling sum NO_x emission limit of 99 tpy and a site-wide fuel usage restriction to ensure the facility emissions do not meet or exceed major source thresholds. The company shall be subject to and comply with BAT requirements for the sources at this facility. The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public

Square, Wilkes-Barre, PA 18701. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Permit No. 40-00158B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Shailesh Patel, EEM, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2357 within 30 days after publication date.

Southwest District: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-04-00502B: Shasta Services, LLC, 1155 Business Center Drive, Suite 200, Horsham, PA 19044, City of Aliquippa, **Beaver County**. Application received: May 30, 2025.

04-00502B: Shasta Services, LLC (1155 Business Center Drive, Suite 200, Horsham, PA 19044) for the authorization of Baghouse B at the Aliquippa Facility (300 Steel Street, Aliquippa, PA 15001). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue an Air Quality Plan Approval: PA-04-00502B for one (1) new baghouse manufactured by U.S. Air Filtration, Inc., model 2614-120 rated at 40,000 SCFM with a removal efficiency of 99.99% PM_{2.5} that will replace one (1) existing baghouse manufactured by Flex-Kleen/MikroPul, rated at 45,000 SCFM that controls emissions from the Condition Grinding Line Source. The facility is located in the City of Aliquippa, Beaver Township.

Potential emissions from the sources covered under this plan approval are 0.31 ton per year (tpy) of particulate matter, 0.00 tpy of particulate matter less than 10 microns in size, 0.00 tpy of particulate matter less than 2.5 microns in size, 0.00 tpy of carbon monoxide, 0.00 tpy of nitrogen oxides, 0.00 tpy of volatile organic compounds, 0.00 tpy of sulfur dioxides, 0.00 tpy of carbon dioxide, 0.19 tpy of nickel the largest single HAP and 0.28 tpy of all HAPs. The plan approval has been conditioned to ensure compliance with all applicable rules including visible emission limits, work practices, testing, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently submit an application to modify the existing State Only Operating Permit (SOOP) for this facility.

The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; chrake@pa.gov; or fax 412-442-4194. Each protest or set of written comments

must contain the name, address and telephone of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00602A) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication. For additional information, you may contact Christopher Baker at 412-442-4044.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mark R. Gorog, P.E., Regional Program Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to mgorog@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, NSR Env. Eng. Mgr., 412-442-4174.

PA-26-00451F: Keystone Land Resources Inc., 379 Alicia Road, East Millsboro, PA 15433, Luzerne Township, **Fayette County**. Application received: April 30, 2025.

Intent to Issue Plan Approval:

PA-26-00451F: In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a plan approval for the modification of an existing natural minor operating permit for a clean bituminous coal facility located in Luzerne Township, Fayette County.

The plan approval allows alternate fugitive emissions control by monitoring moisture content. No change in emissions is anticipated by this action. The facility has a potential to emit 11.0 tons/year of PM₁₀ and 1.7 tons/year of PM_{2.5}. The plan approval includes emission limitations and operational, monitoring, testing, recordkeeping, work practice, and reporting requirements for the facility.

The application, DEP's Review Memorandum, and the proposed plan approval are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Sheri Guerrieri, New Source Review Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the plan approval may submit the information to Sheri Guerrieri, New Source Review Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00451F) and concise statements regarding the relevancy of the information or objections to issuance of the Plan Approval.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted

based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Sheri Guerrieri, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to shguerrier@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05005, Brunner Island, LLC, P.O. Box 221, York Haven, PA 17370, East Manchester Township, **York County**. Application received: August 29, 2024.

67-05005: Brunner Island, LLC (P.O. Box 221, York Haven, PA 17370) for the renewal of the facility's Title V operating permit and the approval of a Reasonably Available Control Technology 3 (RACT 3) plan for the fossil fuel electric power generation station located in East Manchester Township, York County. The facility is a major facility subject to the operating permit requirements of Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permit requirements).

In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit renewal for the previously mentioned facility.

The facility's 2024 actual air emissions were 1,735 tons of NO_x, 425 tons of CO, 744 tons SO_x, 12 tons PM₁₀, 8 tons PM_{2.5}, 2 tons of VOC, and 2 tons total HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements 40 CFR Part 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Part 63 Subpart DDDDD—Boiler MACT, 40 CFR Part 63 Subpart ZZZZ—NESHAP for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63 Subpart UUUUU—NESHAP for Coal and Oil Fired Electric Utility Steam Generating Units, 40 CFR Part 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for the Brunner Island, LLC. The RACT 3 plan approval, if approved by the

Department, will be issued as part of the TVOP renewal to the facility's Title V operating permit 67-05005.

The RACT 3 plan approval incorporates provisions and requirements for the control of emissions of nitrogen oxides (NO_x) and/or volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 plan approval does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

The following constitutes a case-by-case RACT 3 determination for the affected sources pursuant to 25 Pa. Code § 129.114:

A. In accordance with 25 Pa. Code § 129.114(e)

I. NO_x emissions from coal firing from Source Group 017B boilers shall not exceed 0.45 lb/MMBtu heat input on a daily basis averaged across all three units, on days when only coal is fired.

II. NO_x emissions resulting from days in which both coal and natural gas firing occurs in any Source Group 017B boilers shall not exceed 0.1 lb/MMBtu heat input of natural gas and 0.45 lb/MMBtu heat input of coal on a daily basis averaged across all three units, on days when coal and natural gas are fired. Allowable emissions shall be calculated by multiplying the total heat input of each fuel by the allowable emission rate of each fuel as stated in the first sentence of this subcondition, and divided by the total heat input on a daily basis averaged across all three units, on any days when both coal and natural gas are fired in any unit.

B. The daily average actual lb NO_x/MMBtu heat input from:

I. Coal shall be calculated by summing the total pounds of NO_x emitted from coal firing for the calendar day and dividing that value by the total heat input to the source from coal firing for the same calendar day.

II. Coal and natural gas shall be calculated by summing the total pounds of NO_x emitted from coal and natural gas firing for the calendar day and dividing that value by the total heat input to the source from coal and natural gas firing for the same calendar day.

C. The permittee shall utilize Department-certified CEMS to calculate actual emissions when determining compliance with the NO_x RACT emissions limits. The permittee, unless otherwise approved by DEP, shall utilize flow meters for determining actual natural gas usage and shall utilize methods specified in 40 CFR Part 75, Appendix D and Appendix F, and 40 CFR Part 60, Appendix A, Method 19, when determining compliance. The actual heat input from coal firing from each source, or actual heat input of coal and natural gas firing from each source on days when both fuels are fired, shall be calculated for each hour of operation and expressed in units of million British thermal units per hour (MMBtu/hr), which will be used in calculations to determine compliance on a daily basis.

D. *Recordkeeping*: The permittee shall maintain records in accordance with the recordkeeping requirements of 25 Pa. Code § 129.115 and shall include as a minimum the following:

(1) The records shall include sufficient data and calculations to demonstrate that the requirements of §§ 129.111–129.114 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

E. *Reporting*:

(a) The permittee shall submit quarterly RACT 3 facility-wide NO_x emissions averaging reports to the Southcentral Regional Office via DEP's Public Upload System, unless otherwise specified by DEP. These reports shall be submitted within 30 days of the end of each calendar quarter. The initial group of averaging reports for quarters from 1/1/23 until the issuance date of this permit shall be submitted within 30 days of the end of the calendar quarter in which this permit is issued.

(b) The permittee's demonstration of compliance with the facility-wide NO_x emissions limit for coal firing and combined coal and natural gas firing shall be included in each quarterly RACT facility-wide NO_x emissions averaging report.

(c) The permittee may request, in writing, an extension of time from the Department for the filing of a quarterly RACT facility wide NO_x emissions averaging report specified in part (a), previously listed, and the Department may grant, in writing, the extension for reasonable cause.

F. The permittee shall comply with the boiler tuning requirements in 40 CFR 63 Subpart UUUUU.

Public Comment Details:

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Tom Bianca, P.E., Environmental Engineering Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at tbianca@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on November 3, 2025.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 3 plan approval, including the permit number, and a concise statement regarding the RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 plan approval.

Public hearing:

A public hearing will be held on November 14, 2025, at 10:00 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed RACT 3 plan approval action and the proposed SIP revision. To register to speak at the hearing, please contact Tom Bianca at 717-705-4863. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organiza-

tion is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Tom Bianca at 909 Elmerton Avenue, Harrisburg, PA 17110, or at tbianca@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Tom Bianca at 717-705-4863 or at tbianca@pa.gov.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Thomas Bianca at 717-705-4863 or make accommodations through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD).

Contact: Vincent Pascucci, PE, East Permit Section Chief, 717-705-4862.

36-05117, Dart Container Corporation of PA, 60 East Main Street, Leola, PA 17603, East Lampeter Township, **Lancaster County**. Application received: April 25, 2025. To issue a Title V Permit renewal for the expandable polystyrene foam container manufacturing facility located on Pitney Road. Reported plant emissions for 2024 included 119.43 tons of VOCs, 5.1 tons of CO, and 6.0 tons of NO_x. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the permit renewal will include provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

38-05017, Greater Lebanon Refuse Authority, 1800 Russell Road, Lebanon, PA 17046, North Lebanon Township, **Lebanon County**. Application received: June 6, 2025. To issue a Title V Operating Permit for their municipal solid waste landfill. Actual emissions from the facility in 2024 were reported to be 0.66 ton CO, 0.26 ton NO_x, 0.06 ton PM₁₀/PM_{2.5}, 0.05 ton SO_x, 0.72 ton VOC, 0.05 ton of a single HAP (toluene), and 0.15 ton of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.57, 40 CFR 60, Subpart XXX—Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification After July 17, 2014, 40 CFR 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills, 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Environmental Engineer Manager, 412-442-4336.

TV-65-00990, Tenaska Pennsylvania Partners, LLC, 446 Smithton Pike, Smithton, PA 15479, South

Huntingdon Township, **Westmoreland County**. Application received: July 11, 2024. TV-65-00990: Tenaska Pennsylvania Partners, LLC (446 Smithton Pike, Smithton, PA 15479). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue an initial Title V Operating Permit (TVOP) to authorize the operation of the Tenaska Westmoreland Generating Station located in South Huntingdon Township, Westmoreland County. Air contamination sources at this facility include two (2) 3,147 MMBtu/hr Mitsubishi "J" class combined cycle combustion turbines serving one (1) steam turbine generator equipped with heat recovery steam generators with supplemental 400 MMBtu/hr natural gas-fired duct burners controlled by selective catalytic reduction (SCR) and oxidation catalysts; one (1) 245 MMBtu/hr natural gas-fired auxiliary boiler; one (1) 575 bhp diesel-fired emergency fire pump engine; one (1) cooling tower controlled by drift eliminators; one (1) 572-gallon fire pump diesel storage tank; two (2) 7,200-gallon turbine lube oil storage tanks; one (1) 6,500-gallon turbine lube oil storage tank; sulfur hexafluoride-insulated circuit breakers; and various sources of minor significance/trivial activities. Potential emissions for the air contamination sources included in this TVOP are as follows: 303.1 tons per year of Nitrogen Oxides, 222.2 tons per year of Volatile Organic Compounds, 657.3 tons per year of Carbon Monoxide, 95.5 tons per year of Particulate Matter, 92.2 tons per year of Particulate Matter < 10 Microns, 88.9 tons per year of Particulate Matter < 2.5 Microns, 22.8 tons per year of Sulfur Dioxide, 22.1 tons per year of total HAPs, 8.6 tons per year of formaldehyde, 15.2 tons per year of sulfuric acid mist, 193.8 tons per year of ammonia, and 3,724,826 tons per year of Greenhouse Gases as Carbon Dioxide Equivalents. The emission restrictions and testing, monitoring, recordkeeping, reporting, and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 61, 63, and 70, and 25 Pa. Code Article III, Chapters 121–145. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Appointments for scheduling a review may be made online at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>, by calling the Department at 412-442-4000, or by calling Thomas Joseph, P.E., Environmental Engineer Manager, at 412-442-4336. Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit TV-65-00990) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania*

Bulletin, or by telephone, where the Department determines such notification by telephone is sufficient.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00037, King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866-0712, Morris Township, **Clearfield County**. Application received: May 1, 2025. The applicant submitted a renewal application for the Cunard plant's State Only (Natural Minor) Operating Permit, requesting authorization for the continued operation of their coal-crushing equipment, material handling and storage activities, and other sources at their Cunard site. The sources on site at the facility include the Source ID P101 coal breaker unit operation, its associated diesel generator engine (Source ID P102), and the backup units associated with Source IDs P103. The Department of Environmental Protection's (Department) review of the facility's operating permit application information found that minor changes to the facility's air-contaminant sources occurred during the permit cycle and that ongoing source operations at the site will comply with all applicable regulatory requirements, including but not limited to, the Best Available Technology requirements of 25 Pa. Code §§ 127.1 and 127.12 and the Federal New Source Performance Standards (NSPS) codified in 40 CFR Part 60 and the Federal National Emission Standards for Hazardous Air Pollutants (NESHAP), codified in 40 CFR Part 63. Based on review of the application's submitted information and specifications for continued operation of the sources, the Department intends to authorize the renewal of NMOP 17-00037 and has incorporated the submitted changes in the facility's State Only Operating Permit application for the previously listed sources, as well as any amendments to rulemakings, during the current permit cycle. The estimated types and quantities of pollutants to be emitted are as follows: 20.7 tons/year (tpy) NO_x; 4.5 tpy CO; 1.6 tpy VOC; 20.9 tpy PM₁₀; 1.3 tpy SO_x (as SO₂); and 0.3 tpy HAPs. The renewal operating permit authorization contains all applicable Federal and state air quality requirements derived from 25 Pa. Code Article III, Chapters 121 and 145, relating to Air Resources, including testing, monitoring, recordkeeping, reporting, work practices and other conditions to verify compliance. The pertinent documents used in the Department's evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments to schedule a review must be made by calling 570-327-3636.

08-00054, Wolf Run Energy, LLC, 14302 FNB Pkwy, Omaha, NE 68154, Wilmot Township, **Bradford County**. Application received: September 26, 2024. Wolf Run Energy, LLC submitted a renewal application for a State Only Operating Permit for their Electric Generation Station. The facility is currently operating under State Only Operating Permit 08-00054. The facility's main sources include five 6,203 bhp 4-stroke lean-burn natural gas-fired electric-generator engines. Each of the engines is equipped with selective catalytic reduction and oxidation catalyst systems. After control by the catalysts, the

facility has potential emissions of 17 tons per year (tpy) NO_x, 33 tpy CO, 1 tpy SO_x, 7 tpy PM, 11 tpy VOCs, 5 tpy HAPs, and 100,254 tpy CO_{2e}. No emission or equipment changes are being proposed by this renewal action. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

41-00024, UPMC Divine, 1100 Grampian Blvd, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. Application received: January 10, 2025. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department has received an application and intends to issue a renewal State Only (Natural Minor) Operating Permit for the UPMC Divine Campus hospital located in the City of Williamsport, Lycoming County. The facility's main sources include one (1) 25 MMBtu/hr, Keeler model D, natural gas/No. 2 fuel oil-fired boiler, one (1) 25 MMBtu/hr, Keeler model D, natural gas/No. 2 fuel oil-fired boiler, one (1) 2.9 MMBtu/hr, Weil-McClain model ABL-1192WN, natural gas/No. 2 fuel oil-fired boiler, one (1) 3.0 MMBtu/hr, Weil-McClain model JB2G-10-R4140L-M20, natural gas/No. 2 fuel oil-fired boiler, one (1) 9.995 MMBtu/hr, Hurst Boiler model S5-G-238-150, natural gas/No. 2 fuel oil-fired boiler, one (1) 1,112 bhp Caterpillar model C18 diesel-fired engine, one (1) 75 bhp Generac model SG045 natural gas-fired engine, one (1) 398 bhp Caterpillar model C9 ACERT Tier 3 diesel-fired engine, and one (1) 398 bhp Caterpillar model C9 ACERT Tier 2 diesel-fired engine. The subject facility has the following annual tons per year (TPY) potential emissions: 41.22 TPY of carbon monoxide; 33.13 TPY of nitrogen oxides; 0.23 TPY of sulfur oxides; 2.29 TPY of particulate matter and 2.08 TPY of volatile organic compounds. The Department has determined that the sources at the facility satisfy the requirements of 25 Pa. Code Chapters 121—145, the New Source Performance Standards (NSPS) pursuant to 40 CFR Part 60 Subpart IIII and the National Emission Standards for Hazardous Air Pollutants (NESHAP) pursuant to 40 CFR Part 63 Subparts ZZZZ and JJJJJJ. The operating permit includes emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

40-00108, Pennsy Supply Inc., Pittston Quarry, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Jenkins Township, **Luzerne County**. Application received: June 23, 2025. The Department intends to issue a renewal State-Only (Natural Minor) Permit for the opera-

tion of crushed and broken stone mining and quarrying facility in Jenkins Township, Luzerne County. The sources consist of primary, secondary, and tertiary crushers, screens, and conveyors. The sources are controlled by a water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00101, Pennsy Supply Inc., Jenkins Twp. Asphalt, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Jenkins Township, **Luzerne County**. Application received: June 27, 2025. The Department intends to issue a renewal State-Only (Synthetic Minor) Permit for the operation of a drum mix asphalt plant and stone manufacturing facility in Jenkins Township, Luzerne County. The sources consist of feed bins, screens, belts, conveyors, and a drum mix asphalt plant with WDLF. The control devices are baghouses, a cyclone, and water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00325, Butler VA Health Care System, 353 N Duffy Rd, Butler, PA 16001-1138, Butler Township, **Butler County**. Application received: April 25, 2024. The DEP intends to issue the renewal of the State-Only Operating Permit of a healthcare institution. Permitted air contamination sources are three gas-fired/oil-fired boilers, seven emergency diesel generators, miscellaneous natural gas-fired boilers and process heaters, a solvent parts washer, and a gasoline storage tank. The facility is a Natural Minor and an area source for permitting and MACT purposes. By following an operating hours restriction, the gas-fired/oil-fired boilers are exempt from 40 CFR 63 Subpart JJJJJJ. The seven diesel generators are subject to 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. In this renewal, minor permit changes include ministerial updates to 40 CFR 60 Subpart IIII. This renewal also updates the names of the Permit Contact and Responsible Official. There are no major changes to the operating permit.

Contact: Matthew Williams, Facilities Permitting Manager, 814-332-6131.

20-00266, Electro Tech Inc., 100 W Poplar St, Meadville, PA 16335, City of Meadville, **Crawford County**. Application received: October 24, 2024. The Department intends to renew the State Only Operating Permit for the facility located in the City of Meadville, Crawford County. The facility is a Natural Minor. The primary sources at the facility include 3 Chrome electroplating tanks, a Nickel electroplating tank, a parts washer, and natural gas combustion for a wastewater

evaporator and building heat. The potential emissions from the facility are below the Title V thresholds. The facility is subject to 40 CFR Part 63 Subpart N, National Emission Standards for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The Nickel tank is also subject to 40 CFR Part 63 Subpart WWWW, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

01-05044, Hunterstown Power, LLC—Peaking Station, 1890 Granite Station Road, Gettysburg, PA 17325, Straban Township, **Adams County**. Application received: June 20, 2025. To issue a Title V Operating Permit for the Hunterstown Peaking Station. The potential emissions from the facility are calculated to be 99.86 tpy NO_x; 25.50 tpy CO; 1.77 tpy SO_x; 1.06 tpy VOC; 47.10 tpy PM_{10/2.5}. The Operating Permit will include emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines (Source IDs 701—703), and RACT 3 Presumptive Requirements for Major Sources of NO_x and VOCs for the 2015 Ozone NAAQS.

Contact: Vincent Pascucci, PE, East Permit Section Chief, 717-705-4862.

36-05101, Heidelberg Materials Northeast LLC, 409 Stenton Ave, Flourtown, PA 19031-1327, Warwick Township, **Lancaster County**. Application received: June 10, 2025. For the operation of the batch asphalt plant. This is for the renewal of existing State-Only Operating permit. The facility actual emissions for 2024 are 36.48 tons of CO, 2.66 tons of NO_x, 2.54 tons of PM₁₀, 0.44 ton of SO_x, and 0.77 ton of VOC. The operating permit will include emissions limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items the conditions include 40 CFR Part 60 Subpart I, Standards of Performance for Hot Mix Asphalt Facilities, 25 Pa. Code § 129.63 for Degreasing Operations and 40 CFR 60 Subpart OOO for Nonmetallic Mineral Processing Plants.

06-05061, Cambridge-Lee Industries, LLC, 86 Tube Drive, Reading, PA 19612-4026, Ontelaunee Township, **Berks County**. Application received: August 25, 2025. To issue a renewal of a State Only Operating Permit for their copper tubing production facility. The actual emissions from 2024 for the facility were 15.12 tons CO, 21.23 tons NO_x, 7.89 tons PM₁₀, 0.40 ton SO_x, and 23.02 tons VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for

Stationary Reciprocating Internal Combustion Engines, 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, and 40 CFR 63, Subpart CCCCCC—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Dispensing Facilities.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00158, Allied Crematory LLC, 864 Bristol Pike, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Application received: April 15, 2024. This action is for the issuance of a renewal State Only Operating Permit for two existing crematory incinerators operated by Allied Crematory LLC, in Bensalem Township, Bucks County. The facility is a natural minor emitting facility for all criteria pollutants. Current estimates indicate a potential to emit Carbon Monoxide (CO) of 1.63 tons per year (tpy), Nitrogen Oxides (NO_x) of 1.97 tpy, Particulate Matter less than 10 micron (PM₁₀) of 2.58 tpy, Sulfur Oxides (SO_x) of 1.20 tpy, and Volatile Organic Compounds (VOC) of 0.17 tpy. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the plant operating within all applicable air quality requirements. Upon final approval, the duration of the permit term is for a period of five (5) years. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEORAQPUBCOM@pa.gov.

46-00180, Transicoil LLC, 9 Iron Bridge Dr, Collegeville, PA 19426, Perkiomen Township, **Montgomery County**. Application received: June 17, 2024. This action is for the renewal of the Natural Minor Operating Permit. There are no new sources at the facility. Sources of emission at the facility are methanol glass cleaning tanks, degreasers, chrome baths, and an emergency generator. The facility is an area source of Carbon Monoxide (CO), Nitrogen Oxide (NO_x), Particulate Matter (PM), Sulfur Oxides (SO_x), Volatile Organic Compound (VOC), and Hazardous Air Pollutant (HAP) emissions. Potential emissions for the facility are 3.362 tons/year (tpy) CO, 0.069 tpy NO_x, 0.056 tpy PM, 0.000 tpy SO_x, 2.706 tpy VOC, and 0.585 tpy HAP. The facility is subject to 40 CFR Part 60, Subpart JJJJ, 40 CFR Part 63, Subpart WWWW, and regulations under the Pennsylvania Air Pollution Control Act. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEORAQPUBCOM@pa.gov.

Southwest District: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

11-00279, Forest Lawn Mem Assoc Inc., 1530 Frankstown Rd, Johnstown, PA 15902, Conemaugh Township, **Cambria County**. Application received: January 7, 2025. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection

(DEP) has received an application and is providing notice that it intends to issue a renewed natural minor State-Only Operating Permit to the Forest Lawn Memorial Park Crematory located in Conemaugh Township, Cambria County. This renewal updates and reorganizes regulatory requirements and updates the emission calculations. Sources of emissions consist of one (1) human crematory, controlled by a secondary chamber. Potential emissions from this facility are estimated to be 1.61 TPY NO_x, 2.99 TPY CO, 0.71 TPY VOC, 0.56 TPY SO_x, 0.25 TPY HAPs, 2.18E-04 TPY Lead and 1.60 TPY of both PM₁₀ and PM_{2.5}. Those who wish to provide the Department with additional written information that they believe should be considered prior to the renewal of the State-Only Operating Permit may submit the information to Tom Joseph, at the DEP's Southwest Regional Office. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00279) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. All comments must be received within 30 days of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph directly.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

30-00097, Pennsylvania Department of Corrections, 1920 Technology Parkway, Mechanicsburg, PA 17050, Franklin Township, **Greene County**. Application received: February 4, 2025. Natural Minor State-Only Operating Permit is for a prison located in Franklin Township, Greene County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received a renewal application and is providing notice of its intent to issue an Air Quality Operating Permit for the previously mentioned facility. The facility operates one (1) 45.0 MMBtu/hr natural gas-fired boiler, one (1) 20.67 MMBtu/hr natural gas-fired boiler, two (2) 4.18 MMBtu/hr natural gas-fired boilers with fuel oil backup capability, and two (2) 2,168-hp diesel emergency generators. The facility has potential emissions of 2.7 TPY PM₁₀, 1.7 TPY SO_x, 41.4 TPY CO, 35.2 TPY NO_x, 2.0 TPY VOC, 0.6 TPY total HAP and 0.6 TPY highest individual HAP. At a minimum, the facility is required to conduct daily surveys of the site to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The air quality permit includes emission limits, operating requirements, and work practice standards along with monitoring, recordkeeping, and reporting requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information

to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (30-00097) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or tjoseph@pa.gov. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

04-00719, Heidelberg Materials US Cement LLC/ Aliquippa Terminal, 100 Woodlawn Road, Aliquippa, PA 15001, City of Aliquippa, **Beaver County**. Application received: December 3, 2024. Intent to Issue SOOP Renewal: Intent to Issue SOOP: 06_05 NOI to Issue Oper Pmts_Subchapter F 04-00719: Heidelberg Materials US Cement LLC/Aliquippa Terminal (100 Woodlawn Road, Aliquippa, PA 15001) for the operation of a cement transfer terminal and lime storage facility located in the City of Aliquippa, Beaver County. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue an Air Quality Operating Permit for the previously mentioned facility. The subject facility consists of rail hopper unloading, bucket elevator, cement storage silos, and trucking loading. Particulate emissions are controlled by enclosed transfer points and a baghouse. The facility has the potential to emit 5.9 tpy of PM₁₀. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (04-00719) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/>

PublicRecords/Pages/Informal-File-Review.aspx or by contacting Tom Joseph, Facilities Permitting Chief, directly. All comments must be received prior to the close of business 30 days after the date of this publication.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each

application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Lori Jenkins, Clerical Assistant 3.

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Washington, Morris and Richhill Townships, **Greene County**. To revise the permit and related NPDES permit to add 6.4 proposed surface acres for the installation of two (2) degas boreholes. Application received: August 29, 2025. Accepted: September 16, 2025.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 56210101. NPDES No. PA0279781. Simkol Corporation, 1281 Rubright Road, Rockwood, PA 15557, Summit Township, **Somerset County**. Transfer from Heritage Coal & Natural Resources, LLC, 622 Central Avenue, Johnstown, PA 15902, commencement, operation and restoration of a bituminous surface mine affecting 653.0 acres. Receiving stream: Elk Lick Creek and unnamed tributaries to Casselman River, to Casselman River classified for the following use: CWF & WWF. Application received: September 16, 2025.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3, RA-EPNewStanton@pa.gov.

Mining Permit No. 65000201. Reichard Contracting, Inc., 212 Olean Trail, New Bethlehem, PA 16242, Sewickley Township, **Westmoreland County**. Permit renewal for reclamation only, affecting 41.0 acres. Receiving streams: Unnamed tributaries to Sewickley Creek, Sewickley Creek to Youghiogheny River, classified for the following use: WWF. Application received: September 23, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54850202. BD Mining Company, 10 Gilberton Road, Gilberton, PA 17934, Mahanoy Township, **Schuylkill County**. Renewal of an anthracite refuse reprocessing operation affecting 1,590 acres. Receiving stream: Mahanoy Creek, classified for the following uses: CWF & MF. Application received: August 7, 2025.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	Table 2		
	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 21050301. NPDES No. PA0224456. 30-35 Ridge Road, LLC, 35 Ridge Road, Newville, PA 17241, North Newton Township, **Cumberland County**. NPDES renewal for continued operation and restoration of a large industrial mineral mine affecting 33.3 acres. Receiving streams: unnamed tributary to Green Spring Creek classified for the following use: CWF. Application received: September 16, 2025.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 08252501. GP104 NPDES No. PAM225003. Charles H. God II, 46 River Woods Ln, Sugar Run, PA 18846, Pike Township, **Bradford County**. Request for coverage under GP-105 for a bluestone surface mining operation with an NPDES GP-104 permit, affecting 10 acres. Blasting is proposed. Receiving stream(s): Rockwell Creek to Wyalusing Creek classified for the following use(s): WWF, MF. Application received: September 3, 2025. Accepted: September 17, 2025.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3, RA-EPNewStanton@pa.gov.

Mining Permit No. 26840402. NPDES No. PA0588075. Heidleberg Materials Northeast LLC, 2200 Springfield Pike, Connellsville, PA 15425-9503, Connellsville Township, **Fayette County**. Permit renewal for continued mining at an existing large noncoal surface and underground site, affecting 1,383.4 acres. Receiving streams: Unnamed tributaries to Connel Run, White Run, Bates Run, Laurel Run and Youghiogheny River; classified for the following use: CWF. Application received: September 3, 2025. Accepted: September 17, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 7474SM2. NPDES No. PA0124303. Heidelberg Materials US Cement, LLC, 7660 Imperial Way, Allentown, PA 18195, Upper Nazareth Township, Lower Nazareth Township, and Nazareth Borough, **Northampton County**. Renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation affecting 259.7 acres. Receiving stream: UNT to Shoeneck Creek, classified for the following use: WWF. Application received: September 11, 2025.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

NPDES No. PA0079791. Mining Permit No. 3279103. Consol Mining Co., LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Young Township, **Indiana County**. Renewal of an NPDES permit for active treatment affecting 19 acres. Receiving streams: Big Run classified for the following use: CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: July 9, 2025.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Big Run:

<i>Outfall Nos.</i>	<i>New Outfall (I/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows: (Treatment)

<i>Outfalls: (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.0	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35	70	90
Osmotic Pressure (milliosmoles/kg)		Report	
Total Dissolved Solids (mg/l)		Report	
Sulfates (mg/l)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
Iron (mg/l)	N/A	N/A	7.0
Total Settleable Solids (ml/l)	N/A	N/A	0.5
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Alicia Cook, Clerical Assistant 3, 814-343-3328.

NPDES No. PA0259527. Mining Permit No. 33140105. Original Fuels, Inc., P.O. Box 343, Punxsutawney, PA 15767, Perry Township, Young Township, **Jefferson County**. Renewal of an NPDES permit for discharge of water resulting from coal surface mining affecting 441.5 acres. Receiving stream(s): Unnamed Tributaries to Mahoning Creek and Mahoning Creek, classified for the following use(s): CWF and WWF. Application received: July 1, 2025.

The following outfalls discharge to unnamed tributaries to Mahoning Creek and Mahoning Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond SPA	Precipitation Induced, 0.294 MGD
002	Existing	Sediment Pond SPB	Precipitation Induced, 0.535 MGD
003	Existing	Sediment Pond SPC	Precipitation Induced, 0.221 MGD

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Sediment Pond SPD	Precipitation Induced, 0.122 MGD
005	Existing	Sediment Pond SPE	Precipitation Induced, 0.169 MGD
006	Existing	Sediment Pond SPF	Precipitation Induced, 0.178 MGD
007	Existing	Sediment Pond SPG	Precipitation Induced, 0.352 MGD
008	Existing	Sediment Pond SPH	Precipitation Induced, 0.205 MGD
009	Existing	Sediment Pond SPI	Precipitation Induced, 0.309 MGD
010	Existing	Sediment Pond SPJ	Precipitation Induced, 0.549 MGD
011	Existing	Treatment Pond TA	Intermittent (Pumped), 0.072 MGD
012	Existing	Treatment Pond TB	Intermittent (Pumped), 0.072 MGD
013	Existing	Treatment Pond TC	Intermittent (Pumped), 0.072 MGD
014	Existing	Treatment Pond TD	Intermittent (Pumped), 0.072 MGD
015	Existing	Treatment Pond TE	Intermittent (Pumped), 0.072 MGD
016	Existing	Treatment Pond TF	Intermittent (Pumped), 0.072 MGD
017	Existing	Treatment Pond TG1	Intermittent (Pumped), 0.072 MGD
018	Existing	Treatment Pond TG2	Intermittent (Pumped), 0.072 MGD
019	Existing	Treatment Pond TJ	Intermittent (Pumped), 0.072 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 011, 012, 015, 016, 017 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Aluminum (mg/L)		Report	
Antimony (mg/L)		Report	
Selenium (mg/L)		Report	
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 002 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	2.3	4.6	5.7
Manganese (mg/L)	1.5	3.0	3.7
Aluminum (mg/L)	1.1	2.2	2.7
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Antimony (mg/L)		Report	
Selenium (mg/L)		Report	
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 003, 004, 008, 010, 013, 014, 018, 019

(All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.6	3.2	4.0
Manganese (mg/L)	1.0	2.0	2.5
Aluminum (mg/L)	0.80	1.6	2.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Antimony (mg/L)		Report	
Selenium (mg/L)		Report	
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 007, 009 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.6	3.2	4.0
Manganese (mg/L)	1.1	2.2	2.5
Aluminum (mg/L)	0.83	1.6	2.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Selenium (mg/L)		Report	
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 001, 005, 006 (Discharges during Dry Weather)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Aluminum (mg/L)		Report	
Selenium (mg/L)		Report	
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Outfalls: 001, 005, 006 (Discharges after
≤10-yr/24-hr Precip. Event)*

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 001, 005, 006 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3, RA-EPNewStanton@pa.gov.

NPDES No. 0278386. Mining Permit No. 63130401. Boord, Benchek & Associates, Inc., 333 Technology Drive, Suite 109, Canonsburg, PA 15317, Smith Township, **Washington County**. Renewal of an NPDES permit for continued mining at an existing surface noncoal mine site, affecting 42.2 acres. Receiving streams: Unnamed tributaries to Raccoon Creek, classified for the following use: WWF. Application received: June 23, 2025.

The receiving streams are subject to the Raccoon Creek Total Maximum Daily Load. The first downstream potable water supply intake from the point of discharge is Nova Chemicals Beaver Valley Plant (PWS 5040300) on the Ohio River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified.

The following stormwater outfall discharges to UNT 33890 to Raccoon Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfall are as follows:

(All Weather Conditions)

Parameter	30-Day Average	Daily Maximum	Instant. Maximum
Total Iron (mg/l)	1.5	3.0	3.7
Total Manganese (mg/l)	1.0	2.0	2.5
Total Aluminum (mg/l)	0.75	0.75	0.75
Total Suspended Solids (mg/l)	35.0	70.0	90.0
Total Mercury (ug/l)		Report	
Sulfate (mg/l)		Report	
Specific Conductance (umhos/cm)		Report	
Temperature (°C)		Report	
Flow (gpm)		Report	
Alkalinity (mg/l)		Greater than acidity at all times	
pH (S.U.)		6.0—9.0 at all times	

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

E5929225-004. Repsol Oil & Gas USA LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, Liberty Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 18, 2025.

To construct, operate, and maintain:

1. (Stream 21) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Salt Spring Run (EV) (Colley, PA Quadrangle 41.593937°, -77.040824°);
2. (Stream 20) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Salt Spring Run (EV) (Colley, PA Quadrangle 41.454791°, -77.040206°);
3. (Stream 18) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Brion Creek (EV) (Colley, PA Quadrangle 41.606035°, -77.044212°);
4. (Stream 13) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Taylor Run (EV) (Colley, PA Quadrangle 41.618559°, -77.047901°);
5. (Stream 10) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Brion Creek (EV) (Colley, PA Quadrangle 41.619765°, -77.049915°);
6. (Stream 9) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Brion Creek (EV) (Colley, PA Quadrangle 41.622064°, -77.068099°);
7. (Stream 5) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Brion Creek (EV) (Colley, PA Quadrangle 41.630286°, -77.068228°);
8. (Stream 5B) a 16-inch diameter HDPE temporary waterline impacting 2 linear feet of an unnamed tributary to Brion Creek (EV) (Colley, PA Quadrangle 41.630730°, -77.067820°).

The project will result in 16 linear feet of temporary stream impacts all for the purpose of installing a temporary waterline in Liberty Township, Tioga County.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565, RA-EPWW-NCRO@pa.gov.

E1404125-002. Pennsylvania Department of Transportation Engineering District 2-0, 70 PennDot Drive, Clearfield, PA 16830, Boggs Township, **Centre County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 17, 2025.

PA DOT Engineering District 2-0 proposes a drainage improvement project along SR 0144. The project includes the replacement of several stormwater pipes and cleaning of parallel ditches. The project includes a new inlet and high flow pipe to reduce flooding of SR 0144 and adjacent residential properties. The high flow structure has been designed to convey flood waters and normal flow will remain unchanged. The high flow pipe will outfall into Wallace Run. The outlet of the high flow pipe will include an energy dissipater and Rip Rap Scour Protection. The high flow structure will result in a 30 inch Reinforced Concrete Pipe, Type D End Wall, a 13 L.F. Concrete Energy Dissipater, and 10 Ft. of Rip Rap Scour Protection in the floodplain of Wallace Run. Since the receiving stream is a special protection watershed, the project does not qualify for a general permit. The Unnamed Tributary to Wallace Run is classified as a High Quality, Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and listed as a Stocked and Class A Wild Trout Stream by the PA Fish and Boat Commission. Latitude: 40°, 57', 10", Longitude: -77°, 50', 02".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Brian Mattern, Application Mgr, 570-826-2499.

E4002123-013. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Dorrance Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 16, 2025.

The following impacts are associated with the SR 0081 Section D52 project: 1. To remove the existing 3-span structure and to construct and maintain a 73' wide pre-stressed concrete PA bulb tee beam bridge with a 104-foot normal clear span and a 17.5-foot minimum underclearance and to construct and maintain appurtenant structure features. The structure will carry SR 0081 northbound across Big Wapwallopen Creek (CWF, MF). 2. To extend and maintain an existing 126' wide concrete box culvert by 23' and to construct and maintain appurtenant structure features. The structure carries SR 0081 over a tributary to Big Wapwallopen Creek (CWF, MF) and the culvert extension is needed to accommodate the widening of SR 0081 at this crossing location. 3. To remove the existing structure and to construct and maintain a 60" wide by 38" high elliptical culvert followed by a 68" wide by 43" high elliptical culvert. The total stream enclosure length will be 163'. The structure will carry SR 3010 northbound across a tributary to Big Wapwallopen Creek (CWF, MF). In addition, approximately 75 linear feet of channel loss to this watercourse will occur due to structure grading and construction of SR 0081 fill slope. 4. To construct and maintain an outfall consisting of an outfall pipe discharging flows into a tributary to Wapwallopen Creek (CWF, MF) just upstream of the inlet of the proposed 60" by 38" RCP culvert located just south of SR 3010. 5. To construct and maintain an outfall in the floodway tributary to Big Wapwallopen Creek (CWF, MF) consisting of a vegetated channel discharging to a riprap apron located immediately downstream of the 68" by 43" culvert segment north of SR 3010. 6. To permanently impact approximately 0.032 acre of PSS and PEM wetlands due to SR 0081 NB slope grading associated with the SR 3010 pipe replacement work. The project is located along SR 0081 section D52 (Freeland, PA Quadrangle; Latitude: 41.112478°N, Longitude: -75.960750°W; Latitude: 41.108751°N, Longitude: -75.960488°W; Latitude: 41.107566°N, Longitude: -75.960457°W) in Dorrance Township, Luzerne County.

Contact: Matthew Marsh, Application Mgr, 570-830-3107.

E3902225-005. Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034-8401, Upper Saucon Township, **Lehigh County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 8, 2025.

To 1. Replace an existing triple cell box culvert (1 cell being 6' H x 15' W, 2 cells being 4' H x 14' W) with a 50 LF single span steel beam bridge, which crosses East Valley Rd. over Saucon Creek (CWF, MF). The proposed bridge abutments will be set in the same location as the existing culvert ends and will provide an increased hydraulic opening. 2. Realign a secondary stream channel, which flows into Saucon Creek before entering the existing culvert. The realignment will impact approximately 200 LF of the channel, as well as approx. 700 ft² of two (2) associated EV wetlands (Wetlands K & J). The project is located in Upper Saucon Twp, Lehigh County, PA, Quadrangle. Latitude: 40°, 31', 56"; Longitude: -75°, 24', 38".

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0603225-011. PDC Northeast LPIV, LLC, 2442 Dupont Drive, Irvine, CA 92612, New Morgan Borough, Caernarvon Township, and Robeson Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 25, 2025.

To construct and maintain an 121-foot long, 16-foot wide wetland fill crossing and an 132-foot long, 8-foot wide stream crossing to be used for site access and activities, and resulting in 0.04 acre of permanent impact to an exceptional value wetland, 132 linear feet (1,056 square feet) of permanent impact to an Unnamed Tributary to Hay Creek (CWF, MF), and the additional temporary impact to an Unnamed Tributary to Hay Creek (CWF, MF) for the construction of the stream crossing, all for the purpose of providing access to the industrial park site. The project is located to the east and west of State Route 10 (Morgantown Road) on the grounds of the former Grace Mine in New Morgan Borough and the Townships of Caernarvon and Robeson, Berks County (Latitude: 40.184650, Longitude: -75.874944). Permanent wetland loss is less than 0.05 acre and replacement is not required. Note: While the entire project area occurs within the jurisdiction of the Philadelphia and Baltimore Corps of Engineers, the impacts to regulated waters of the Commonwealth proposed in this application occur within the Schuylkill River basin and therefore the jurisdiction of the Philadelphia Corps District. Latitude: 40.184650°, Longitude: -75.874944°.

E2203225-010. Lower Swatara Township, c/o Mr. Zach Border, 1499 Spring Garden Drive, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 28, 2025.

To 1.) reconstruct, stabilize, and relocate approximately 600 linear feet of a UNT to Buser Run. The purpose of the proposed work is to stabilize eroding streambanks and mitigate ongoing lateral channel migration that is endangering adjacent utilities and mobile homes. The project is located at Lat: 40.220672, Long: -76.794704 in Lower Swatara Township, Dauphin County. The project

proposes approximately 0.01 acre of permanent wetland impact. This is below de minimis and no mitigation is required.

Contact: Christopher Kemple, Environmental Engineering Specialist, 717-705-4780.

E2203225-009. County of Dauphin, c/o Mr. Justin Douglas, 2 S. Second Street, Harrisburg, PA 17101, Middle Paxton Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 23, 2025.

To 1.) replace structurally deficient concrete walkway permanently impacting 248 square feet of the floodway of the Susquehanna River (WWF, MF). The project is located at Lat: 40.344154, Long: -76.910253 in Middle Paxton Township, Dauphin County. The purpose of the proposed work is to comply with the Americans with Disabilities Act. No impacts to wetlands are proposed.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EP-WW-SERO-105@pa.gov.

E0901225-014. Bucks County, 1256 Almhouse Road, Doylestown, PA 18901, Solebury Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 16, 2025.

Bucks County is proposing to construct and maintain a 12-foot-wide gravel access road, seventeen (17) space parking lot, gravel turnaround area, drainage cross pipe with riprap aprons, and 85-foot-long cable concrete boat ramp to extend either to boom of existing riverbed or 18-inches below water surface level. These water obstruction and encroachment activities are associated with Hal H. Clark Park Boat Ramp Project and located with the floodway and floodplain of the Delaware River (WWF). Project activities will result in 26 linear feet (162 square feet) of permanent watercourse impact, 43 linear feet (397 square feet) for temporary dewatering the work area, 18,458 square feet of permanent floodway impact and 12,998 square feet of temporary floodway impact. This project is located at 2744 River Road in Solebury Township, Bucks County (USGS PA Stockton Quadrangle—Latitude 40.395293 N, Longitude 74.968680 W).

E0901225-013. Constellation Energy Generation, LLC, # 1 Industrial Highway, Eddystone Generating Station, Eddystone, PA 19022, Bristol Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 11, 2025.

Constellation Energy Generation, LLC is proposing to place a series of habitat structures—including (123) reef balls, (416) oyster catcher tables, and (69) layer cakes in a wetland area along Delaware River (WWF-MF) as a part of the Croydon Living Shoreline Project. The project area is 24,394 SF (0.56 acre). The project will result in 2,511 SF (0.057 acre) of permanent wetland impact and 5,230 SF (0.12 acre) of temporary wetland impact. The project is a habitat restoration effort aimed at enhancing biodiversity and improving aquatic habitat resilience and seeks to address the existing monoculture dominated by *Nuphar* (spatterdock) by introducing fish habitat enhancement structures and planting native mussels, fostering a more diverse and balanced ecosystem. Additionally, while submerged aquatic vegetation (SAV) is already present in the area, this project aims to promote its growth by creating more favorable conditions for its expansion. The placed habitat structures will provide shelter for fish, encourage bivalve colonization, and offer protection from boat wakes, further contributing to a

healthier aquatic environment. Native mussels will also be introduced to support natural filtration and improve water quality, which in turn will enhance conditions for SAV and overall ecosystem health. By mitigating the effects of boat wake erosion, fostering habitat complexity, and encouraging the growth of existing SAV, this project will create a thriving aquatic environment that supports native species and promotes long-term ecological stability within the Delaware River ecosystems. This project is located at 955 River Road in Croydon, Bristol Township, Bucks County (USGS PA Beverly Quadrangle—Latitude: 40.078826N, Longitude: 74.891095W).

E4601225-012. PECO Energy Co, 2301 Market St, N3-3, Philadelphia, PA 19103, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 10, 2025.

The applicant is proposing to install and maintain 8-inch new gas main via horizontal direction drill (HDD) crossing beneath an existing culvert conveying UNT to Perkiomen Creek (TSF-MF) associated with the connection to exiting gas main. The proposed project is located within the State Correctional Institute at Grater Ford which is classified as a historic building (Listed as Eligible, Resource No. 2001RE00835); for this reason, a JPA permit application is required. The site is located near 2039 Hudnut Road and Skippack Pike (Collegeville, PA USGS Quadrangles Latitude: 40.271890; Longitude: -75.472263) in Skippack Township, Montgomery County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E3005125-005. PennDOT District 12-0, 825 N. Galatin Ave. Ext., Uniontown, PA 15401, Morgan Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: July 25, 2025.

The applicant is seeking authorization to: 1. Remove an existing 22.1-LF long, 20-LF wide, single span reinforced concrete T-beam bridge, which carries SR 1009 over Castile Run (WWF), and to construction and maintain a replacement 33-LF long, 18' by 9' Reinforced Concrete Box Culvert, resulting in a net loss of 10.9 LF of open channel, and having a permanent watercourse impact of 60 LF to Castile Run. 2. Place and maintain stream bank stabilization along both the right and left banks of Castile Run, consisting of grouted R-7 stone choked with R-4 stone, at a length of 32.5 LF on the upstream end and 35.5 LF on the downstream side of the newly placed box culvert, and having a combined permanent watercourse impact of 68 LF. 3. Construct and maintain temporary erosion and sedimentation control structures, having a total temporary impact of 162 LF to Castile Run. For the purpose of replacing a structure along PA Route 1009. The project will have a cumulative permanent impact of 128 LF to a watercourse, and a cumulative temporary impact of 162 LF to a watercourse. The project site is located along SR 1009 (Bacon Run Road), approximately 130 LF from the route's intersection with Castile Run Road (Mather, PA USGS topographic quadrangle; N: 39°, 57', 57.4624"; W: -80°, 4', 47.5961"; Sub-basin 19B; USACE Pittsburgh District), in Morgan Township, Greene County.

E6305225-010. Professional Auto Services, LLC, 11 Stadium Drive, Uniontown, PA 15401, City of Uniontown, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 20, 2025.

The applicant has been given authorization to:

1. Operate and maintain an existing marina consisting of 5 main docks within the Monongahela River (WWF) that are parallel to the river's edge, and 8 perpendicular docks that extend out into the river that are secured in place by 4 pilings. Operation and maintenance were previously authorized under GP116318201.
2. Construct and maintain 38 main parallel docks, 38 perpendicular docks, and 15 pilings as an expansion of this existing marina. The existing and expanded dock area will provide 76 boat slips and will provide a facilities area that is 0.55 acre (860 LF x 28 LF). The final, expanded marina will consist of 43 main parallel docks and 38 perpendicular docks, each measuring 20 LF (length) by 8 LF (width), and 19 pilings.
3. Operate and maintain an existing boat launch measuring 25 LF (length) by 15 LF (width) in the Monongahela River and its associated floodway. For the purposes of expanding an existing marina and providing recreational opportunity to the local community. The project will result in 0.55 acre of permanent watercourse impacts and 375 SF of permanent floodway impacts. The project site is located along the left descending bank of the Monongahela River, at river mile 63.7, at 582 Front Street, Fredericktown, PA 15333 (California, PA USGS topographic quadrangle; N: 40°, 0', 23.8"; W: -79°, 59', 48.94"; Sub-basin 19C; USACE Pittsburgh District), in East Bethlehem Township, Washington County.

E2605225-003. PA Game Commission, 2001 Elmerston Avenue, Harrisburg, PA 17110, Dunbar Township, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 8, 2025.

The applicant is seeking authorization to:

1. Remove an existing 36" deteriorated culvert crossing which carries an administrative road within State Game Lands # 051 over an unnamed tributary (UNT) to Limestone Run (EV) and to construct and maintain, in its place, a 20' wide by 15' long ford crossing with geocell grid with R-3 rock within the stream bed and a 50' approach roadway, not exceeding 8% grade, surfaced with PennDOT 2A aggregate on each side of the stream. This activity will result in 15 linear feet (LF) of permanent watercourse impacts and 1,600 square feet (SF) of floodway impacts.
2. Remove another existing 48" deteriorated culvert crossing at a different location which carries the aforementioned administrative road within State Game Lands # 051 over this same UNT to Limestone Run and to construct and maintain, in its place, an 18' wide by 12' long ford crossing with geocell grid with R-3 rock within the stream bed and a 50' approach roadway, not exceeding 8% grade, surfaced with PennDOT 2A aggregate on each side of the stream. This activity will result in 14 LF of permanent watercourse impacts and 1,400 SF of permanent floodway

impacts.

3. Remove a third existing 48" deteriorated culvert crossing at a different location which carries the aforementioned administrative road within State Game Lands # 051 over this same UNT to Limestone Run and to construct and maintain, in its place, a 20' wide by 15' long ford crossing with geocell grid with R-3 rock within the stream bed and a 50' approach roadway, not exceeding 8% grade, surfaced with PennDOT 2A aggregate on each side of the stream. This activity will result in 15 LF of permanent watercourse impacts and 1,600 SF of permanent floodway impacts. For the purpose of providing reliable and safe access to a section of State Game Lands # 051 for future habitat management projects. No wetlands will be impacted by the project. Cumulatively the project will result in 44 LF of permanent watercourse impacts and 4,600 SF of permanent floodway impacts. The project site is located within State Game Lands # 051 (South Connellsville, PA USGS topographic quadrangle; N: 39°, 55', 22"; W: -79°, 34', 12"; Sub-basin 19B; USACE Pittsburgh District), in Dunbar Township, Fayette County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Jeffrey Hartranft, Environmental Group Manager, 717-772-5320.

EA2215220-002. Londonderry Township, 783 Geyers Church Road, Middletown, PA 17057-0701, Londonderry Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 7, 2025.

The proposed project will remove approximately 19,000 cubic yards of legacy sediment and restore historical conditions to approximately 3.5 acres of floodplain wetlands. The applicant also is proposing to restore approximately 1,200 linear feet of the Conewago Creek and approximately 360 linear feet of an unnamed tributary to the Conewago Creek (TSF, MF). The applicant also registered use of GP-4 for the modification of an existing stormwater outfall and GP-11 for the modification of an existing culvert crossing of the unnamed tributary. The project proposes to place stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to install rock construction entrances and other erosion controls during construction activities. The Conewago Creek serves as the boundary between Lancaster County and Dauphin County, with the site occupying land owned by Londonderry Township, Latitude: 40.165971°, Longitude: -76.641280°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code

Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't. of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't. of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020004	Chapter 102 Individual NPDES Permit	Issued	Friends of Pittsburgh Professional Soccer 234 Pittsburgh Street Uniontown, PA 15401-2391	Robinson Township Allegheny County	SWRO
PAD140135	Chapter 102 Individual NPDES Permit	Issued	PA Game Comm 2001 Elmerton Avenue Harrisburg, PA 17110-9762	Benner Township Centre County	NCRO

NOTICES

7013

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150380	Chapter 102 Individual NPDES Permit	Issued	Syncarpha Honeybrook LLC 250 W 57th Street # 701 New York, NY 10107-0001	Honey Brook Township Chester County	SERO
PAD230087	Chapter 102 Individual NPDES Permit	Issued	Wawa Inc. 1393 W Baltimore Pike Media, PA 19063-5502	Middletown Township Delaware County	SERO
PAD230090	Chapter 102 Individual NPDES Permit	Issued	Chester City Delaware County One Fourth Street Chester, PA 19013	Chester City Delaware County	SERO
PAD360159	Chapter 102 Individual NPDES Permit	Issued	Little Conestoga Creek Foundation P.O. Box 1328 Lancaster, PA 17608-1328	East Hempfield Township Lancaster County	RPCO
PAD400037	Chapter 102 Individual NPDES Permit	Issued	Mericle 112 Armstrong LLC 100 Baltimore Drive Wilkes-Barre, PA 18702	Pittston Township Luzerne County	NERO
PAD450181	Chapter 102 Individual NPDES Permit	Issued	Townshend Ind Asset LLC 1065 6th Avenue 5 Bryant Park 28th Flr New York, NY 10018-1878	Coolbaugh Township Monroe County	NERO
PAD650047	Chapter 102 Individual NPDES Permit	Issued	PennDot District 12-0 825 N Gallatin Avenue Ext Uniontown, PA 15401-6406	Mount Pleasant Borough Westmoreland County	SWRO
PAD670033	Chapter 102 Individual NPDES Permit	Issued	Core5 Ind Partners LLC 1230 Peachtree Street NE Suite 1000 Atlanta, GA 30309-3570	Manchester Borough York County	SCRO
PAD670118	Chapter 102 Individual NPDES Permit	Issued	York County Redevelopment Authority 445 W Philadelphia Street York, PA 17401-3383	York City York County	SCRO
PAD670127	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 119 Lincoln Street Honesdale, PA 18431-2151	Chanceford Township York County	SCRO
PA0231860	Industrial Stormwater Individual NPDES Permit	Issued	PA State University 336 Steam Drive Steam Svc Bldg Suite 301 University Park, PA 16802-4523	College Township Centre County	NCRO
PA0276201	Industrial Stormwater Individual NPDES Permit	Issued	Pratt (Allentown Corrugating) LLC 1800C Sarasota Business Parkway Conyers, GA 30013	Lower Macungie Township Lehigh County	NERO
PAS202210	Industrial Stormwater Individual NPDES Permit	Issued	Silberline Manufacturing Co. Inc. 130 Lincoln Drive Tamaqua, PA 18252-4321	Rush Township Schuylkill County	NERO
PAS202211	Industrial Stormwater Individual NPDES Permit	Issued	Silberline Manufacturing Co. Inc. 130 Lincoln Drive Tamaqua, PA 18252-4321	Rush Township Schuylkill County	NERO
0825802	Joint DEP/PFBC Pesticides Permit	Denied	Leffler William P Jr 1973 Orchard Hill Road Troy, PA 16947-9788	Burlington Township Bradford County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0026492	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Scranton City Lackawanna County	NERO
0472402	Major Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 665 S Dock Street Sharon, PA 16146-1835	Beaver Falls City Beaver County	SWRO
PA0061948	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Cedarville Investment Group LLC 3008 Willow Court Bethlehem, PA 18020-7690	Franklin Township Carbon County	NERO
PA0205664	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates Forest Brook PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-4900	New Sewickley Township Beaver County	SWRO
PA0064068	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Schuylkill County Municipal Authority 221 S Centre Street Pottsville, PA 17901-3506	Branch Township Schuylkill County	NERO
PA0205915	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Dayton Borough Armstrong County P.O. Box 396 Dayton, PA 16222-0396	Dayton Borough Armstrong County	NWRO
PA0255726	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Mt Pleasant Township Municipal Authority Washington County P.O. Box 411 Hickory, PA 15340-0411	Mount Pleasant Township Washington County	SWRO
5825201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Harmony Township Susquehanna County	NERO
1317401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Cedarville Investment Group LLC 3008 Willow Court Bethlehem, PA 18020-7690	Franklin Township Carbon County	NERO
1800403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Western Clinton County Municipal Authority P.O. Box 363 Renovo, PA 17764-0363	Renovo Borough Clinton County	NCRO
NOEXNE028	No Exposure Certification	Issued	Procter & Gamble Paper Products Co. SR 87 P.O. Box 32 Mehoopany, PA 18629	Meshoppen Township Wyoming County	NERO
NOEXNW256	No Exposure Certification	Issued	UPS Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Wetmore Township McKean County	NWRO

NOTICES

7015

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSE385	No Exposure Certification	Issued	Fabric Development Inc. 1217 W Mill Street Quakertown, PA 18951-1127	Quakertown Borough Bucks County	SERO
NOEXSE386	No Exposure Certification	Issued	HM Auto Parts & Recycle 20 East Ridge Road Nottingham, PA 19362	West Nottingham Township Chester County	SERO
PAG036343	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Armada Waste OH PA LLC 1306 Main Street Glenwillard, PA 15046-5407	Crescent Township Allegheny County	SWRO
PAG038607	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	M & B Redi Mix Inc. d/b/a Dubrook 15303 Route 322 Clarion, PA 16214-6265	West Mead Township Crawford County	NWRO
PAG041163	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Diegelman Ella 2147 Hare Road Waterford, PA 16441-9641	Waterford Township Erie County	NWRO
PAG041562	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Kraynak Justin 380 Heasley Road Pulaski, PA 16143-1110	Shenango Township Mercer County	NWRO
PAG042247	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Mohler Joel & Lydia 2020 Raubsville Road Hellertown, PA 18055-9766	Williams Township Northampton County	NERO
PAG045185	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Eberlin Dalton D 2325 W Warner Hill Road Ulster, PA 18850-8432	Sheshequin Township Bradford County	NCRO
PAG048758	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Janice S & Robert J Zewe 3120 Harts Run Road Allison Park, PA 15101-1508	Jefferson Township Mercer County	NWRO
PAG123780	PAG-12 NPDES General Permit for CAFOs	Issued	Brubaker Robert L Jr 2871 N Colebrook Road Manheim, PA 17545-8309	Mount Joy Township Lancaster County	SCRO
PAG123965	PAG-12 NPDES General Permit for CAFOs	Issued	Austin Hurst 40 New Schaefferstown Road Bernville, PA 19506-9211	Tulpehocken Township Berks County	SCRO
PAG126109	PAG-12 NPDES General Permit for CAFOs	Issued	Hyasota Hill Farms LLC 264 Hyasota Hill Road Hollsopple, PA 15935-7204	Conemaugh Township Somerset County	SCRO
0405405	Pump Stations Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 665 S Dock Street Sharon, PA 16146-1835	Eastvale Borough Beaver County	SWRO
4325401	Pump Stations Individual WQM Permit	Issued	Hermitage Municipal Authority Mercer County 800 North Hermitage Road Hermitage, PA 16148	Hermitage City Mercer County	NWRO
6525402	Pump Stations Individual WQM Permit	Issued	North Huntingdon Township Municipal Authority Westmoreland County 4130 Turner Valley Road North Huntingdon, PA 15642-4969	North Huntingdon Township Westmoreland County	SWRO
1725401	Sewer Extensions Individual WQM Permit	Issued	Sandy Township Clearfield County P.O. Box 267 Du Bois, PA 15801-0267	Sandy Township Clearfield County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
8607	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
PA0271993	Single Residence STP Individual NPDES Permit	Issued	Lynn & Richard Hulse 7498 N Shore Drive Erie, PA 16511-1616	Greene Township Erie County	NWRO
PA0287946	Single Residence STP Individual NPDES Permit	Issued	Baker Joseph 636 Reed Road Corry, PA 16407-3012	Spring Creek Township Warren County	NWRO
PA0288381	Single Residence STP Individual NPDES Permit	Issued	Joseph S Jr & Maria P Leclair 301 Evergreen Drive Leeper, PA 16233-2511	Farmington Township Clarion County	NWRO
PA0288756	Single Residence STP Individual NPDES Permit	Issued	Vaughn Bonnie 2267 Buxton Road Titusville, PA 16354-7409	Cherrytree Township Venango County	NWRO
PA0289027	Single Residence STP Individual NPDES Permit	Issued	Laurie & Randy Havern 6730 Dobler Road Girard, PA 16417-8710	Fairview Township Erie County	NWRO
0804405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Eberlin Dalton D 2325 W Warner Hill Road Ulster, PA 18850-8432	Sheshequin Township Bradford County	NCRO
2506405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Diegelman Ella 2147 Hare Road Waterford, PA 16441-9641	Waterford Township Erie County	NWRO
4392407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Janice S & Robert J Zewe 3120 Harts Run Road Allison Park, PA 15101-1508	Jefferson Township Mercer County	NWRO
WQG01432511	WQG-01 Single Residence Sewage Treatment Plant WQM General Permit	Issued	Kraynak Justin 380 Heasley Road Pulaski, PA 16143-1110	Shenango Township Mercer County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC461022	PAG-02 General Permit	Issued	SBE Realty LP 10 Schoolhouse Rd Souderton, PA 18964-2608	Lower Salford Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 RA-EPNPDES_SERO@pa.gov
PAC460974	PAG-02 General Permit	Issued	Gerald Watts Watts LLC 1020 Valley View Drive Ambler, PA 19002-1515	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 RA-EPNPDES_SERO@pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC461031	PAG-02 General Permit	Issued	Germantown Academy 340 Morris Road Fort Washington, PA 19034	Whitemarsh Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 RA-EPNPDES_SERO@pa.gov
PAC510366	PAG-02 General Permit	Issued	1901 N American Holdings LLC P.O. Box 430 Bryn Mawr, PA 19010-0430	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@pa.gov
PAC461016	PAG-02 General Permit	Issued	Cheltenham School District 2000 Ashbourne Rd Elkins Park, PA 19027-1100	Cheltenham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 RA-EPNPDES_SERO@pa.gov
PAC210396	PAG-02 General Permit	Issued	Enola Development LLC 1440 Armitage Way Mechanicsburg, PA 17050	East Pennsboro Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC340057	PAG-02 General Permit	Issued	Heller's Gas 500 North Poplar Street Berwick, PA 18603	Fermanagh Township Juniata County	Juniata County Conservation District 146 Stoney Creek Drive Mifflintown, PA 17059 717-997-8001 debra-dressler@juniataccd.org
PAC470058	PAG-02 General Permit	Issued	Sam Younes Liberty Keefer Mill Road Solar, LLC 3050 Peachtree Rd. NW Suite 350 Atlanta, GA 30305	Liberty Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC470061	PAG-02 General Permit	Issued	Joseph Reinhard Glenn O. Hawbaker, Inc. 2801 Canfield Lane Montoursville, PA 17754	Valley Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC470059	PAG-02 General Permit	Issued	Sam Younes Anthony Continental Boulevard Solar, LLC 3050 Peachtree Rd. NW Suite 350 Atlanta, GA 30305	Anthony Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC360735A-4	PAG-02 General Permit	Issued	Aaron Repucci Klein Mills Development LLC 100 Front Street Suite 560 Conshohocken, PA 19428	Mount Joy Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC361075	PAG-02 General Permit	Issued	Matthew Burkholder 310 Fairview Road Lititz, PA 17543	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360375 A-1	PAG-02 General Permit	Issued	J. Andrew Lehman Simeral Construction Company 129 Airport Road Lititz, PA 17543	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC600138	PAG-02 General Permit	Issued	Cameron Snook 4573 Col John Kelly Road Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600140	PAG-02 General Permit	Issued	Elvin Zimmerman 428 Fairfield Road Lewisburg, PA 17837	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600087	PAG-02 General Permit	Issued	PNK P2, LLC 500 Office Center Drive Suite 4023 Fort Washington, PA 19034	Gregg Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC361072	PAG-02 General Permit	Issued	Darren Charles 465 Stoney Lane Lancaster, PA 17603	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC670776	PAG-02 General Permit	Issued	York County PA S2 LLC 190 Ottley Drive NE Studio H Atlanta, GA 30324	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430 yorkccd@yorkccd.org
PAC670809	PAG-02 General Permit	Issued	319 Chestnut LLC 1111 Stewart Avenue Bethpage, NY 11714	City of York York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430 yorkccd@yorkccd.org
PAC600132	PAG-02 General Permit	Issued	David Reiff 914 Wildwood Road Mifflinburg, PA 17844	Limestone Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600112	PAG-02 General Permit	Issued	Creekside Mennonite School 457 Martin Drive Mifflinburg, PA 17844	Limestone Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC600122	PAG-02 General Permit	Issued	Buffalo Community Church 4445 Hoffa Mill Road Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC580034 A-3	PAG-02 General Permit	Issued	Kelly Grube Mid-Atlantic Interstate Transmission, LLC 2800 Pottsville Pike Reading, PA 19612	Bridgewater Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105 RA-EPWW-NERO@ pa.gov
PAC100359	PAG-02 General Permit	Issued	Bell Properties 124 Plunket Drive Zelienople, PA 16063	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC200124	PAG-02 General Permit	Issued	Bortnick Dairy LLC 21820 Palmer Road Conneautville, PA 16406	Beaver Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC600135	PAG-02 General Permit	Issued	Sandra L. Keister 142 Andrew Drive West Milton, PA 17886	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC190103	PAG-02 General Permit	Issued	Jen Kaplan Pennsylvania American Water Company (PAWC) 852 Wesley Drive Mechanicsburg, PA 17055	Berwick Borough Columbia County	Columbia County Conservation District 702 Sawmill Road Suite 103 Bloomsburg, PA 17815 570-317-9469
PAC580042	PAG-02 General Permit	Issued	Randle Shuster Montrose Borough 89 Cherry Street Montrose, PA 18801	Bridgewater Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105 RA-EPWW-NERO@ pa.gov
PAC200125	PAG-02 General Permit	Issued	Douglas Eldred 26260 Blystone Road Edinboro, PA 16412	Venango Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Mahosky Farms LLC 140 Hogs Back Lane Canton, PA 17724	Tioga County	224.5	685.68	Swine	HQ	Approved
Michael Long Sr 39 Reeds Creek Road Annville, PA 17003	Lebanon County	380.2	858.07	Swine Broilers	NA	Approved
Brian Doutrich 750 Whitman Road Lebanon, PA 17042	Lebanon County	83.7	635.44	Pullets	NA	Approved
Chase Hogeland 202 South Kalbach Road Newmanstown, PA 17073	Lebanon County	333.4	340.02	Broilers	NA	Approved
Barry Farms—Chris Barry 221 Michters Road Newmanstown, PA 17073	Lebanon County	656.6	1,034.61	Swine Beef	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once.

Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Angie Hall, Clerical II, 570-327-3490.

Construction Permit No. 1425506MA, Minor Amendment, Public Water Supply.

Applicant	Bellefonte Borough Authority
Address	301 N. Spring Street Suite 200 Bellefonte, PA 16823
Municipality	Spring Township
County	Centre County
Consulting Engineer	Cory Templin 208 West Third Street Suite 101 Williamsport, PA 17701
Application Received	June 23, 2025
Permit Issued	September 18, 2025
Description	Construct a bulk water loading station that will convey water from the Bellefonte Borough

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Transfer Permit No. 7010976, Public Water Supply.

Applicant	Gallo Pizza & Italian Restaurant, LLC
Address	6415 York Road New Oxford, PA 17350
Municipality	Berwick Township
County	Adams County
Application Received	June 12, 2025
Permit Issued	September 16, 2025
Description	Transfer of Ownership.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Angie Hall, Clerical II, 570-327-3490.

Operation Permit 6023502MA-A1. PWSID No. 4600015. **West Buffalo Township Municipal Authority**, P.O. Box 237, West Buffalo Township, PA 17844, West Buffalo Township, **Union County**. Application received: August 6, 2025. Permit Issued: September 17, 2025. Replacement flow meters.

Operation Permit No. 6020502-A1. PWSID No. 4600007. **Limestone Township Municipal Authority**, 3840 Wildwood Road, Mifflinburg, PA 17844, Limestone Township, **Union County**. Application received: August 26, 2025. Permit Issued: September 17, 2025. Updated operating permit for new meters at interconnections.

Operation Permit 4922508MA. PWSID No. 4490024. **Aqua Pennsylvania, Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, Coal Township, **Northumberland County**. Application received: September 15, 2025. Permit Issued: September 18, 2025. Part Op permit for sludge lagoon 2.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4708.

Operation Permit 3624519 MA. PWSID No. 7360123. **Columbia Water Company**, 220 Locust St, P.O. Box 350, Columbia, PA 17512, Columbia Borough, **Lancaster County**. Application received: September 11, 2025. Permit Issued: September 19, 2025. This comprehensive operation permit is for the Columbia Water Company system following rehabilitation of the Columbia finished water storage tank.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Construction Permit 3825504 MA. PWSID No. 7380032. **Richland Borough**, 5 Pine Street, Richland, PA 17087, Richland Borough, **Lebanon County**. Application received: July 5, 2025. Permit Issued: September 22, 2025. Construction of a new finished water storage tank.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-epswsdw@pa.gov.

Construction Permit 0225525MA. PWSID No. 5020038. **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA

15222, City of Pittsburgh, **Allegheny County**. Application received: July 11, 2025. Permit Issued: September 10, 2025. Issuance of Public Water Supply Construction Permit No. 0225525MA for the rehabilitation of the Pittsburgh Water and Sewer Authority Aspinwall Water Treatment Plant 8' x 8' Clarified Water Conduit.

Operation Permit 2625511. PWSID No. 5290019. **North Fayette County Municipal Authority**, 1634 University Drive, P.O. Box 368, Dunbar, PA 15431, Dunbar Township, **Fayette County**. Application received: September 5, 2025. Permit Issued: September 10, 2025. Issuance of Public Water Supply Operation Permit No. 2625511 for operation of the rehabilitated Claricone No. 7 at the North Fayette County Municipal Authority Water Treatment Plant.

Construction Permit 1125515MA. PWSID No. 4110027. **The Municipal Authority of the Borough of Portage**, 606 Cambria Street, Portage, PA 15946, Portage Township, **Cambria County**. Application received: July 10, 2025. Permit Issued: September 15, 2025. Issuance of Public Water Supply Construction Permit No. 1125515MA for the construction of modifications to the Municipal Authority of the Borough of Portage, Benscreek Water Treatment Plant including the installation of electronically actuated valving and automatic shutdown procedures.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Operation Permit 2625510. PWSID No. 5260036. **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, Dunbar Township, **Fayette County**. Application received: August 26, 2025. Permit Issued: September 4, 2025. Operation permit for filter # 3.

Operation Permit 0223525. PWSID No. 5020056. **Wilksburg—Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15211, East McKeesport Borough Penn Hills Township, **Allegheny County**. Application received: September 5, 2025. Permit Issued: September 16, 2025. Operation permit for the East McKeesport water storage tank, chemical storage building, and chemical change.

Operation Permit 6525521. PWSID No. 5650069. **Highridge Water Authority**, 17 Maple Avenue, Blairsville, PA 15717, Armagh Borough, **Westmoreland County**. Application received: September 15, 2025. Permit Issued: September 17, 2025. Rehabilitated Armagh # 2 Water Storage Tank.

Operation Permit 1125519MA. PWSID No. 4110017. **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Summerhill Township, **Cambria County**. Application received: September 16, 2025. Permit Issued: September 17, 2025. Approximately 6,600 linear feet of 6-inch diameter waterline and appurtenances along Jap Road and 8,600 linear feet along Washington Avenue and Lecks/Leventry Road.

Emergency Permit 0425517-E-A1. PWSID No. 5040059. **Glasgow Municipal Water Works**, 174 Route 68, Midland, PA 15059, Glasgow Borough, **Beaver County**. Application received: September 15, 2025. Permit Issued: September 15, 2025. Temporary use of Dalton's Service Company, LLC bulk water hauling to haul water from Beaver Falls Municipal Authority to the Glasgow clearwell.

Construction Permit 2625505MA. PWSID No. 5260005. **Pennsylvania American Water Company**,

852 Wesley Drive, Mechanicsburg, PA 17055, Brownsville Borough, **Fayette County**. Application received: July 7, 2025. Permit Issued: August 15, 2025. Construction permit for the installation of a 250-gallon sodium hydroxide day tank.

Construction Permit 0225524MA. PWSID No. **5020039**. **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Baldwin Borough, **Allegheny County**. Application received: July 7, 2025. Permit Issued: August 15, 2025. Construction permit for installation of two chemical injection vaults.

Construction Permit 3025503. PWSID No. **5300012**. **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Dunkard Township, **Greene County**. Application received: July 28, 2025. Permit Issued: September 17, 2025. Construction permit for upgrades to multiple pump stations and water storage tanks.

Emergency Permit 0425517-E. PWSID No. **5040059**. **Glasgow Municipal Water Works**, 174 Route 68, Midland, PA 15059, Glasgow Borough, **Beaver County**. Application received: August 14, 2025. Permit Issued: August 14, 2025. Emergency permit issued for temporary bulk water hauling.

Operation Permit 2625509. PWSID No. **5260036**. **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, Dunbar Township, **Fayette County**. Application received: August 22, 2025. Permit Issued: September 4, 2025. Operation permit for clarifier # 8.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631–641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Safe Drinking Water, 717-705-4708.

22-53D, Water Allocations. **Capital Region Water**, 3003 North Front Street, Harrisburg, PA 17110, Rush Township and Harrisburg City, **Dauphin County**. Water Allocation Permit WA 22-53D grants the right to withdraw a maximum of 11,500,000 gallons per day (gpd), when available, based on an annual average, and not to exceed a maximum of 13,500,000 gallons on any single day, when available, from the DeHart Reservoir on Clark Creek located in Rush Township, Dauphin County; and a maximum of 15,000,000 gallons per day, when available, based on an annual average, from the Susquehanna River located in Harrisburg City, Dauphin County. The total combined withdrawal from both sources shall not exceed 15,000,000 gpd based on an annual average. Application received: December 1, 2014. Issued: September 17, 2025

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

Correction—previously published on September 18, 2025.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
North Middleton Township	2051 Spring Road Carlisle, PA 17013	Cumberland County

Plan Description:

Troy and Michelle Landis SFTF, A3-21920-258-3s. Approval of a revision to the official plan of North Middleton Township, **Cumberland County**. The project is known as the Troy and Michelle Landis Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to serve a proposed single-family dwelling on 5.72 acres with total estimated sewage flows of 400 gpd. There will be a proposed discharge to a dry channel with an easement which leads to Meetinghouse Run. The proposed development is located along Pine Hill Road, approximately 750 feet southeast of the intersection with Longs Gap Road, in North Middleton Township, Cumberland County. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number for this planning module is A3-21920-258-3s and the APS ID is 1143562. Any permits must be obtained in the name of the property owner.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Wilt, Sewage Planning Specialist, 717-705-4755.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Berwick Township	85 Municipal Road Hanover, PA 17331	York County

Plan Description:

B Elite Properties LLC, A3-01907-122-3s. The planning module for B Elite Properties, LLC, DEP Code No. A3-01907-122-3s, APS ID No. 1137825, is disapproved. The proposal consists of a proposed Small Flow Treatment Facility (SFTF) to replace a malfunctioning on-lot sewage disposal system serving a 3-bedroom and a 5-bedroom single-family residential dwelling on 1.6152 acres. Total estimated sewage flows are 1,000 gpd, and there will be a proposed dry stream discharge to an unnamed tributary of Pine Rune (WWF). The proposed development is located at 171 Bair Road in Berwick Township, **Adams County**. This plan is disapproved because the applicant failed to address deficiency items necessary for the Department to finish its technical review, as outlined in a June 24, 2025, technical deficiency letter to the Township.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Woolrich Mill & Treatment Plant Properties Cleanup, Primary Facility ID # **845923**, 2 Mill Street, Woolrich, PA 17779, Pine Creek Township, **Clinton County**. Mountain Research LLC, 825 25th Street, Altoona, PA 16601, on behalf of Woolrich Inc., 33 Boardman Drive, Woolrich, PA 17779, submitted a Risk Assessment/Cleanup Plan concerning remediation of soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, and metals. The Risk Assessment/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

6450 Kings Highway South, Primary Facility ID # **882928**, 6450 Kings Highway South, Zionsville, PA 18092, Upper Milford Township, **Lehigh County**. Union Technical Group, P.O. Box 8123, Pelham, NY 10803, on behalf of John R. Young Oil Company, P.O. Box 247, Green Lane, PA 18054, submitted a Final Report concerning remediation of soil contaminated with 32 heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Barton Court Mobile Home Park—Lot 171, Primary Facility ID # **831982**, 171 Barton Court, Bartonsville, PA 18321, Pocono Township, **Monroe County**. Trimpi Associates, 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Arx Ventures, 1199 Lancaster Avenue, Suite 100, Berwyn, PA 19312, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Zurin Rental Property, Primary Facility ID # **750955**, 735 Barbara Street, Landisville, PA 17538, East Hempfield Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Ms. Marjorie Zurin, 1662 Landisville Road, Manheim, PA 17545, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with heating oil. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Russell D. Devan, Professional Geologist Manager, 484-250-5786.

Laboratory Testing Inc., Primary Facility ID # **862328**, 2331 Topaz Drive, Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Andrew Markoski, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464, on behalf of Michael McVaugh, MTJ Properties, LP, 2331 Topaz Drive, Hatfield, PA 19440, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Remedial Investigation Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Tank Car of America, Primary Facility ID # **818846**, 1725 Walnut Avenue, Oreland, PA 19075, Springfield Township, **Montgomery County**. Randy Shick, BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Michael Taylor, Springfield Township, 1510 Paper Mill Road, Wyndmoor, PA 19038, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with

other organics. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

National Construction Rentals Inc., Primary Facility ID # **829825**, 6401 West Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. David DiPascale, TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08057, on behalf of Bill Baker, National Construction Rentals, Inc., 6416 Lakeview Road, Charlotte, NC 28269, submitted a Final Report concerning remediation of soil and groundwater contaminated with diesel fuel, lead, and leaded gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Coarse Refuse Disposal Area (CRDA) 7, Primary Facility ID # **879681**, Latitude: 39.97546389, Longitude: -80.37340278, Graysville, PA 15337, Morris Township, **Greene County**. Penn Environmental & Remediation, Inc., 100 Ryan Court, Suite 20, Pittsburgh, PA 15205, on behalf of Brian Benson, Consol Pennsylvania Coal Company, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with chloride, aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc. The Remediation Investigation Report/Final Report is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances

in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

EQT Mallory Pad C 6-30-2025 Elevated Conductivity Fluid Release, Primary Facility ID # **886296**, 1483 Trust Street, Trout Run, PA 17771, Plunketts Creek Township, **Lycoming County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of EQT ARO LLC, 2462 Lycoming Creek Road, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 17, 2025.

Stethers BRA Pad Produced Water Releases Cleanup, Primary Facility ID # **881943 & 882727**, 5426 Route 706, Wyalusing, PA 18853, Wyalusing Township, **Bradford County**. Creston Environmental LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production water. The Final Report demonstrated attainment of the Statewide health standards. Approved: July 24, 2025.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Russell D. Devan, Professional Geologist Manager, 484-250-5786.

Hickory Park Inc., Primary Facility ID # **885757**, 2138 Big Road, Gilbertsville, PA 19525, New Hanover Township, **Montgomery County**. Advantage Environmental Consultants, LLC, 3819 Germantown Pike, Suite B, Collegeville, PA 19426, on behalf of New Hanover Township, 2943 North Charlotte Street, Gilbertsville, PA 19525, submitted a Remediation Investigation Report/

Final Report concerning remediation of soil and ground-water contaminated with lead and leaded gasoline. The Report Was not acceptable to meet Statewide health standards. Issued an administrative deficiency letter: September 5, 2025.

Southwest Region: Environmental Cleanup & Brown-fields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Specialty Cycleworks, Primary Facility ID # **885471**, 4633 Somerset Pike, Hollsopple, PA 15935, Benson Borough, **Somerset County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Tom McCombie, Berkebile Excavating Company, Inc., 907 Tire Hill Road, Johnstown, PA 15904, submitted a Final Report concerning remediation of soil contaminated with lead, benzene, ethylbenzene, isopropylbenzene, naphthalene, toluene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, indeno(1,2,3-cd)pyrene, and pyrene. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 17, 2025.

Colombia Gas of PA—Groveton POD, Primary Facility ID # **844483**, 1300 Station Street, Coraopolis, PA 15108, Robinson Township, **Allegheny County**. ARM Group, LLC, 171 Hillpointe Drive, Suite 301, Canonsburg, PA 15317, on behalf of Vince Catalano, Colombia Gas of Pennsylvania, 101 Stoney Ridge Drive, Monaca, PA 15601, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with arsenic, lead, toluene, ethylbenzene, 1,2,4-trimethylbenzene, hexachloroethane, benzo(b)fluoranthene for soil arsenic, barium, cadmium, chromium, lead, selenium, bis(2-chloroethyl)ether for groundwater. The Final Report did not demonstrate attainment of the Statewide health and site-specific standards. Issued a technical deficiency letter: September 23, 2025.

EQT R. Smith Well Pad, Primary Facility ID # **846960**, 74 Shannon Road, Monongahela, PA 15063, Carroll Township, **Washington County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Kyle Borden, EQT Corporation, 2200 Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, zinc, and chloride. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 16, 2025.

MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGM044-NE002. Monroe County Recycling & Alternative Fuel, LLC, 2213 Shafer Road, Stroudsburg, PA 18360, Hamilton Township, **Monroe County**. A renewal application for continued coverage under general permit number WMGM044 for the processing of wood, textile, plastic, rubber, paper, construction/demolition waste, tires, roofing felt, and shingles for beneficial use as alternative fuel. Application received: March 27, 2022. Denied: September 15, 2025.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2511 or RA-EPWM-NERO@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

REGISTRATION FOR REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE GENERAL PERMITS

Actions(s) Taken on Registration(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Waste Regulations for a General Permit to Operate Regulated Medical and Chemotherapeutic Waste Processing Facilities.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, phone 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITs@pa.gov.

WMGI005SE006. Janssen Biotech, Inc., 200 Great Valley Parkway, Malvern, PA 19335, East Whiteland Township, **Chester County**. This General Permit application is for Registration under the conditions defined within General Permit No. WMGI005 to treat liquid BSL-1 and BSL-2 biological waste streams (biowastes) that are generated from the Research & Development operations in Building M6 of the Janssen Biotech Inc.—Malvern Facility, located at 65 Great Valley Parkway in East Whiteland Township, Chester County. Application received: June 12, 2025. Issued: September 17, 2025.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITs@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Program Manager.

100620. Allied Waste Systems of Pennsylvania, LLC, 11 Boggs Road, P.O. Box 47, Imperial, PA 15126-0047, Findlay Township, **Allegheny County**. Application to renew Permit # 100620 for the Imperial Landfill, and municipal and residual waste disposal facility located at 11 Boggs Road, Imperial, PA 15126-0047. Application received: September 12, 2024. Accepted: October 8, 2024. Permit issued: September 22, 2025.

Persons interested in reviewing the permit may contact Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-14-00001B: EXCO Appalachia Midstream, LLC, 12377 Merit Drive, Suite 1700, Dallas, TX 75251, Burnside Township, **Centre County**. The Department authorized the continued operation of sources at the Confer compressor site pursuant to the PA DEP Air Quality Bureau's General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5). The facility's GP-5 Permit reauthorization includes the installation of the de minimis emissions increases beginning in August 2025, from a 300-gallon glycol storage tank. The new tank is estimated to increase VOC and HAP emissions by negligible amounts (0.00 ton/year). Application received: August 15, 2025. GP coverage issued: September 17, 2025. Expiration date: September 16, 2030.

AG5-41-00003D: NFG Midstream Trout Run, LLC, 6363 Main Street, Williamsville, NY 14221, McIntyre Township, **Lycoming County**. The Department authorized the construction and operation of two (2) natural gas-fired 2.5 MMBtu enclosed flares to control VOC emissions from the existing dehydration units at the Bodine Compressor Station. This authorization also included the renewal of the general permit to operate existing sources at the site. The authorization was issued pursuant to the General Plan Approval and/or the General Operating Permit for Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5). Application received: August 28, 2025. GP coverage issued: September 18, 2025. Expiration date: September 17, 2030.

AG5-57-00001C: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Cherry Township, **Sullivan County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Respon-

sible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Cherry Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: November 17, 2029.

AG5-08-00002C: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Granville Township, **Bradford County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Responsible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Granville Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: September 2, 2029.

AG5-57-00002B: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Fox Township, **Sullivan County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Responsible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Red Fox Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: October 20, 2027.

AG5-59-00011C: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, NY 14221, Sullivan Township, **Tioga County**. The Department approved authorization for continued operation of one (1) 1340 bhp Caterpillar model G3516 four-stroke lean-burn natural gas-fired compressor engine equipped with an oxidation catalyst, one (1) 1380 bhp Caterpillar model G3516B four-stroke lean-burn natural gas-fired compressor engine equipped with an oxidation catalyst, one (1) 1380 bhp Caterpillar model G3516B four-stroke lean-burn natural gas-fired compressor engine equipped with an oxidation catalyst, one (1) 30 MMscf/day dehydrator equipped with a 0.275 MMBtu/hr reboiler, one (1) 60 MMscf/day dehydrator equipped with a 0.5 MMBtu/hr reboiler, two (2) 10,000-gallon produced water tanks, seven (7) small lubrication oil and glycol fluids storage tanks, one (1) 153 bhp emergency generator engine, one (1) 446 bhp microturbine, pigging operations, liquid loading operations, pneumatic controller devices, venting/blowdowns, and fugitive emissions from piping, fitting, and equipment leaks, all authorized pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Shaw Compressor Station. Application received: August 4, 2025. Renewal issued: September 22, 2025. New expiration date: September 21, 2030.

AG5-08-00004C: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Wilmot Township, **Bradford County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Responsible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Wilmot Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: November 18, 2029.

AG5-08-00016B: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Towanda Township, **Bradford County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Responsible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Liberty Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: July 4, 2029.

AG5-08-00003C: Appalachia Midstream Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657, Wyalusing Township, **Bradford County**. The Department issued a revised authorization for use of General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) for a change of Responsible Official to Robert Biffle, Vice President and Permit Contacts to be Dale Ann Buchanan and Amy Jacoby for their Stagecoach Compressor Station facility. Application received: August 27, 2025. Approved: September 3, 2025. Expiration date: November 3, 2029.

AG5A-41-00010A: Beech Resources LLC, 3033 E First Avenue, Suite 505, Denver, CO 80206, Lycoming Township, **Lycoming County**. The Department approved authorization to construct and operate new sources consisting of one (1) 1,380 bhp Caterpillar G3516B four-stroke lean-burn, natural gas-fired compressor engine equipped with oxidization catalyst, one (1) JW Williams 50 MMscf/d dehydrator with a 0.25 MMBtu reboiler burner, five (5) natural gas-fired Gas Production Units, five (5) unconventional natural gas production wells, three (3) 16,800 gal (400 bbl) produced water storage tanks, multiple pneumatic devices, periodic venting and blowdowns, site fugitive emissions and tank liquid loading emissions pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at your Delta Well Pad Site. Application received: August 20, 2025. Authorized: September 19, 2025. Expiration date: September 18, 2030.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

AG5-32-00002B: Diversified Production LLC, Kohlhepp Road, Indiana, PA 15701, North Mahoning Township, **Indiana County**. Issued a GP5 renewal for the reauthorization of the existing operation at the Marchand Compressor Station. Application received: August 4, 2025. Issued: August 28, 2025. Expiration date: July 31, 2030.

GP1-25-00931C: PA Department of Corrections, 10745 Route 18, Albion, PA 16475-0002, Conneaut Township, **Erie County**. Issued a GP1 for the installation of a 26.78 MMBtu/hr boiler burner to be retrofitted onto the existing Superior Boiler # 2 configuration at the Albion State Correctional Institute. Application received: August 19, 2025. Issued: September 15, 2025. Expiration date: August 31, 2030.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

GP1-28-03054: D. L. George & Sons Manufacturing, 20 East Sixth Street, Waynesboro, PA 17268, Waynesboro Borough, **Franklin County**. For two existing natural gas-fired boilers, under GP1, at the facility. The general permit authorization was renewed. Application received: September 15, 2025. Issued: September 19, 2025.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

GP14-46-0084A: East Norriton Crematory/Volpe Funeral Home, 707 West Germantown Pike, Norristown, PA 19403, East Norriton Township, **Montgomery County**. This action is for the installation and operation of a Cremation Systems Human Crematory at this location. Application received: September 3, 2025. Issued: September 16, 2025.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: 412-442-4030.

GP5A-63-01041C/AG5A-63-00024C: Expand Operating, LLC, 1300 Fort PierPoint Drive, Suite 201, Morgantown, WV 26508, West Finley Township, **Washington County**. On September 18, 2025, GP5A-63-01041C/AG5A-63-00024C was authorized to Expand Operating, LLC to continue the operations of the previously approved sources that contains Eight (8) natural gas wells, one (1) Heater treater tower HT-1 rated at 0.75 MMBtu/hr, eight (8) natural gas processing units, 4-produced water tanks, two condensate storage tanks each 400-bbl, loadout, controlled by an enclosed combustor at 11.7 MMBtu/hr, fugitives, blowdowns, intermittent bleeders, and associated pipping equipment at their atural gas wellpad Bernard McCulley Pad ("Bernard") located in West Finley Township, Washington County. Application received: August 21, 2025. Accepted: August 28, 2025. Approved: September 18, 2025.

GP5A-63-01042B/AG5A-63-00025B: EQT Production Company, 400 Woodcliff Drive, Canonsburg, PA 15317, East Finley Township, **Washington County**. On September 19, 2025, GP5A-63-01042B/AG5A-63-00025B was approved for Kuhn Well Pad for the previously approved sources and controls that included six (6) wellheads, three (3) 400-bbl condensate storage tanks connected to closed vent system, five (5) 400-bbl produced water storage tanks connected to closed vent system, Loadout operations, blowdowns, pneumatic, and one Qnergy power gen at 5.65 kW at their natural gas well pad known as the Kuhn Well Pad ("Kuhn") an unconventional well pad that includes conventional assets located in East Finley Township, Washington County. Application received: August 26, 2025. Accepted: September 12, 2025. Approved: September 19, 2025.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP3-63-00963D & GP11-63-00963A: Boord, Benchek, and Assoc., 333 Technology Drive, Suite 109, Canonsburg, PA 15317, Smith Township, **Washington County**. Authorization to install and/or operate a portable nonmetallic mineral processing plant, rated at 400 tons per hour, powered by two nonroad diesel-fired engines at the Ostop/Schneider Borrow Site located in Smith Township,

Washington County. Application received: June 12, 2025. Approved: September 12, 2025.

GP1-63-00491A: Pennsylvania Sys of Higher Edu—PennWest California Campus, 250 University Ave, California, PA 15419, California Borough, **Washington County**. Authorization to install and operate three (3) 10 MMBtu/hr dual fuel-fired boilers (natural gas with fuel oil backup) at Pennsylvania Western University—California Campus. Application received: August 27, 2025. Approved: September 18, 2025.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

15-0094D: Metallurgical Products Company, 810 Lincoln Avenue, West Chester, PA 19381, West Goshen Township, **Chester County**. This action for an extension of the plan approval for the installation and operation of a new baghouse, associated exhaust ductwork, back-up exhaust fan and in-duct burner to replace the Wheelabrator and Griffin baghouses used to control particulate matter emissions from Source IDs 111 and 140. Application received: August 4, 2025. Issued: September 16, 2025.

09-0197B: Hiossen Inc., 85 Ben Fairless Dr, Fairless Hills, PA 19030, Falls Township, **Bucks County**. This action is for the extension of a plan approval for the installation and operation of an acid etching unit with ventilation to an existing back-up packed tower scrubber, and an existing acid etching unit that will vent only to the primary packed tower scrubber. Application received: January 28, 2025. Issued: September 19, 2025.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00014E: United States Gypsum Company, 86 PPL Road, Danville, PA 17821, Derry Township, **Montour County**. The Department issued a plan approval extension to authorize the continued construction of the natural gypsum rock unloading and processing project at U.S. Gypsum's Washingtonville plant. The extension authorizes both the continued construction and temporary operation of the project under the applicable terms and conditions of Plan Approval 47-00014E. The plan approval expiration date has been extended from September 30, 2025, to October 1, 2026. Application received: August 28, 2025. Issued: September 17, 2025. New expiration date: October 1, 2026.

18-00011M: Croda, Inc., 8 Croda Way, Mill Hall, PA 17751, Bald Eagle Township, **Clinton County**. The Department has extended the authorization to operate the sources pursuant to the plan approval originally set to expire on September 29, 2025, for the company's Mill Hall Facility. The plan approval has been extended to March 28, 2026. Application received: September 15, 2025. Issued: September 17, 2025. New expiration date: March 28, 2026.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

67-05083H: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the modification of the York Energy Center Block 2 Electricity Generation Project's turbine requirements. The plan approval was extended. The modification consists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016) and P.A. No. 67-05083G (issued December 14, 2021):—Startup/Shutdown NO_x, VOC, and CO limits changed from lb/hr basis to lb/event basis. This change does not alter the amount of emissions authorized during startups and shutdowns.—Removal of explicit startup/shutdown hours limitations. This change does not alter the existing annual emission limitations placed on the turbines.—Clarification of fuel switching events.—Removal of CO/VOC correlation factor development in lieu of ongoing periodic VOC stack testing.—Incorporation of a once-per-5-calendar-year stack testing of the Block 2 turbines for VE, VOC, PM, and HAPs.—Use of the combustion turbine manufacturer's VOC emissions curve to calculate VOC emissions for startup and shutdown events. Application received: August 20, 2025. Issued: September 19, 2025.

07-05034A: Pennsylvania Department of Military Veteran's Affairs, 184 Veterans Boulevard, Hollidaysburg, PA 16648, Allegheny Township, **Blair County**. For the installation and operation of a 16.8 MMBtu/hr replacement steam boiler at the Hollidaysburg Veterans Home. The plan approval was extended, with a compliance schedule. Application received: September 4, 2025. Issued: September 22, 2025.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, NSR Env Eng Mgr, 412-442-4174.

PA-63-00995: W G Tomko Inc., 2559 State Route 88, Finleyville, PA 15332, Union Township, **Washington County**. The Department has issued a plan approval extension to authorize continued operation of sources and controls associated with the facility. Application received: September 11, 2025. New expiration date: September 22, 2025.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter G.

Philadelphia: Air Management Services: Air Quality Program, 7801 Essington Avenue, Philadelphia, PA 19153-3240.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

OP17-000077: Sun Chemical—General Printing Ink Division, 3301 W. Hunting Park Ave., Philadelphia, PA 19132-1884, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal Title V Operating Permit (TVOP) for manufacturing inks that are used for packaging and graphic solutions for a wide range of industries. The facility includes the following significant sources of air emissions: • Blending and Dispersion Operations include 14x Electric Mixers, 16x Ink Mixers, 4x Bench-top Air Mixers 2x Electric Tanks, 3x Kady Mills, and 1x Inerted Mixer • Combustion Operations include 1x Boiler (2.5 MMBtu/hr) and 2x Warm Air Furnaces (2.5 MMBtu/hr and 0.3 MMBtu/hr) burning natural gas • Storage Operations include 1x 20,000-gallon Storage Tank. Application received: December 20, 2017. Issued: August 28, 2025.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

05-05022: Bedford Reinforced Plastics, Inc., 264 Reynoldsdale Road, Bedford, PA 15522-7401, East Saint Clair Township, **Bedford County**. For the fiberglass reinforced plastics composite products pultrusion manufacturing facility. The Title V permit was renewed. Application received: May 29, 2025. Issued: September 16, 2025.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00014: Kimberly Clark Corp., 1 Avenue of the States, Chester City, PA 19013, City of Chester, **Delaware County**. This action is a renewal of a Title V Operating Permit for the cogeneration units, paper machines, converting areas, emergency generators, emergency fire pump, and water treatment plant used in the manufacturer of toilet paper. Application received: September 20, 2024. Issued: September 19, 2025.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facilities Permitting Chief, 570-826-2409.

66-00010: Regency Marcellus Gas Gathering, LLC, 101 W. 3rd St., Williamsport, PA 17701, Washington Township, **Wyoming County**. The Department issued a State-Only Operating Permit for operation of sources at a natural gas extraction facility. The sources include eight (8) 2,370 HP compressor engines, one (1) 5 mmscfd dehydration unit with associated reboiler, three (3) 12,600-gal produced water tanks, associated venting, piping, and components. Control devices include oxidation catalysts and a thermal oxidizer. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring,

recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: December 19, 2024. Accepted: December 26, 2024. Issued: September 16, 2025.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

61-00208: Specialty Fabrication & Powder Coating, LLC, P.O. Box 790, Franklin, PA 16323-0790, Sugar-creek Borough, **Venango County**. The Department issued the renewal State Only Natural Minor Operating Permit for operation of the fabrication and powder coating facility. The facility consists of the natural gas-fueled equipment (heaters, a drying oven, and a burn-off oven) to support the powder coating operation. The potential emissions of the primary pollutants from the facility are as follows: PM₁₀: 0.33 TPY, NO_x: 4.34 TPY, SO_x: 0.03 TPY, CO: 3.65 TPY, VOC: 0.24 TPY, and total HAPs: 0.08 TPY; thus, the facility is a natural minor. The burn-off oven is subject to General Permit GP-4 conditions. The permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 12, 2024. Renewal issued: September 15, 2025.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4863.

21-03114: Pennsylvania Area Funeral Service, LLC, 2020 W Trindle Road, Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. For the operation of a human crematory. The State-Only Permit was renewed. Application received: May 23, 2025. Issued: September 18, 2025.

Contact: Vincent Pascucci, PE, East Permit Section Chief, 717-705-4862.

06-03184: SOLO Laboratories, 415 South Laurel Street, Kutztown, PA 19530-9332, Kutztown Borough, **Berks County**. For the operation of their custom podiatry orthotics manufacturing facility. The State-Only Permit was renewed. Application received: March 21, 2025. Issued: September 16, 2025.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00103: Elwyn, 111 Elwyn Rd, Elwyn, PA 19063, Middletown Township, **Delaware County**. This action is for the renewal of a Non-Title V Facility, State-Only, Synthetic Minor Permit for a facility that offers residential services and supports for daily living for the developmentally disabled and disadvantaged. Application received: January 23, 2025. Issued: September 19, 2025.

23-00098: SAP America, Inc., 3999 West Chester Pike, Newtown Square, PA 19073, Newtown Township, **Delaware County**. This action is for the renewal of a

non-Title V, Synthetic Minor Operating Permit for boilers, emergency generators, and hot water heaters used at a computer software development and support facility. Application received: December 20, 2024. Issued: September 19, 2025.

46-00157: Dana Driveshaft Products, LLC, 1040 Center Avenue, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. This action is for the renewal of a non-Title V, Synthetic Minor Operating Permit for coating operations, lubricating and cleaning operations, parts washer, emergency generator, fire pump, and miscellaneous gas-fired sources at a manufacturer of motor vehicle transmission and powertrain parts. Application received: February 20, 2025. Issued: September 19, 2025.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Environmental Engineer Manager, 412-442-4336.

26-00588: Laurel Mountain Midstream, LLC, 943 New Salem Rd., New Salem, PA 15401, German Township, **Fayette County**. 26-00588: Laurel Mountain Midstream, LLC (943 New Salem Rd., New Salem, PA 15401) On September 23, 2025, the Department issued an administrative amendment of the synthetic minor State Only Operating Permit for the Shamrock Compressor Station located in German Township, Fayette County. The Operating Permit was amended to revise the Responsible Official information identified in the Operating Permit in accordance with the requirements of the Administrative Operating Permit Amendments under 25 Pa. Code § 127.450. Application received: September 8, 2025. Deemed administratively complete: September 10, 2025. Issued: September 23, 2025.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00015: Rohm & Haas Company/Bristol, 200 Route 413, Bristol, PA 19007, Bristol Township, **Bucks County**. This action is for the minor modification of a Title V Operating Permit for a chemical manufacturing plant. The permit was revised to lower the sitewide emission limit for nitrogen oxides (NO_x) to below 50 tons per year. This limit allows the Rohm & Haas Company to be under the thresholds of applicability for the final-form Reasonable Achievable Control Technology (RACT III) requirements. This action also incorporated the requirements of 40 CFR Part 63, Subpart FFFF into the Title V Operating Permit for the wastewater treatment plant. The requirements of 40 CFR Part 63, Subpart FFFF were applied through this Operating Permit because the wastewater treatment facility is shared with Altuglas, LLC (Title V Operating Permit 09-00122), which is subject to the requirements of this subpart. No changes were made to monitoring or recordkeeping for this action. Application received: August 1, 2025. Issued: September 18, 2025.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

GP5-03-273A: Infinity Natural Resources—South Bend Compressor Station, 2381 State Route 156, South Bend Township, PA 15774, South Bend Township, **Armstrong County**.

The de minimis emission increase is for the installation of one 100 MMscfd glycol dehydration unit and associated 1.5 MMBtu/hr reboiler. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The DEP hereby approves the de minimis emission increase. The following table is a list of the de minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the de minimis emission increases since the general plan approval/general Operating Permit issuance on August 26, 2022.

Date	Source	PM_{10} (tons)	SO_x (tons)	NO_x (tons)	VOC (ton)	CO (tons)
07/25/25	Dehydration Unit and Reboiler	0.049	0.004	0.644	0.453	0.541
Total Reported Increases		0.049	0.004	0.644	0.453	0.541
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

32-00380: Tipple Four J Inc., 8612 Route 422 West, Shelocta, PA 15774, Armstrong Township, **Indiana County**. The permit was revoked at the request of the facility. The facility has not operated since September 24, 2024, and is permanently closed. The sources have been removed, and the property is being sold. Application received: March 26, 2024. Revoked: September 19, 2025.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Lori Jenkins, Clerical Assistant 3.

Mining Permit No. 32733708. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Green and Susquehanna Townships, **Indiana and Cambria Counties**. To renew the permit. Application received: January 7, 2025. Accepted: January 23, 2025. Issued: September 15, 2025.

Mining Permit No. 30031301. Dana Mining Company of PA, LLC, 966 Crafts Run Road, Maidsville, WV 26541, Whiteley, Perry and Dunkard Townships, **Greene County**. To renew the permit. Application received: October 31, 2024. Accepted: December 3, 2024. Issued: September 17, 2025.

Mining Permit No. 32061302. NPDES No. PA0235768. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Young Township, **Indiana County**. To renew the NPDES permit and revise the permit and related NPDES permit for construction and maintenance of two (2) treatment ponds and installation of a dewatering borehole, affecting 4.6 surface acres.

Receiving Stream(s) Blackleggs Creek, classified for the following use: CWF. Application received: March 1, 2024. Accepted: April 15, 2024. Issued: September 18, 2025.

Mining Permit No. 32991301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Buffington Township, **Indiana County**. To renew the permit. Application received: December 4, 2024. Accepted: January 8, 2025. Issued: September 17, 2025.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: RA-EPCAMBRIADMO@pa.gov.

Mining Permit No. 56130109. NPDES No. PA0279358. Robindale Energy Services, Inc., 224 Grange Hall Road, Armagh, PA 15920, Paint and Ogle Townships, **Somerset County**. Permit renewal of a bituminous surface and auger mine. Total SMP acres goes from 316.70 to 186.10 acres. Receiving streams: unnamed tributaries to and Paint Creek, Seese Run and Babcock Creek, classified for the following use: CWF. Application received: March 18, 2025. Permit issued: September 17, 2025.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17080112. Kasubick Brothers Coal Company, 501 David Street, Houtzdale, PA 16551, Woodward Township, **Clearfield County**. Approval for a Change of Post-Mining Land Use from Forestland to Unmanaged Natural Habitat on an existing bituminous surface coal mine affecting 46.8 acres. Receiving stream(s): Unnamed Tributary to Upper Morgan Run and North Branch to Morgan Run classified for the following use(s): CWF. Application received: May 27, 2025. Accepted: May 27, 2025. Issued: September 19, 2025.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3, RA-EPNewStanton@pa.gov.

Mining Permit No. 26060106. Charles L. Swengish & Sons Coal Company, Inc., 2 Swengish Lane, Smithfield, PA 15478, Springhill and Georges Townships, **Fayette County**. Permit renewed for continued mining to an existing bituminous mine site, affecting 529.9 acres. Receiving streams: Unnamed tributaries to Rubles Run and unnamed tributaries to Mountain Creek; classified for the following use: CWF. Application received: June 15, 2022. Issued: September 23, 2025.

Noncoal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Ashley Foster, Clerical Assistant 3, 814-342-8215.

Mining Permit No. 08960804. Jerry L. Johnson, P.O. Box 136, Le Raysville, PA 18829, Wyalusing Township, **Bradford County**. Final bond release for a Small Noncoal surface mining operation. Restoration of 1.0 acres was completed. Application received: May 28, 2025. Accepted: June 3, 2025. Issued: September 18, 2025.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 4775SM10. NPDES No. PA0596639. Heidelberg Materials Northeast, LLC, 7535 Windsor Drive, Suite 300, Allentown, PA 18106, College Township, **Centre County**. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 315.2 acres. Receiving

stream(s): Spring Creek classified for the following use(s): HQ-CWF, MF. Application received: March 24, 2025. Accepted: April 3, 2025. Issued: September 22, 2025.

**ABANDONED MINE RECLAMATION
PRIMACY BOND FORFEITURE PROJECT**

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Jeffrey Parr, Watershed Manager, 724-925-5542.

Primacy Bond Forfeiture Project No. **PBF 63130101.3**
Municipality Smith Township
County **Washington County**
Description Whitmoyer Surface Mine, S & K Energy, Inc.,
Surface Mining Permit No. 63130101
Contractor Name and Address
Mullen Excavating Inc.
Address 278 Green Valley Road
City, State, Zip Eighty Four, PA 15330
Amount 210,231.50
Date of Award September 22, 2025

**ACTIONS ON BLASTING ACTIVITY
APPLICATIONS**

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Ashley Foster, Clerical Assistant 3, 814-342-8215.

Permit No. 41254101. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, Shrewsbury Township, **Lycoming County**. Blasting for Commercial Development. Application received: September 15, 2025. Approved: September 17, 2025. Expiration date: March 31, 2026.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 3, RA-EPNewStanton@pa.gov.

Permit No. 02254103. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018, North Fayette Township, **Allegheny County**. Blasting activity permit for the construction of High Ridge Plan commercial development with an expiration date of December 31, 2027. Application received: September 23, 2025. Issued: September 23, 2025.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 06254104. M3 Explosives, LLC, P.O. Box 615, Bowmansville, PA 17507, New Morgan Borough, **Berks County**. Construction blasting for New Morgan Commercial Development. Application received: September 11, 2025. Permit issued: September 16, 2025. Permit expired: September 11, 2026.

Permit No. 15254110. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, Sadsbury Township, **Chester County**. Construction blasting for Sadsbury Commons Phase 3 Revised Commercial Development.

Application received: September 17, 2025. Permit issued: September 21, 2025. Permit expired: March 31, 2026.

**FEDERAL WATER POLLUTION
CONTROL ACT SECTION 401**

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

E5729225-003. Appalachia Midstream Services LLC, 30351 Route 6, Wysox, PA 18854, Colley Township, **Sullivan County**. U.S. Army Corps of Engineers Baltimore District.

Application received: April 17, 2025. Issued: September 19, 2025.

To construct, operate, and maintain:

1. (Wetland W1, Stream C1) a temporary access road using timber mats impacting 1,170 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 923 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 100 linear feet of another unnamed tributary to North Branch Mehoopany Creek (CWF) (Colley, PA Quadrangle: 41.543464°, -76.296144°);

2. (Wetland W2) a temporary access road using timber mats impacting 11,532 square feet of a palustrine emergent (PEM) wetland (Colley, PA Quadrangle: 41.543897°, -76.295494°);

3. (Wetland W3) a temporary access road using timber mats impacting 553 square feet of a palustrine emergent (PEM) wetland (Colley, PA Quadrangle: 41.545036°, -76.295017°);

4. (Wetland W4, Stream C2) a temporary access road using timber mats and a 6 inch diameter steel natural gas pipeline impacting 797 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 962 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 50 linear feet of an unnamed tributary to North Branch Mehoopany Creek (CWF) (Colley, PA Quadrangle: 41.546458°, -76.294975°);

5. (Wetland W4, Stream C3) a temporary access road using timber mats and a 6 inch diameter steel natural gas pipeline impacting 1,363 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 602 square feet of an exceptional value palustrine scrub shrub (EV-PSS) wetland and 55 linear feet of an unnamed tributary to North Branch Mehoopany Creek (CWF) for the installation of the pipeline and stream bank stabilization (Colley, PA Quadrangle: 41.546817°, -76.294383°).

The project will result in 205 linear feet of temporary stream impacts, 15,415 square feet (0.353 acre) of temporary wetland impacts and 2,487 square feet (0.057 acre) of permanent wetland impact all for the purpose of installing a natural gas pipeline waterline in Colley Township, Sullivan County. The permittee proposes to provide 0.037 acre of onsite plantings to offset impacts to PSS wetlands.

E0829225-006. Appalachia Midstream Services LLC, 30351 Route 6, Wysox, PA 18854, Wilmot Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

Application received: April 17, 2025. Issued: September 18, 2025.

To construct, operate, and maintain:

1. (Wetland W7) a temporary access road using timber mats and a 6 inch diameter natural gas steel pipeline impacting 1,798 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Colley, PA Quadrangle 41.549761°, -76.293036°);

2. (Stream W6) a temporary access road using timber mats and a 6 inch diameter natural gas steel pipeline impacting 50 linear feet of an unnamed tributary to North Branch Mehoopany Creek (Colley, PA Quadrangle 41.550294°, -76.292492°).

The project will result in 50 linear feet of temporary stream impacts and 1,798 square feet (0.041 acre) of temporary wetland impacts all for the purpose of installing a natural gas pipeline waterline in Wilmot Township, Bradford County. The permittee proposes to provide 0.01 acre of onsite plantings to offset impacts to PSS wetlands.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gregg Ciravolo, Application Mgr, 570-826-2518.

Correction—previously published on September 27, 2025.

E3502225-004. C5LC at I-476, LLC, 1230 Peachtree Street NE, Suite 1000, Atlanta, GA 30309-3599, Taylor Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Core5 at I-476 project which proposes the construction of a 322,560-square foot warehouse, associated parking areas, access roads and stormwater management facilities. 1. To place fill in 2.26 acres of wetlands for construction of the 322,560 square foot warehouse. 2. To place fill in 0.08 acre of wetlands for construction of the 322,560 square foot warehouse. To compensate for the permanent wetland impacts, the applicant will mitigate the full 2.34 acres of permanent wetland impacts via the In Lieu Fee (ILF) Program. The project access will be located on the left of South Keyser Avenue approximately 0.4 mile from the on/off ramps of I-476 (Scranton, PA Quadrangle Latitude: 41°, 23', 54.42", Longitude: -75°, 43', 34.43") in Taylor Borough, Lackawanna County. Application received: March 19, 2025. Issued: September 16, 2025.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E25062225-002. Erie Western Pennsylvania Port Authority, 101 Holland Street, Erie, PA 16507, City of Erie, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

Fill a total of 8 acres of wetlands for construction of a support area for port operations along Ore Dock Road in Erie City, Erie County. Mitigation for project impacts is through purchase of 27 wetland credits from DEP's PIECES fund. Latitude: 42.145815°, Longitude: -80.080141°. Application received: May 12, 2025. Issued: September 22, 2025.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0103225-002. Ciocca York Real Estate, LLC, 2141 Downyflake Lane, Suite 400, Allentown, PA 18103, Berwick Township, **Adams County**. U.S. Army Corps of Engineers Baltimore District.

To 1.) extend and maintain an existing 30.0-inch reinforced concrete pipe by 17.0-linear feet on the upstream end of the existing pipe along an Unnamed Tributary (UNT) to South Branch Conewago Creek (WWF, MF) and to 2.) install and maintain a 72.0-inch reinforced concrete pipe under an Unnamed Tributary (UNT) to South Branch Conewago Creek (WWF, MF). The 72.0-inch pipe will include a riser pipe and inlet. The project will permanently impact 23.0-feet of stream and 43.0-feet of floodway, all for the purpose of improving drainage along SR 0094. The project is located 0.13 mile from the intersection of the Carlisle Pike and Hanover Street in Berwick Township, Adams County (Latitude: 39.838646, Longitude: -77.005456). Application received: April 8, 2025. Issued: September 23, 2025.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205225-001. Richland Holdings LLC, 1426 Pittsburgh Road, Valencia, PA 16059, West Deer Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

Application received: January 3, 2025. Issued: September 11, 2025.

The applicant is seeking authorization to:

1) Construct and maintain a 99 linear foot (LF) long, 57-inch tall by 83-inch-wide corrugated metal pipe arch culvert to carry a proposed roadway over watercourse R-1, an unnamed tributary (UNT) to Deer Creek (TSF), along with a 14' long R-4 riprap apron at the outlet, and associated roadway fill. This activity would permanently impact 133 LF of watercourse and 14,830 square feet (SF) of floodway. At the point of this impact, watercourse R-1 has less than a 100-acres drainage area.

2) Construct and maintain five (5) utility line crossings of watercourse R-1, which will be embedded in the roadway fill above the culvert noted in item 1. Cumulatively, these utility line crossings would permanently impact 30 LF of watercourse R-1 and 830 SF of its floodway, these impacts completely overlap with the impact area previously listed in item 1. At the point of these impacts, watercourse R-1 has less than a 100-acres drainage area. These utility line crossings consist of:

- one (1) 24-inch high-density polyethylene (HDPE) storm sewer line,
- one (1) 4-inch ductile iron pipe (DIP) potable water line,
- one (1) 4-inch copper and polyvinyl chloride (PVC) electric line, and
- one (1) 4-inch HDPE gas line
- one (1) 8-inch PVC sanitary sewer line

3) Place and maintain permanent fill within the entire length, 98 LF, of watercourse R-7, a UNT to watercourse R-1 (TSF), and 392 SF of its floodway associated with roadway fill for the culverted crossing noted in item 1. This fill will contain a 4" diameter underdrain pipe to manage groundwater hydrology associated with this watercourse. At the point of this impact, watercourse R-7 has less than a 100-acres drainage area.

4) Construct and maintain three (3) outfall structures to watercourse R-1. Cumulatively, these structures would permanently impact 45 LF of watercourse R-1 and 285 SF of its floodway. At the point of these impacts, watercourse R-1 has less than a 100-acres drainage area.

5) Place and maintain permanent fill within 420 LF of watercourse R-2, a UNT to watercourse R-1 (TSF), and 1,628 SF of its floodway, and to construct and maintain a stream enclosure and channel relocation consisting of 436 LF of 6" diameter high density polyethylene (HDPE) tubing and 135 LF of 15" diameter HDPE pipe to convey this relocated reach of watercourse R-2. These impacts are associated with grading for lot development. A bark chip surfaced stormwater basin access road will be constructed on this fill slope. Additionally, a single endwall and 13 LF R-4 riprap outfall structure that serves this piped and rerouted watercourse as well as stormwater basin BMP-3 is included in these impacts.

6) Place and maintain permanent fill within the entirety, 6,620 SF, of pond R-5. The piping system described in the previously listed item also captures and drains the groundwater source that fed into this pond. This impact is associated with grading for lot development.

7) Place and maintain permanent fill within 212 LF, of watercourse R-3, a UNT to watercourse R-1 (TSF), and

848 SF of its floodway associated with grading for roadway construction and lot development. At the point of this impact, watercourse R-3 has less than a 100-acres drainage area.

8) Place and maintain permanent fill within 267 LF of watercourse R-4, a UNT to watercourse R-1 (TSF), and 1,068 SF of its floodway, associated with grading for roadway construction and lot development. At the point of this impact, watercourse R-4 has less than a 100-acres drainage area.

For the purpose of constructing a new residential development, consisting of 26 single family homes, 16 duplex units, 3,200 LF of roads, 4 stormwater basins with associated outfall structures, and necessary utility lines. Cumulatively, the project will permanently impact approximately 1,175 LF of watercourse and 19,051 SF of floodway. The project would also result in permanent impacts to 6,620 SF of waterbody. To compensate for unavoidable impacts to aquatic resources, the applicant will purchase stream credits from Furnace Run Mitigation Bank. The project is located approximately 1,000 feet north-northeast of the McIntyre Road/Allison Road intersection (Valencia, PA USGS topographic quadrangle; N: 40°, 37', 54.93", W: -79°, 55', 08.52" W; Sub-basin 18A; USACE Pittsburgh District), in West Deer Township, Allegheny County.

E6305225-003. Washington County Redevelopment Authority, 100 West Beau St, Suite 603, Washington, PA 15301, City of Washington, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given authorization to: Remove one approximately 13,329.07 SF building, and another approximately 58.44 SF building, from the floodplain of Chartiers Creek (WWF). These structures will be demolished and removed from the site, and the floodplain area will be restored by backfilling the building foundations to existing grade and revegetating the area with grass. The total area to be restored is 13,387.51 SF, for the purpose of floodplain site restoration. The project site is located at 543 West Pike Street, Canonsburg, PA (USGS Quadrangle: N: 40°, 15', 29.6604"; W: -80°, 12', 1.8612"; Sub-basin 20F). Application received: September 23, 2025. Issued: May 28, 2025.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Andrew Foley, Water Program Specialist, 484-350-5813.

EA3615225-004 & GP043615225-004 & GP053615225-003. Swarr Run Tributary at Stony Battery Road Floodplain Restoration, 1190 Ivy Drive, Lancaster, PA 17601, West Hempfield Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

The Department has reviewed and approved a restoration project that will restore approximately 2400 linear feet and to restore approximately 9 acres of integrated wetland, stream and floodplain areas of an unnamed tributary to Swarr Run (CWF-MF) by removing legacy sediment. The restoration project is located within the Swarr Run Watershed, a sub-watershed of the larger Little Conestoga Creek Watershed and the Conestoga River which are within the greater Chesapeake Bay Watershed. The restoration is expected to occur along an unnamed tributary of Swarr Run (CWF-MF). The proposed restoration activities include the removal approximately 20,000 cubic yards of legacy sediment from the existing floodplain. The project proposed to include log

sills, woody debris, and other aquatic habitat structures within the restoration areas and to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities. The project is located in Lancaster, West Hempfield Township, within a privately owned parcel in Lancaster County, PA. Latitude: 40.0675°, Longitude: -76.420833°. Application received: May 7, 2025. Approved: September 18, 2025.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-8568.

Contact: Brian Medellin, Civil Engineer Hydraulic, (717) 772-5947.

D04-073. Brent L. Kelosky, 165 Steinbach Road, Rochester, PA 15074, Marion Township, **Beaver County**. Application to modify, operate, and maintain Kelosky Dam, across an unnamed tributary to Connoquenessing Creek (WWF, MF) impacting 0.01 acre of wetlands (PEM) for the purpose of rebuilding the upstream and downstream embankments, the construction of a new principal spillway with a drawdown, and the removal of sediment to restore the storage capacity of the impoundment. Application received: September 25, 2023. Permit issued: August 8, 2025.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 4 **ESG295925004-00**

Applicant Name **JKLM Energy LLC**

Contact Person Joseph Harrick

Address 2200 Georgetown Drive, Suite 500
City, State, Zip Sewickley, PA 15143

Township(s) Tioga Township, Jackson Township, and Rutland Township

County **Tioga County**

Receiving Stream(s) and Classification(s) Mitchell Creek (via sheet flow) (WWF, MF)

Application received: May 9, 2025

Issued: September 18, 2025

Southwest District: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 4 **ESG076525002-00**

Applicant Name **EQM Gathering OPCO LLC—Athena Valve Site**

Contact Person Megant Stahl, (412)-660-6847,
Megan.stahl@eqt.com

Address 262 Kistler Drive

City, State, Zip Export, PA 15632

Township(s) Washington Township

County **Westmoreland County**

Receiving Stream(s) and Classification(s) 001. Lat 40.46350, Long -79.59571, Tributary 42979 to Thorn Run, Ch 93 class HQ-CWF

Application received: July 8, 2025

Issued: September 18, 2025

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 4 **ESG076525003-00**

Applicant Name **CNX Gas Co LLC—Norah Ast Pad**

Contact Person Robert Bassett, (724) 485-3647,
robertbassett@cnx.com

Address 275 Monkey Wrench Road

City, State, Zip Irwin, PA 15090

Township(s) Hempfield Township

County **Westmoreland County**

Receiving Stream(s) and Classification(s) 001. Lat 40.29479, Long -79.65823, UNT to Trib 37598 to Little Sewickley Creek, Ch 93 class TSF 002. Lat 40.29603, Long -79.65985, Trib 37591 of Little Sewickley Creek, Ch 93 class TSF

Application received: July 15, 2025

Issued: September 19, 2025

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site inves-

tigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Hall, EGM, 814-332-6196.

Victory Heights Station, Storage Tank Facility ID # **61-18853**, 5321 Route 322, Franklin, PA 16323, Cranberry Township, **Venango County**. Cribbs & Associates, LLC, P.O. Box 44, Delmont, PA 15626, on behalf of Heath Oil, Inc., P.O. Box 1128, Oil City, PA 16301, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Marcus Hook Term, Storage Tank Facility ID # **23-14224**, 100 Green St., Marcus Hook, PA 19061, Marcus Hook Borough, **Delaware County**. Stantec Consulting Services, Inc., 1060 Andrew Drive, West Chester, PA 19380, on behalf of Energy Transfer Marketing & Terminals LP, 100 Green Street, Marcus Hook, PA 19061, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Phila Navy Yard Annex, Storage Tank Facility ID # **51-13723**, 5001 S Broad St, Code 357, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Tetra Tech, 4433 Corporation Lane, Suite 300, Virginia Beach, VA 23511, on behalf of Naval Facilities Engineering Systems Command Mid-Atlantic, 9324 Virginia Avenue, Norfolk, VA 23511-3095, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Janelle Hromyak, Clerical Assistant 2, 412-442-4091.

Haymaker Sunoco, Storage Tank Facility ID # **02-32145**, 1855 Haymaker Road, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. Enviro-

Trac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

BT Uniontown, Storage Tank Facility ID # **26-13128**, 595 W. Main Street, Uniontown, PA 15401, South Union Township, **Fayette County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of BT Uniontown, LLC, 116 Union Avenue, Altoona, PA 16602, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Former Uni Mart Gas Station Site, Storage Tank Facility ID # **30-32254**, 695 E. High Street, Waynesburg, PA 15370, Waynesburg Borough, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Timothy Budacki, 743 E. High Street, Waynesburg, PA 15370, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and waste oil. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Hess Market & Restaurant, Storage Tank Facility ID # **19-70850**, 2344 State Route 487, Orangeville, PA 17859, Orange Township, **Columbia County**. LaBella Associates, PC, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SAI Orangeville LLC, 6307 Columbia Boulevard, Bloomsburg, PA 17815, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Unleaded Gasoline, Diesel Fuel and Fuel Oil No. 2. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on September 17, 2025.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Montrose Convenience Store, Storage Tank Facility ID # **58-13082**, 11046 State Route 29, South Montrose, PA 18843, Bridgewater Township, **Susquehanna County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Rocks Investment, LLC, 11046 State Route 29, South Montrose, PA 18843, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on September 22, 2025.

Marshalls Creek Fuel, Storage Tank Facility ID # **45-29614**, 2583 Milford Road, East Stroudsburg, PA 18301, Smithfield Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Marshalls Creek Fuel, LLC, 2583 Milford Road, East Stroudsburg, PA 18301, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was acceptable to meet the Statewide health standards and was approved by DEP on September 23, 2025.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

SUNOCO 0374 6427, Storage Tank Facility ID # **09-02292**, PA Turnpike Milepost 351.9 Westbound, Trevose, PA 19047, Bensalem Township, **Bucks County**. GAI Consultants, Inc., 385 East Waterfront Drive, Homestead, PA 15120, on behalf of Pennsylvania Turnpike Commission, P.O. Box 67676, Harrisburg, PA 17106, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with petroleum products. The report demonstrated attainment of the nonresidential Statewide health standards and was approved by DEP on September 5, 2025.

Exxon RS 2 1668, Storage Tank Facility ID # **46-06912**, Bethlehem and Sumneytown Pikes, Springhouse, PA 19477, Lower Gwynedd Township, **Montgomery County**. Penn Environmental & Remediation, Inc., 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of Lower Gwynedd Township, 1130 North Bethlehem Pike, Springhouse, PA 19477, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded gasoline, unleaded gasoline, and used motor oil. The report was not acceptable to meet the residential Statewide health and site-specific standards and was disapproved by DEP on September 10, 2025.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594, RA: EP-Radon.

In the month of August 2025, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. Sections 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

Name	Address	Certification
Anthony Carrozza, Jr.	770 Fairview Road Mount Joy, PA 17552-8558	Testing Individual
Benedict Ugorji	757 Beatty Street Trenton, NJ 08611-2525	Mitigation Individual
Jooik Ro 30	Sunset Drive Carlisle, PA 17013-2125	Testing Individual
Jooik Ro 30	Sunset Drive Carlisle, PA 17013-2125	Mitigation Individual
Mckee Environmental, Inc.	86 Quartz Drive Bellefonte, PA 16823-7509	Testing Firm

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Douglas Mckee	86 Quartz Drive Bellefonte, PA 16823-7509	Mitigation Individual
Dominic Gehret	200 Route, 130 North Cinnaminson, NJ 08077	Laboratory Individual
William Stout	1896 Rockpoint Drive Powhatan, VA 23139	Testing Individual
Timothy Spicher	239 Ford Corner Road Nanty Glo, PA 15943-3512	Testing Individual
Selena Ling	4900 Carlisle Pike # 277 Mechanicsburg, PA 17050-7709	Testing Individual
Precision Home Inspections	4900 Carlisle Pike # 277 Mechanicsburg, PA 17050-7709	Testing Firm
Derek Pearsall	207 Chestnut Street Richland, PA 17087	Testing Individual
William Whiting	11863 Lake Drive Conneaut Lake, PA 16316-4023	Testing Individual
Billy Kresge	131 Chapel Ridge Circle Myrtle Beach, SC 29588-5506	Testing Individual
Commonwealth Home Inspections	131 Chapel Ridge Circle Myrtle Beach, SC 29588-5506	Testing Firm
Brian Kampi	2175 Ridge Road Mars, PA 16046-4107	Testing Individual
Fred Hohman	26 Windihill Drive Greensburg, PA 15601-1043	Testing Individual
Robert Scott Klein, Jr.	4017 Washington Road Suite 210 McMurray, PA 15317-2510	Testing Individual
Shavaun Cotter	929 Asbury Avenue Asbury Park, PA 07712-5807	Testing Individual
Partner Assessment Corporation	929 Asbury Avenue Asbury Park, PA 07712-5807	Testing Firm
Maren Smith	309 S. Oller Avenue Waynesboro, PA 17268-1854	Testing Individual
Edwin Dunckley	1357 Elbow Lane Chester Springs, PA 19425-1604	Testing Individual
Eric Levine	110 Music Center Drive East Stroudsburg, PA 18301-7892	Certifications Withdrawn

Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Southeast Region: Shawn Mountain, Waste Management Program Manager, 2 East Main Street, Norristown, PA 19401.

The Department of Environmental Protection (Department) approved the Chester County Municipal Waste Management Plan 2025-2034 Revision on September 16, 2025.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environ-

mental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Southeast Regional Office at the address previously noted.

Questions concerning this approval should be directed to Mark Vottero, Environmental Group Manager, Municipal Recycling Implementation Section, or Christopher Solloway, Bureau Director, Bureau of Waste Management, at the Central Office address previously noted or to Shawn Mountain, Environmental Program Manager, Waste Management, at the Regional Office address previously noted.

[Pa.B. Doc. No. 25-1356. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OOGM FS25-1, Cleaning Out and Plugging 15 Orphan Gas Wells, Lancaster, Forward and Connoquenessing Townships, Butler County. The principal items of work and approximate quantities include the following: clean out and plug 15 orphan gas wells, estimated to be 1,100 to 3,500 feet in depth, to the Department of Environmental Protection (Department) specifications; prepare and restore well sites; and mobilize and demobilize plugging equipment.

This bid issued on October 3, 2025, and bids will be opened on October 30, 2025, at 2 p.m. Bid documents may be downloaded for free beginning on the issue date from the Department by going to www.BidExpress.com. A mandatory prebid conference is scheduled for October 15, 2025, at 9 a.m. at Pavillion # 6 at Moraine State Park, 40.9667, -80.1238. Failure to attend the prebid conference will be cause for rejection of the bid. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1357. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 17(7183)101.1, Abandoned Mine Reclamation Project, Goshen West, Goshen Township, Clearfield County. The principal items of work and approximate quantities include: implementation of the erosion and sediment pollution control plan—rock construction entrance, 1 each; implementation of the erosion and sediment pollution control plan—compost filter sock (32" diameter)—4,480 linear feet; clearing and grubbing, 27.8 acres; grading—grading, 216,478 cubic yards; grad-

ing—hummocky piles, 14.3 acres; grading—ripping, 13.5 acres; planting—planting preparation, 27.8 acres and planting—tree seedlings, 18,904 each.

This bid issues on October 10, 2025, and bids will be opened on November 6, 2025, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1358. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 65(1963)101.1, Abandoned Mine Reclamation Project, Boxcartown North, Murrysville Borough, Westmoreland County. The principal items of work and approximate quantities include: implementation of the erosion and sediment pollution control plan—rock construction entrance, 1 each; implementation of the erosion and sediment pollution control plan—compost filter sock (32" diameter), 2,802 linear feet; clearing and grubbing, 11.7 acres; grading, 83,489 cubic yards; planting—tree seedlings, 5,848 each; access road, 1 each and gas line crossings, 1 lump sum.

This bid issued on September 26, 2025, and bids will be opened on October 23, 2025, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1359. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mosquito-borne Disease Control County Grants; Notice of Availability

The Department of Environmental Protection (Department) invites county parties that either were awarded a

Mosquito-borne Disease Control (MDC) grant in 2025 or were requested by the Department to submit an MDC grant for 2026, or both, to apply for MDC reimbursable county grants for the Commonwealth's 2026 fiscal year.

Applicants must meet certain eligibility requirements (for example, the applicant must be a county authority, such as a county health department, conservation district, emergency management agency, county planning agency or another county agency). Grantees will perform mosquito Integrated Pest Management activities within the borders of a designated county or counties, as noted in the MDC Grant Application Instruction Guide.

More information about the MDC grant program is available on the Department's website at www.pa.gov/agencies/dep (select "Programs and Services," then "Integration," then "Vector Management," then "Mosquitoes").

Applications must be submitted through the Commonwealth's Electronic Single Application website, eGrants, at <https://grants.pa.gov>.

The Department will begin accepting applications on Tuesday, October 14, 2025. Applications must be received no later than 4 p.m. on Friday, November 14, 2025.

Questions concerning the MDC grant program can be communicated by email to Jennifer Stough at jstough@pa.gov or by telephone at (717) 678-2999, or can be mailed to the Department of Environmental Protection, Vector Management, P.O. Box 1467, Harrisburg, PA 17105-1467.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1360. Filed for public inspection Octobr 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Pennsylvania's 2025 Annual Ambient Air Monitoring Network Plan

The Department of Environmental Protection (Department) is seeking public comment on Pennsylvania's 2025 Annual Ambient Air Monitoring Network Plan (Plan). The Plan has been updated to address changes that have been made to the Commonwealth's ambient air monitoring network and to identify changes that are anticipated to occur in the remainder of 2025 and in 2026.

On October 17, 2006, the United States Environmental Protection Agency (EPA) promulgated final amendments to the National ambient air monitoring requirements for criteria pollutants at 40 CFR Parts 53 and 58 (relating to ambient air monitoring reference and equivalent methods; and ambient air quality surveillance). See 71 FR 61236 (October 17, 2006). The EPA's final rule requires state and local agencies to enhance air monitoring to

"improve public health protection and better inform the public about air quality in their communities." Under 40 CFR 58.10 (relating to annual monitoring network plan and periodic network assessment), air quality state and local monitoring agencies must adopt an annual ambient air monitoring network plan and make it available for public inspection for at least 30 days prior to final submission to the EPA Regional Administrator. The Plan must include a statement of purpose for each monitor and evidence that siting and operation of each monitor meets Federal requirements. The EPA may also provide an opportunity for review and comment prior to approving or disapproving a state's plan.

The Plan is available on the Department's website at www.ahs.dep.pa.gov/eComment.

The Department must receive comments no later than November 3, 2025. Commentators are encouraged to submit comments using the Department's eComment system at www.ahs.dep.pa.gov/eComment or by email to ecomment@pa.gov. Written comments can be submitted to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "2025 Annual Monitoring Network Plan" as the subject line in written communication.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1361. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

State Implementation Plan Revision; Concerning Reasonably Available Control Technology Determinations for the 2015 Ozone National Ambient Air Quality Standards

The Department of Environmental Protection (Department) has made a preliminary determination that the owners and operators of the permitted facilities listed in the following table are implementing control measures to meet the Federal Clean Air Act (CAA) Reasonably Available Control Technology (RACT) requirements under the 2015 8-hour ozone National Ambient Air Quality Standards (NAAQS) for sources of volatile organic compound (VOC) emissions, for which the United States Environmental Protection Agency (EPA) has issued a Control Techniques Guideline (CTG). The Department has determined that the permits for these facilities contain conditions that are consistent with or more stringent than the EPA's CTG EPA-450/3-83-008, 1983/11 for Control of Volatile Organic Compound Emissions from Manufacture of High-Density Polyethylene, Polypropylene and Polystyrene Resins.

<i>County</i>	<i>Permit Number</i>	<i>Facility Name</i>
Luzerne	40-00083	MULTI PLASTICS EXTRUSIONS, INC./HAZLETON
Bucks	09-00015	ROHM & HAAS CO./BRISTOL
Beaver	04-00740	SHELL CHEMICAL APPALACHIA

The Department performed an independent RACT analysis taking into consideration the EPA's CTG and other additional information and has concluded that the provisions and requirements of these permits meet RACT requirements for the control of VOC emissions from the subject sources. These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the CAA (42 U.S.C. § 7511c) for the 1997, 2008 and 2015 8-hour ozone NAAQS. The Department is further proposing to certify these conditions as RACT to meet the CTG RACT certification requirements for the 2015 ozone NAAQS. This State Implementation Plan (SIP) revision will be submitted to the EPA to meet the Commonwealth's CTG RACT requirements and CTG RACT certification obligations under the Federal CAA.

Public Comment Details:

A 30-day public comment period is being provided for persons wishing to file a written protest, objection, comments or additional information which they believe should be considered prior to the submission of the proposed revision of the SIP to the EPA. Written comments can be submitted to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063, or at RA-EPAIRCOMMENTS@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on November 7, 2025.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposal, including the permit number, and a concise statement regarding the issue with the RACT proposal on which the person is commenting and the relevancy of the information or objections to the fact that the owner or operator of the facility is complying with RACT by means of the EPA's CTG for Manufacture of High-Density Polyethylene, Polypropylene and Polystyrene Resins.

Pertinent documents are available electronically for public review at files.dep.state.pa.us/Air/AirQuality/AQPortalFiles/Permits/RACT/CTG%20SIP/ and copies can be requested by contacting Amanda Rodriguez at amarodrigu@pa.gov or (717) 787-9702.

The Department will provide the opportunity to hold three public hearings if requested, to receive comments on the proposals. The first hearing will be held from 10 a.m. to 12 p.m. on November 4, 2025, at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA. The second hearing will be held from 12 p.m. to 2 p.m. on November 5, 2025, at the Department's Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA. The third hearing will be held from 1 p.m. to 3 p.m. on November 5, 2025, at the Department's Southeast Regional Office, 2 East Main Street, Norristown, PA.

Persons wishing to present testimony should contact Amanda Rodriguez, P.O. Box 8468, Harrisburg, PA 17105, (717) 787-9702, amarodrigu@pa.gov to reserve a time. Witnesses will be limited to 10 minutes and should provide two written copies of their testimony.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Amanda Rodriguez at (717) 787-9702 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984

(TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

JESSICA SHIRLEY,
Secretary

[Pa.B. Doc. No. 25-1362. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 204.3(b) (relating to buildings and grounds; general):

Pleasant View Communities
544 North Penryn Road
Manheim, PA 17545
FAC ID # 681902

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, 2525 North 7th Street, Suite 210, Harrisburg, PA 17110, (717) 787-1816, fax (717) 772-2163, ra-dhpadncfexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, email or facsimile to the Division of Nursing Care Facilities (Division) at the previously listed contact information.

Comments received by the Department within 14 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-1363. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee, established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on Thursday, November 6, 2025, from 10 a.m. to 1:30 p.m. The purpose of the meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness activities, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Secretary of Health on matters relating to the administration of the Fund. The meeting will be held at the Department of Health, 625 Forster Street, 10th Floor, Room 1000,

Harrisburg, PA. There will be a virtual option available using Microsoft Teams. The information for calling into the meeting is to dial (267) 332-8737 and use conference ID: 918 176 974#. Contact the Organ Donation Program at (717) 787-5876 or ra-dhorgandonation@pa.gov to RSVP or with any questions regarding the meeting. It is requested that all RSVP responses are received no later than November 3, 2025.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Amy Flaherty, Director, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Human Services Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-1364. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Renal Disease Advisory Committee Meeting

The Renal Disease Advisory Committee, established by section 4 of the Renal Disease Treatment Act (35 P.S. § 6204), will hold its quarterly public meeting on Friday, October 24, 2025, from 10 a.m. to 12 p.m. The purpose of the meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and treatment.

The meeting will be held in the Health and Human Services Building, Bureau of Family Health Office, 625 Forster Street, 7th Floor East, Harrisburg, PA 17120. In-person participants are asked to RSVP to Josh Goodling, jsgoodlin@pa.gov, (717) 772-2762 by close of business on October 17, 2025. Upon arrival, sign in at the front desk in the lobby of the building by 9:45 a.m. to await an escort to the meeting room. A virtual option is available. To join the call, dial (267) 332-8737 and, when prompted, enter conference code 711928662#. The meeting agenda will be posted on the Chronic Renal Disease Program's website at <https://bit.ly/ChronicRenalAdvisoryCommittee> at least 24 hours prior to the meeting date and time.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Kathy Jo Stence, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-1365. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Public Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C. § 300ff-26), will hold a public teleconference meeting on Thursday, October 23, 2025, from 10 a.m. to 12 p.m. Persons may participate by dialing in by location at (267) 332-8737. The meeting ID is 190 565 732#. The meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m. Attendees can participate in the conference call on location at the Bureau of Communicable Diseases, 625 Forster Street, Harrisburg, PA 17120. In-person participants are asked to RSVP to Jacqueline Brenner, jacbrenner@pa.gov, (717) 307-3832 by close of business on October 20, 2025. Upon arrival, sign in at the front desk in the lobby of the building by 9:45 a.m. to await an escort to the meeting room.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary, covered lab services, drug utilization review, clinical programs, eligibility and program management.

For additional information, contact Jacqueline Brenner, Bureau of Communicable Diseases, Department of Health, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 307-3832.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should also contact Jacqueline Brenner, Bureau of Communicable Diseases, Department of Health, Health and Human Services Building, 625 Forster Street, Harrisburg, PA 17120, (717) 307-3832. For persons with speech and/or hearing impairment call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without prior notice.

DR. DEBRA L. BOGEN,
Secretary

[Pa.B. Doc. No. 25-1366. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Hundreds in the Clouds Fast Play Game 5301

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Fast Play lottery game is Pennsylvania Hundreds in the Clouds ("Hundreds in the Clouds"). The game number is PA-5301.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *CLOUD NINE*: A feature of the Hundreds in the Clouds game where the player wins each \$100 prize amount shown in the “YOUR NUMBERS” area when nine Cloud symbols appear in the “YOUR NUMBERS” area.

(d) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(e) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “YOUR NUMBERS” area.

(l) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “WINNING NUMBERS” area.

3. *Price*: The price of a Hundreds in the Clouds ticket is \$1.

4. *Description of the Hundreds in the Clouds Fast Play lottery game*:

(a) The Hundreds in the Clouds lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Hundreds in the Clouds tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Hundreds in the Clouds is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player correctly matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. The player wins each \$100 prize amount shown in the “YOUR

NUMBERS” area when nine Cloud symbols appear in the “YOUR NUMBERS” area. A bet slip is not used to play this game.

(c) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) Hundreds in the Clouds tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Hundreds in the Clouds ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Hundreds in the Clouds ticket and select the Hundreds in the Clouds option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Hundreds in the Clouds ticket characteristics*:

(a) Hundreds in the Clouds tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Hundreds in the Clouds tickets will contain a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “CLOUD NINE” feature. The play symbols and their captions located in the “WINNING NUMBERS” area and the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The “YOUR NUMBERS” area will also contain from four to nine Cloud symbols.

(c) *Prize Symbols*: The prize symbols and their captions located in the “YOUR NUMBERS” area are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN), \$400 (FOR HUN), \$500 (FIV HUN) and \$600 (SIX HUN).

(d) *Prizes*: The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$3, \$5, \$10, \$20, \$50, \$100, \$200, \$300, \$400, \$500 and \$600. A player can win up to six times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 1,800,000 tickets will be available for sale for the Hundreds in the Clouds lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Hundreds in the Clouds prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$600 (SIX HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$600.

(c) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and six \$100

(ONE HUN) prize symbols appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$600.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and five \$100 (ONE HUN) prize symbols appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(g) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and four \$100 (ONE HUN) prize symbols appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$400.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(i) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and three \$100 (ONE HUN) prize symbols appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$300.

(j) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and two \$100 (ONE HUN) prize symbols appear in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which nine Cloud symbols appear in the “YOUR NUMBERS” area and one \$100

(ONE HUN) prize symbol appears in the “YOUR NUMBERS” area, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3⁰⁰ (THR DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of FREE (TICKET) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Hundreds in the Clouds Fast Play Game Ticket.

7. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>“CLOUD NINE”:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,800,000 Tickets:</i>
FREE		FREE \$1 TICKET	10	180,000
\$1		\$1	16.67	108,000

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"CLOUD NINE":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,800,000 Tickets:</i>
\$1 × 2		\$2	33.33	54,000
\$2		\$2	66.67	27,000
\$1 × 3		\$3	200	9,000
\$2 + \$1		\$3	100	18,000
\$3		\$3	200	9,000
(\$1 × 3) + \$2		\$5	1,000	1,800
(\$2 × 2) + \$1		\$5	250	7,200
\$3 + \$2		\$5	250	7,200
\$5		\$5	1,000	1,800
\$5 × 2		\$10	2,000	900
(\$3 × 2) + (\$2 × 2)		\$10	2,000	900
\$5 + \$3 + \$2		\$10	2,000	900
\$10		\$10	2,000	900
\$5 × 4		\$20	12,000	150
\$10 × 2		\$20	2,400	750
(\$5 × 2) + (\$3 × 2) + (\$2 × 2)		\$20	2,400	750
\$10 + \$5 + \$3 + \$2		\$20	2,400	750
\$20		\$20	12,000	150
(\$5 × 4) + \$20 + \$10		\$50	24,000	75
(\$10 × 2) + (\$5 × 2) + \$20		\$50	8,000	225
(\$10 × 3) + \$20		\$50	8,000	225
(\$20 × 2) + \$10		\$50	8,000	225
\$50		\$50	24,000	75
\$20 × 5		\$100	24,000	75
	NINE CLOUD SYMBOLS w/ \$100	\$100	1,714	1,050
\$100		\$100	24,000	75
\$50 × 4		\$200	40,000	45
	NINE CLOUD SYMBOLS w/ (\$100 × 2)	\$200	8,000	225
\$200		\$200	40,000	45
\$50 × 6		\$300	60,000	30
	NINE CLOUD SYMBOLS w/ (\$100 × 3)	\$300	12,000	150
\$300		\$300	60,000	30
\$200 × 2		\$400	120,000	15
	NINE CLOUD SYMBOLS w/ (\$100 × 4)	\$400	20,000	90
\$400		\$400	120,000	15
\$300 + \$200		\$500	120,000	15
	NINE CLOUD SYMBOLS w/ (\$100 × 5)	\$500	24,000	75
\$500		\$500	120,000	15

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"CLOUD NINE":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 1,800,000 Tickets:</i>
\$300 × 2		\$600	120,000	15
	NINE CLOUD SYMBOLS w/ (\$100 × 6)	\$600	30,000	60
\$600		\$600	120,000	15

CLOUD NINE: Find nine "Cloud" symbols to win ANY \$100 prize shown in the YOUR NUMBERS area!

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a

winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Hundreds in the Clouds lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Hundreds in the Clouds lottery game tickets.

17. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Hundreds in the Clouds or through normal communications methods.

19. *Applicability:* This notice applies only to the Hundreds in the Clouds lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 25-1367. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Lightning Loot Fast Play Game 5300

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Progressive Top Prize Fast Play lottery game is Pennsylvania Lightning Loot ("Lightning Loot"). The game number is PA-5300.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *BOLT BUCKS:* The area in the middle of a Lightning Loot lottery game ticket containing either a play symbol or a prize amount. When a prize amount appears, the player increases the total prize won by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area by the prize amount appearing in the "BOLT BUCKS" area. "BOLT BUCKS" prizes cannot be won alone.

(d) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *PROGRESSIVE TOP PRIZE:* The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased and then resets to the minimum prize amount whenever a top prize-winning ticket is sold.

(l) *WINNING NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "YOUR NUMBERS" area.

(m) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(n) *YOUR NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “WINNING NUMBERS” area.

3. *Price*: The price of a Lightning Loot ticket is \$5.

4. *Description of the Lightning Loot Progressive Top Prize Fast Play lottery game*:

(a) The Lightning Loot lottery game is an instant win game printed from a Lottery Terminal. With the exception of the “PROGRESSIVE TOP PRIZE,” all prizes are predetermined and the player does not have the ability to select their own play symbols. Lightning Loot tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Lightning Loot is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. Whenever a player wins a prize in the “YOUR NUMBERS” area and a prize amount appears in the “BOLT BUCKS” area, the player adds the amount shown in the “BOLT BUCKS” area to the total won in the “YOUR NUMBERS” area and wins that amount. The player will win the current “PROGRESSIVE TOP PRIZE” when a P (PTP) symbol appears in the “YOUR NUMBERS” area. A bet slip is not used to play this game.

(c) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(d) Lightning Loot tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(e) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Lightning Loot ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(f) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Lightning Loot ticket and select the Lightning Loot option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Lightning Loot ticket characteristics*:

(a) Lightning Loot tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Lightning Loot tickets will contain a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BOLT BUCKS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTY), 14 (FORTY), 15 (FIFTY), 16 (SIXTY), 17 (SEVENTY), 18 (EIGHTY), 19 (NINETY), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE), 26 (TWENTYSIX), 27 (TWENTYSEVEN), 28 (TWENTYEIGHT), 29 (TWENTYNINE) and 30 (THIRTY). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2

(TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTY), 14 (FORTY), 15 (FIFTY), 16 (SIXTY), 17 (SEVENTY), 18 (EIGHTY), 19 (NINETY), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE), 26 (TWENTYSIX), 27 (TWENTYSEVEN), 28 (TWENTYEIGHT), 29 (TWENTYNINE), 30 (THIRTY) and a P (PTP) symbol. The play symbols and prize amounts and their captions located in the “BOLT BUCKS” area are: TRY AGAIN (NOBONUS) symbol, TRY AGAIN (NOBONUS) symbol, \$5⁰⁰ (FIVE DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$25⁰⁰ (TWENTYFIVE), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN) and \$500 (FIVE HUN).

(c) *Prize Symbols*: The prize symbols and their captions located in the “YOUR NUMBERS” area are: \$5⁰⁰ (FIVE DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$25⁰⁰ (TWENTYFIVE), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIVE HUN), \$2,500 (TWENTYFIVEHUN) and a PROG (TOP PRIZE) symbol.

(d) *Prizes*: The prizes that can be won in this game are: \$5, \$10, \$15, \$25, \$50, \$100, \$200, \$500, \$2,500 and the “PROGRESSIVE TOP PRIZE.” The “PROGRESSIVE TOP PRIZE” amount starts at \$50,000 and increases by \$0.30 every time a Lightning Loot ticket is purchased. When a “PROGRESSIVE TOP PRIZE” winning ticket is sold, the “PROGRESSIVE TOP PRIZE” resets to \$50,000. For a complete description of how these prizes can be won, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to 13 times on a ticket.

(e) *Approximate number of tickets available for the game*: Approximately 840,000 tickets will be available for sale for the Lightning Loot lottery game.

6. *Prizes available to be won and determination of prize winners*:

(a) All Lightning Loot prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which a P (PTP) symbol appears in the “YOUR NUMBERS” area and a prize symbol of PROG (TOP PRIZE) appears in the Prize area under that P (PTP) symbol, on a single ticket, shall be entitled to a prize of a “PROGRESSIVE TOP PRIZE.” The amount won under this paragraph is the amount of the “PROGRESSIVE TOP PRIZE,” determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$50,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$2,500 (TWENTYFIVEHUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(d) Holders of tickets upon which all 12 of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in 5 of the Prize areas, a prize symbol of \$100 (ONE HUN) appears in 4 of the Prize areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in 2 of the Prize areas and a prize symbol of \$500 (FIVE HUN) appears in 1 of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$500 (FIVE HUN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$2,500.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which any three of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in all three of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$200 (TWO HUN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which all 12 of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in 6 of the Prize areas, a prize symbol of \$25^{.00} (TWY FIV) appears in 2 of the Prize areas, a prize symbol of \$15^{.00} (FIFTEEN) appears in 3 of the Prize areas and a prize symbol of \$5^{.00} (FIV DOL) appears in 1 of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$100 (ONE HUN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols matches any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$100 (ONE HUN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which any five of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in two of the Prize areas and a prize symbol of \$25^{.00} (TWY FIV) appears in three of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$25^{.00} (TWY FIV) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which any 10 of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25^{.00} (TWY FIV) appears in 6 of the Prize areas and a prize symbol of \$10^{.00} (TEN DOL) appears in 4 of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$10^{.00} (TEN DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which any seven of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15^{.00} (FIFTEEN) appears in six of the Prize areas and a prize symbol of \$10^{.00} (TEN DOL) appears in one of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$100 (ONE HUN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$50^{.00} (FIFTY) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any five of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25^{.00} (TWY FIV) appears in two of the Prize areas, a prize symbol of \$15^{.00} (FIFTEEN) appears in two of the Prize areas and a prize symbol of \$5^{.00} (FIV DOL) appears in one of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$15^{.00} (FIFTEEN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any nine of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15^{.00} (FIFTEEN) appears in two of the Prize areas, a prize symbol of \$10^{.00} (TEN DOL) appears in two of the Prize areas and a prize symbol of \$5^{.00} (FIV DOL) appears in five of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$25^{.00} (TWY FIV) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(r) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25^{.00} (TWY FIV) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$25^{.00} (TWY FIV) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which any two of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15^{.00} (FIFTEEN) appears in one of the Prize areas and a prize symbol of \$10^{.00} (TEN DOL) appears in one of the Prize areas under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$25^{.00} (TWY FIV) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which any four of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15^{.00} (FIFTEEN) appears in two of the Prize areas, a prize symbol of \$10^{.00} (TEN DOL) appears in one of the Prize areas and a prize symbol of \$5^{.00} (FIV DOL) appears in one of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a

prize amount of \$5⁰⁰ (FIV DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which any six of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the Prize areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the Prize areas under the matching “YOUR NUMBERS” play symbols, and upon which a prize amount of \$10⁰⁰ (TEN DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$25⁰⁰ (TWY FIV) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$25.

(w) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$10⁰⁰ (TEN DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$25.

(x) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$15⁰⁰ (FIFTEEN) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$25.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(z) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$5⁰⁰ (FIV DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$15.

(aa) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$10⁰⁰ (TEN DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$15.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any one of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, and upon which a prize amount of \$5⁰⁰ (FIV DOL) appears in the “BOLT BUCKS” area, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

7. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>“BOLT BUCKS”:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 840,000 Tickets:</i>
\$5		\$5	8.2	102,480
\$5 × 2		\$10	100	8,400
\$5	\$5	\$10	21.51	39,060
\$10		\$10	100	8,400
\$5 × 3		\$15	1,000	840
\$5	\$10	\$15	111.11	7,560
\$10	\$5	\$15	111.11	7,560
\$15		\$15	1,000	840
\$5 × 5		\$25	1,000	840
\$15 + \$10		\$25	200	4,200
\$10	\$15	\$25	76.92	10,920
\$15	\$10	\$25	76.92	10,920
\$25		\$25	1,000	840
\$10 × 5		\$50	24,000	35

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"BOLT BUCKS":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 840,000 Tickets:</i>
\$25 × 2		\$50	24,000	35
(\$10 × 2) + (\$5 × 4)	\$10	\$50	2,353	357
(\$15 × 2) + \$10 + \$5	\$5	\$50	2,222	378
\$15 + \$10	\$25	\$50	2,353	357
\$25	\$25	\$50	2,353	357
\$50		\$50	12,000	70
\$25 × 4		\$100	6,000	140
\$50 × 2		\$100	6,000	140
(\$15 × 2) + (\$10 × 2) + (\$5 × 5)	\$25	\$100	1,200	700
(\$25 × 2) + (\$15 × 2) + \$5	\$15	\$100	1,200	700
\$50	\$50	\$100	1,200	700
\$100		\$100	6,000	140
\$50 × 4		\$200	24,000	35
\$100 × 2		\$200	24,000	35
(\$15 × 6) + \$10	\$100	\$200	12,000	70
(\$25 × 6) + (\$10 × 4)	\$10	\$200	12,000	70
(\$50 × 2) + (\$25 × 3)	\$25	\$200	12,000	70
\$100	\$100	\$200	12,000	70
\$200		\$200	24,000	35
\$100 × 5		\$500	60,000	14
(\$200 × 2) + (\$50 × 2)		\$500	60,000	14
(\$50 × 6) + (\$25 × 2) + (\$15 × 3) + \$5	\$100	\$500	30,000	28
\$100 × 3	\$200	\$500	30,000	28
\$500		\$500	60,000	14
\$500 × 5		\$2,500	280,000	3
(\$200 × 5) + (\$100 × 4) + (\$50 × 2) + \$500	\$500	\$2,500	168,000	5
\$2,500		\$2,500	280,000	3
\$50,000 w/ PROGRESSIVE SYMBOL		\$50,000	168,000	5

Find a "Progressive" (PTP) symbol to win the current PROGRESSIVE TOP PRIZE amount instantly!

BOLT BUCKS: Find a cash prize amount with a winning match in the YOUR NUMBERS area to ADD that amount to the TOTAL WON! BOLT BUCKS cannot be won alone.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Ticket responsibility:

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. Ticket validation and requirements:

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game

ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery,

Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *"PROGRESSIVE TOP PRIZE" restrictions:*

(a) An amount of \$0.30 from the sale of each Lightning Loot Progressive ticket will be accumulated in the "PROGRESSIVE TOP PRIZE" pool.

(b) *Prize Amount:* The amount of the "PROGRESSIVE TOP PRIZE" at the time a ticket is purchased can only be verified through the Lottery's Central Computer System. Any advertisement or any materials describing the amount of the "PROGRESSIVE TOP PRIZE" are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Lightning Loot Progressive game, this notice and the data contained in the Lottery's Central Computer System shall govern.

(c) The "PROGRESSIVE TOP PRIZE" and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a "PROGRESSIVE TOP PRIZE" being reset without the actual sale of a "PROGRESSIVE TOP PRIZE" winning ticket, all prize money that had accumulated into the "PROGRESSIVE TOP PRIZE" pool (i.e., \$0.30 from the sale of each ticket) shall be awarded as part of the next "PROGRESSIVE TOP PRIZE" won.

(d) Prizes payable to "PROGRESSIVE TOP PRIZE" winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to "PROGRESSIVE TOP PRIZE" winners, the "PROGRESSIVE TOP PRIZE" amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Lightning Loot lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Lightning Loot lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket

that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Lightning Loot or through normal communications methods.

20. *Applicability:* This notice applies only to the Lightning Loot lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 25-1368. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Mo\$t Wanted Fast Play Game 5298

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Fast Play lottery game is Pennsylvania Mo\$t Wanted (“Mo\$t Wanted”). The game number is PA-5298.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *LINEUP LOOT:* The area at the bottom of a Mo\$t Wanted ticket containing four “LINEUP LOOT” play symbols. The player wins the prize shown when two matching play symbols appear in the “LINEUP LOOT” area. “LINEUP LOOT” is played separately.

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *WINNING NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “YOUR NUMBERS” area.

(l) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(m) *YOUR NUMBERS:* The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the “WINNING NUMBERS” area.

3. *Price:* The price of a Mo\$t Wanted ticket is \$20.

4. *Description of the Mo\$t Wanted Fast Play lottery game:*

(a) The Mo\$t Wanted lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined and the player does not have the ability to select their own play symbols. Mo\$t Wanted tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Mo\$t Wanted is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. When a Fingerprint (ADD50) symbol appears in the “YOUR NUMBERS” area the player will add \$50 to the prize amount shown below that Fingerprint (ADD50) symbol and win that amount. A bet slip is not used to play this game.

(c) Mo\$t Wanted is also played by matching two like “LINEUP LOOT” play symbols in the “LINEUP LOOT” area. A player matching play symbols in this manner will win the prize shown in the “LINEUP LOOT” area. “LINEUP LOOT” is played separately.

(d) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(e) Mo\$t Wanted tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Mo\$t Wanted ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Mo\$t Wanted ticket and select the Mo\$t Wanted option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. Mo\$t Wanted ticket characteristics:

(a) Mo\$t Wanted tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols:* Mo\$t Wanted tickets will contain one play area consisting of a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "LINEUP LOOT" area. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT) and a Fingerprint (ADD50) symbol. The play symbols and their captions located in the "LINEUP LOOT" area are: LINEUP 1 (LINEUP 1) symbol, LINEUP 2 (LINEUP 2) symbol, LINEUP 3 (LINEUP 3) symbol, LINEUP 4 (LINEUP 4) symbol, LINEUP 5 (LINEUP 5) symbol and a LINEUP 6 (LINEUP 6) symbol.

(c) *Prize Symbols:* The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY), \$500 (FIV HUN), \$5,000 (FIV THO) and \$225,000 (TTWYFVTHO). The prize symbols and their captions located in the "LINEUP LOOT" area are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$250 (TWOHUNFTY) and \$500 (FIV HUN).

(d) *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$40, \$50, \$100, \$250, \$500, \$5,000 and \$225,000. The prizes that can be won in the "LINEUP LOOT" area are: \$20, \$30, \$40, \$50, \$100, \$250 and \$500. For a complete description of how these prizes can be won, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to seven times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 480,000 tickets will be available for sale for the Mo\$t Wanted lottery game.

6. Prizes available to be won and determination of prize winners:

(a) All Mo\$t Wanted prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$225,000 (TTWYFVTHO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$225,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which two matching play symbols appear in the "LINEUP LOOT" area and a prize symbol of \$500 (FIV HUN) appears in the "LINEUP LOOT" Prize area, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which a Fingerprint (ADD50) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under that Fingerprint (ADD50) symbol, on a single ticket, shall be entitled to a prize of \$300.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$250 (TWOHUNFTY) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$250.

(h) Holders of tickets upon which two matching play symbols appear in the "LINEUP LOOT" area and a prize symbol of \$250 (TWOHUNFTY) appears in the "LINEUP LOOT" Prize area, on a single ticket, shall be entitled to a prize of \$250.

(i) Holders of tickets upon which a Fingerprint (ADD50) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the Prize area under that Fingerprint (ADD50) symbol, on a single ticket, shall be entitled to a prize of \$150.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which two matching play symbols appear in the "LINEUP LOOT" area and a prize symbol of \$100 (ONE HUN) appears in the "LINEUP LOOT" Prize area, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which a Fingerprint (ADD50) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under that Fingerprint (ADD50) symbol, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which a Fingerprint (ADD50) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the Prize area under that Fingerprint (ADD50) symbol, on a single ticket, shall be entitled to a prize of \$80.

(n) Holders of tickets upon which a Fingerprint (ADD50) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under that Fingerprint (ADD50) symbol, on a single ticket, shall be entitled to a prize of \$70.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which two matching play symbols appear in the “LINEUP LOOT” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “LINEUP LOOT” Prize area, on a single ticket, shall be entitled to a prize of \$50.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(r) Holders of tickets upon which two matching play symbols appear in the “LINEUP LOOT” area and a prize

symbol of \$40⁰⁰ (FORTY) appears in the “LINEUP LOOT” Prize area, on a single ticket, shall be entitled to a prize of \$40.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(t) Holders of tickets upon which two matching play symbols appear in the “LINEUP LOOT” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “LINEUP LOOT” Prize area, on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which two matching play symbols appear in the “LINEUP LOOT” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “LINEUP LOOT” Prize area, on a single ticket, shall be entitled to a prize of \$20.

7. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>“LINEUP LOOT”:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 480,000 Tickets:</i>
	\$20	\$20	13.33	36,000
\$20		\$20	14.29	33,600
	\$30	\$30	16.67	28,800
\$30		\$30	50	9,600
\$20 × 2		\$40	1,000	480
\$20	\$20	\$40	125	3,840
	\$40	\$40	125	3,840
\$40		\$40	1,000	480
\$30 + \$20		\$50	1,000	480
\$20	\$30	\$50	90.91	5,280
\$30	\$20	\$50	90.91	5,280
	\$50	\$50	250	1,920
\$50		\$50	1,000	480
\$50 × 2		\$100	1,200	400
(\$30 × 2) + (\$20 × 2)		\$100	1,200	400
\$50 + \$20	\$30	\$100	800	600
\$50 + \$30	\$20	\$100	800	600
\$50	\$50	\$100	800	600
\$20 w/ FINGERPRINT	\$30	\$100	196.72	2,440
\$30 w/ FINGERPRINT	\$20	\$100	193.55	2,480
\$50 w/ FINGERPRINT		\$100	193.55	2,480
	\$100	\$100	461.54	1,040

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"LINEUP LOOT":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 480,000 Tickets:</i>
\$100		\$100	1,122	428
\$50 × 5		\$250	6,000	80
\$100 × 2	\$50	\$250	6,000	80
(\$30 w/ FINGERPRINT) + (\$20 w/ FINGERPRINT)	\$100	\$250	666.67	720
(\$50 w/ FINGERPRINT) × 2	\$50	\$250	666.67	720
(\$100 w/ FINGERPRINT) + (\$50 w/ FINGERPRINT)		\$250	666.67	720
	\$250	\$250	1,200	400
\$250		\$250	6,000	80
\$250 × 2		\$500	12,000	40
(\$100 × 2) + (\$50 × 4)	\$100	\$500	2,400	200
\$250	\$250	\$500	2,400	200
(\$50 w/ FINGERPRINT) × 4	\$100	\$500	2,400	200
(\$100 w/ FINGERPRINT) × 3	\$50	\$500	2,400	200
(\$250 w/ FINGERPRINT) + (\$100 w/ FINGERPRINT) + \$50		\$500	2,400	200
	\$500	\$500	2,400	200
\$500		\$500	12,000	40
\$5,000		\$5,000	8,000	60
\$225,000		\$225,000	120,000	4

Find a "Fingerprint" (ADD50) symbol to ADD \$50 to the prize shown under that symbol and win that amount!

LINEUP LOOT: Match two like symbols to win PRIZE shown. LINEUP LOOT is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present

the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Mo\$T Wanted lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in

exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Mo\$T Wanted lottery game tickets.

17. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$5,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Mo\$T Wanted or through normal communications methods.

19. *Applicability:* This notice applies only to the Mo\$T Wanted lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 25-1369. Filed for public inspection October 3, 2025, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Suite Winnings Fast Play Game 5299

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the Progressive Top Prize Fast Play lottery game is Pennsylvania Suite Winnings ("Suite Winnings"). The game number is PA-5299.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(f) *Play*: A chance to participate in a particular Fast Play lottery game.

(g) *Play Area*: The area on a ticket which contains one or more play symbols.

(h) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(i) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(j) *PROGRESSIVE TOP PRIZE*: The top prize available for this game that begins with a minimum prize amount that grows at a pre-determined rate every time a ticket is purchased and then resets to the minimum prize amount whenever a top prize-winning ticket is sold.

(k) *SUITE PRIZE*: The area at the bottom of a Suite Winnings ticket containing four "SUITE PRIZE" play symbols. The player wins the current "PROGRESSIVE TOP PRIZE" when two Key (TOP PRZ) symbols appear in the "SUITE PRIZE" area. The player wins the matching prize amount when two like prize amounts appear in the "SUITE PRIZE" area. "SUITE PRIZE" is played separately.

(l) *WINNING NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "YOUR NUMBERS" area.

(m) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(n) *YOUR NUMBERS*: The play symbols found in the play area that determine whether a player wins a prize when matched against the play symbols in the "WINNING NUMBERS" area.

3. *Price*: The price of a Suite Winnings ticket is \$10.

4. *Description of the Suite Winnings Fast Play lottery game*:

(a) The Suite Winnings lottery game is an instant win game printed from a Lottery Terminal. With the exception of the "PROGRESSIVE TOP PRIZE," all prizes are predetermined, and the player does not have the ability to select their own play symbols. Suite Winnings tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Suite Winnings is played by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING

NUMBERS" area. A player matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. When a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area the player multiplies the prize shown below that Cash (5TIMES) symbol by 5 and win that amount. A bet slip is not used to play this game.

(c) Suite Winnings is also played by matching two like prize amounts or two like Key (TOP PRZ) symbols in the "SUITE PRIZE" area. Players matching two Key (TOP PRZ) symbols will win the current "PROGRESSIVE TOP PRIZE." Players matching two like prize amounts will win that prize amount. "SUITE PRIZE" is played separately.

(d) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(e) Suite Winnings tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(f) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Suite Winnings ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(g) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Suite Winnings ticket and select the Suite Winnings option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Suite Winnings ticket characteristics*:

(a) Suite Winnings tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Suite Winnings tickets will contain one play area, consisting of a "WINNING NUMBERS" area, a "YOUR NUMBERS" area, and a "SUITE PRIZE" area containing four play symbols. The play symbols and their captions located in the "WINNING NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the "YOUR NUMBERS" area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT) and a Cash (5TIMES) symbol. The play symbols and prize amounts and their captions located in the "SUITE PRIZE" area are: Car (CAR) symbol, Bell (BELL) symbol, DND (DND) symbol, Luggage (LUGGAGE) symbol, Phone (PHONE) symbol, \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and a Key (TOP PRZ) symbol.

(c) *Prize Symbols*: The prize symbols and their captions located in the "YOUR NUMBERS" area are: \$10⁰⁰

(TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

(d) *Prizes:* The prizes that can be won in this game are: \$10, \$20, \$30, \$50, \$100, \$150, \$500, \$1,000 and \$5,000. The prizes that can be won in the "SUITE PRIZE" area are: \$10, \$20, \$30, \$50, \$100, \$150, \$500, \$1,000, \$5,000 and the "PROGRESSIVE TOP PRIZE." The "PROGRESSIVE TOP PRIZE" amount starts at \$125,000 and increases by \$0.40 every time a Suite Winnings ticket is purchased. When a "PROGRESSIVE TOP PRIZE" winning ticket is sold, the "PROGRESSIVE TOP PRIZE" resets to \$125,000. For a complete description of how these prizes can be won, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to 13 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 720,000 tickets will be available for sale for the Suite Winnings lottery game.

6. Prizes available to be won and determination of prize winners:

(a) All Suite Winnings prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which two matching Key (TOP PRZ) symbols appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of a "PROGRESSIVE TOP PRIZE." The amount won under this paragraph is the amount of the "PROGRESSIVE TOP PRIZE," determined by the Lottery Central Computer System, as of the time the winning ticket was purchased. The amount won will be a minimum of \$125,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which two matching prize amounts of \$5,000 (FIV THO) appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of \$5,000.

(f) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$2,500.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which two matching prize amounts of \$1,000 (ONE THO) appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$150 (ONEHUNFTY) appears in the Prize

area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$750.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which two matching prize amounts of \$500 (FIV HUN) appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$250.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$150.

(o) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$150.

(p) Holders of tickets upon which two matching prize amounts of \$150 (ONEHUNFTY) appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of \$150.

(q) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which two matching prize amounts of \$100 (ONE HUN) appear in the "SUITE PRIZE" area, on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the Prize area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which a Cash (5TIMES) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under that Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which two matching prize amounts of \$50⁰⁰ (FIFTY) appear in the “SUITE PRIZE” area, on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(x) Holders of tickets upon which two matching prize amounts of \$30⁰⁰ (THIRTY) appear in the “SUITE PRIZE” area, on a single ticket, shall be entitled to a prize of \$30.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(z) Holders of tickets upon which two matching prize amounts of \$20⁰⁰ (TWENTY) appear in the “SUITE PRIZE” area, on a single ticket, shall be entitled to a prize of \$20.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the Prize area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(bb) Holders of tickets upon which two matching prize amounts of \$10⁰⁰ (TEN DOL) appear in the “SUITE PRIZE” area, on a single ticket, shall be entitled to a prize of \$10.

7. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>Match Any Of “YOUR NUMBERS” To Any Of The “WINNING NUMBERS” To Win Prize Shown Under That Match. Win With:</i>	<i>“SUITE PRIZE”:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
	2—\$10s	\$10	8.85	81,360
\$10		\$10	28.17	25,560
\$10 × 2		\$20	100	7,200
\$10	2—\$10s	\$20	47.62	15,120
	2—\$20s	\$20	50	14,400
\$20		\$20	111.11	6,480
\$10 × 3		\$30	1,000	720
\$10	2—\$20s	\$30	142.86	5,040
\$20	2—\$10s	\$30	142.86	5,040
	2—\$30s	\$30	142.86	5,040
\$30		\$30	1,000	720
\$10 × 5		\$50	3,333	216
\$20	2—\$30s	\$50	250	2,880
\$30	2—\$20s	\$50	250	2,880
	2—\$50s	\$50	250	2,880
\$10 w/ CASH		\$50	76.92	9,360
\$50		\$50	2,500	288
\$20 × 5		\$100	3,000	240
(\$30 × 2) + (\$10 × 3)	2—\$10s	\$100	2,400	300
\$10 w/ CASH	2—\$50s	\$100	480	1,500
	2—\$100s	\$100	4,000	180
\$20 w/ CASH		\$100	800	900
\$100		\$100	4,000	180
\$30 × 5		\$150	4,000	180
(\$20 × 5) + (\$10 × 4)	2—\$10s	\$150	1,500	480
(\$10 w/ CASH) × 2	2—\$50s	\$150	1,500	480
	2—\$150s	\$150	3,000	240
\$30 w/ CASH		\$150	3,000	240
\$150		\$150	4,000	180

<i>Match Any Of "YOUR NUMBERS" To Any Of The "WINNING NUMBERS" To Win Prize Shown Under That Match. Win With:</i>	<i>"SUITE PRIZE":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 720,000 Tickets:</i>
\$100 × 5		\$500	24,000	30
(((\$20 w/ CASH) × 3) + \$50 + \$30 + \$20	2—\$100s	\$500	6,000	120
(\$50 w/ CASH) × 2		\$500	6,000	120
	2—\$500s	\$500	24,000	30
\$100 w/ CASH		\$500	6,000	120
\$500		\$500	24,000	30
\$500 × 2		\$1,000	120,000	6
(\$150 × 5) + (\$50 × 2) + (\$20 × 5)	2—\$50s	\$1,000	120,000	6
(\$100 w/ CASH) × 2		\$1,000	24,000	30
(\$150 w/ CASH) + (\$50 w/ CASH)		\$1,000	24,000	30
	2—\$1,000s	\$1,000	120,000	6
\$1,000		\$1,000	120,000	6
\$1,000 × 5		\$5,000	144,000	5
(\$500 w/ CASH) × 2		\$5,000	51,429	14
	2—\$5,000s	\$5,000	72,000	10
\$1,000 w/ CASH		\$5,000	51,429	14
\$5,000		\$5,000	144,000	5
	\$125,000 w/ 2—KEY SYMBOLS	\$125,000	180,000	4

Find a "Cash" (5TIMES) symbol to win 5 TIMES the prize shown under that symbol!

SUITE PRIZE: Match two like amounts to win that amount. Match two "Key" (TOP PRZ) symbols to win the current PROGRESSIVE TOP PRIZE amount instantly! SUITE PRIZE is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Ticket responsibility:

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. Ticket validation and requirements:

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. Procedures for claiming and payment of prizes:

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *“PROGRESSIVE TOP PRIZE” restrictions:*

(a) An amount of \$0.40 from the sale of each Suite Winnings Progressive ticket will be accumulated in the “PROGRESSIVE TOP PRIZE” pool.

(b) *Prize Amount:* The amount of the “PROGRESSIVE TOP PRIZE” at the time a ticket is purchased can only be verified through the Lottery’s Central Computer System. Any advertisement or any materials describing the amount of the “PROGRESSIVE TOP PRIZE” are only valid as of the time they are posted. If any discrepancy exists between this notice and any material describing or advertising the Suite Winnings Progressive game, this notice and the data contained in the Lottery’s Central Computer System shall govern.

(c) The “PROGRESSIVE TOP PRIZE” and all other prizes are subject to availability at the time of purchase. The Lottery is not responsible for prizes that are not awarded due to technical issues. In the event of a

“PROGRESSIVE TOP PRIZE” being reset without the actual sale of a “PROGRESSIVE TOP PRIZE” winning ticket, all prize money that had accumulated into the “PROGRESSIVE TOP PRIZE” pool (i.e., \$0.40 from the sale of each ticket) shall be awarded as part of the next “PROGRESSIVE TOP PRIZE” won.

(d) Prizes payable to “PROGRESSIVE TOP PRIZE” winners will be paid as a one-time cash payment. For the purposes of calculation of the prize to be paid to “PROGRESSIVE TOP PRIZE” winners, the “PROGRESSIVE TOP PRIZE” amount will be rounded up to the nearest \$0.50.

15. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Suite Winnings lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

16. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer’s license without the Lottery’s prior written authorization.

17. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Suite Winnings lottery game tickets.

18. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

19. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Suite Winnings or through normal communications methods.

20. *Applicability*: This notice applies only to the Suite Winnings lottery game announced in this notice.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 25-1370. Filed for public inspection October 3, 2025, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, September 18, 2025, and announced the following:

Actions Taken—Regulations Approved:

State Board of Nursing # 16A-5146: Opioid Prescription and Education and Organ Donation Education (amends 49 Pa. Code Chapter 21)

Public Utility Commission # 57-340: Initiative to Review and Revise the Existing Low-Income Usage Reduction Program (LIURP) Regulations at 52 Pa. Code §§ 58.1—58.18 (amends 52 Pa. Code §§ 54.75, 58.1—58.19, and 62.5)

Approval Order

Public Meeting Held
September 18, 2025

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Nursing—
Opioid Prescription and Education and
Organ Donation Education
Regulation No. 16A-5146 (# 3381)*

On August 30, 2023, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Nursing (Board). This rulemaking amends 49 Pa. Code Chapter 21. The proposed regulation was published in September 16, 2023 *Pennsylvania Bulletin* with a public comment period ending on October 16, 2023. The final-form regulation was submitted to the Commission on July 28, 2025.

This final-form rulemaking updates the Board's certified registered nurse practitioner (CRNP) continuing education and prescription requirements for controlled substances. It also updates continuing education requirements for registered nurses (RNs), RN volunteer licensees, CRNPs, and clinical nurse specialists regarding organ and tissue donations.

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. § 872.9a, 20 Pa.C.S. § 8628, and 63 P.S. § 212.1(k)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
September 18, 2025

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Pennsylvania Public Utility Commission—
Initiative to Review and Revise the Existing Low-Income
Usage Reduction Program Regulations at
52 Pa. Code §§ 58.1—58.18
Regulation No. 57-340 (# 3387)*

On November 1, 2023, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Pennsylvania Public Utility Commission (PUC). This rulemaking amends 52 Pa. Code §§ 54.75, 58.1—58.19, and 62.5. The proposed regulation was published in the December 2, 2023 *Pennsylvania Bulletin* with a public comment period ending on February 15, 2024. The final-form regulation was submitted to the Commission on July 25, 2025.

This rulemaking updates the PUC's Low-Income Usage Reduction Program regulations.

We have determined this regulation is consistent with the statutory authority of the PUC (66 Pa.C.S. §§ 501, 1501, 2203, and 2804) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 25-1371. Filed for public inspection October 3, 2025, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of Stacy Lee Daley under the Quality Health Care Accountability and Protection Article; QCC Insurance Company; Doc. No. HC25-08-010

Under Article XXI of The Insurance Company Law of 1921, referred to as the Quality Health Care Accountability and Protection Article (40 P.S. §§ 991.2101—991.2194), notice is hereby given that the appellant in this action has requested a hearing, in connection with the appellant's managed health care plan. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 20, 2025, at 11 a.m. Each party shall provide a telephone number to be used for the telephone conference to the Hearings Administrator on or

before October 16, 2025. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 6, 2025, with the Administrative Hearings Office. The email address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 16, 2025.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 25-1372. Filed for public inspection October 3, 2025, 9:00 a.m.]

INSURANCE DEPARTMENT

Appeal of USA Staffing Solutions; Pennsylvania Compensation Rating Bureau; Doc. No. CL25-07-037

Under section 654 of The Insurance Company Law of 1921 (40 P.S. § 814), USA Staffing Solutions has appealed a decision by the Pennsylvania Compensation Rating Bureau to the Insurance Commissioner. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law), §§ 561—588 (relating to administrative proceeding interpreters for persons with limited English proficiency; and administrative proceeding interpreters for persons who are deaf), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 15, 2025, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 14, 2025. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, were to be electronically filed on or before October 1, 2025. The email address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 14, 2025.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Nicole Sites Heaton, (717) 787-5790, nsitesheat@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 25-1373. Filed for public inspection October 3, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 20, 2025. Filings are recommended to be made electronically through eFiling to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 20, 2025. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's website at www.puc.pa.gov by searching under the docket number as follows or by searching the applicant's website.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2025-3056533. Vasquez Transportation, LLC, t/a Vasquez Transportation (628 Carson Street, Hazleton, Luzerne County, PA 18201) to transport persons, by motor vehicle, in paratransit service, from points in Luzerne County, to points in Pennsylvania, and return.

A-2025-3057397. Humane Care Transportation Service, LLC (605 Raikes Road, Huntingdon Valley, Montgomery County, PA 19006) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Montgomery County and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2025-3057504. Wiley Transportation Group, LLC (100 Oxford Drive, # 921, Monroeville, Allegheny County, PA 15146) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Allegheny, Beaver, Washington and Westmoreland, to points in Pennsylvania, and return.

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-1374. Filed for public inspection October 3, 2025, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in

accordance with 52 Pa. Code Chapter 5 (relating to formal proceedings). Answers are due October 20, 2025, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the assigned Prosecutor, Pennsylvania Public Utility Commission.

NOTICE OF MOTOR CARRIER COMPLAINT

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer should raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original mailed to:

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages, you must also file a paper copy with the Secretary's Bureau.

In addition to filing your Answer with the Commission's Secretary, a copy should either be

Mailed to: Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
Commonwealth Keystone Building
400 North Street, 3W
Harrisburg, PA 17120

Or, E-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other such remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to "Commonwealth of Pennsylvania" and forwarded to:

Matthew L. Homsher, Secretary
Pennsylvania Public Utility Commission
Commonwealth Keystone Building
400 North Street, 2nd Floor
Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the Complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a fine and/or other such remedy.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge (ALJ) for hearing and decision. The ALJ judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Ahmad Jihad Mahmoud, t/a Steel City Ride; Docket No. C-2025-3055948

MOTOR CARRIER COMPLAINT

The Pennsylvania Public Utility Commission ("Commission" or "PUC") is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement—Motor Carrier Division hereby represents as follows:

1. That Ahmad Jihad Mahmoud, t/a Steel City Ride, Respondent, maintains its principal place of business at 1522 Wareman Avenue, Pittsburgh, PA 15226.

2. That a certificate of public convenience issued by this Commission is required to transport passengers for compensation, in call or demand service, within the Commonwealth of Pennsylvania. Based on review of the records maintained by the Commission, neither Ahmad Jihad Mahmoud nor Steel City Ride have ever applied for or received a certificate of public convenience for call or demand transportation services by this Commission.

3. That on October 24, 2024, PUC Enforcement Supervisor Ryan Balestra encountered a Subaru Forester, bearing PA registration number LXZ9073 and Steel City Ride dome light affixed on top of the vehicle, parked at the Greyhound bus station. At that time Supervisor Balestra determined that the vehicle belonged to Ahmad Jihad Mahmoud and that the company, Steel City Ride, did not have PUC authority. Supervisor Balestra instructed the driver, Fadi Jihad Mahmoud, to remove the light, or it would be seized as Respondent did not have PUC authority to act as a call or demand service.

4. That on March 18, 2025, the Commission's Pittsburgh Regional Office received a complaint including a photograph of a Honda Civic, bearing PA registration number JHL8202 and a Steel City Ride illuminated dome light affixed on top of the vehicle, driving on Sussex Avenue at Woodbourne Avenue in Pittsburgh. On March 19, 2025, the Commission determined that vehicle belonged to Respondent. A formal complaint could not be issued upon Respondent as it was not apparent that the vehicle was transporting passengers for compensation on March 18, 2025.

5. That on June 20, 2025, Supervisor Balestra and PUC Enforcement Officer Mia Fuller were stationed at 400 North Shore Drive, Pittsburgh, PA, observing a grey sedan affixed with a Steel City Ride illuminated dome light. As the vehicle approached, Supervisor Balestra hailed the vehicle and requested a ride from North Shore

Drive to the Steel Mill Saloon in Mt. Washington to which the driver stated the price as \$35. Supervisor Balestra recognized the driver, Fadi Jihad Mahmoud, from the October 22, 2024 encounter, detailed in paragraph 3, above. Officer Fuller took pictures of the vehicle, including the Steel City Ride dome light and PA registration number MNE7855. Supervisor Balestra and Officer Fuller observed the vehicle multiple times the night of June 20, 2025, being hailed for rides.

6. That on June 23, 2025, Supervisor Balestra completed a Driver Vehicle Compliance Report ("DVCR") concerning the incident on June 20, 2025. Supervisor Balestra investigated the PA registration number attached to the vehicle in the pictures revealing the vehicle was a grey 2009 grey Honda Civic registered to Ahmad Jihad Mahmoud. Supervisor Balestra also determined the vehicle detailed in paragraph 4, above, to be the same vehicle observed on June 20, 2025, detailed in paragraph 5, above, registered to Respondent.

7. That Respondent, by advertising passenger transportation services by vehicle for compensation without obtaining/holding a certificate/authority from the Commission, has violated 66 Pa. Code §§ 1101, 1102(a) and 3310. The penalty for this violation is \$1,000.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that Respondent be directed, as detailed below:

1. The Commission fine Ahmed Jihad Mahmoud, t/a Steel City Ride, the sum of one thousand dollars (\$1,000.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

2. Respondent shall cease and desist from transporting passenger between points in Pennsylvania for compensation until such time as the proper authority has been granted by the Commission.

Respectfully submitted,
Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street, 2nd Floor
Harrisburg, PA 17120

VERIFICATION

I, Brian B. Mehus, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 19 August 2025

Brian B. Mehus, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

MATTHEW HOMSHER,
Secretary

[Pa.B. Doc. No. 25-1375. Filed for public inspection October 3, 2025, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 20, 2025. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Heidi Robb at (215) 683-9799 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-25-09-01. Solo Taxi, LLC (638 Summit Lane, Folcroft, PA 19032): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Shintia Zaman Riva, Esq., 1914 Chandler Street, Philadelphia, PA 19111.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 25-1376. Filed for public inspection October 3, 2025, 9:00 a.m.]

STATE HORSE RACING COMMISSION

Receipt of Matters Subject to Intervention

Under 7 Pa. Code § 179.17(d) (relating to intervention), the State Horse Racing Commission (Commission) provides notice that it has received the following timely, substantially complete and properly filed applications or petitions seeking authorization, permission or licensure renewal, or both, to engage in certain licensed racing activities within this Commonwealth:

2026 Racing Vendor License Renewals:

1. American Teletimer Corp. (Doc. No. 2025-01)
2. Axcis Information Network, Inc. (Doc. No. 2025-11)

Under 7 Pa. Code § 179.17(b) and (e) of the Commission's adopted procedures, persons interested in intervening in the previously listed matters may file a Petition to Intervene with the Commission within 30 days of the publication of this notice.

ANTHONY SALERNO,
Director
Bureau of Standardbred Horse Racing
THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 25-1377. Filed for public inspection October 3, 2025, 9:00 a.m.]

United States Postal Service
Statement of Ownership, Management and Circulation
(All Periodicals Publications Except Requester Publications)

1. Publication Title COMB OF PA LEG REF BURPENNY'S VANIA BULLETIN (E.G. REF. BUREAU)		2. Issue Date 09/29/2025	
3. Issue Frequency WEEKLY		4. Annual Subscription Price \$87.00	
5. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4) Addr 1: 641 MAIN CAPITOL BLDG Addr 2: City, State ZIP: HARRISBURG, DAUPHIN, PA 17120-0033		6. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer) Addr 1: MAIN CAPITOL BLDG Addr 2: City, State ZIP: HARRISBURG, DAUPHIN, PA 17120-0033	
7. Full Names and Complete Mailing Addresses of Publisher, Editor and Managing Editor (do not leave blank) Publisher (Name and complete mailing address) Name: STEPHANIE F. LATROUSE Addr 1: MAIN CAPITOL BLDG Addr 2: City, State ZIP: HARRISBURG, DAUPHIN, PA 17120-0033 Editor (Name and complete mailing address) Name: AMY J. MONROE-SCHNE Addr 1: MAIN CAPITOL BLDG Addr 2: City, State ZIP: HARRISBURG, DAUPHIN, PA 17120-0033 Managing Editor (Name and complete mailing address) Name: ADRIENNE GAYDOSKI Addr 1: MAIN CAPITOL BLDG Addr 2: City, State ZIP: HARRISBURG, DAUPHIN, PA 17120-0033			
8. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all individual owners. If owned by a partnership or other unincorporated firm, give its name and address, and also the names and addresses of all individual owners. If the publication is published by a nonprofit corporation, give its name and address.) Full Name: COMMONWEALTH OF PENNSYLVANIA Complete Mailing Address: MAIN CAPITOL BUILDING, HARRISBURG, PA 17120-0033			
9. Known Bondholders, Mortgagees and Other Security Holders Owning or Holding 1 Percent or more of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box Full Name: Complete Mailing Address:			
10. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one) The purpose, function, and nonprofit status of this organization and the exempt status for federal income tax purposes: ☒ Has Not Changed During Preceding 12 Months ☐ Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement below)			

PS Form 3526, July 2014

13. Publication Title COMB OF PA LEG REF BURPENNY'S VANIA BULLETIN (E.G. REF. BUREAU)		14. Issue Date for Circulation Data Below 09/27/2025	
15. Extent and Nature of Circulation		Average No. Copies Each Issue During Preceding 12 Months	No. Copies of Single Issue Published Nearest to Filing Date
a. Total Number of Copies (Net press run)		425	383
b. Paid and/or Requested Circulation			
(1) PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)		325	283
(2) PS Form 3541 (Include paid distribution above nominal rate, advertiser's proof copies, and exchange copies)		0	0
(3) Through Dealers and Carriers, Street Vendors, Counter Sales and Other Paid Distribution Outside USPS		0	0
(4) Paid Distribution by Other Classes of Mail Through the USPS (e.g. First-Class Mail)		0	0
c. Total Paid Distribution (Sum of 15b (1), (2), (3), and (4))		325	283
d. Free or Nominal Rate Distribution (by Mail and Outside the Mail)			
(1) Free or Nominal Rate Outside Country (Copies Included on PS Form 3541)		0	0
(2) Free or Nominal In-Country Copies Included on PS Form 3541		0	0
(3) Free or Nominal Rate Copies Outside the Mail (Copies Through the USPS (e.g. First-Class Mail))		0	0
(4) Free or Nominal Rate Distribution Outside the Mail (Carriers or other means)		0	0
e. Total Free or Nominal Rate Distribution (Sum of 15d (1), (2), (3) and (4))		0	0
f. Total Distribution (Sum of 15c and 15e)		325	283
g. Copies not Distributed (See Instructions to Publishers #4 (page #3))		0	0
h. Total (Sum of 15f and g)		325	283
Percent Paid (15c Divided by 15f Times 100)		100.00%	100.00%
* If you are claiming electronic copies, go to line 16 on page 3. If you are not claiming electronic copies, skip to line 17 on page 3.			
16. Electronic copy Circulation			
If present, check box: ☐			
a. Paid Electronic Copies			
b. Total Paid Print Copies (Line 15c) + Paid Electronic Copies (Line 16a)		325	283
c. Total Print Distribution (Line 15f) + Paid Electronic Copies (Line 16a)		325	283
d. Percentage Paid (Both Print & Electronic Copies (16b divided by 16c x 100)		100.00%	100.00%
17. Publication of Statement of Ownership			
☒ Publication required. Will be printed in the 10/04/2025 issue of this publication. ☐ Publication not required			
18. Signature and Title of Editor, Publisher, Business Manager, or Owner <i>Stephanie F. Latrouse</i>		Title Director	Date 09/29/2025
I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (including civil penalties).			

PS Form 3526, July 2014

END OF ISSUE