

# Snyder T 485 Soil Map



\* 672.0 feet per inch  
0 336 672 1008 1344 feet



## Soil Acreages By Field

Field	Label	Musym	Muname	Acres	Drainage Class	Farmland Class	Kfact
CRP	CRP	WbB	Watson silt loam, 3 to 8 percent slopes	1.79	Moderately well drained	All areas are prime farmland	0.37
CRP	CRP	WkE	Weikert and Klinsville shaly silt loams, 25 to 80 percent slopes	8.8	Somewhat excessively drained	Not prime farmland	0.32
CRP	CRP	BeC	Berks channery silt loam, 8 to 15 percent slopes	1.95	Well drained	Farmland of statewide importance	0.32
CRP	CRP	BeD	Berks channery silt loam, 15 to 25 percent slopes	3.12	Well drained	Not prime farmland	0.32
CRP	CRP	BeB	Berks channery silt loam, 3 to 8 percent slopes	0.01	Well drained	Farmland of statewide importance	0.32
F 1	F 1	BeC	Berks channery silt loam, 8 to 15 percent slopes	0.04	Well drained	Farmland of statewide importance	0.32
F 1	F 1	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.62	Well drained	Not prime farmland	0.32
F 11	F 11	BeC	Berks channery silt loam, 8 to 15 percent slopes	0.76	Well drained	Farmland of statewide importance	0.32
F 11	F 11	WbB	Watson silt loam, 3 to 8 percent slopes	2.06	Moderately well drained	All areas are prime farmland	0.37
F 2	F 2	BeC	Berks channery silt loam, 8 to 15 percent slopes	2.17	Well drained	Farmland of statewide importance	0.32
F 2	F 2	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.63	Well drained	Not prime farmland	0.32
F 22	F 22	BeB	Berks channery silt loam, 3 to 8 percent slopes	0.16	Well drained	Farmland of statewide importance	0.32
F 22	F 22	BeC	Berks channery silt loam, 8 to 15 percent slopes	2.39	Well drained	Farmland of statewide importance	0.32
F 24	F 24	BeC	Berks channery silt loam, 8 to 15 percent slopes	0.54	Well drained	Farmland of statewide importance	0.32
F 24	F 24	WkE	Weikert and Klinsville shaly silt loams, 25 to 80 percent slopes	1.3	Somewhat excessively drained	Not prime farmland	0.32
F 26	F 26	BeB	Berks channery silt loam, 3 to 8 percent slopes	1.29	Well drained	Farmland of statewide importance	0.32

Field	Label	Musym	Muname	Acres	Drainage Class	Farmland Class	Kfact
F 26	F 26	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	0.18	Somewhat excessively drained	Not prime farmland	0.32
F 3	F 3	BeB	Berks channery silt loam, 3 to 8 percent slopes	2.77	Well drained	Farmland of statewide importance	0.32
F 3	F 3	BeC	Berks channery silt loam, 8 to 15 percent slopes	0.24	Well drained	Farmland of statewide importance	0.32
F 3	F 3	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.61	Well drained	Not prime farmland	0.32
F 3	F 3	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	0.3	Somewhat excessively drained	Not prime farmland	0.32
F 33	F 33	BeB	Berks channery silt loam, 3 to 8 percent slopes	0.23	Well drained	Farmland of statewide importance	0.32
F 33	F 33	BeC	Berks channery silt loam, 8 to 15 percent slopes	2.29	Well drained	Farmland of statewide importance	0.32
F 33	F 33	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.11	Well drained	Not prime farmland	0.32
F 35	F 35	BeC	Berks channery silt loam, 8 to 15 percent slopes	1.72	Well drained	Farmland of statewide importance	0.32
F 35	F 35	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.43	Well drained	Not prime farmland	0.32
F 37	F 37	BeD	Berks channery silt loam, 15 to 25 percent slopes	6.66	Well drained	Not prime farmland	0.32
F 37	F 37	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	1	Somewhat excessively drained	Not prime farmland	0.32
F 4	F 4	BeB	Berks channery silt loam, 3 to 8 percent slopes	5.39	Well drained	Farmland of statewide importance	0.32
F 4	F 4	BeD	Berks channery silt loam, 15 to 25 percent slopes	7.47	Well drained	Not prime farmland	0.32
F 4	F 4	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	3.1	Somewhat excessively drained	Not prime farmland	0.32
F 5	F 5	BeB	Berks channery silt loam, 3 to 8 percent slopes	0.56	Well drained	Farmland of statewide importance	0.32
F 5	F 5	BeC	Berks channery silt loam, 8 to 15 percent slopes	0.02	Well drained	Farmland of statewide importance	0.32

Field	Label	Musym	Muname	Acres	Drainage Class	Farmland Class	Kfact
F 5	F 5	BeD	Berks channery silt loam, 15 to 25 percent slopes	0.11	Well drained	Not prime farmland	0.32
F 5	F 5	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	0.98	Somewhat excessively drained	Not prime farmland	0.32
F 6	F 6	BeC	Berks channery silt loam, 8 to 15 percent slopes	6.32	Well drained	Farmland of statewide importance	0.32
F 6	F 6	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	0.32	Somewhat excessively drained	Not prime farmland	0.32
F 7	F 7	BeB	Berks channery silt loam, 3 to 8 percent slopes	4.85	Well drained	Farmland of statewide importance	0.32
F 7	F 7	BeC	Berks channery silt loam, 8 to 15 percent slopes	1.86	Well drained	Farmland of statewide importance	0.32
F 7	F 7	WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	1.56	Somewhat excessively drained	Not prime farmland	0.32
Past 10	Past 10	WbB	Watson silt loam, 3 to 8 percent slopes	3.11	Moderately well drained	All areas are prime farmland	0.37

## Soil Acreages For Farm

MUSYM	MUNAME	Drainage Class	Farmland Class	kfact	acres
BeB	Berks channery silt loam, 3 to 8 percent slopes	Well drained	Farmland of statewide importance	0.32	15.26
BeC	Berks channery silt loam, 8 to 15 percent slopes	Well drained	Farmland of statewide importance	0.32	20.3
BeD	Berks channery silt loam, 15 to 25 percent slopes	Well drained	Not prime farmland	0.32	19.76
WbB	Watson silt loam, 3 to 8 percent slopes	Moderately well drained	All areas are prime farmland	0.37	6.96
WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Somewhat excessively drained	Not prime farmland	0.28	8.77
WkE	Weikert and Klinesville shaly silt loams, 25 to 80 percent slopes	Somewhat excessively drained	Not prime farmland	0.32	8.77