DEPARTMENT OF ENVIRONMENTAL PROTECTION



SDWGP-01 SAFE DRINKING WATER GENERAL PERMIT - 01: COMMUNITY WATER SYSTEM FINISHED WATER STORAGE TANK PAINTING INSTRUCTIONS

Remove and recycle these instructions prior to mailing to the approving agency.

GENERAL INSTRUCTIONS

A complete Safe Drinking Water General Permit – 01 (SDWGP-01): Community Water System Finished Water Storage Tank Painting Application (3940-PM-BSDW0004) shall be submitted to and approved by the Pennsylvania Department of Environmental Protection (DEP) prior to the painting of the interior of an existing community water system finished water storage tank (storage tank). This application must be signed by the appropriate individual identified in <u>25 Pa. Code</u> <u>§ 109.503(a)(1)(i)</u> of DEP's Safe Drinking Water regulations and a Professional Engineer licensed in Pennsylvania.

Note: Each finished water storage tank being painted requires a separate SDWGP-01 application.

In order to qualify for SDWGP-01, the storage tank painting project (project) must meet the requirements in **Section B** of the application. Projects not meeting these requirements may still be approved; however, the public water system will be required to obtain a Public Water System Minor Amendment Construction Permit that meets the requirements of <u>25</u> Pa. Code § 109.503.

All SDWGP-01 application packages *must* contain, at a minimum:

- SDWGP-01: Safe Drinking Water General Permit 01: Community Water System Finished Water Storage Tank Painting Application (3940-PM-BSDW0004)
- \$500 General Permit Fee (payable to the "Commonwealth of Pennsylvania")
- An Engineer's Report
 - See DEP's Public Water Supply Manual Part II: Community System Design Standards (<u>383-2125-108</u>)
 - The Engineer's Report is to provide sufficient information on the operation and hydraulics of each process to enable DEP to determine compliance with accepted design standards related to the storage tank painting project.
- Coating Specifications (must be ANSI/NSF Standard 61 Certified)

For additional information on gathering the supporting data for a SDWGP-01 application, refer to DEP's *Public Water Supply Manual – Part II: Community System Design Standards* (<u>383-2125-108</u>), available on DEP's <u>eLibrary</u> website.

SECTION A: APPLICANT INFORMATION

Public Water System (PWS) Name: Enter the organization name of the facility that will be used on official documents by the PWS.

Public Water System Identification Number (PWSID No.): Enter the PWSID Number.

Contact Person Information: Enter the name, title, address, telephone number, and email address for the contact person of the system.

Site Information: Enter the name, address, municipality, county, latitude, and longitude of the storage tank to be repainted.

Consultant Information: Enter the name, title, address, telephone number, email address, and license number of the Professional Engineer Licensed in Pennsylvania for the project.

SECTION B: PROJECT REQUIREMENTS AND INFORMATION

In order to qualify for SDWGP-01, the project must meet all of the design requirements in this section. Projects not meeting these requirements may still be approved, however, the public water system will be required to obtain a Public Water System Minor Amendment Construction Permit that meets the requirements of <u>25 Pa. Code § 109.503</u>.

Qualifications

1. Chlorine Contact Time: If the storage tank to be painted is used to provide the required chlorine contact time for an entry point, SDWGP-01 may not be utilized. Instead, the public water system will be required to obtain a Public Water System Minor Amendment Construction Permit that meets the requirements of <u>25 Pa. Code § 109.503</u> with a detailed explanation of how the required chlorine contact time will be achieved while the storage tank is out of service. Indicate if the storage tank being painted is used for storage only (that is, the storage tank being painted is not used to provide the required chlorine contact time) by checking the box next to "Yes."

Coating Information

- 2. **ANSI/NSF Standard 61 Coatings**: All the coatings being applied to the interior of the storage tank must be certified for conformance with <u>American National Standards Institute (ANSI)/NSF Standard 61</u>.
- 3. **Coating Application**: All the coatings must be mixed and applied in accordance with the <u>ANSI/American Water</u> <u>Works Association (AWWA) Standard D102 Coating Steel Water Storage Tanks</u>.
- 4. **Coating Specifications**: Enter the coating specifications that will be used for each coat and the range of thickness that will be applied (in mils).

Interior Preparation

- 5. Interior Preparation: All interior steel surfaces must be prepared in accordance with <u>ANSI/AWWA Standard D102</u> <u>Coating Steel Water Storage Tanks</u>.
- 6. Welding: All welding done on the interior of the storage tank must be done in accordance with <u>ANSI/AWWA</u> <u>Standard D100 Welded Steel Tanks for Water Storage</u>.

Pressure and Peak Demands

- 7. **Pressure Maintained**: Enter a detailed explanation on how pressure will be maintained, and peak demands will be met, while the storage tank is out of service during the storage tank painting.
- 8. **Pressure and Peak Demands Testing**: The method for maintaining pressure and meeting peak demands while the storage tank is out of service must be tested with the storage tank full and isolated from the system. This allows the storage tank to be returned to service if necessary (to maintain pressure or meet peak demands), and for other options to be explored. While the storage tank is isolated from the system, a 0.2 mg/L disinfectant residual must be maintained within the storage tank.
- 9. **Fire Protection**: If the system provides fire protection, verify in writing that the local fire department was notified of any potential fire flow deficiencies with the storage tank being out of service.

Disinfection and VOCs

- 10. Disinfection: After the storage tank painting is completed, the interior of the storage tank must be disinfected utilizing one of the procedures set forth in the latest edition of <u>AWWA Standard C652 Disinfection of Water Storage Facilities</u>. A Special Condition will be included in the permit for this requirement. See DEP's fact sheet Planned and Unplanned Discharges of Chlorinated Water to Surface Waters (<u>3830-FS-DEP4861</u>) for information on chlorinated water discharges.
- 11. Volatile Organic Chemical (VOC) Testing: After the storage tank painting is completed, water from the storage tank must be sampled at least 24 hours after the storage tank is filled and prior to the storage tank being returned to service and the samples must be analyzed by a DEP-accredited laboratory for VOCs using United States Environmental Protection Agency (EPA) Methods 502.2 or 524.2. A Special Condition will be included in the permit for this requirement.

SECTION C: SIGNATURES AND SEAL

Licensed Professional Engineer's Signature: The Professional Engineer Licensed in Pennsylvania for the project must sign the application.

Licensed Professional Engineer's Seal: The Professional Engineer Licensed in Pennsylvania for the project must stamp or seal the application.

Application Checklist: All SDWGP-01 application packages *must* contain the following five (5) components, at a minimum. Failure to include all components will result in application being incomplete. Please indicate if these items are included by checking the proper boxes.

SDWGP-01: Safe Drinking Water General Permit - 01: Community Water System Finished Water Storage Tank Painting Application (3940-PM-BSDW0004)

- \$500 General Permit Fee (payable to the "Commonwealth of Pennsylvania")
- An Engineer's Report
 - See DEP's Public Water Supply Manual Part II: Community System Design Standards (<u>383-2125-108</u>)
 - The Engineer's Report is to provide sufficient information on the operation and hydraulics of each process to enable the DEP to determine compliance with accepted design standards related to the storage tank painting project.

Coating Specifications (must be ANSI/NSF Standard 61 Certified)

Applicant's Signature: The applicant must print their name, sign the application, and provide the date of signature. The application must be signed as follows:

- In the case of corporations, by a principal executive officer of at least the level of vice president, or an authorized representative, if the representative is responsible for the overall operation of the facility.
- In the case of a partnership, by a general partner.
- In the case of a sole proprietorship, by the proprietor.
- In the case of a Municipality, State, or other public facility, by either a principal executive officer, ranking elected official, or other authorized employee.

WHERE TO FILE

Public Upload with Payment Submission webpage

DEP accepts applications, including electronic payments, via the <u>Public Upload with Payment Submission</u> webpage. If using the Public Upload option, the fee must be paid online at the time of submission.

- Users will first be asked whether they are resubmitting a form that was previously submitted to DEP and requires an update. For all new submissions, select "No" and click Continue.
- The applicant's information should be provided under the Submitter Information header.
- For this general permit, users should select Safe Drinking Water SDW from the drop-down menu next to Filter Submission Types by Program (optional) then select SDW General Permit Application (3940-PM-BSDW0004).
- If your system has a PWSID No., please enter it in the Permit#/Project# box.
- Provide the <u>Employer Identification Number (EIN)</u> for the facility the water system serves in **Applicant EIN** box.
- Enter the address of the facility as listed on the application under the Project Address header.
- Select Add County/Municipality/Region and select the County and Municipality in which the project is located from the drop-down menus. Check the box next to **Primary** to indicate if this is the primary County and Municipality for the project.


3940-PM-BSDW0004 04/2024 Draft Instructions

> The Region/District office will automatically populate based on the County. The submittal will be sent to the . offices(s) listed.

For more detailed instruction see Instructions for Public Upload with Payment for Safe Drinking Water Permit Applications.

DEP Regional Offices

For submittals not made through Public Upload with Payment Submission webpage, original signed documents, plus one set of copies, of the above information are required to be submitted to the appropriate DEP Regional Office. Paper copies of the application with a physical check should be addressed to: PA DEP - Safe Drinking Water Program and be mailed to the DEP Regional Office having jurisdiction in the applicant's county.



Southwest

Northwest Regional Office 230 Chestnut St. Meadville, PA 16335-3481 Main Telephone: 814-332-6945 24-Hour Emergency: 1-800-373-3398 RA-NWROSDWPERMITS@pa.gov

Counties: Armstrong, Butler, Clarion, Crawford, Elk, Erie, Forest, Indiana, Jefferson, Lawrence, McKean, Mercer, Venango, and Warren

Southwest Regional Office

400 Waterfront Drive Pittsburgh, PA 15222-4745 Main Telephone: 412-442-4000 24-Hour Emergency: 412-442-4000

RA-SWROSDWPERMITS@pa.gov

Counties: Allegheny, Beaver, Cambria, Fayette, Greene, Somerset, Washington, and Westmoreland

Southcentral

Northcentral Regional Office

208 W. Third St., Suite 101 Williamsport, PA 17701 Main Telephone: 570-327-3636 24-Hour Emergency: 570-327-3636 RA-NCROSDWPERMITS@pa.gov

Counties: Bradford, Cameron, Centre, Clearfield, Clinton, Columbia, Lycoming, Montour, Northumberland, Potter, Snyder, Sullivan, Tioga, and Union

Southcentral Regional Office

909 Elmerton Ave. Harrisburg, PA 17110 Main Telephone: 717-705-4700 24-Hour Emergency: 1-800-541-2050 RA-SCROSDWPERMITS@pa.gov

Counties: Adams, Bedford, Berks, Blair, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Lancaster, Lebanon, Mifflin, Perry, and York

Southeast

Northeast Regional Office

2 Public Square Wilkes-Barre, PA 18701-1915 Main Telephone: 570-826-2511 24-Hour Emergency: 570-826-2511 RA-NEROSDWPERMITS@pa.gov

Counties: Carbon, Lackawanna,

Lehigh, Luzerne, Monroe, Northampton, Pike, Schuylkill, Susquehanna, Wayne, and Wyoming

Southeast Regional Office

2 E. Main St. Norristown, PA 19401 Main Telephone: 484-250-5900 24-Hour Emergency: 484-250-5900 RA-SEROSDWPERMITS@pa.gov

Counties: Bucks, Chester, Delaware, Montgomery, and Philadelphia

SDWGP-01 SAFE DRINKING WATER GENERAL PERMIT – 01: COMMUNITY WATER SYSTEM FINISHED STORAGE TANK PAINTING APPLICATION Before completing this application, read the step-by-step instructions provided.							
substantially r defined in 25 quality of wate of the interior the public due safety may als	modifie Pa. C er serv of a fir e to su so be a	09.501(b) and (d) ad facility without ode § 109.1 as, "A red to the public or hished water storag rface preparation p affected by the storage thile the storage tar	first obtaining A change in a which may be ge tank (storag procedures, co age tank paint	permits f public wat prejudicia e tank) ma pating proc ing project	rom DEP. <i>I</i> ter system th I to the public ay affect the ducts, or test	A substantia at may affect c health or sa quality of the ing procedur	I modification is at the quantity or afety" Painting water served to es used. Public
Section A		APPLICANT INFORMATION					
PWS Nam	е						
PWSID No.							
		С	ontact Perso	n Informa	tion		
Name					Title		
Street							1
City				State		Zip Code	
Telephone No.					Email Address		
			Site Info	rmation			
Tank Name							
Street							
City				State		Zip Code	
Municipality					County		
Location:		Lat. °'	. "N				
(DD.MM.SS.SSS)		Long. °,	. "W				
	Consultant Information						
Name					Title		
Street							
City				State		Zip Code	
Telephone No.					Email Address		
License No	D.						

Se	ection B		PROJECT REQUIREMENTS AND	INFORMATION			
	Qualifications						
1.	 Is the finished water storage tank (storage tank) being painted used for storage only (that is, not used to provide chlorine contact time)? If the storage tank to be painted is used to provide the required chlorine contact time for an entry point, SDWGP-01 may not be utilized. 						
			Coating Information				
2.	2. Are all the coatings being applied to the interior storage tank certified for conformance with ANSI/NSF Standard 61? Coatings being applied to the interior storage tank that are not certified for conformance with ANSI/NSF Standard 61 do not qualify for SDWGP-01.						
3.	3. Will all coatings be mixed and applied to <u>ANSI/AWWA Standard D102 Coating Steel</u> <u>Water Storage Tanks</u> specifications? All the coatings must be mixed and applied in accordance with ANSI/AWWA Standard D102 Coating Steel Water Storage Tanks.						
_			Primer Coat: @to mils.				
4.	Enter coa specifica	ating tions and the	Intermediate Coat: @to mils.				
	range of	thickness be applied.	Stripe Coat:	@to mils	_to mils.		
		be applied.	Finish Coat: to mile				
	Interior Preparation						
5.	5. Will all interior steel surfaces be prepared in accordance with <u>ANSI/AWWA Standard</u> <u>D102 Coating Steel Water Storage Tanks</u> ? All interior steel surfaces must be prepared in accordance with ANSI/AWWA Standard D102 Coating Steel Water Storage Tanks.						
6.	6. Will all welding be done in accordance with <u>AWWA Standard D100 Welded Steel Tanks</u> <u>for Water Storage</u> ? All welding done on the interior of the storage tank must be done in accordance with AWWA Standard D100 Welded Steel Tanks for Water Storage.						
	Pressure and Peak Demands						
7.	7. How will the pressure be maintained while the storage tank is out-of-service during the tank painting?						
8.	8. Has this method to maintain pressure been tested with the storage tank full and isolated from the system?						
9.	9. If the public water system provides fire protection, is written verification provided showing the local fire department has been notified of any potential fire flow deficiencies with the storage tank being out-of-service?						
	Disinfection and VOCs						
10	10. Will the interior of the storage tank be disinfected utilizing one of the procedures set forth in the latest edition of <u>AWWA Standard C652 Disinfection of Water Storage Facilities</u> , after the curing is complete? After the work is completed, the interior of the storage tank must be disinfected utilizing one of the procedures set forth in the latest edition of <u>AWWA Standard C652 Disinfection of Water Storage Facilities</u> .						
11	11. Will water from the storage tank be sampled and analyzed by a Department-accredited laboratory for volatile organic chemicals (VOCs) (EPA Methods 502.2 or 524.2) at least 24 hours after the storage tank is filled? After the project is completed, water from the storage tank must be sampled and analyzed by a DEP-accredited laboratory for VOCs.						

Sec	tion C	Ş	SIGNATURES AND SEAL				
	Engineer's Signature and Seal						
Lice	Licensed Professional Engineer's Signature:						
Lice	Licensed Professional Engineer's Seal:						
Application Checklist							
All application packages for the SDWGP-01 application must contain these five (5) components, at a minimum. Failure to include all components will result in application being incomplete.							
	SDWGP-01: Safe Drinking Water General Permit - 01: Community Water System Finished Water Storage Tank Painting Application (3940-PM-BSDW0004)						
	\$500 Ge	500 General Permit Fee (payable to the "Commonwealth of Pennsylvania")					
	An Engi	 An Engineer's Report See DEP's <i>Public Water Supply Manual – Part II: Community System Design Standards</i> (<u>383-2125-108</u>) The Engineer's Report is to provide sufficient information on the operation and hydraulics of each process to enable the DEP to determine compliance with accepted design standards. 					
	Coating Specifications (must be ANSI/NSF Standard 61 Certified)						
Applicant's Signature (see <u>25 Pa. Code § 109.503(a)(1)(i)</u>)							
All five (5) components of the application package are included in this submission. Also, I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. See 18 Pa.C.S. § 4904 (relating to unsworn falsification).							
Applicant's Name (printed):							
Арр	Applicant's Signature: Date:						