

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|--------------|---------------|-------------|-------------|-----------|
| MW-1 | 1-Apr-18 | 18 | 14 | |
| | 1-Aug-18 | 14 | 15 | |
| | 18-Nov-18 | 12 | 15 | |
| | 1-Feb-19 | 15 | 11 | |
| | 1-Aug-19 | 11 | 9.9 | |
| | 17-Feb-20 | 13 | 15 | |
| | 1-Dec-20 | 11 | 14 | |
| | 18-Oct-21 | 11 | 12 | |
| | 14-Nov-22 | 10 | 14 | |
| | 5-Dec-23 | 7.6 | 12.6 | |
| 5-Dec-23 | 7.6 | 12.7 | *PDB | |
| MW-2 | 1-Apr-18 | 16 | 14 | |
| | 1-Aug-18 | 13 | 17 | |
| | 18-Nov-18 | 12 | 16 | |
| | 1-Feb-19 | 12 | 9.8 | |
| | 1-Aug-19 | 11 | 12 | |
| | 17-Feb-20 | 11 | 12 | |
| | 1-Dec-20 | 10 | 13 | |
| | 18-Oct-21 | 9.6 | 12 | |
| | 15-Nov-22 | 8.6 | 8.6 | |
| | 4-Dec-23 | 10.9 | 15.3 | |
| 4-Dec-23 | 9.5 | 12.2 | *PDB | |
| MW-3S | 1-Apr-18 | 13 | 9.8 | |
| | 1-Aug-18 | 11 | 11 | |
| | 18-Nov-18 | 11 | 10 | |
| | 1-Feb-19 | 9 | 12 | |
| | 1-Aug-19 | 12 | 11 | |
| | 1-Aug-19 | 7.9 | 11 | *Hydrasle |
| | 21-Feb-20 | 12 | 11 | |
| | 4-Dec-20 | 11 | 12 | |
| | 25-Oct-21 | 7.1 | 7.9 | |
| | 18-Nov-22 | 11 | 11 | |
| | 4-Dec-23 | 9.9 | 10.7 | |
| 4-Dec-23 | 7.4 | 10.1 | *PDB | |
| MW-3I | 1-Apr-18 | 13 | 7.8 | |
| | 1-Aug-18 | 10 | 8.2 | |
| | 18-Nov-18 | 8.9 | 7.8 | |
| | 1-Feb-19 | 7.4 | 9.8 | |
| | 1-Aug-19 | 7.7 | 10 | |
| | 1-Aug-19 | 9.7 | 6.1 | *Hydrasle |
| | 24-Feb-20 | 9 | 6.6 | |
| | 7-Dec-20 | 10 | 7.8 | |
| | 25-Oct-21 | 7.6 | 5.7 | |
| | 21-Nov-22 | 9.9 | 8.2 | |
| | 4-Dec-23 | 9.7 | 10.2 | |
| 4-Dec-23 | 8.4 | 7.2 | *PDB | |
| | 1-Apr-18 | 5.1 | 1.3 | |

This document is intended as a summary of sample results. Complete laboratory results are available for review in the Southeast Regional Office Records Management file for the case.

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|----------|---------------|-------------|-------------|-----------|
| MW-3D | 1-Aug-18 | 1.3 | 1.2 | |
| | 18-Nov-18 | 1.2 | 1.6 | |
| | 1-Feb-19 | 1.7 | 1.5 | |
| | 1-Aug-19 | 2.1 | 2 | |
| | 1-Aug-19 | 1.6 | 1.7 | *Hydrasle |
| | 24-Feb-20 | 2 | 2.4 | |
| | 7-Dec-20 | 2.4 | 2.6 | |
| | 25-Oct-21 | 2.1 | 2 | |
| | 21-Nov-22 | 4.1 | 3.1 | |
| | 4-Dec-23 | 3.7 | 3.2 | |
| 4-Dec-23 | 3.1 | 3.4 | *PDB | |
| MW-4S | 1-Apr-18 | 20 | 21 | |
| | 1-Aug-18 | 16 | 21 | |
| | 18-Nov-18 | 16 | 33 | |
| | 1-Feb-19 | 17 | 11 | |
| | 1-Aug-19 | 10 | 12 | |
| | 1-Aug-19 | 12 | 13 | *Hydrasle |
| | 18-Feb-20 | 13 | 17 | |
| | 2-Dec-20 | 11 | 19 | |
| | 20-Oct-21 | 17 | 9.4 | |
| | 15-Nov-22 | 6.3 | 12 | |
| 6-Dec-23 | 5.5 | 16.5 | | |
| 6-Dec-23 | 5 | 11.8 | *PDB | |
| MW-4I | 1-Apr-18 | 17 | 12 | |
| | 1-Aug-18 | 12 | 12 | |
| | 18-Nov-18 | 13 | 15 | |
| | 1-Feb-19 | 8.8 | 11 | |
| | 1-Aug-19 | 11 | 9.8 | |
| | 1-Aug-19 | 11 | 8 | *Hydrasle |
| | 19-Feb-20 | 14 | 10 | |
| | 2-Dec-20 | 11 | 9.8 | |
| | 20-Oct-21 | 11 | 10 | |
| | 16-Nov-22 | 10 | 12 | |
| 6-Dec-23 | 6.5 | 8.2 | | |
| 6-Dec-23 | 7.9 | 8.4 | *PDB | |
| MW-4D | 1-Apr-18 | 20 | 11 | |
| | 1-Aug-18 | 13 | 14 | |
| | 18-Nov-18 | 13 | 12 | |
| | 1-Feb-19 | 9.1 | 12 | |
| | 1-Aug-19 | 13 | 9.7 | |
| | 18-Feb-20 | 18 | 13 | |
| | 2-Dec-20 | 14 | 13 | |
| | 20-Oct-21 | 12 | 10 | |
| | 16-Nov-22 | 10 | 12 | |
| | 6-Dec-23 | 7.6 | 8.2 | |
| 6-Dec-23 | 7.4 | 9.7 | *PDB | |
| | 1-Apr-18 | 4.4 | 3.8 | |

This document is intended as a summary of sample results. Complete laboratory results are available for review in the Southeast Regional Office Records Management file for the case.

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|----------|---------------|--|-------------|-----------|
| MW-5S | 1-Aug-18 | <i>samples not analyzed; received outside holding time</i> | | |
| | 18-Nov-18 | 6.4 | 5.4 | |
| | 1-Feb-19 | 4.4 | 5.8 | |
| | 1-Aug-19 | 7.2 | 5.5 | |
| | 1-Aug-19 | 6 | 4.3 | *Hydrasle |
| | 19-Feb-20 | 9.5 | 6.6 | |
| | 4-Dec-20 | 10 | 8.3 | |
| | 21-Oct-21 | 9.4 | 7.5 | |
| | 16-Nov-22 | 9.5 | 6.6 | |
| | 7-Dec-23 | 7.8 | 7.9 | |
| 7-Dec-23 | 5.9 | 5.2 | *PDB | |
| MW-5I | 1-Apr-18 | 1.5 | 1.9 | |
| | 1-Aug-18 | <i>samples not analyzed; received outside holding time</i> | | |
| | 18-Nov-18 | 0.86 | 1.3 | |
| | 1-Feb-19 | 1.1 | 1.1 | |
| | 1-Aug-19 | 1 | 1.4 | |
| | 1-Aug-19 | 2.9 | 2.7 | *Hydrasle |
| | 19-Feb-20 | 1.2 | 1.2 | |
| | 4-Dec-20 | 1.2 | 1.6 | |
| | 21-Oct-21 | 1.4 | 1.5 | |
| | 16-Nov-22 | 1.1 | 1.3 | |
| 7-Dec-23 | 1.3 | 1.9 | | |
| 7-Dec-23 | 1.8 | 1.9 | *PDB | |
| MW-5D | 1-Apr-18 | ND | ND | |
| | 1-Aug-18 | <i>samples not analyzed; received outside holding time</i> | | |
| | 18-Nov-18 | ND | ND | |
| | 1-Feb-19 | 0.35 | ND | |
| | 1-Aug-19 | ND | ND | |
| | 1-Aug-19 | ND | ND | *Hydrasle |
| | 19-Feb-20 | ND | ND | |
| | 4-Dec-20 | ND | 0.77 | |
| | 20-Oct-21 | ND | 0.7 | |
| | 16-Nov-22 | 0.66 | 0.98 | |
| 7-Dec-23 | ND | ND | | |
| 7-Dec-23 | ND | ND | *PDB | |
| MW-6S | 1-Apr-18 | 38 | 26 | |
| | 1-Aug-18 | 38 | 27 | |
| | 18-Nov-18 | 34 | 25 | |
| | 1-Feb-19 | 20 | 39 | |
| | 1-Aug-19 | 42 | 27 | |
| | 1-Aug-19 | 25 | 15 | *Hydrasle |
| | 20-Feb-20 | 44 | 28 | |
| | 2-Dec-20 | 51 | 33 | |
| | 22-Oct-21 | 23 | 18 | |
| | 17-Nov-22 | 23 | 17 | |
| 8-Dec-23 | 27.8 | 20.9 | | |
| 8-Dec-23 | 18.2 | 16.4 | *PDB | |

This document is intended as a summary of sample results. Complete laboratory results are available for review in the Southeast Regional Office Records Management file for the case.

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|--------------|---------------|-------------|-------------|-----------|
| MW-6I | 1-Apr-18 | 21 | 15 | |
| | 1-Aug-18 | 21 | 17 | |
| | 1-Nov-18 | 20 | 16 | |
| | 1-Feb-19 | 12 | 17 | |
| | 1-Aug-19 | 18 | 12 | |
| | 1-Aug-19 | 19 | 12 | *Hydrasle |
| | 20-Feb-20 | 17 | 12 | |
| | 3-Dec-20 | 16 | 13 | |
| | 21-Oct-21 | 15 | 20 | |
| | 17-Nov-22 | 18 | 15 | |
| | 7-Dec-23 | 16.8 | 14.5 | |
| 7-Dec-23 | 17.3 | 15.2 | *PDB | |
| MW-6D | 1-Apr-18 | 11 | 15 | |
| | 1-Aug-18 | 11 | 14 | |
| | 1-Nov-18 | 10 | 16 | |
| | 1-Feb-19 | 11 | 9.4 | |
| | 1-Aug-19 | 12 | 14 | |
| | 1-Aug-19 | 11 | 11 | *Hydrasle |
| | 20-Feb-20 | 13 | 11 | |
| | 3-Dec-20 | 9.9 | 14 | |
| | 21-Oct-21 | 11 | 14 | |
| | 17-Nov-22 | 10 | 13 | |
| | 17-Nov-22 | 10 | 13 | |
| 7-Dec-23 | 9.7 | 12.7 | | |
| 7-Dec-23 | 10.2 | 11.7 | *PDB | |
| MW-7S | 1-Apr-18 | 12 | 6.7 | |
| | 1-Aug-18 | 14 | 9.2 | |
| | 1-Nov-18 | 11 | 8.5 | |
| | 1-Feb-19 | 7.8 | 13 | |
| | 1-Aug-19 | 14 | 8.7 | |
| | 1-Aug-19 | 14 | 8.7 | *Hydrasle |
| | 20-Feb-20 | 12 | 9.1 | |
| | 3-Dec-20 | 24 | 19 | |
| | 22-Oct-21 | 13 | 9.1 | |
| | 17-Nov-22 | 8.5 | 6.5 | |
| | 8-Dec-23 | 10.5 | 8.2 | |
| 8-Dec-23 | 9.4 | 7.7 | *PDB | |
| MW-7I | 1-Apr-18 | 14 | 7.1 | |
| | 1-Aug-18 | 14 | 8.6 | |
| | 18-Nov-18 | 7.3 | 5.9 | |
| | 1-Feb-19 | 8.1 | 13 | |
| | 1-Aug-19 | 16 | 9.9 | |
| | 1-Aug-19 | 14 | 8.4 | *Hydrasle |
| | 21-Feb-20 | 14 | 9.8 | |
| | 3-Dec-20 | 13 | 10 | |
| | 22-Oct-21 | 15 | 9.9 | |
| 17-Nov-22 | 8.3 | 6.8 | | |

This document is intended as a summary of sample results. Complete laboratory results are available for review in the Southeast Regional Office Records Management file for the case.

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|---------|---------------|-------------|-------------|-----------|
| | 8-Dec-23 | 10.6 | 11.4 | |
| | 8-Dec-23 | 11.8 | 12.1 | *PDB |
| MW-7D | 1-Apr-18 | 8.6 | 7.7 | |
| | 1-Aug-18 | 6.4 | 8.5 | |
| | 18-Nov-18 | 4.2 | 6.7 | |
| | 1-Feb-19 | 6.9 | 5.1 | |
| | 1-Aug-19 | 4.9 | 6.5 | |
| | 1-Aug-19 | 4.7 | 5.6 | *Hydrasle |
| | 21-Feb-20 | 4.4 | 6.4 | |
| | 3-Dec-20 | 5.1 | 7.6 | |
| | 25-Oct-21 | 4.9 | 6.2 | |
| | 18-Nov-22 | 6 | 7.8 | |
| | 8-Dec-23 | 6.5 | 8.6 | |
| | 8-Dec-23 | 6 | 7.8 | *PDB |
| MW-2PC | 18-Feb-50 | 11 | 10 | |
| | 01-Apr-18 | 12 | 7.6 | |
| | 01-Aug-18 | 13 | 12 | |
| | 18-Nov-18 | 11 | 11 | |
| | 01-Feb-19 | 8.4 | 8.6 | |
| | 01-Aug-19 | 5.1 | 6.2 | |
| | 19-Oct-21 | 9.5 | 9.9 | |
| | 14-Nov-22 | 11 | 11 | |
| | 05-Dec-23 | 7.8 | 9.5 | |
| | 05-Dec-23 | 10 | 11.6 | *PDB-S |
| | 05-Dec-23 | 8.1 | 9.9 | *PDB-I |
| | 05-Dec-23 | 7.7 | 10.8 | *PDB-D |
| MW-3PC | 01-Apr-18 | 23 | 17 | |
| | 01-Aug-18 | 5.1 | 4.4 | |
| | 18-Nov-18 | 17 | 15 | |
| | 01-Feb-19 | 14 | 16 | |
| | 01-Aug-19 | 15 | 13 | |
| | 18-Feb-20 | 28 | 17 | |
| | 18-Oct-21 | 9.4 | 11 | |
| | 14-Nov-22 | 1.8 | 1.8 | |
| | 04-Dec-23 | 4.2 | 6.3 | |
| | 04-Dec-23 | 3.5 | 2.6 | *PDB-S |
| | 04-Dec-23 | 4 | 5.2 | *PDB-I |
| | 04-Dec-23 | 3.9 | 4.4 | *PDB-D |
| MW-4PC | 01-Apr-18 | 7.5 | 3.1 | |
| | 01-Aug-18 | ND | 1.5 | |
| | 18-Nov-18 | 1.4 | 1.6 | |
| | 01-Feb-19 | 3 | 2.9 | |
| | 01-Aug-19 | 4 | 3.9 | |
| | 17-Feb-20 | 2.7 | 3.1 | |
| | 19-Oct-21 | 1.9 | 2.3 | |
| | 15-Nov-22 | 2.1 | 2.4 | |
| | 05-Dec-23 | 1.9 | 2 | |

This document is intended as a summary of sample results. Complete laboratory results are available for review in the Southeast Regional Office Records Management file for the case.

Easton Road PFC
Monitoring Well Sample Results
Updated February 2024

| Well ID | Sampling Date | PFOA (ng/L) | PFOS (ng/L) | |
|---------------|---------------|--|-------------|--------|
| | 05-Dec-23 | 2.5 | 3.6 | *PDB-S |
| | 05-Dec-23 | 2.6 | 2.1 | *PDB-I |
| | 05-Dec-23 | 2.5 | 2.4 | *PDB-D |
| MW-5PC | 01-Apr-18 | 19 | 13 | |
| | 01-Aug-18 | 10 | 15 | |
| | 18-Nov-18 | 14 | 16 | |
| | 01-Feb-19 | 12 | 10 | |
| | 01-Aug-19 | 9.6 | 9 | |
| | 17-Feb-20 | 11 | 12 | |
| | 19-Oct-21 | 10 | 11 | |
| | 15-Nov-22 | <i>unable to be sampled - construction</i> | | |
| | 06-Dec-23 | 8.1 | 11.4 | |
| | 06-Dec-23 | 9.8 | 12.5 | *PDB-S |
| | 06-Dec-23 | 8.6 | 11.7 | *PDB-I |
| | 06-Dec-23 | 9.3 | 13 | *PDB-D |

*-Sampling conducted using method other than Low-Flow