

KX-8134

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: KX-8134

Other means of identification

Not applicable

Recommended use

Booster

Restrictions on use

Reserved for industrial and professional use.

Product dilution information ... No dilution information provided.

Company

Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date

05/26/2016

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Oxidizing liquids

Organic peroxides

Acute toxicity (Oral) Skin corrosion

Serious eye damage

Specific target organ

systemic toxicity - single

exposure

: Category 3

Type F

Category 4

: Category 1A

: Category 1

: Category 3 (Respiratory system)

GHS label elements

Hazard pictograms









Signal Word

: Danger

Hazard Statements

: Heating may cause a fire. May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Precautionary Statements

: Prevention:

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Keep only in original container. Keep cool. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face

protection.

KX-8134

Response:

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Store away from other materials. **Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

: Do not mix with bleach or other chlorinated products – will cause chlorine gas.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical name
Hydrogen peroxide
Acetic acid
Peroxyacetic acid

CAS-No. Concentration (%) 7722-84-1 27.5 64-19-7 5 - 10 79-21-0 5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed

: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled

: Remove to fresh air. Treat symptomatically. Get medical attention immediately.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician

: Treat symptomatically.

Most important symptoms and effects, both acute and

See Section 11 for more detailed information on health effects and symptoms.

delayed

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local

979252-17 2 / 9

KX-8134

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Special protective equipment for fire-fighters

Oxidizer. Contact with other material may cause fire.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions. protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Environmental precautions

: Stop leak if safe to do so. Never soak up spilled or leaked acids and bases with sawdust, wood chips or similar materials. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION: once diluted, neutralize with a suitable alkali

such as sodium bicarbonate.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.

Conditions for safe storage

: Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to

gas evolution if the container is not adequately vented.

Storage temperature

: -10 °C to 40 °C

979252-17 3/9

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
·		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peroxyacetic acid	79-21-0	STEL	0.4 ppm	ACGIH

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection

: Wear eye protection/ face protection.

Hand protection

: Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection

: Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection

: When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color

: colorless

Odor

pungent

рΗ

4.0 400.0

_. .

: 1.0, 100 %

Flash point

Not applicable

Odor Threshold

: No data available

979252-17 4 / 9

KX-8134

Melting point/freezing point

: No data available

Initial boiling point and

boiling range

: No data available

Evaporation rate

No data available

Flammability (solid, gas)

No data available

Upper explosion limit

No data available

Lower explosion limit

No data available

Vapor pressure

No data available

Relative vapor density

No data available

Relative density

1.1 - 1.14

Water solubility

No data available

Solubility in other solvents

No data available

Partition coefficient: n-

No data available

octanol/water

Autoignition temperature No data available

Thermal decomposition

No data available

Viscosity, kinematic

No data available

Explosive properties

No data available

Oxidizing properties

No data available

Molecular weight

: No data available

VOC

: No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability

: pressure build-up

Possibility of hazardous

reactions

: Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid

Direct sources of heat.

Exposure to sunlight.

Incompatible materials

: Bases

Metals

Organic materials

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects

Eyes

: Causes serious eye damage.

979252-17 5/9

KX-8134

Skin

: Causes severe skin burns.

Ingestion

: Harmful if swallowed. Causes digestive tract burns.

Inhalation

Toxic if inhaled. May cause respiratory tract irritation. May cause

nose, throat, and lung irritation.

Chronic Exposure

: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact

: Redness, Pain, Corrosion

Skin contact

: Redness, Pain, Corrosion

Ingestion

: Corrosion, Abdominal pain

Inhalation

: Respiratory irritation, Cough

Toxicity

Product

Acute oral toxicity

: Acute toxicity estimate : 1,599 mg/kg

Acute inhalation toxicity

: 4 h Acute toxicity estimate : 5.06 mg/l

Acute dermal toxicity

: Acute toxicity estimate : > 5,000 mg/kg

Skin corrosion/irritation

: No data available

Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

Carcinogenicity

No data availableNo data available

Reproductive effects

: No data available

Germ cell mutagenicity
Teratogenicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

: No data available

Aspiration toxicity

: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects

: Harmful to aquatic life.

Product

Toxicity to fish

: 96 h LC50: 17.8 mg/l

Toxicity to daphnia and other

aquatic invertebrates

No data available

Toxicity to algae

: No data available

Ingredients

979252-17 6 / 9

KX-8134

Toxicity to daphnia and other

aquatic invertebrates

: Peroxyacetic acid 48 h EC50: 0.73 mg/l

Ingredients

Toxicity to algae

: Hydrogen peroxide 72 h EC50: 1.38 mg/l

Peroxyacetic acid 72 h EC50: 0.7 mg/l

Persistence and degradability

Readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

: Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous : D002 (Corrosive) D001 (Ignitable)

waste

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number

: 3109

Description of the goods

: Organic peroxide type F, liquid

7/9

(Peroxyacetic acid)

Class

5.2

Packing group

: 11

Environmentally hazardous

: no

Sea transport (IMDG/IMO)

UN number

: 3109

979252-17

KX-8134

Description of the goods

: ORGANIC PEROXIDE TYPE F, LIQUID

(Peroxyacetic acid)

Class

: 5.2 (8)

Marine pollutant

: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Acetic acid	64-19-7	5000	62500

SARA 304 Extremely Hazardous Substances Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
Peroxyacetic acid	79-21-0	500	8621

SARA 311/312 Hazards

: Reactivity Hazard

Acute Health Hazard

Fire Hazard

SARA 302

: The following components are subject to reporting levels established

by SARA Title III, Section 302:

Hydrogen peroxide

7722-84-1

27.5 %

Peroxyacetic acid

79-21-0

5.8 %

SARA 313

The following components are subject to reporting levels established

by SARA Title III, Section 313:

Peroxyacetic acid

79-21-0

5.8 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory:

On TSCA Inventory

Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances:

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory:

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

979252-17 8 / 9

KX-8134

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS):


On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	1

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Issuing date

: 05/26/2016

Version

: 1.2

Prepared by

: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.