

Suite 450 One North Shore Center 12 Federal Street Pittsburgh, PA 15212

Safety Data Sheet KR-5129MGF

1. IDENTIFICATION

Product name KR-5129MGF

Description Cooling Water Treatment

Product class Cooling Water

Supplier address Suite 450

One North Shore Center 12 Federal Street Pittsburgh, PA 15212

Telephone numbers

Company Phone Number (412) 321-9800

Emergency Telephone CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

Hazard classification Skin Corrosion, Category 1

Serious Eye Damage, Category 1

Specific Organ Toxicity: Single Exposure, Respiratory,

Category 3

Signal word Danger

Hazard statements Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation.

Pictograms of related hazards





Precautionary statements

Prevention

Wash skin thoroughly after handling.

Wear protective gloves, protective clothing, eye protection, and face protection.

Avoid breathing fumes, mist, vapors, or spray.

Use only outdoors or in a well-ventilated area.

Response

Wash contaminated clothing before reuse.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Immediately contact a POISON CENTER or health care provider.

IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water or emergency shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately contact a POISON CENTER or health care provider.

Storage

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Disposal

Dispose of contents and container in accordance with local, state, and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Weight %
2-Phosphono-1,2,4-butanetricarboxylic acid (PBTC)	37971-36-1	1–10
Sodium tolyltriazole	64665-57-2	1–10
Tetrapotassium pyrophosphate (TKPP)	7320-34-5	1–10
Potassium hydroxide	1310-58-3	<2
Non-hazardous substances	Proprietary	>68

4. FIRST-AID MEASURES

Eye contact Immediately flush eyes with plenty of water for at least

15 minutes, lifting lower and upper eyelids occasionally to ensure complete rinsing. Remove contact lenses if present and easy to do, then resume rinsing. Get medical attention

immediately.

Skin contact Immediately remove all contaminated clothing. Rinse with

copious amounts of water; use an emergency shower if

available. Wash contaminated clothing before reuse.

Ingestion If swallowed, DO NOT induce vomiting. Rinse mouth and

get emergency medical attention. Do not give anything by mouth unless instructed to do so by a poison center or

health care provider.

Inhalation If inhaled, move victim to fresh air. Seek emergency

medical attention if breathing is difficult; perform artificial

respiration if breathing stops.

Note to health care provider Esophageal corrosion may contraindicate the use of

gastric lavage and/or activated charcoal.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use extinguishing media appropriate for the surrounding

fire.

Unsuitable extinguishing media

No information available

Protective equipment and precautions for firefighters

Stay upwind of the fire. Full protective equipment including self-contained breathing apparatus should be used. Use

water to cool closed containers. Contain water runoff if

possible.

Specific hazards Reaction with metals may evolve highly flammable

hydrogen gas. Combustion may produce toxic gases.

Safety Data Sheet Product: KR-5129MGF

Hazardous combustion products Carbon oxides, nitrogen oxides, sulfur oxides,

phosphorous oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Evacuate the area of all non-essential personnel. Do not

touch spilled material without proper protective equipment. Ventilate the area and mitigate further release if it is safe

to do so. Avoid contact with eves.

Methods for clean-up

Small spills Contain spill and soak up with an inert absorbent material

and place residues in a properly labeled container for disposal. Avoid discharge into sewer or surface water.

<u>Large spills</u> Contain spill using trenches, diking, or absorption with an

inert material (i.e. sand or earth). Reclaim spilled material into recovery or salvage drums or tank truck for proper

disposal.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with eyes, skin, and clothing. Avoid

breathing vapor or mist. Wash hands thoroughly after

handling.

Storage conditions Store in a cool, dry, well-ventilated area away from

incompatible materials. Keep containers closed when not

in use.

Suitable materials of

construction

Corrosion-resistant container; original container only is

recommended.

Unsuitable materials of

construction

Metals

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/face protection Chemical splash goggles, face shield

Skin protection Chemical-resistant gloves and body-covering clothing

Respiratory protectionObserve published airborne exposure limits. NIOSH

approved respirator should be used in accordance with OSHA respiratory protection requirements (29 CFR

1910.134).

Engineering controls Adequate ventilation, eye-wash station, and emergency

shower

General hygiene considerations Do not eat, drink, or smoke while handling this product.

Chemical Name	OSHA PEL	ACGIH TLV
2-Phosphono-1,2,4-butanetricarboxylic acid (PBTC)	None established	None established
Sodium tolyltriazole	None established	None established
Tetrapotassium pyrophosphate (TKPP)	None established	None established
Potassium hydroxide	Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Non-hazardous substances	None established	None established

9. PHYSICAL AND CHEMICAL PROPERTIES

рН	12.0-13.0
Appearance	Clear pale yellow liquid
Odor	Mild
Odor Threshold	No information available
Melting/freezing point	No information available
Initial boiling point/boiling	No information available
range	
Flash point	No information available
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Upper/lower flammability or	No information available
explosive limits	
Vapor pressure	No information available
Vapor density	No information available
VOC content	No information available
Specific gravity	1.090-1.170
Solubility	Complete
Partition coefficient	No information available
n-octanol/water	
Auto-ignition temperature	No information available
Decomposition temperature	No information available
Viscosity	No information available

10. STABILITY AND REACTIVITY

Chemical stability Stable under normal conditions of storage and handling.

Hazardous polymerization Polymerization will not occur.

Conditions to avoid Extreme temperatures, incompatibilities

Incompatibilities Strong acids, oxidizers

Hazardous decomposition

products

No known non-thermal decomposition hazards.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure

Skin, eyes, ingestion

Acute toxicity

2-Phosphono-1,2.4-butanetricarboxylic acid (PBTC)

Parameter	Result
LD ₅₀ , Oral (rat)	>4,000 mg/kg
LC ₅₀ , Inhalation (rat)	1,979 mg/m³/4hr
Draize, Skin (rabbit)	Not irritating
Draize, Eye (rabbit)	Moderately irritating

Sodium tolyltriazole

Parameter	Result
LD ₅₀ , Oral (rat)	1,980 mg/kg

Tetrapotassium pyrophosphate (TKPP)

Parameter	Result
LD _{Lo} , Oral (rat)	4640 mg/kg
LD ₅₀ , Dermal (rabbit)	>4,640 mg/kg

Potassium hydroxide

Parameter	Result
LD ₅₀ , Oral (rat)	365 mg/kg
LD ₅₀ , Oral (rat)	273 mg/kg
LD ₅₀ , Dermal (rabbit)	1,260 mg/kg
Draize, Skin (rabbit)	Severely irritating
Draize, Eye (rabbit)	Severely irritating

Acute symptoms and effects

Eye Eye irritation with or without pain, burning, itching, redness,

discharge, and serious eye damage.

Skin Skin irritation with or without pain, burning, itching,

redness, and swelling. Symptoms may be exacerbated by open wounds, excoriations, rashes, or other skin breaches.

Product: KR-5129MGF

Ingestion Gastrointestinal distress with or without nausea, vomiting,

and diarrhea. May cause irritation or corrosion of the oral

and esophageal mucosa.

Inhalation Upper respiratory irritation with or without cough, watering

of the eyes, and postnasal drip. Aspiration of liquid or vomit may cause severe respiratory distress, airway corrosion,

and acute lung damage.

Reproductive effects
No information available
Sensitization to product
No information available
No information available

Carcinogenicity No components have been identified as carcinogenic by

OSHA, NTP, or IARC.

Chronic No information available

12. ECOLOGICAL INFORMATION

Aquatic toxicity

2-Phosphono-1,2,4-butanetricarboxylic acid (PBTC)

Parameter	Result
48 hr LC ₅₀ , Leuciscus idis	>500 mg/L
24 hr EC ₅₀ , Daphnia magna	747 mg/L
48 hr LC0, Rainbow trout	3,440 mg/L

72 hr LC0, Leuciscus idus	>2,000 mg/L
14 day NOEC, Zebra fish	>1,042 mg/L
21 day LC ₅₀ , Daphnia magna	>1,071 mg/L

Sodium tolyltriazole

Parameter	Result
96 hr EC ₅₀ , Selenastrum capricornutum (biomass)	32 mg/L
72 hr EC ₅₀ , Selenastrum capricornutum (growth)	26.2 mg/L
96 hr LC ₅₀ , Fathead minnow	25.5 mg/L
48 hr EC ₅₀ , Daphnia magna	280 mg/L
96 hr LC ₅₀ , Bluegill sunfish	>173 mg/L
96 hr LC ₅₀ , Rainbow trout	25 mg/L
96 hr LC ₅₀ , Danio rerio	122 mg/L

Tetrapotassium pyrophosphate (TKPP)

Parameter	Result
96 hr LC ₅₀ , Rainbow trout	>100 mg/L
48 hr EC ₅₀ , Daphnia magna	>100 mg/L
96 hr LC ₅₀ , Zebra danio	94 mg/L

Potassium hydroxide

Parameter	Result
96 hr LC ₅₀ , Mosquito fish	80 mg/L
NOEC, Mosquito fish	56 mg/L
24 hr LC ₅₀ , Goldfish	224 mg/L
NOEC, Goldfish	140 mg/L
48 hr LC ₅₀ , Leuciscus idus	265 mg/L
48 hr LC ₅₀ , Ceriodaphnia dubia	56 mg/L
48 hr EC ₅₀ , Daphnia magna	56-337 mg/L

KR-5129MGF

Parameter	Result
48 hr LC ₅₀ , Daphnia magna	2,031 mg/L

Persistence No information available
Bioaccumulative potential No information available
Mobility No information available

13. DISPOSAL CONSIDERATIONS

Disposal Dispose of in accordance with federal, state, and local

regulations.

RCRA status As sold, discarded product would be considered a RCRA

hazardous waste based on the corrosive characteristics.

The EPA hazardous waste number is D002.

Product: KR-5129MGF

Safety Data Sheet Product: KR-5129MGF

14. TRANSPORT INFORMATION

US Department of Transportation (DOT)

UN Number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (contains

potassium hydroxide)

Primary hazard class/division 8

Secondary hazard None Packing group

Label Corrosive

15. REGULATORY INFORMATION

OSHA Hazard Communication Skin Corrosion, Category 1

Status Serious Eye Damage, Category 1

Specific Organ Toxicity: Single Exposure, Respiratory,

Category 3

TSCAThe ingredients of this product are listed on the Toxic

Substances Control Act (TSCA) Chemical Substances

Inventory.

CERCLA

EPA Hazardous Substances (40 CFR 302)

Chemical Name	Reportable Quantity (RQ)
Potassium hydroxide	1,000 lb
Product (Notify the EPA of spills exceeding this amount.)	50,000 lb

SARA Title III (Sections 302, 311, 312, and 313)

Section 302 Extremely Hazardous Substances (40 CFR 355)

Chemical Name	CAS#	RQ	TPQ
None			

Section 311 and 312 Health and Physical Hazards

Immediate	Delayed	Fire	Pressure	Reactivity
Yes	No	No	No	No

Section 313 Toxic Chemicals (40 CFR 372)

Chemical Name	CAS Number	Percent by Weight
None		

16. OTHER INFORMATION

HMIS Ratings Health—2; Flammability—0; Reactivity—0
NFPA Ratings Health—2; Flammability—0; Reactivity—0

HMIS/NFPA Rating Scale Minimal—0; Slight—1; Moderate—2; Serious—3; Severe—4

 SDS Issue Date
 12/2/2020

 Revision Date
 1/19/2021

Version 2

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.