

ProKlenz® Booster Sterile Detergent Safety Data Sheet Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 09/07/2021

Version: 1.0

SECTION 1: Identification of the	Substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Trade name	: ProKlenz [®] Booster Sterile Detergent
Product code	: 1S13
1.2. Relevant identified uses of the	substance or mixture and uses advised against
Use of the substance/mixture	: Sterile Detergent
1.3. Details of the supplier of the sa	ifety data sheet
STERIS Corporation P. O. Box 147, St. Louis, MO 63166, US Telephone Number for Information: 1-800-4	144-9009 (Customer Service-Scientific Products)
1.4. Emergency telephone number	
Emergency number	: US Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
SECTION 2: Hazards identification	
SECTION 2: Hazards identification	ווכ
0.4 Observities of the such stands	and the former
2.1. Classification of the substance	or mixture
2.1. Classification of the substance GHS-US classification	e or mixture
	e or mixture
GHS-US classification	e or mixture
GHS-US classification Eye Dam. 1 H318	e or mixture
GHS-US classification Eye Dam. 1 H318 2.2. Label elements	e or mixture
GHS-US classification Eye Dam. 1 H318	e or mixture
GHS-US classification Eye Dam. 1 H318 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US)	:
GHS-US classification Eye Dam. 1 H318 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US)	: GHS05
GHS-US classification Eye Dam. 1 H318 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US)	: GHS05 : Danger
GHS-US classification Eye Dam. 1 H318 2.2. Label elements GHS-US labelling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US)	: GHS05 : Danger : H318 - Causes serious eye damage : P280 - Wear protective gloves, clothing, eye and face protection P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. **Mixture**

Name	Product identifier	%	GHS-US classification
Hexyl D-glucoside	(CAS No) 54549-24-5	5 - 10	Eye Dam. 1, H318
Hydrogen peroxide	(CAS No) 7722-84-1	3-7	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Poly(oxy-1,2-ethanediyl), .alphaphenylomegahydroxy-	(CAS No) 9004-78-8	3-7	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	3-7	Eye Dam. 1, H318
9/07/2021 EN	(English)	SDS ID: 1S1	3US Page

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Name		Product identifier	%	GHS-US classification
Poly(oxy-1,2-ethanediyl), .alpha(2-ethylhexyl)omega hydroxy-		(CAS No) 26468-86-0	1-2	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
SECTION 4: First aid measures				
.1. Description of first aid measures				
irst-aid measures general		r give anything by mouth to an unco v the label where possible).	nscious person. I	f you feel unwell, seek medical advic
irst-aid measures after inhalation		ove to fresh air and keep at rest in a ial respiration. Get medical attentio		ble for breathing. If not breathing, given the set of t
irst-aid measures after skin contact	all co	ediately flush skin with plenty of wat ntaminated clothing. Rinse skin with e/attention.		ninutes. Remove/Take off immediate skin irritation occurs: Get medical
First-aid measures after eye contact :		In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately get medical attention.		
irst-aid measures after ingestion		OT induce vomiting. If victim compl erson is fully conscious. Immediate		ert. Rinse mouth. Give water or milk CENTER or doctor/physician.
.2. Most important symptoms and effects	s, both	acute and delayed		
Symptoms/injuries after inhalation		ation of vapors or spray/mists. May ratory system.	be irritating to the	mucous membranes and to the
Symptoms/injuries after skin contact	: Caus	es skin irritation.		
Symptoms/injuries after eye contact	: Caus	es serious eye irritation.		
Symptoms/injuries after ingestion	: Can o	occur: gastrointestinal disturbance.		
.3. Indication of any immediate medical a	attentio	n and special treatment needed		
No additional information available				
SECTION 5: Firefighting measures				
SECTION 5: Firefighting measures	: Flood	d with plenty of water. Use fire-extin	uishing media ap	propriate for surrounding materials.
ECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Orga can fe	nic compounds. As hydrogen pero:	ide may react wit tive compounds,	h a variety of organic materials and and initiate fire. Foam is not effective
ECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	: Orga can fo as ox	nic compounds. As hydrogen pero orm explosive mixtures, shock sens tygen and heat continue to be gene	ide may react wit tive compounds,	h a variety of organic materials and and initiate fire. Foam is not effective
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	: Organ can fe as ox stance o : This j	nic compounds. As hydrogen pero orm explosive mixtures, shock sens tygen and heat continue to be gene	ide may react wit tive compounds, ated under the fo e. On decomposi	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may
SECTION 5: Firefighting measures St.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media St.2. Special hazards arising from the substance Hazardous decomposition products in case of	: Organ can fe as ox stance o : This p intens	nic compounds. As hydrogen pero orm explosive mixtures, shock sens tygen and heat continue to be gene or mixture product contains : Hydrogen peroxic	ide may react wit tive compounds, ated under the fo e. On decomposi	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may
Section 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media 5.2. Special hazards arising from the subset Hazardous decomposition products in case of the 5.3. Advice for firefighters	: Orga can fr as ox stance : This intens heat	nic compounds. As hydrogen pero orm explosive mixtures, shock sens tygen and heat continue to be gene or mixture product contains : Hydrogen peroxic	ide may react wit tive compounds, ated under the for le. On decomposi urst during a fire	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may
Section 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media 5.2. Special hazards arising from the substate Hazardous decomposition products in case of the 5.3. Advice for firefighters Firefighting instructions	: Organ can fo as ox stance of : This p intens heat : Exerco : Use s	nic compounds. As hydrogen perox orm explosive mixtures, shock sens cygen and heat continue to be gene or mixture product contains : Hydrogen peroxic sify fire. Containers may swell and b	ide may react wit tive compounds, ated under the for le. On decomposi urst during a fire ical fire. Do not enter fire a	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media 5.2. Special hazards arising from the subs Hazardous decomposition products in case of ire 5.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters	 Organ can for as ox stance of intensi heat Exerce Use se equip Oxyg of oth 	nic compounds. As hydrogen perox orm explosive mixtures, shock sens tygen and heat continue to be gene or mixture product contains : Hydrogen peroxic sify fire. Containers may swell and t cise caution when fighting any chem self-contained breathing apparatus. ment, including respiratory protection en evolution decomposition may bu	ide may react wit tive compounds, ated under the for le. On decomposi urst during a fire ical fire. Do not enter fire a m. rst sealed contain terial in contact w	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media S.2. Special hazards arising from the subs Hazardous decomposition products in case of ire S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures	 Organ fa as ox stance of the standard st	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity gen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and the cise caution when fighting any chemiself-contained breathing apparatus. ment, including respiratory protection en evolution decomposition may but her combustible materials. Damp mataneous combustion of the organic	ide may react wit tive compounds, ated under the for le. On decomposi urst during a fire ical fire. Do not enter fire a m. rst sealed contain terial in contact w	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media J.2. Special hazards arising from the subsequence Hazardous decomposition products in case of re S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures A.1. Personal precautions, protective equipment	 Orga can fa as ox This j intens heat Exerce Use s equip Oxyg of oth spont 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be cise caution when fighting any chem self-contained breathing apparatus. orment, including respiratory protection en evolution decomposition may but her combustible materials. Damp mataneous combustion of the organic and emergency procedures	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus
SECTION 5: Firefighting measures .1. Extinguishing media uitable extinguishing media uitable extinguishing media .1. Special hazards arising from the subs lazardous decomposition products in case of re .3. Advice for firefighters irefighting instructions rotective equipment for firefighters other information SECTION 6: Accidental release measures .1. Personal precautions, protective equipment	 : Orga can fa as ox : This j intens heat : Exerce : Use s equip : Oxyg of oth spont Ures : Ensu 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be cise caution when fighting any chem self-contained breathing apparatus. orment, including respiratory protection en evolution decomposition may but her combustible materials. Damp mataneous combustion of the organic and emergency procedures	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates
SECTION 5: Firefighting measures A. Extinguishing media Buitable extinguishing media Ansuitable extinguishing media A. Special hazards arising from the subs Bazardous decomposition products in case of re Advice for firefighters Trefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures A personal precautions, protective equipment Seneral measures	 : Orga can fa as ox : This j intens heat : Exerce : Use s equip : Oxyg of oth spont Ures : Ensu 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be cise caution when fighting any chem self-contained breathing apparatus. orment, including respiratory protection en evolution decomposition may but her combustible materials. Damp mataneous combustion of the organic and emergency procedures re adequate ventilation. Avoid contained	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Jnsuitable extinguishing media J.2. Special hazards arising from the subs Hazardous decomposition products in case of re S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures S.1. For non-emergency personnel	 Organ fa as ox Stance of the stand of the st	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be cise caution when fighting any chem self-contained breathing apparatus. orment, including respiratory protection en evolution decomposition may but her combustible materials. Damp mataneous combustion of the organic and emergency procedures re adequate ventilation. Avoid contained	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus and clothes. Do not breathe fumes,
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Jusuitable extinguishing media Jusuitable extinguishing media S.2. Special hazards arising from the substance Hazardous decomposition products in case of re S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures S.1. Personal precautions, protective equipment Protective equipment	 Orga can fr as ox This j intens heat Exerce equip Oxyg of oth spont Oxyg of oth spont Ensu vapor Wear Expo 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity gen and heat continue to be gene or mixture product contains : Hydrogen peroxic sify fire. Containers may swell and be cise caution when fighting any chem self-contained breathing apparatus. orment, including respiratory protecti- en evolution decomposition may bu- ner combustible materials. Damp ma- taneous combustion of the organic and emergency procedures re adequate ventilation. Avoid conta- rs. Stop leak if safe to do so.	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus and clothes. Do not breathe fumes,
SECTION 5: Firefighting measures Suitable extinguishing media Suitable extinguishing media Jusuitable extinguishing media S.2. Special hazards arising from the substate Hazardous decomposition products in case of re S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures S.1. For non-emergency personnel Protective equipment Emergency procedures	 Orga can fr as ox This j intens heat Exerce equip Oxyg of oth spont Oxyg of oth spont Ensu vapor Wear Expo 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be clise caution when fighting any cherr self-contained breathing apparatus. oment, including respiratory protection ment combustible materials. Damp me taneous combustion of the organic and emergency procedures re adequate ventilation. Avoid contains rs. Stop leak if safe to do so.	ide may react wit tive compounds, ated under the for e. On decomposi urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial.	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus and clothes. Do not breathe fumes,
SECTION 5: Firefighting measures S.1. Extinguishing media Suitable extinguishing media Jusuitable extinguishing media Jusuitable extinguishing media S.2. Special hazards arising from the substitute Hazardous decomposition products in case of ire S.3. Advice for firefighters Firefighting instructions Protective equipment for firefighters Other information SECTION 6: Accidental release measures S.1. Personal precautions, protective equipment Seneral measures S.1.1. For non-emergency personnel Protective equipment Emergency procedures S.1.2. For emergency responders	 Orga can fa as ox This j intensi heat Exerce Use s equip Oxyg of oth spont Ures ipment Ensu vapor Wear Expo Evac 	nic compounds. As hydrogen peroport orm explosive mixtures, shock sensity tygen and heat continue to be gene or mixture product contains : Hydrogen peroxid sify fire. Containers may swell and be clise caution when fighting any cherr self-contained breathing apparatus. oment, including respiratory protection ment combustible materials. Damp me taneous combustion of the organic and emergency procedures re adequate ventilation. Avoid contains rs. Stop leak if safe to do so.	ide may react wit tive compounds, ated under the for e. On decomposi- urst during a fire ical fire. Do not enter fire a on. rst sealed contain terial in contact w naterial. ct with skin, eyes ection. For furthe	h a variety of organic materials and and initiate fire. Foam is not effective am blanket. tion releases oxygen which may due to internal pressure caused by area without proper protective ers and accelerate the burning rates rith paper, wood, cloth, etc. may caus and clothes. Do not breathe fumes,

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

6.2.	Environmental precautions				
Preven	Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.				
6.3.	Methods and material for containm	ent and cleaning up			
Method	ds for cleaning up	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. followed by a water rinse. Collect spillage. Store away from other materials. Do not absorb in sawdust, paper, cloth or other combustible absorbents. Comply with applicable local, national and international regulation.			
Other i	nformation	: Product may be flushed to a sanitary sewer with copious amounts of water, if in accordance with local, state or national legislation.			

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Read label before use. Provide good ventilation in process area to prevent formation of vapour. Avoid all eye and skin contact and do not breathe vapor and mist. keep away from incompatible materials. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not wear leather soled shoes.
Hygiene measures	: Take care for general good hygiene and housekeeping. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated clothing should be washed thoroughly in order to eliminate a delayed potential fire hazard.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Provide adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
Storage conditions	: Keep only in the original container in a cool, well ventilated place. Keep container closed when not in use.
Incompatible materials	 strong alkalis. Strong oxidizing agents. Organic materials. Reducing agents. Alkali metals. wood. Paper. Copper and its alloys. cyanides. potassium permanganate. combustible materials. Hexavalent chromium compounds.
Prohibitions on mixed storage	: Do not store near oxidizing agents. keep away from incompatible materials.
Storage area	: Store in dry, cool, well-ventilated area.
Special rules on packaging	: Correctly labelled.
7.3. Specific end use(s)	
No additional information available	

ECTION 8: Exposure controls/personal protection					
1. Control parameters					
-					
Hydrogen peroxide (7722-84	Hydrogen peroxide (7722-84-1)				
USA ACGIH	ACGIH TWA (ppm)	1 ppm			
USA OSHA	OSHA PEL (TWA) (mg/m³)	1,4 mg/m³			

OSHA PEL (TWA) (ppm)

8.2. Exposure controls

Appropriate engineering controls

: Ensure adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

1 ppm

Personal protective equipment

: Avoid all unnecessary exposure. Personal protective equipment should be selected based upon the conditions under which this product is handled or used. Protective clothing. Gloves. Protective goggles.



Hand protection

USA OSHA

Eye protection Skin and body protection

- : Wear protective gloves. Use neoprene or rubber gloves. Use gloves constructed of chemical resistant materials such as heavy nitrile rubber if frequent or prolonged contact is expected.
- : Wear chemical splash goggle.

: Wear suitable protective clothing. Wear long sleeves. Boots.

S 8

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

- Respiratory protection : Work in well-ventilated zones or use proper respiratory protection. Wear appropriate mask.
- Other information

: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Appearance	: Light amber. liquid.
Colour	: Light amber.
Odour	: Slight. chemical odor.
Odour threshold	: No data available
pH	: 4.5 - 6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Self ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.04 g/ml Specific Gravity
Solubility	: Water: completely soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
9.2. Other information	

No additional information available

SECTI	ON 10: Stability and reactivity
10.1.	Reactivity
Thermal	decomposition generates : Corrosive vapours.
10.2.	Chemical stability
Stable u	nder normal conditions of use.
10.3.	Possibility of hazardous reactions
Hazardo	us polymerization will not occur.
10.4.	Conditions to avoid
Extreme	ly high or low temperatures.
10.5.	Incompatible materials
	lkalis. Strong oxidizing agents. Organic materials. Reducing agents. Alkali metals. wood. Paper. Copper and its alloys. Cyanides. m permanganate. Combustible materials. Hexavalent chromium compounds.
10.6.	Hazardous decomposition products
Carbon r	nonoxide. Carbon dioxide. Toxic fumes may be released.
SECTI	ON 11: Toxicological information

Information on toxicological effects 11.1.

: >5000 mg/kg (rat)

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	801 mg/kg
LD50 dermal rat	4060 mg/kg
LD50 dermal rabbit	2000 mg/kg
LC50 inhalation rat (mg/l)	2 g/m ³ (Exposure time: 4 h)
ATE (oral)	801,000 mg/kg bodyweight
ATE (dermal)	2000,000 mg/kg bodyweight
ATE (gases)	4500,000 ppmV/4h
ATE (vapours)	2,000 mg/l/4h
ATE (dust,mist)	2,000 mg/l/4h
Skin corrosion/irritation	: Not classified
	pH: 4.5 - 6
Serious eye damage/irritation	: Causes serious eye damage.
	pH: 4.5 - 6
Respiratory or skin sensitisation	Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
<u> </u>	Based on available data, the classification criteria are not met
Carcinogenicity	Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
opeone target organ toxicity (single exposure)	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

lydrogen peroxide (7722-84-1)	
C50 fishes 1	16,4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
C50 Daphnia 1	7,7 mg/l (Exposure time: 24 h - Species: Daphnia magna)
C50 other aquatic organisms 1	2,5 mg/l (Exposure time: 72 h - Species: Chlorella vulgaris)
C50 fish 2	18 - 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
C50 Daphnia 2	18 - 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
2. Persistence and degradability	
roKlenz® Booster Sterile Detergent	
ersistence and degradability	The surfactants in the product comply with the EU Detergents Directive 684/2004 for biodegradability.
.3. Bioaccumulative potential	
roKlenz® Booster Sterile Detergent	
ioaccumulative potential	Not established.
ioaccumulative potential Iydrogen peroxide (7722-84-1)	Not established.

12.5. Other adverse effects

: Avoid release to the environment.

ProKlenz[®] Booster Sterile Detergent

Safety Data Sheet according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

SECTION 42. Dispessel consideration	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	: Dispose in a safe manner in accordance with local/national regulations. Empty containers should be thoroughly rinsed with large quantities of clean water. Consult the appropriate authorities about waste disposal.
Additional information	: Do not re-use empty containers. Container remains hazardous when empty. Continue to observe all precautions.
SECTION 14: Transport information	
In accordance with DOT	
14.1. UN number	
No dangerous good in sense of transport regulation	ins
14.2. UN proper shipping name	
Not applicable	
14.3. Transport hazard class(es)	
Not applicable	
14.4. Packing group	
Not applicable	
14.5. Environmental hazards	
Dangerous for the environment	: No
-	: No
-	No supplementary information available
14.6. Special precautions for user	
14.6.1. Overland transport	
No additional information available	
14.6.2. Transport by sea	
No additional information available	
14.6.3. Air transport	
No additional information available	
14.6.4. Inland waterway transport	
No additional information available	
14.7. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
_	N
Poly(oxy-1,2-ethanediyl), .alpha(2-ethylhexy	
Listed on the United States TSCA (Toxic Substa	
Poly(oxy-1,2-ethanediyl), .alphaphenylome	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
Hydrogen peroxide (7722-84-1)	
Listed on the United States TSCA (Toxic Substa Listed on SARA Section 302 (Specific toxic chen	nical listings)
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 (concentration >52%)
Alcohols, C9-11, ethoxylated (68439-46-3)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
Hexyl D-glucoside (54549-24-5)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
15.2. International regulations	

Not applicable

Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

15.3. US State regulations

Not applicable

SECTION 16: Other information

Revision date

: 09/07/2021

Full text of H-phrases:

kt of H-philases.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Ox. Liq. 1	Oxidising Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H271	May cause fire or explosion; strong oxidiser
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard

NFPA fire hazard NFPA reactivity

- : 1 Exposure could cause irritation but only minor residual injury even if no treatment is given.
- : 0 Materials that will not burn.
- : 1 Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.



SDS US (GHS HazCom 2012)

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.