Version: 3.2

Effective Date: May-27-2018 Previous Date: Dec-20-2017



SAFETY DATA SHEET FOAMTROL* AF3566

1. Identification

Product identifier FOAMTROL AF3566

Other means of identification None.

Recommended use Antifoam

Recommended restrictions None known.

Company/undertaking identification

SUEZ WTS USA, Inc. 4636 Somerton Road Trevose, PA 19053

T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

Composition comments

Information for specific product ingredients as required by the U.S. OSHA HAZARD

COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our

assessment of the potential hazards of this formulation.

4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

equipment/instructions

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters Fire fighting

demand breathing apparatus, protective clothing and face mask. In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and

Wear full protective clothing, including helmet, self-contained positive pressure or pressure

consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Cool containers / tanks with water spray.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation.

8. Exposure controls/personal protection

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Suitable gloves can be recommended by the glove supplier. Glove selection must take into account any solvents and other hazards present.

Other Wear suitable protective clothing.

Material name: FOAMTROL* AF3566

Version number: 3.2

Page: 2 / 7

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. A RESPIRATORY PROTECTION PROGRAM THAT MEETS OSHA'S 29 CFR 1910.134 AND ANSI Z88.2 REQUIREMENTS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS WARRANT A RESPIRATOR'S USE.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

White Color Physical state Dispersion Mild Odor

Not available. **Odor threshold**

pH (concentrated product) 7.2

7.9 (5% SOL.) pH in aqueous solution Melting point/freezing point 32 °F (0 °C) Initial boiling point and boiling Not available.

range

Flash point Not applicable. **Evaporation rate** < 1(Ether = 1) Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Flammability limit - upper

(%)

Not available. Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

18 mm Hg Vapor pressure 70 °F (21 °C) Vapor pressure temp. Vapor density < 1 (Air = 1)

Relative density 0.99

Relative density temperature 70 °F (21 °C)

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. 1260 cps **Viscosity** 70 °F (21 °C) Viscosity temperature

Other information

37 °F (3 °C) Pour point Specific gravity 0.991

0 % (Estimated) VOC

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid None under normal conditions.

Material name: FOAMTROL* AF3566

Version number: 3.2

Page: 3 / 7

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition (destructive fires) yields elemental oxides.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactProlonged or repeated contact may cause irritation.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results		
FOAMTROL AF3566 (CAS Mixture)				
Acute				
Dermal				
LD50	Rabbit	> 5000 mg/kg, (Calculated according to GHS additivity formula)		
Inhalation				
LC50	Rat	> 20 mg/l, 4 Hours, (Calculated according to GHS additivity formula)		
Oral				
LD50	Rat	> 5000 mg/kg, (Calculated according to GHS additivity formula)		

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitizationThis product is not expected to cause respiratory sensitization. **Skin sensitization**This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Based on available data, the classification criteria are not met.

Material name: FOAMTROL* AF3566

12. Ecological information

Ecotoxicity

Product		Species	Test Results
FOAMTROL AF3566 (0	CAS Mixture)		
	LC50	Fathead Minnow	1393.5 mg/l, Static Renewal Bioassay, 96 hour
	NOEL	Fathead Minnow	625 mg/l, Static Renewal Bioassay, 96 hour
Aquatic			
Crustacea	LC50	Daphnia magna	4966.6 mg/l, Static Renewal Bioassay, 48 hour
	NOEL	Daphnia magna	2500 mg/l, Static Renewal Bioassay, 48 hour
Fish	LC50	Rainbow Trout	2176.4 mg/l, Static Renewal Bioassay, 96 hour
	NOEL	Rainbow Trout	1250 mg/l, Static Renewal Bioassay, 96 hour

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects Not available.

Persistence and degradability

No data is available on the degradability of this product.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed

SARA 304 Emergency release notification

Not regulated.

Material name: FOAMTROL* AF3566 Page: 5 / 7

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Inventory status

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

US state regulations

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Diethanolamine (CAS 111-42-2)
Ethyl acrylate (CAS 140-88-5)
Listed: June 22, 2012
Listed: July 1, 1989

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

US - Massachusetts RTK - Substance List

Not regulated.

US - Pennsylvania RTK - Hazardous Substances

Not regulated.

US - Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

16. Other information, including date of preparation or last revision

Issue date Oct-07-2015
Revision date May-27-2018

Version # 3.2

Material name: FOAMTROL* AF3566 Page: 6 / 7

List of abbreviations CAS: Chemical Abstract Service Registration Number

ACGIH: American Conference of Governmental Industrial Hygienists

TWA: Time Weighted Average STEL: Short Term Exposure Limit

LD50: Lethal Dose, 50%

LC50: Lethal Concentration, 50% NOEL: No Observed Effect Level COD: Chemical Oxygen Demand BOD: Biochemical Oxygen Demand

TOC: Total Organic Carbon

IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods Code

TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.

References: No data available

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Composition/information on ingredients: Composition comments

Prepared by This SDS has been prepared by SUEZ Regulatory Department (1-215-355-3300).

* Trademark of SUEZ. May be registered in one or more countries.

Material name: FOAMTROL* AF3566