

#### STABICIP OXI

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : STABICIP OXI

Other means of identification : Not applicable

Recommended use : Booster

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 0.5 %

Company : Ecolab Inc.

1 Ecolab Place

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 07/16/2020

## **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

**Product AS SOLD** 

Oxidizing liquids : Category 3
Acute toxicity (Oral) : Category 4
Skin corrosion : Category 1A
Serious eye damage : Category 1

#### **Product AT USE DILUTION**

Not a hazardous substance or mixture.

# **GHS** label elements

**Product AS SOLD** 

Hazard pictograms :







Signal Word : Danger

Hazard Statements : May intensify fire; oxidizer.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:** 

Keep away from heat. Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce

995290-02 1 / 11

# STABICIP OXI

vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: Store locked up. **Disposal:** 

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION** 

Precautionary Statements : Prevention:

Wash hands thoroughly after handling.

Response:

Get medical advice/ attention if you feel unwell.

Storage:

Store in accordance with local regulations.

**Product AS SOLD** 

Other hazards : None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name CAS-No. Concentration (%)

Hydrogen peroxide 7722-84-1 28 oxirane, methyl-, polymer with oxirane 9003-11-6 1 - 5 Sodiumcumenesulphonate 28348-53-0 1 - 5

#### **Product AT USE DILUTION**

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

995290-02 2 / 11

# STABICIP OXI

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

Specific hazards during fire

fighting

: Oxidizer. Contact with other material may cause fire.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides Sulfur oxides

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is

conducted by trained personnel only. Refer to protective measures

listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. Isolate absorbed wastes contaminated with this product from other waste streams containing combustible materials (paper, wood fibers, cloth, etc.). Combustible materials exposed to this product

995290-02 3 / 11

## STABICIP OXI

should be rinsed immediately with large amounts of water to ensure that all product is removed. Residual product which is allowed to dry on organic materials such as rags, cloths, paper, fabrics, cotton, leather, wood, or other combustibles may spontaneously ignite and result in a fire.

**Product AT USE DILUTION** 

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: No special environmental precautions required.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# **SECTION 7. HANDLING AND STORAGE**

#### **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Conditions for safe storage

Do not store on wooden pallets. Keep in a cool, well-ventilated place. Keep away from reducing agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : -15 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling

: Wash hands after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective

Equipment (PPE). For personal protection see section 8.

Conditions for safe storage

: Keep out of reach of children. Store in suitable labeled containers.

## **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Product AS SOLD Ingredients with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm	NIOSH REL
			1.4 mg/m3	
		TWA	1 ppm	OSHA Z1
			1.4 mg/m3	

Engineering measures

: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

995290-02 4 / 11

# STABICIP OXI

#### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

**Product AT USE DILUTION** 

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid Color : colorless colorless

Odor : pungent slight pH : 0.5, (100 %) 2.8 - 3.8

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : No data available
Lower explosion limit : No data available

995290-02 5 / 11

# STABICIP OXI

Vapor pressure : No data available Relative vapor density : No data available Relative density : 1.104 - 1.134

Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available Thermal decomposition : No data available Viscosity, kinematic : No data available Explosive properties : No data available Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Contamination may result in dangerous pressure increases - closed

containers may rupture.

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

: Bases Incompatible materials

Metals

Organic materials

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be produced

such as:

Carbon oxides Sulfur oxides

# **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

#### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

: Harmful if swallowed. Causes digestive tract burns. Ingestion

Inhalation : Health injuries are not known or expected under normal use.

995290-02 6/11

# STABICIP OXI

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

## **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : No symptoms known or expected.

**Product AT USE DILUTION** 

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

## **Toxicity**

# **Product AS SOLD**

**Product** 

Acute oral toxicity : Acute toxicity estimate : 1,696 mg/kg
Acute inhalation toxicity : 4 h Acute toxicity estimate : 35.11 mg/l

Test atmosphere: vapor

: No data available

Acute dermal toxicity : No data available
Skin corrosion/irritation : No data available
Serious eye damage/eye : No data available

irritation

Respiratory or skin : No data available

sensitization

STOT-repeated exposure

Carcinogenicity : No data available
Reproductive effects : No data available
Germ cell mutagenicity : No data available
Teratogenicity : No data available
STOT-single exposure : No data available

995290-02 7 / 11

# STABICIP OXI

Aspiration toxicity : No data available

Components

Acute dermal toxicity : Sodiumcumenesulphonate

LD50 Rabbit: > 2,000 mg/kg

# **SECTION 12. ECOLOGICAL INFORMATION**

**Product AS SOLD** 

**Ecotoxicity** 

Environmental Effects : Toxic to aquatic life.

**Product** 

Toxicity to fish : No data available

Toxicity to daphnia and other : No data available

aquatic invertebrates

Toxicity to algae : No data available

Components

Toxicity to fish : oxirane, methyl-, polymer with oxirane

96 h LC50 Fish: > 100 mg/l

Sodiumcumenesulphonate 96 h LC50 Fish: > 450 mg/l

Components

Toxicity to algae : Hydrogen peroxide

72 h EC50: 1.38 mg/l

Persistence and degradability

**Product AS SOLD** 

Readily biodegradable.

## **Product AT USE DILUTION**

Readily biodegradable.

# **Bioaccumulative potential**

No data available

#### Mobility in soil

No data available

#### Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste

disposal facility.

995290-02 8 / 11

# STABICIP OXI

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

: D002 (Corrosive)

waste

**Product AT USE DILUTION** 

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

## **SECTION 14. TRANSPORT INFORMATION**

#### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number : 2014

Description of the goods : Hydrogen peroxide, aqueous solutions

Class : 5.1 (8)
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 2014

Description of the goods : HYDROGEN PEROXIDE, AQUEOUS SOLUTION

Class : 5.1 (8)
Packing group : II
Marine pollutant : no

# **SECTION 15. REGULATORY INFORMATION**

#### **Product AS SOLD**

**EPCRA - Emergency Planning and Community Right-to-Know** 

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Oxidizer (liquid, solid or gas)

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 302 : The following components are subject to reporting levels established

by SARA Title III, Section 302:

Hydrogen peroxide 7722-84-1 28.658 %

995290-02 9 / 11

## STABICIP OXI

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

## California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

## California Cleaning Product Right to Know Act of 2017 (SB 258)

This regulation does not apply to this product.

#### The ingredients of this product are reported in the following inventories:

## **United States TSCA Inventory:**

All substances listed as active on the TSCA inventory

## Canadian Domestic Substances List (DSL):

All components of this product are on the Canadian DSL

#### Australia Inventory of Chemical Substances (AICS):

On the inventory, or in compliance with the inventory

## New Zealand. Inventory of Chemical Substances:

not determined

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

# Korea. Korean Existing Chemicals Inventory (KECI):

On the inventory, or in compliance with the inventory

#### Philippines Inventory of Chemicals and Chemical Substances (PICCS):

On the inventory, or in compliance with the inventory

# China. Inventory of Existing Chemical Substances in China (IECSC):

On the inventory, or in compliance with the inventory

## Taiwan Chemical Substance Inventory (TCSI):

not determined


# **SECTION 16. OTHER INFORMATION**

**Product AS SOLD** 

995290-02 10 / 11

# STABICIP OXI


#### NFPA:



#### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	2

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Issuing date : 07/16/2020

Version : 1.3

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

995290-02 11 / 11