

# Madison Chemical Co., Inc.

3141 Clifty Drive Madison, IN 47250

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

ProClean® FOAMING ACID NAME:

TYPE: **Acidic Cleaner** PRODUCT # 802701

FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN

**EMERGENCY RESPONSE INFORMATION:** 

CHEMTREC 800-424-9300 24-Hour Service 812-273-6000 Company Offices: Weekdays

PREPARED DATE: PREPARED BY: 11-30-15 **David Craft** 

**SECTION 2: HAZARDS IDENTIFICATION** 

**GHS Classification** Corrosive to Metals Category 1 H290

> Skin Corrosion/Irritation Category 1A H314 Serious Eye Damage/Eye Irritation Category 1 H318

Signal Word DANGER

Symbol



H290 **Hazard Statements** May be corrosive to metals.

> H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

**Precautionary Statements** 

P234 Keep only in original container.

P260 Do not breathe mist, spray, vapors.

P264 Wash hands, forearms, and exposed areas thoroughly after handling P280 Wear eye protection, face protection, protective clothing, protective gloves.

P301 + P330 + P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water / shower

P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for

breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P321 Specific treatment (see Section 4).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents / container according to local, regional, national and international regulations.

### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

COMPONENTSYNONYMCAS NO.% BY WEIGHTPhosphoric acidOrthophosphoric acid7664-38-210 - 20Nitric acidAquafortis7697-37-25 -15

\*If Chemical Name/CAS No is "proprietary" and/or % By Weight is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret\*

### **SECTION 4: FIRST AID MEASURES**

#### **DESCRIPTION OF FIRST AID MEASURES:**

EYES: Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a

physician.

**SKIN:** Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a

physician. Remove contaminated clothing and shoes. Do not put contaminated clothing and shoes back on. Wash clothing and shoes thoroughly in soap and water; rinse repeatedly in clean water and dry

before reuse.

**INGESTION:** Do NOT induce vomiting. Give water. Never give anything by mouth if the person is unconscious or if

having convulsions. Call a physician.

**INHALATION:** Remove subject to fresh air and get medical attention.

**PRIMARY ROUTE(S) OF ENTRY:** Eyes, skin, inhalation, mucous membranes

MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:

**GENERAL:** Causes serious skin burns and eye damage.

EYE CONTACT: Causes serious eye irritation.

SKIN CONTACT: Corrosive. Causes burns.

INGESTION: May be harmful if swallowed.

INHALATION: May cause nasal and respiratory irritation.

CHRONIC SYMPTOMS: None expected under normal conditions of use.

### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

If you experience any of the symptoms / effects listed above seek medical advice.

### **SECTION 5: FIRE FIGHTING MEASURES**

### **EXTINGUISHING MEDIA:**

Use extinguishing media as appropriate for surrounding fire.

### SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Product is not explosive, however this product reacts with most metals to release hydrogen gas which can form explosive mixtures with air. Hazardous reactions will not occur under normal conditions.

#### ADVICE FOR FIRE FIGHTERS:

Wear self-contained breathing apparatus with full face piece operated in positive pressure mode and full body protective clothing. Use water spray to keep containers cool. **Hazardous Combustion Products:** Nitrogen oxides, phosphorous oxides.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid all contact with skin, eyes and clothing. Avoid breathing vapors. Wear nitrile rubber or neoprene gloves. Goggles and face shield necessary. Wear full protective acid resistant clothing. Use NIOSH / MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain liquid spills with sand and absorb on soda ash. Dispose with solid waste. See Waste Disposal Method. Ventilate area. Do not discharge to sewers or waterways without proper treatment. Contact state and federal environment organizations if RQ is exceeded.

### **SECTION 7: HANDLING AND STORAGE**

PRECAUTIONS FOR SAFE

Wear proper safety equipment when handling this product. Handle in accordance with good industrial

**HANDLING:** hygiene and safety procedures.

CONDITIONS FOR SAFE STORAGE, Normal for acidic materials. Store away from alkalis. Keep container closed when not in use. Always

**INCLUDING INCOMPATIBILITIES:** add acids to water; never add water to acids.

### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

### **EXPOSURE GUIDELINES:**

CHEMICAL IDENTITY	<u>CAS NO.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Phosphoric acid	7664-38-2	1mg/M³	1 mg/M <sup>3</sup>
Nitric acid	7697-37-2	2 ppm	2 ppm

### **ENGINEERING CONTROLS:**

Use good ventilation. Local exhaust is recommended if TLVs are exceeded.

### **INDIVIDUAL PROTECTION MEASURES:**

Selection of personal protective equipment should be based upon the anticipated exposure and made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910 Subpart I. The following information may be used to assist in PPE selection.

### **RESPIRATORY PROTECTION:**

In absence of proper environmental control, use NIOSH / MSHA approved inorganic acid vapor respirator for mists where airborne exposure is excessive.

### SKIN PROTECTION:

Nitrile rubber, neoprene gloves. Rubber apron and rubber boots required. Other equipment as required to avoid contact.

#### **EYE PROTECTION:**

APPEARANCE:

Goggles and face shield necessary.

### **GENERAL HYGIENE CONSIDERATIONS:**

Eyewash facility and emergency shower should be in close proximity. Always wash hands after handling any chemical.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Clear, red liquid.

ODOR: Mild acid **ODOR THRESHOLD:** Not available. 0.0 - 0.5pH (100%): **MELTING POINT/FREEZING POINT** 12°F. 220°F (104°C) INITIAL BOILING POINT AND BOILING RANGE Not available. FLASH POINT (METHOD USED) Not available. **EVAPORATION RATE** Not available. FLAMMABILITY (SOLID, GAS) UPPER/LOWER FLAMMABLE OR EXPLOSIVE LIMIT Not available. VAPOR PRESSURE Not available.

VAPOR DENSITY Greater than 1.0 SPECIFIC GRAVITY 1.09 **SOLUBILITY IN WATER** Complete. **PARTITION COEFFICIENT: N-OCTANOL/WATER** Not available. Not available. **AUTO-IGNITION TEMPERATURE** VISCOSITY, DYNAMIC Not available. **DECOMPOSITION TEMPERATURE** Not available. Not available. VISCOSITY

**SECTION 10: STABILITY AND REACTIVITY** 

**REACTIVITY:** Hazardous reactions will not occur under normal conditions. CHEMICAL STABILITY: Contains an oxidizing material which may accelerate fire.

POSSIBILITY OF HAZARDOUS REACTIONS: Hazardous polymerization will not occur.

No data found. CONDITIONS TO AVOID:

**INCOMPATIBLE MATERIALS:** Strong bases. Organic materials, Reducing agents. Metals, may be corrosive to metals.

Sulfides, carbides, alcohols, and cyanides.

HAZARDOUS DECOMPOSITION PRODUCTS: Nitrogen oxides, phosphorous oxides.

**SECTION 11: TOXOLOGICAL INFORMATION** 

**ACUTE TOXICITY:** Not classified LD50 AND LC50 DATA: Not available.

**ROUTES OF EXPOSURE / SYMPTOMS** 

EYES: DANGER! Causes burns. SKIN: DANGER! Causes burns.

INGESTION: WARNING! May be harmful if swallowed.

INHALATION: WARNING! May cause nasal and respiratory irritation.

**GERM CELL MUTAGENICITY:** Not classified. Not available. TERATOGENICITY:

**CHRONIC EFFECTS /** This material contains no ingredients above de minimus concentrations known or suspected to cause

**CARCINOGENICITY:** cancer.

SPECIFIC TARGET ORGAN TOXICITY

Not classified. (Repeated exposure): REPRODUCTIVE TOXICITY: Not classified. SPECIFIC TARGET ORGAN TOXICITY Not classified.

(Single exposure):

**ASPIRATION HAZARD:** Not classified.

COMPONENT INFORMATION:

	LD50 Oral Rat	Greater or equal to 90 ml/kg
Nitric acid	LC50 Inhalation Rat	260 mg/M <sup>3</sup>
	LC50 Inhalation Rat	67 ppm NO <sub>2</sub> / 4 hr
Phosphoric acid	LD50 Oral Rat	1530 mg/kg

SECTION 12: ECOLOGICAL INFORMATION		
ECOTOXICITY COMPONENT INFORMATION	The ecotoxicity of this product is not known.	
Nitric acid	Freshwater Fish Data:  No data available Invertebrate Toxicity Data: No data available.	
Phosphoric acid	Freshwater Fish Data:  No data available Invertebrate Toxicity Data:	

No data available. PERSISTENCE AND DEGRADABILITY: Not available.

**BIOACCUMULATIVE POTENTIAL:** Bioaccumulation potential is low

MOBILITY IN SOIL: Not available.

**OTHER ADVERSE EFFECTS:** This material contains no hazardous air pollutants (HAPS).

**SECTION 13: DISPOSAL CONSIDERATIONS** 

WASTE DISPOSAL METHOD

Normal for acidic wastes. May require pH adjustment for neutralization. Dispose in accordance with

local, state and federal regulations.

**SECTION 14: TRANSPORTATION INFORMATION** 

**DOT PROPER SHIPPING NAME:** Corrosive liquid, acidic, inorganic, n.o.s. (contains phosphoric acid and nitric acid)

HAZARD CLASS:

ŏ

**IDENTIFICATION NUMBER:** 

UN3264

PACKING GROUP:

ЛΝΟΖ04 .

**EMERGENCY RESPONSE GUIDE:** 

ERG #154

**SECTION 15: REGULATORY INFORMATION** 

**VOC:** 0 pounds per gallon (0 grams per liter).

TSCA STATUS All ingredients are listed on the active TSCA inventory.

CERCLA REPORTABLE QUANTITY 1,000 pounds for nitric acid (approximately 1,568 gallons).

5,000 pounds for phosphoric acid (approximately 4,573 gallons).

X	ACUTE HEALTH
	FIRE
	SUDDEN RELEASE OF PRESSURE
	CHRONIC HEALTH
	REACTIVE

SARA 311 / 312 HAZARD CLASSES

SARA 312 INFORMATION Nitric acid is an extremely hazardous substance (EHS) under SARA. The threshold planning quantity is

1,000 pounds. Storage of more than 1,568 gallons would require filing a Tier 2 form.

SARA 313 INFORMATION This material contains the following substances subject to the reporting requirements of Section 313 of

the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

CHEMICAL NAME CATEGORY CODE CAS NUMBER % BY WEIGHT

Nitric acid\* Not Applicable 7697-37-2 7

\*pH adjustment will generate a nitrate compound listed under Section 313 of SARA.

STATE REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65

California has not identified the ingredients listed in Section 3 as known to cause cancer or reproductive

toxicity.

**SECTION 16: OTHER INFORMATION** 

**SDS STATUS:** Revised Sections 1, 3, 14, and 16 on 11-30-15.

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0

FOR INDUSTRIAL USE ONLY - KEEP OUT OF THE REACH OF CHILDREN