

# S A F E T Y   D A T A   S H E E T



## Madison Chemical Co., Inc.

3141 Clifty Drive • Madison, IN 47250

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

NAME: **X-TREME FOAM IV**

TYPE: Alkaline Cleaner  
PRODUCT #: 880001

**FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN**

#### EMERGENCY RESPONSE INFORMATION:

CHEMTREC 800-424-9300 24-Hour Service  
Company Offices: 812-273-6000 Weekdays

PREPARED DATE: 08-31-15

PREPARED BY: David Craft

### SECTION 2: HAZARDS IDENTIFICATION

GHS Classification	Corrosive to Metals	Category 1	H290
	Acute Toxicity, Oral	Category 4	H302
	Skin Corrosion/Irritation	Category 1A	H314
	Serious Eye Damage/Eye Irritation	Category 1	H318
	Acute Toxicity Inhalation	Category 5	H333
	Specific Target Organ Toxicity	Category 2	H373
	Aquatic Toxicity (Acute)	Category-3	H402

Signal Word

**DANGER**

Symbol



Hazard Statements

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H318 Causes serious eye damage.  
H333 May be harmful if inhaled.  
H373 May cause damage to organs (testes, thymus, kidneys, brain and hematopoietic tissues, blood, liver and kidneys) through prolonged or repeated exposure.  
H402 Harmful to aquatic life.

Precautionary Statements

P260 Do not breathe mist, spray, vapors.  
P264 Wash hands, forearms, and exposed areas thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear eye protection, face protection, protective clothing, protective gloves.  
P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water / shower.

Precautionary Statements

P304 + P340 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

# SAFETY DATA SHEET

## Continued

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor / physician.  
P321 Specific treatment (see Section 4).  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.  
P501 Dispose of contents / container according to local, regional, national and international regulations.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>SYNONYM</u>	<u>CAS NO.</u>	<u>% BY WEIGHT</u>
Sodium hydroxide	Caustic soda	1310-73-2	20 - 30
Ethanolamine	2-aminoethanol, monoethanolamine	141-43-5	1 - 10
Diethylene glycol methyl ether	None	111-77-3	1 - 10

## SECTION 4: FIRST AID MEASURES

### DESCRIPTION OF FIRST AID MEASURES:

**EYES:** Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician.  
**SKIN:** Immediately flush with large quantities of cool water continuously for at least 15 minutes. Call a physician. Remove contaminated clothing and shoes. Do not put contaminated clothing and shoes back on. Wash clothing and shoes thoroughly in soap and water; rinse repeatedly in clean water and dry before reuse.  
**INGESTION:** If conscious, immediately give large quantities of water. DO NOT INDUCE VOMITING. Call a physician at once. DO NOT give anything by mouth if the person is unconscious or if having convulsions.  
**INHALATION:** Remove subject to fresh air. Give artificial respiration if necessary. Get medical attention immediately.  
**PRIMARY ROUTE(S) OF ENTRY:** Eyes, skin, inhalation.

### MOST IMPORTANT SYMPTOMS / EFFECTS, ACUTE AND DELAYED:

**EYE CONTACT:** Causes serious eye damage.  
**SKIN CONTACT:** Corrosive. Causes burns.  
**INGESTION:** Harmful if swallowed.  
**INHALATION:** May cause nasal and respiratory irritation.  
**CHRONIC SYMPTOMS:** Repeated oral or inhalation exposure to Diethylene glycol methyl ether can cause effects in the testes, thymus, kidneys, brain and hematopoietic tissues.

Long term oral and dermal studies with ethanolamines in animals have been shown to produce liver and kidney damage.

### INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY:

If you experience any of the symptoms / effects listed above seek medical advice.

## SECTION 5: FIRE FIGHTING MEASURES

### EXTINGUISHING MEDIA:

Use extinguishing media as appropriate for surrounding fire.

### SPECIFIC HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Not considered flammable or explosive. Hazardous reactions will not occur under normal conditions.

### ADVICE FOR FIRE FIGHTERS:

Wear self-contained breathing apparatus and full protective clothing. Use water spray to keep containers cool.

**Hazardous Combustion Products:** Carbon monoxide, carbon dioxide.

# SAFETY DATA SHEET

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid all contact with skin, eyes and clothing. Avoid breathing vapors. Wear impermeable gloves. Goggles and faceshield necessary. Wear suitable protective clothing. Use NIOSH / MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

### METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Contain liquid spills with sand and absorb on inert material. Ventilate area. Dispose with solid waste. See Waste Disposal Method. Do not discharge to sewers or waterways without proper treatment.

## SECTION 7: HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING:

Wear proper safety equipment when handling this product. Handle in accordance with good industrial hygiene and safety procedures.

### CONDITIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES:

Normal for alkaline materials. Store away from acids. Keep container closed when not in use. Keep from freezing.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE GUIDELINES:

#### CHEMICAL IDENTITY

<u>CHEMICAL IDENTITY</u>	<u>CAS NO.</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Sodium hydroxide	1310-73-2	2 mg / M <sup>3</sup>	2 mg / M <sup>3</sup> *
Ethanolamine	141-43-5	3 ppm	3 ppm
Diethylene glycol methyl ether	111-77-3	N.E.**	N.E.**

\*Denotes ceiling limit. \*\*Manufacturer recommends a workplace exposure limit of 30 ppm.

### ENGINEERING CONTROLS:

Use good ventilation. Local exhaust is recommended if TLVs are exceeded.

### INDIVIDUAL PROTECTION MEASURES:

Selection of personal protective equipment should be based upon the anticipated exposure and made in accordance with OSHA's Personal Protective Equipment Standard found in 29 CFR 1910 Subpart I. The following information may be used to assist in PPE selection.

### RESPIRATORY PROTECTION:

In absence of proper environmental control, use NIOSH / MSHA approved respirator for dusts and mists where airborne exposure is excessive.

### SKIN PROTECTION:

Impermeable gloves. Rubber apron and rubber boots required. Other equipment as required to avoid contact.

### EYE PROTECTION:

Goggles and faceshield necessary.

### GENERAL HYGIENE CONSIDERATIONS:

Eyewash facility and emergency shower should be in close proximity. Always wash hands after handling any chemical.

# SAFETY DATA SHEET

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Brown liquid
ODOR:	Mild
ODOR THRESHOLD:	Not available.
pH (100%):	14.0 – 14.5
MELTING POINT/FREEZING POINT	34°F
INITIAL BOILING POINT AND BOILING RANGE	220°F (104°C)
FLASH POINT (METHOD USED)	Not available.
EVAPORATION RATE	Not available.
FLAMMABILITY (SOLID, GAS)	Not available.
UPPER/LOWER FLAMMABLE OR EXPLOSIVE LIMIT	Not available.
VAPOR PRESSURE	Not available.
VAPOR DENSITY	Not available.
SPECIFIC GRAVITY	1.24
SOLUBILITY IN WATER	Complete.
PARTITION COEFFICIENT: N-OCTANOL/WATER	Not available.
AUTO-IGNITION TEMPERATURE	Not available.
VISCOSITY, DYNAMIC	Not available.
DECOMPOSITION TEMPERATURE	Not available.
VISCOSITY	Not available.

## SECTION 10: STABILITY AND REACTIVITY

REACTIVITY:	Hazardous reactions will not occur under normal conditions.
CHEMICAL STABILITY:	Stable under recommended handling and storage conditions (see Section 7).
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur.
CONDITIONS TO AVOID:	No data found.
INCOMPATIBLE MATERIALS:	Aluminum, tin, zinc, and their alloys; strong acids. Avoid contact with leather and wool.
HAZARDOUS DECOMPOSITION PRODUCTS:	Carbon monoxide, carbon dioxide.

# SAFETY DATA SHEET

## SECTION 11: TOXOLOGICAL INFORMATION

<b>ACUTE TOXICITY:</b>	Not classified.
<b>LD50 AND LC50 DATA:</b>	Not available.
<b>ROUTES OF EXPOSURE / SYMPTOMS</b>	
<b>EYES:</b>	DANGER! Causes burns.
<b>SKIN:</b>	DANGER! Causes burns.
<b>INGESTION:</b>	WARNING! Harmful if swallowed.
<b>INHALATION:</b>	WARNING! Causes burns to alimentary canal and mucous membranes.
<b>GERM CELL MUTAGENICITY:</b>	Not classified.
<b>TERATOGENICITY:</b>	Not available.
<b>CHRONIC EFFECTS / CARCINOGENICITY:</b>	Repeated oral or inhalation exposure to Diethylene glycol methyl ether can cause effects in the testes, thymus, kidneys, brain and hematopoietic tissues.
	Long term oral and dermal studies with ethanalamines in animals have been shown to produce liver and kidney damage.
<b>SPECIFIC TARGET ORGAN TOXICITY (Repeated exposure):</b>	May cause damage to organs (testes, thymus, kidneys, brain and hematopoietic tissues, blood, liver, and kidneys) through prolonged or repeated exposure
<b>REPRODUCTIVE TOXICITY:</b>	Acute or repeated oral, dermal or inhalation exposures to Diethylene glycol methyl ether can cause reproductive toxicity and developmental effects.
<b>SPECIFIC TARGET ORGAN TOXICITY (Single exposure):</b>	Not classified.
<b>ASPIRATION HAZARD:</b>	Not classified.
<b>COMPONENT INFORMATION:</b>	
Sodium hydroxide	LD50 Oral: No Data LD50 Dermal Rabbit: 1350 mg/kg LD50 Inhalation: No data
Ethanolamine	LD50 Oral Rat: 1,100 mg/kg LD50 Dermal Rabbit: 2,500 mg/kg LC50 Inhalation Rat: >520 ppm/6 hrs
Diethylene glycol methyl ether	LD50 Oral Rat: 2460 mg/kg LD50 Dermal Rabbit: 1290 mg/kg LC50 Inhalation Rat: 1480 ppm (7 hours)

## SECTION 12: ECOLOGICAL INFORMATION

<b>ECOTOXICITY COMPONENT INFORMATION</b>	The ecotoxicity of this product is not known. This product contains a material listed under SARA Section 313, see section 15.
Sodium hydroxide	LC50 Fish ( <i>Oncorhynchus mykiss</i> [static]): 45.4 mg/L/96 hr
Ethanolamine	LC50 Fish ( <i>Cyprinus carpio</i> ): 349 mg/l/96 hr
	LC50 Fish ( <i>Pimophales promelas</i> ): 2,070 mg/l/96 hr
	EC50 <i>Daphnia magna</i> : 65 – 93 mg/l/48 hr
Diethylene glycol methyl ether	No data available.
<b>PERSISTENCE AND DEGRADABILITY:</b>	Not available.
<b>BIOACCUMULATIVE POTENTIAL:</b>	Not available.
<b>MOBILITY IN SOIL:</b>	Not available.
<b>OTHER ADVERSE EFFECTS:</b>	This material contains a glycol ether listed as a hazardous air pollutant under the Clean Air Act.

## SECTION 13: DISPOSAL CONSIDERATIONS

<b>WASTE DISPOSAL METHOD</b>	Normal for alkaline wastes. May require pH adjustment for neutralization. Dispose in accordance with local, state and federal regulations.
------------------------------	--

# SAFETY DATA SHEET

## SECTION 14: TRANSPORTATION INFORMATION

**DOT PROPER SHIPPING NAME:** Corrosive liquid, basic, inorganic, n.o.s. (contains sodium hydroxide)  
**HAZARD CLASS:** 8  
**IDENTIFICATION NUMBER:** UN3266  
**PACKING GROUP:** III  
**EMERGENCY RESPONSE GUIDE:** ERG #154

## SECTION 15: REGULATORY INFORMATION

**VOC:** 0.47 pounds per gallon (51 grams per liter).  
**TSCA STATUS:** All ingredients are listed on the TSCA inventory.  
**CERCLA REPORTABLE QUANTITY:** 1,000 pounds for sodium hydroxide (approximately 369 gallons).

### SARA 311 / 312 HAZARD CLASSES

<input checked="" type="checkbox"/>	ACUTE HEALTH
<input type="checkbox"/>	FIRE
<input type="checkbox"/>	SUDDEN RELEASE OF PRESSURE
<input checked="" type="checkbox"/>	CHRONIC HEALTH
<input type="checkbox"/>	REACTIVE

### SARA 312 INFORMATION

Storage of 10,000 pounds or more may require filing a Tier 2 form. Threshold planning quantity for reporting is 10,000 pounds. This material is not an extremely hazardous substance (EHS).

### SARA 313 INFORMATION

This material contains the following substances subject to the reporting requirements of Section 313 of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

### CHEMICAL NAME

Diethylene glycol methyl ether  
Ethlene glycol phenyl ether

### CATEGORY CODE

N230  
N230

### CAS NUMBER

111-77-3  
122-99-6

### % BY WEIGHT

5  
3

### STATE REGULATORY INFORMATION

#### CALIFORNIA PROPOSITION 65

California has not identified the ingredients listed in Section 3 as known to cause cancer or reproductive toxicity.

## SECTION 16: OTHER INFORMATION

**SDS STATUS:** Revised sections 1, 3, 4, 8, 11, 12, 15, and 16 on 08-31-15

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

**FOR INDUSTRIAL USE ONLY – KEEP OUT OF THE REACH OF CHILDREN**