PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name

PREVENTOL D 7 CF

Product code

000000000057461401

EPA registration number

39967-93

Manufacturer or supplier's details

Company

LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

15275-1112 Pittsburgh, United States of America

Responsible Department

+1800LANXESS

Emergency telephone

Chemtrec (800) 424-9300

International (703) 527-3887

Lanxess Emergency Phone (800) 410-3063

Recommended use of the chemical and restrictions on use

Recommended use

Biocide

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin corrosion

Category 1C

Serious eye damage

Category 1

Skin sensitization

Category 1

GHS label elements

Hazard pictograms

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Precautionary Statements

Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Wash skin thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
magnesium nitrate	10377-60-3	>= 1 - < 5
5-chloro-2-methyl-3(2H)- Isothiazolone	26172-55-4	>= 1 - < 5
2-methyl-2H-isothiazol-3-one	2682-20-4	>= 0.1 - < 1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled

Get medical attention immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If not breathing, if breathing is irregulor or respiratory arrest occurs, provide artifical respiration, or oxygen by a trained

professional, using a pocket type respirator.

If unconscious, place in recovery position and get medical

attention immediately.

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

In case of skin contact

Get medical attention immediately.

Immediately flush skin with large amounts of water.

In case of contact, immediately flush skin with plenty of water

for at least 30 minutes.

Remove contaminated clothing and shoes.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Chemical burns must be treated promptly by a physician.

In case of eye contact

Get medical attention immediately.

In case of contact, flush eyes with plenty of water for at least 30 minutes. Use fingers to ensure that eyelids are separated

and that the eye is being irrigated.

Remove contact lenses.

Continue rinsing eyes during transport to hospital.

If swallowed

Get medical attention immediately.

Remove victim to fresh air and keep at rest in a position com-

fortable for breathing.

If conscious, drink plenty of water.

Stop if the exposed person feels sick as vomiting may be

dangerous.

Do not induce vomiting unless directed to do by medical per-

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical

attention immediately. Maintain open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Rinse mouth with water.

Most important symptoms and effects, both acute and delayed

Symptoms

Skin: Reddening, burning, and possible permanent damage.

Eye: Corrosive with symptoms of reddening, tearing, swell-

ing, burning and possible permanent damage.

Effects

May cause an allergic skin reaction.

Causes serious eye damage.

Causes severe burns.

Protection of first-aiders

No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

3 / 19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

In case of fire, use water spray (fog), foam, dry chemical or

CO:

Unsuitable extinguishing

media

None known.

Hazardous combustion prod-

ucts

Nitrogen oxides (NOx)

Metal oxides

Carbon dioxide (CO2) Carbon monoxide Sulfur oxides

Halogenated compounds

Further information

Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

No action shall be taken involving any personal risk or without

suitable training.

Evacuate personnel to safe areas.

Keep unnecessary and unprotected personnel from entering.

Do not touch or walk through spilled material.

Do not breathe vapors or spray mist.

Provide adequate ventilation.

Put on appropriate personal protection equipment.

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

I national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow spilled material or wash water to enter sewers,

surface waters, or groundwater systems.

Print Date: 08/26/2021

4 / 19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Workers should wash hands and face before eating, drinking

and smoking.

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Do not get on skin or clothing.

Do not breathe vapors or spray mist.

Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in

use

Empty containers retain product residue; observe all precau-

tions for product.

Conditions for safe storage

Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink.

Store locked up.

Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage. Do not store in unlabeled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

A NIOSH approved air purifying respirator with organic vapor

cartridges and particulate prefilter can be used to minimize

exposure.

Hand protection

Material

Polyvinyl chloride - PVC

Material

Polychloroprene - CR

Eye protection

Safety glasses with side-shields

Skin and body protection

Protective suit

Hygiene measures

Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the

lavatory and at the end of the working period.

5/19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Appropriate techniques should be used to remove potentially contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

liquid

Color

yellow

Odor

odorless

Odor Threshold

No data available

рΗ

4 - 6

Concentration: 1 %

Melting point/range

30 °F / -1 °C

Boiling point/boiling range

212 °F / 100 °C

(1,013 hPa)

Flash point

> 212 °F / > 100 °C

Method: closed cup

Evaporation rate

No data available

Self-ignition

No data available

Burning number

No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure

No data available

Relative density

No data available

Density

1.024 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility

No data avaitable

6/19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Solubility in other solvents :

No data available

Partition coefficient: n-

optonolhypter

No data available

octanol/water

Ignition temperature

> 1112 °F / > 600 °C

Decomposition temperature

No data available

Viscosity

Viscosity, dynamic

1.244 mPa.s

Viscosity, kinematic

No data available

Explosive properties

No data available

Oxidizing properties

No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity

No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability

The product is stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

No specific data.

Incompatible materials

Incompatible with acids and bases.

SECTION 11. TOXICOLOGICAL INFORMATION

The most important known symptoms and effects are described in Section 2 and/or Section 4.

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity

LD50 (Rat): > 2,000 mg/kg

Acute inhalation toxicity

Acute toxicity estimate: 66.05 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity

LD50 (Rat): > 5,000 mg/kg

7/19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Components:

magnesium nitrate:

Acute oral toxicity

LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Dosage caused no mortality

Acute dermal toxicity

LD50 (Rat, male and female); > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: Test results on an analogous product

5-chloro-2-methyl-3(2H)-Isothiazolone:

Acute oral toxicity

LD50 (Rat): 481 mg/kg

Acute inhalation toxicity

LC50 (Rat): 1.23 mg/l Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity

LD50 (Rat): > 1,008 mg/kg

2-methyl-2H-isothiazol-3-one:

Acute oral toxicity

LD50 (Rat, female): 183 mg/kg

Acute inhalation toxicity

LC50 (Rat): 0.53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity

LD50 (Rabbit, male): 218 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Result

Corrosive, category 1C - where responses occur after expo-

sures between 1 hour and 4 hours and observations up to 14

days.

Remarks

Based on a similar product.

Components:

magnesium nitrate:

Species

Rabbit

Exposure time

4 h

Print Date: 08/26/2021

8/19

PREVENTOL D 7 CF



Version 2.0

Revision Date:

SDS Number:

Date of last issue: 12/10/2020

08/09/2021

203000007354

Country / Language: US / EN

Method Result

OECD Test Guideline 404

No skin irritation

GLP

Remarks

Test results on an analogous product

5-chloro-2-methyl-3(2H)-Isothiazolone:

Species

Method

OECD Test Guideline 404

Result

Causes burns.

2-methyl-2H-isothiazol-3-one:

Result

Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14

days.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result

Corrosive

Components:

magnesium nitrate:

Species

Rabbit

Result

No eye irritation

Method

OECD Test Guideline 405

GLP

yes

5-chloro-2-methyl-3(2H)-Isothiazolone:

Species

Result

Risk of serious damage to eyes.

Method

OECD Test Guideline 405

2-methyl-2H-isothiazol-3-one:

Remarks

Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Components:

magnesium nitrate:

Test Type

Local lymph node assay (LLNA)

Routes of exposure

Skin contact

Species

Mouse

Method

OECD Test Guideline 429

Result

Did not cause sensitization on laboratory animals.

GLP

yes

5-chloro-2-methyl-3(2H)-Isothiazolone:

Routes of exposure

Skin contact

Species

Guinea pig

Method

OECD Test Guideline 406

Result

May cause sensitization by skin contact.

Remarks

Sensitizer

2-methyl-2H-isothiazol-3-one:

Test Type

Local lymph node assay (LLNA)

Routes of exposure

Skin contact

Species

Mouse

Method

OECD Test Guideline 429

Result

: May cause sensitization by skin contact.

Germ cell mutagenicity

Not classified based on available information.

Components:

magnesium nitrate:

Genotoxicity in vitro

Test Type: gene mutation test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Remarks: Test results on an analogous product

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

10 / 19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354 Date of last issue: 12/10/2020 Country / Language: US / EN

GLP: yes

Remarks: Test results on an analogous product

5-chloro-2-methyl-3(2H)-Isothiazolone:

Genotoxicity in vitro

Test system: Bacteria

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

Genotoxicity in vivo

Test Type: Micronucleus test

Species: Mouse Application Route: Oral Result: negative

2-methyl-2H-isothiazol-3-one:

Genotoxicity in vitro

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Carcinogenicity

Not classified based on available information.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

NTP

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Reproductive toxicity

Not classified based on available information.

Components:

magnesium nitrate:

Effects on fertility

Test Type: reproductive and developmental toxicity study

Species: Rat, male and female

Application Route: Oral Dose: 250 - 750 - 1500 mg/kg Duration of Single Treatment: 28 d

General Toxicity Parent: NOAEL: >= 1,500 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Remarks: Test results on an analogous product

Effects on fetal development :

Species: Rat, male and female

Application Route: Oral Dose: 250 - 750 - 1500 mg/kg Duration of Single Treatment: 53 d

General Toxicity Maternal: NOAEL: >= 1,500 mg/kg body

weight

Developmental Toxicity: NOAEL: >= 1,500 mg/kg body weight

Method: OECD Test Guideline 422

GLP: yes

Remarks: Test results on an analogous product

5-chloro-2-methyl-3(2H)-lsothiazolone:

Effects on fertility

Species: Rat, male and female

Application Route: Oral

Dose: 72 milligram per kilogram Method: OECD Test Guideline 415

GLP: yes

Remarks: No known significant effects or critical hazards.

Effects on fetal development :

Species: Rat, female

Application Route: Oral

Dose: > 139 milligram per kilogram Duration of Single Treatment: 20 d Frequency of Treatment: 9 daily Result: No teratogenic potential

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Repeated dose toxicity

Components:

magnesium nitrate:

Species

Rat, male and female >= 1,500 mg/kg

NOAEL Application Route

Application Route
Exposure time
Number of exposures

Oral 28 d

Dose Mothod daily 250 - 750 - 1500 mg/kg OECD Test Guideline 422

Method GLP

yes

Remarks

Subacute toxicity

Test results on an analogous product

5-chloro-2-methyl-3(2H)-Isothiazolone:

Species

Rat, male and female

NOAEL

> 18.75 mg/kg

Application Route

Dermal

Exposure time

90 d

Dose Remarks > 18,75 mg/kgChronic toxicity

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

1 TOGGCC.

Toxicity to daphnia and other : aquatic invertebrates

EC50 (calculated) (Daphnia magna (Water flea)): 11.88 mg/l

Exposure time: 48 h

Components:

magnesium nitrate:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Remarks: Test results on an analogous product

Toxicity to daphnia and other :

EC50 (Daphnia magna (Water flea)): 490 mg/l

aquatic invertebrates

Exposure time: 48 h

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354 Date of last issue: 12/10/2020 Country / Language: US / EN

Analytical monitoring: no

GLP: no

Remarks: Test results on an analogous product

Toxicity to algae/aquatic

plants

EC50 (Diatom): >-1,700 mg/l

End point: Growth rate Exposure time: 10 Days Test Type: static test Analytical monitoring: yes

GLP: no

Remarks: Test results on an analogous product

Toxicity to microorganisms

EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Analytical monitoring: no

Method: OECD Test Guideline 209

GLP: yes

Remarks: Test results on an analogous product

5-chloro-2-methyl-3(2H)-lsothiazolone:

Toxicity to fish

LC50 (Fish): 0.19 mg/l

Exposure time: 96 h

Toxicity to daphnia and other ::

aquatic invertebrates

EC50 (Daphnia): 0.84 mg/l

Exposure time: 48 h

Toxicity to fish (Chronic tox-

icity)

LC50 (Salmo gairdneri): 0.14 mg/l

Exposure time: 6 d

2-methyl-2H-isothiazol-3-one:

Toxicity to fish

LC50 (Danio rerio (zebra fish)): > 150 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.87 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.157

ma/L Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (microalgae)): 0.0104

ma/L

Exposure time: 96 h

Toxicity to microorganisms

EC50 (activated sludge): 31.7 mg/l

Exposure time: 3 h

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

Persistence and degradability

Components:

magnesium nitrate:

Biodegradability

Result: The methods for determining the biological degradabil-

ity are not applicable to inorganic substances.

2-methyl-2H-isothiazol-3-one:

Biodegradability

Result: Not readily biodegradable.

Bioaccumulative potential

Components:

2-methyl-2H-isothiazol-3-one:

Partition coefficient: n-

log Pow: -0.32

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product, should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

Waste from residues

The generation of waste should be avoided or minimized

wherever possible.

Dispose of in accordance with local regulations.

Where possible recycling is preferred to disposal or incinera-

tion.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354 Date of last issue: 12/10/2020 Country / Language: US / EN

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.

UN 3265

Proper shipping name

Corrosive liquid, acidic, organic, n.o.s. (5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

Class

Packing group

Labels

11 8



Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

855: 30.00 L

851: 1.00 L

IMDG-Code

UN number

UN 3265

Proper shipping name

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

Class

Packing group

Labels

8 Ш



EmS Code

F-A, S-B

Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number

UN 3265

Proper shipping name

Corrosive liquid, acidic, organic, n.o.s.

(5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE)

Class

Packing group

8

11

Labels

8



PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

ERG Code

Marine pollutant

153 no

Hazard and Handling Notes.

Corrosive., Keep separated from foodstuffs

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards

Respiratory or skin sensitization

Skin corrosion or irritation

Serious eye damage or eye irritation

SARA 313

This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

magnesium nitrate

10377-60-3

>= 1 - < 5

Pennsylvania Right To Know

water magnesium nitrate

7732-18-5

> 90 - < 100

1027

10377-60-3

>= 1 - < 5

California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA inventory

TSCA

This product is regulated under the United States Federal

Insecticide, Fungicide and Rodenticide Act (FIFRA).

TSCA list

No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: 5-chloro-2-methyl-3(2H)-lsothiazolone 26172-55-4

Print Date: 08/26/2021

17 / 19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

FIFRA information

EPA registration number

39967-93

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Signal Word

DANGER

Hazard Statements

Corrosive Causes irreversible eye damage. Causes skin burns. Harmful if swallowed or if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in

some individuals.

SECTION 16. OTHER INFORMATION


Further information

NFPA 704:

Flammability Health 3 Instability

Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Exist-

18 / 19

PREVENTOL D 7 CF



Version 2.0

Revision Date: 08/09/2021

SDS Number: 203000007354

Date of last issue: 12/10/2020 Country / Language: US / EN

ing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance, PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

08/09/2021

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.