Version: 2.0

Effective Date: Jul-26-2024 Previous Date: Mar-11-2024



SAFETY DATA SHEET STEAMATE* VF1028

1. Identification

Product identifier STEAMATE VF1028

Other means of identification None.

Recommended use Steam condensate treatment.

Recommended restrictions Industrial use only.

Company/undertaking identification

Veolia WTS USA, Inc. 3600 Horizon Blvd. Trevose, PA 19053

T 215 355 3300, F 215 953 5524

Emergency telephone

(800) 877 1940

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification. The material is not hazardous under the

criteria of the Federal OSHA Hazard Communication Standard's (29CFR 1910.1200) implementation of the Globally Harmonized System (GHS), i.e., material is not a dangerous

substance or mixture requiring GHS classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous to health according to OSHA 29 CFR 1910.1200.

Composition comments Information for specific product ingredients as required by the U.S. OSHA HAZARD

COMMUNICATION STANDARD is listed. Refer to additional sections of this SDS for our

assessment of the potential hazards of this formulation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

During fire, gases hazardous to health may be formed.

the chemical Special protective equipment

Specific hazards arising from

and precautions for firefighters

Fire fighting equipment/instructions Specific methods

demand breathing apparatus, protective clothing and face mask. In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and

Wear full protective clothing, including helmet, self-contained positive pressure or pressure

consider the hazards of other involved materials. Cool containers / tanks with water spray. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Precautions for safe handling See Section 8 of the SDS for Personal Protective Equipment.

Avoid discharge into drains, water courses or onto the ground.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

SDS).

8. Exposure controls/personal protection

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Provide adequate ventilation.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. The choice of an appropriate glove does not only

depend on its material but also on other quality features and is different from one producer to the

other. Glove selection must take into account any solvents and other hazards present.

Wear suitable protective clothing. Other

Page: 2 / 7 Material name: STEAMATE* VF1028

Version number: 2.0

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. A respiratory protection

Wear appropriate thermal protective clothing, when necessary.

program that meets OSHA's 29 CFR 1910.34 and ANSI Z88.2 requirements must be followed

whenever workplace conditions warrant a respirator's use.

General hygiene considerations

Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Emulsion
Physical state Liquid.

Form Not available.
Color Off-white
Odor Slight

Odor thresholdNot available.pH (concentrated product)6.8 NeatMelting point/freezing point33 °F (1 °C)Initial boiling point and boilingNot available.

range

Flash point Not Applicable

Evaporation rate Slower than Ether

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 18 mmHg

Vapor density < 1
Relative density 1.01

Relative density temperature 70 °F (21 °C)

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Vapor pressure temp.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity1500 mPa.sViscosity temperature59 °F (15 °C)

Other information

Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.pH in aqueous solution6.3 (5% Solution)Pour point50 °F (10 °C)VOC0 % ESTIMATED

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

70 °F (21 °C)

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

Material name: STEAMATE* VF1028 Page: 3 / 7

Version number: 2.0

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not classified.

Product Species Test Results

STEAMATE VF1028

Acute
Dermal
LD50 Rabbit > 2000 mg/kg (Calculated according to GHS additivity formula)

Oral

Skin corrosion/irritation Not classified.
Serious eye damage/eye Not classified.

irritation

Respiratory or skin sensitization

LD50

Respiratory sensitization This product is not expected to cause respiratory sensitization.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity Not classified.
Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Rat

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity - Not classified.

repeated exposure

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity

Product		Species	Test Results
Aquatic			
Crustacea	LC50	Daphnia magna	133 mg/L, 96 H Toxicity estimated from available data on raw materials and products with similar compositions.
Fish	LC50	Fathead Minnow	206 mg/L, 96 H Toxicity estimated from available data on raw materials and products with similar compositions.
Bioaccumulative potential Mobility in soil	No data available. No data available.		

Material name: STEAMATE* VF1028

Version number: 2.0

> 2000 mg/kg (Calculated according to

GHS additivity formula)

Other adverse effects Not available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Some containers may be exempt from Dangerous Goods/Hazmat Transport Regulations, please check BOL for exact container classification.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Material name: STEAMATE* VF1028

(SDWA)

Not regulated.

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

 Canada
 Domestic Substances List (DSL)
 Yes

 Canada
 Non-Domestic Substances List (NDSL)
 No

Version number: 2.0

Page: 5 / 7

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Food and drug administration This product can be used as a boiler water additive in applications requiring compliance with FDA

regulation 21 CFR 173.310.

NSF Registered and/or meets USDA (according to 1998

Registration No. – 168710 Category Code(s):

guidelines):

G5 Cooling and retort water treatment products

G6 Boiler treatment products, steam line products – food contact

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

No ingredient listed.

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

No ingredient listed.

16. Other information, including date of preparation or last revision

Issue dateSep-25-2023Revision dateJul-26-2024

Version # 2.0
NFPA ratings Health: 0

Flammability: 0
Instability: 0

NFPA ratings



List of abbreviations DOT: Department of Transportation (49 CFR 172.101).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer. OSHA: Occupational Safety & Health Administration.

WHMIS: Workplace Hazardous Materials Information System. ACGIH: American Conference of Governmental Industrial Hygienists

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstract Service Registration Number

COD: Chemical Oxygen Demand

NFPA: National Fire Protection Association IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods Code

LC50: Lethal Concentration, 50%

LD50: Lethal Dose, 50%

NOEL: No Observed Effect Level STEL: Short Term Exposure Limit TOC: Total Organic Carbon

TSRN indicates a Trade Secret Registry Number is used in place of the CAS number.

TWA: Time Weighted Average

References: No data available

Version number: 2.0

Material name: STEAMATE* VF1028 Page: 6 / 7

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Supplemental information

HazReg Data: Europe - EU

Prepared by This SDS has been prepared by Veolia Water Technologies & Solutions' Regulatory Department

(1-215-355-3300).

Material name: STEAMATE* VF1028

Version number: 2.0

^{*} Trademark of Veolia. May be registered in one or more countries.