

# Safety Data Sheet (SDS) 85291

SDS Revision Date: 07/01/2024

# 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity 85291
Alternate Names 85291

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Contact ChemStation representative.

Application Method Contact ChemStation representative.

1.3. Details of the supplier of the safety data sheet

Company Name ChemStation Philadelphia

415 Boot Rd., STE B Downingtown, PA 19335

Emergency

CHEMTREC (USA) (800) 424-9300 Customer Service: ChemStation Philadelphia (484) 696-1431

# 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

Skin Irrit. 3;H316 Causes mild skin irritation. (Note: this GHS classification was not adopted by US

OSHA).

#### 2.2. Label elements

# Warning

H316 Causes mild skin irritation.

[Prevention]:

No GHS prevention statements

[Response]:

P332+313 If skin irritation occurs: Get medical advice or attention.

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

about:blank 1/7

### 3. Composition/information on ingredients

Formula information for this product is being withheld as a trade secret under the provisions of 29 CFR 1910.1200(i).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
2-Butoxy-ethanol CAS Number: 0000111-76-2		Acute Tox. 4;H332 Acute Tox. 4;H312 Acute Tox. 4;H302 Eye Irrit. 2;H319 Skin Irrit. 2;H315	[1][2]

<sup>[1]</sup> Substance classified with a health or environmental hazard.

#### Section 4. First-aid measures

#### 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

**Ingestion** If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** No specific symptom data available.

Check section 2.2 (GHS Label Elements) for further details.

## Section 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

#### 5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

ERG Guide No. 0

#### Section 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

about:blank 2/7

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

# Section 7. Handling and storage

#### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No data available.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

### Section 8. Exposure controls / personal protection

# 8.1. Control Parameters - Formula information for this product is being withheld as a trade secret under the provisions of 29 CFR 1910.1200(i).

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000111-76-2	2-Butoxy-ethanol	OSHA	TWA 50 ppm (240 mg/m3) [skin]
		ACGIH	TWA: 20 ppmRevised 2003,
		NIOSH	TWA 5 ppm (24 mg/m3) [skin]
		Supplier	No Established Limit
ACGIH	No Established Limit		
NIOSH	No Established Limit		
Supplier	No Established Limit		

#### Carcinogen Data

CAS No.	Ingredient	Source	Value		
0000111-76-2	2-Butoxy-ethanol	OSHA	Regulated Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;		
NTP	Known: No; Suspected: No				
IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				

#### 8.2. Exposure controls

#### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

about:blank 3/7

**Eyes** Protective safety glasses recommended.

**Skin** Keep skin contact to a minimum.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

### Section 9. Physical and chemical properties

Appearance Clear, yellow liquid, viscous

Odor Mild, soap
Odor threshold Not Measured
pH 9.8 - 10.4
Melting point / freezing point Not Measured
Initial boiling point and boiling range 212 deg F

Flash Point >200 degrees F PMCC (non-flammable)

Evaporation rate (Ether = 1) 0.33

Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa) Not Determined Vapor Density Not Determined **Relative Density** 1.008 - 1.018Solubility in Water Not Measured Not Measured Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Not Measured Not Measured **Decomposition temperature** Viscosity (cSt) Not Measured **Foaming** Moderate

9.2. Other information

No other relevant information.

# Section 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

No hazardous decomposition data available.

about:blank 4/7

# **Section 11. Toxicological information**

# Accute Toxicity - Formula information for this product is being withheld as a trade secret under the provisions of 29 CFR 1910.1200(i).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm		
2-Butoxy-ethanol - (111-76-2)	1,414.00, Guinea Pig - Category: 4	1,200.00, Guinea Pig - Category: 4	No data available	No data available	No data available		
Classification Ca		Hazard Description					
Acute toxicity (oral)		Not Applicat	Not Applicable				
Acute toxicity (dermal)		Not Applicable					
Acute toxicity (inhalation)		Not Applicable					
Skin corrosion/irritation	3	Causes mild skin irritation. (Note: this GHS classification was not adopted by US OSHA).					
Serious eye damage/irritation		Not Applicab	Not Applicable				
Respiratory sensitization		Not Applicable					
Skin sensitization		Not Applicable					
Germ cell mutagenicity		Not Applicable					
Carcinogenicity		Not Applicable					
Reproductive toxicity		Not Applicable					
STOT-single exposure		Not Applicable					
STOT-single exposure		Not Applicable					
STOT-repeated exposure		Not Applicable					
Aspiration hazard		Not Applicable					

# **Section 12. Ecological information**

# 12.1. Toxicity - Formula information for this product is being withheld as a trade secret under the provisions of 29 CFR 1910.1200(i).

No additional information provided for this product. See Section 3 for chemical specific data.

#### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
2-Butoxy-ethanol - (111-76-2)	1,474.00, Oncorhynchus	1,550.00, Daphnia	1,840.00 (72 hr), Pseudokirchneriella
	mykiss	magna	subcapitata

### 12.2. Persistence and degradability

This product is fully biodegradable.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

about:blank 5/7

### Section 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### Section 14. Transport information

**14.1. UN number** Not Applicable

**14.2. UN proper shipping name**Compound, Cleaning, N.O.I., Liquid

14.3. Transport hazard class(es)Not Applicable14.4. Packing groupNot Applicable

### Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory.

EPCRA 311/312 Chemicals and RQs (lbs):

sodium dodecylbenzenesulfonate (1,000.00)

**EPCRA 302 Extremely Hazardous:** 

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:** 

2-Butoxy-ethanol

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

2-Butoxy-ethanol

sodium dodecylbenzenesulfonate

Penn RTK Substances (>1%):

2-Butoxy-ethanol

sodium dodecylbenzenesulfonate

### Section 16. Other information

 Issue Date
 05/15/2015

 Revision History
 05/15/2015

 06/30/2015

12/30/2015 09/16/2018 05/06/2022 07/19/2022 12/03/2022 01/20/2023

about:blank 6/7

01/22/2023 04/01/2023 10/07/2023 02/16/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

**End of Document** 

about:blank 7/7