

NALCO® 1722

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NALCO® 1722

Other means of identification : Not applicable.

Recommended use : OXYGEN SCAVENGER

Restrictions on use : Refer to available product literature or ask your local Sales Representative for

restrictions on use and dose limits.

Company : Nalco Company

1601 W. Diehl Road

Naperville, Illinois 60563-1198

USA

TEL: (630) 305-1000

Emergency telephone

number

(800) 424-9300 (24 Hours) CHEMTREC

Issuing date : 09/26/2024

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage : Category 1

GHS Label element

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes serious eye damage.

Precautionary Statements : **Prevention:**

Wear eye protection/face protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name CAS-No. Concentration: (%)

Sodium Bisulfite 7631-90-5 10 - 30 Sulfomethylated Desulfonated Spent Pulping Liquor 68512-34-5 1 - 5 Potassium Bisulfite 7773-03-7 1 - 5

NALCO® 1722

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical attention immediately.

In case of skin contact : Wash off with soap and plenty of water. Get medical attention if symptoms

occur.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms

occur.

Protection of first-aiders : In event of emergency assess the danger before taking action. Do not put

yourself at risk of injury. If in doubt, contact emergency responders. Use

personal protective equipment as required.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing

media

None known.

Specific hazards during

firefighting

Not flammable or combustible.

Hazardous combustion

products

Decomposition products may include the following materials: Carbon oxides

Sulphur oxides

Special protective equipment:

for firefighters

Use personal protective equipment.

Specific extinguishing

methods

 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not

breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only.

Refer to protective measures listed in sections 7 and 8.

NALCO® 1722

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Flush away traces with water.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin,

or on clothing. Wash hands thoroughly after handling. Use only with adequate

ventilation.

Conditions for safe storage : Keep out of reach of children. Keep container tightly closed. Store in suitable

labelled containers.

Suitable material : The following compatibility data is suggested based on similar product data

and/or industry experience: Compatibility with Plastic Materials can vary; we

therefore recommend that compatibility is tested prior to use.

Unsuitable material : not determined to determined

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Sodium Bisulfite	7631-90-5	TWA	5 mg/m3	ACGIH
		TWA	5 mg/m3	NIOSH REL

Engineering measures : Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Personal protective equipment

Eye protection : Safety goggles

Face-shield

Hand protection : Wear protective gloves.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Wear suitable protective clothing.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove

and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

NALCO® 1722

The Personal Protective Equipment (PPE) recommendations provided above have been made in good faith based on typical expected conditions of use. PPE selection should always be completed in conjunction with a proper risk assessment and in accordance with a PPE management program.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : dark brown
Odour : Sulfurous

Flash point : > 93.3 °C, Method: ASTM D 93, Pensky-Martens closed cup

pH : 3.8 - 5.4,(100 %), (25 °C)

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling : no data available

range

Evaporation rate : no data available
Flammability (solid, gas) : Not applicable.
Upper explosion limit : no data available
Lower explosion limit : no data available
Vapour pressure : no data available

Relative vapour density : no data available

Relative density : 1.18 - 1.22, (25 °C), ASTM D-1298

Density : 9.8 - 10.2 lb/gal
Water solubility : completely soluble
Solubility in other solvents : no data available
Partition coefficient: n- : no data available

octanol/water

Auto-ignition temperature : no data available
Thermal decomposition : no data available
Viscosity, dynamic : 5 mPa.s (23 °C)
Viscosity, kinematic : no data available
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

NALCO® 1722

Conditions to avoid None known.

Incompatible materials Contact with strong oxidizers (e.g. chlorine, peroxides, chromates, nitric acid,

perchlorate, concentrated oxygen, permanganate) may generate heat, fires,

explosions and/or toxic vapors.

Contact with strong acids (e.g. sulfuric, phosphoric, nitric, hydrochloric, chromic,

sulfonic) may generate heat, splattering or boiling and toxic vapors.

SO2 may react with vapors from neutralizing amines and may produce a visible

cloud of amine salt particles.

Hazardous decomposition

products

In case of fire, hazardous decomposition products may be produced such as:

Carbon oxides Sulphur oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

exposure

Potential Health Effects

Eyes Causes serious eye damage.

Skin Health injuries are not known or expected under normal use.

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Chronic Exposure Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact Redness, Pain, Corrosion

Skin contact No symptoms known or expected.

Ingestion No symptoms known or expected.

Inhalation No symptoms known or expected.

Toxicity

Product

Acute oral toxicity Acute toxicity estimate: 2,713 mg/kg

Acute inhalation toxicity no data available

Acute toxicity estimate: > 5,000 mg/kg Acute dermal toxicity

Skin corrosion/irritation no data available Serious eye damage/eye no data available

irritation

NALCO® 1722

Respiratory or skin

sensitization

: no data available

Carcinogenicity

: no data available

Reproductive effects

Germ cell mutagenicity

no data available no data available

Teratogenicity

no data available

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

: no data available

Section: 12. ECOLOGICAL INFORMATION

Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish

: LC50 Oncorhynchus mykiss (rainbow trout): 1,875 mg/l

Exposure time: 96 hrs Test substance: Product

LC50 Pimephales promelas (fathead minnow): > 5,000 mg/l

Exposure time: 96 hrs
Test substance: Product

NOEC Oncorhynchus mykiss (rainbow trout): 1,250 mg/l

Exposure time: 96 hrs
Test substance: Product

NOEC Pimephales promelas (fathead minnow): 5,000 mg/l

Exposure time: 96 hrs Test substance: Product

Toxicity to daphnia and other

aquatic invertebrates

: EC50 Daphnia magna (Water flea): 4,583 mg/l

Exposure time: 48 hrs Test substance: Product

NOEC Daphnia magna (Water flea): 2,500 mg/l

Exposure time: 48 hrs Test substance: Product

Persistence and degradability

Biodegradability : Result: no data available

Mobility

no data available

NALCO® 1722

Bioaccumulative potential

no data available

Other information

no data available

Section: 13. DISPOSAL CONSIDERATIONS

If this product becomes a waste, it is not a hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA) 40 CFR 261, since it does not have the characteristics of Subpart C, nor is it listed under Subpart D.

Disposal methods : Where possible recycling is preferred to disposal or

incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be

taken to an approved waste handling site for recycling or

disposal. Do not re-use empty containers.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

The presence of an RQ component (Reportable Quantity for U.S. DOT) in this product causes it to be regulated with an additional description of RQ for road, or as Environmentally hazardous for road and air, ONLY when the net weight in the package exceeds the calculated RQ for the product.

Land transport (DOT)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name(s) : SODIUM BISULFITE

UN/ID No. : UN 3082

Transport hazard class(es) : 9
Packing group : III

Reportable Quantity (per : 27,930 lbs

package)

RQ Component : SODIUM BISULFITE

Air transport (IATA)

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Technical name(s) : SODIUM BISULFITE

UN/ID No. : UN 3082

Transport hazard class(es) : 9
Packing group : III

Reportable Quantity (per : 27,930 lbs

package)

RQ Component : SODIUM BISULFITE

Sea transport (IMDG/IMO)

Proper shipping name : PRODUCT IS NOT REGULATED DURING TRANSPORTATION

NALCO® 1722

Section: 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification

requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Bisulfite	7631-90-5	5000	27932

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 302 : This material does not contain any components with a section 302

EHS TPQ.

SARA 313 : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

INTERNATIONAL CHEMICAL CONTROL LAWS:

United States TSCA Inventory

On or in compliance with the active portion of the TSCA inventory

Canadian Domestic Substances List (DSL)

The substance(s) in this preparation are included in or exempted from the Domestic Substance List (DSL).

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS)

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory

not determined

Korea. Korean Existing Chemicals Inventory (KECI)

On the inventory, or in compliance with the inventory.

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

On the inventory, or in compliance with the inventory.

China Inventory of Existing Chemical Substances

On the inventory, or in compliance with the inventory.


NALCO® 1722

Taiwan Chemical Substance Inventory

not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 09/26/2024

Version Number : 1.3

Prepared By : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. For additional copies of an SDS visit www.ecolab.com/sds and request access.