



1776 TECH PARK DRIVE NE
NEW PHILADELPHIA, OH 44663

*For Emergency Assistance Call INFOTRAC: 800-535-5053
For Additional Information Call: 330-343-0220*

Safety Data Sheet

B-2120

1. IDENTIFICATION

Product name	B-2120
Description	Proprietary aqueous solution
Product class	Boiler
Supplier address	1776 Tech Park Drive NE New Philadelphia, OH 44663
Telephone numbers	
<u>Company Phone Number</u>	(330) 343-0220
<u>Emergency Telephone</u>	INFOTRAC 800-535-5053

2. HAZARDS IDENTIFICATION

Hazard classification	Corrosive to Metals, Category 1 Respiratory Sensitization, Category 1B
Signal word	Danger
Hazard statements	May be corrosive to metals. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Pictograms of related hazards



Precautionary statements

Prevention

Keep only in original packaging.
Avoid breathing fumes, mist, vapors, or spray.
Wear respiratory protection.

Response

Absorb spillage to prevent material damage.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If experiencing respiratory symptoms: Contact a POISON CENTER or health care provider.

Storage

Store in a corrosive-resistant container or container with a resistant inner liner.

Disposal

Dispose of contents and container in accordance with local, state, and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	Weight %
Sodium bisulfite	7631-90-5	1–20
Non-hazardous substances	Proprietary	>90

4. FIRST-AID MEASURES

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally to ensure complete rinsing. Remove contact lenses if present and easy to do, then resume rinsing. Get medical attention immediately.
Skin contact	Immediately remove all contaminated clothing. Rinse with copious amounts of water; use an emergency shower if available. Wash contaminated clothing before reuse.
Ingestion	If swallowed, DO NOT induce vomiting. Rinse mouth and get emergency medical attention. Do not give anything by mouth unless instructed to do so by a poison center or health care provider.
Inhalation	If inhaled, move victim to fresh air. Seek emergency medical attention if breathing is difficult; perform artificial respiration if breathing stops.
Note to health care provider	Allergic reaction or asthma exacerbation may occur in sulfite-sensitive individuals.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Use extinguishing media appropriate for the surrounding fire.
Unsuitable extinguishing media	No information available
Protective equipment and precautions for firefighters	Stay upwind of the fire. Full protective equipment including self-contained breathing apparatus should be used. Use water to cool closed containers. Contain water runoff if possible.
Specific hazards	Combustion may produce toxic gases.
Hazardous combustion products	Sulfur oxides, sodium oxides

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Evacuate the area of all non-essential personnel. Do not touch spilled material without proper protective equipment. Ventilate the area and mitigate further release if it is safe to do so. Avoid contact with eyes.
-----------------------------	---

Methods for clean-up

Small spills Contain spill and soak up with an inert absorbent material and place residues in a properly labeled container for disposal. Avoid discharge into sewer or surface water.

Large spills Contain spill using trenches, diking, or absorption with an inert material (i.e. sand or earth). Reclaim spilled material into recovery or salvage drums or tank truck for proper disposal.

7. HANDLING AND STORAGE

Advice on safe handling Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash hands thoroughly after handling.

Storage conditions Store in a cool, dry, well-ventilated area away from incompatible materials. Keep containers closed when not in use.

Suitable materials of construction No information available

Unsuitable materials of construction No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/face protection Chemical splash goggles

Skin protection Chemical-resistant gloves and body-covering clothing

Respiratory protection Observe published airborne exposure limits. NIOSH approved respirator should be used in accordance with OSHA respiratory protection requirements (29 CFR 1910.134).

Engineering controls Adequate ventilation, eye-wash station, and emergency shower

General hygiene considerations Do not eat, drink, or smoke while handling this product.

Chemical Name	OSHA PEL	ACGIH TLV
Sodium bisulfite	None established	None established
Non-hazardous substances	None established	None established

9. PHYSICAL AND CHEMICAL PROPERTIES

pH	3.5-5.0
Appearance	Clear yellow liquid
Odor	Mild
Odor Threshold	No information available
Melting/freezing point	25.7°F (-3.5°C)
Initial boiling point/boiling range	No information available
Flash point	No information available
Evaporation rate	No information available
Flammability (solid, gas)	No information available
Upper/lower flammability or explosive limits	No information available
Vapor pressure	No information available

Vapor density	No information available
VOC content	No information available
Specific gravity	1.040-1.120
Solubility	Complete
Partition coefficient n-octanol/water	No information available
Auto-ignition temperature	No information available
Decomposition temperature	No information available
Viscosity	No information available

10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions of storage and handling.
Hazardous polymerization	Polymerization will not occur.
Conditions to avoid	Extreme temperatures, incompatibilities
Incompatibilities	Strong acids, oxidizers
Hazardous decomposition products	Decomposition may evolve corrosive and toxic sulfur dioxide gas.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure Skin, eyes, ingestion

Acute toxicity

Sodium bisulfite

Parameter	Result
LD50, Oral (rat)	2,000 mg/kg

Acute symptoms and effects

Eye	Eye irritation with or without pain, burning, itching, redness, and discharge.
Skin	Skin irritation with or without pain, burning, itching, redness, and swelling. Symptoms may be exacerbated by open wounds, excoriations, rashes, or other skin breaches.
Ingestion	Gastrointestinal distress with or without nausea, vomiting, and diarrhea. Ingestion may cause allergic reaction in sulfite-sensitive individuals.
Inhalation	Upper respiratory irritation with or without cough, watering of the eyes, and postnasal drip. Inhalation may induce or exacerbate symptoms of allergy or asthma in sulfite-sensitive individuals.
Reproductive effects	No information available
Teratogenicity	No information available
Mutagenicity	No information available
Embryotoxicity	No information available
Sensitization to product	No information available
Synergistic products	No information available

Carcinogenicity	No components have been identified as carcinogenic by OSHA, NTP, or IARC.
Chronic	No information available

12. ECOLOGICAL INFORMATION

Aquatic toxicity

B-2120

Parameter	Result
48 hr LC50, Ceriodaphnia dubia	769.8 mg/L
96 hr LC50, Fathead minnow	1,020 mg/L

Persistence	No information available
Bioaccumulative potential	No information available
Mobility	No information available

13. DISPOSAL CONSIDERATIONS

Disposal	Dispose of in accordance with federal, state, and local regulations.
RCRA status	As sold, discarded product would be considered a RCRA hazardous waste based on the corrosive characteristics. The EPA hazardous waste number is D002.

14. TRANSPORT INFORMATION

US Department of Transportation (DOT)

UN Number	UN2693
Proper shipping name	Bisulfites, aqueous solutions, n.o.s. (contains sodium bisulfite)
Primary hazard class/division	8
Secondary hazard	None
Packing group	III
Label	Corrosive

15. REGULATORY INFORMATION

OSHA Hazard Communication Status	Corrosive to Metals, Category 1 Respiratory Sensitization, Category 1B
EPA Registration Number	Not applicable
TSCA	The ingredients of this product are listed on the Toxic Substances Control Act (TSCA) Chemical Substances Inventory.

CERCLA

EPA Hazardous Substances (40 CFR 302)

Chemical Name	Reportable Quantity (RQ)
Sodium bisulfite	5,000 lb
Non-hazardous substances	None
Product (Notify the EPA of spills exceeding this amount.)	50,000 lb

SARA Title III (Sections 302, 311, 312, and 313)

Section 302 Extremely Hazardous Substances (40 CFR 355)

Chemical Name	CAS#	RQ	TPQ
None			

Section 311 and 312 Health and Physical Hazards

Immediate	Delayed	Fire	Pressure	Reactivity
Yes	No	No	No	No

Section 313 Toxic Chemicals (40 CFR 372)

Chemical Name	CAS Number	Percent by Weight
None		

California Prop 65

Chemical Name	CAS Number	Hazard
None		

16. OTHER INFORMATION

HMIS Ratings	Health—2; Flammability—0; Reactivity—1
NFPA Ratings	Health—2; Flammability—0; Reactivity—1
HMIS/NFPA Rating Scale	Minimal—0; Slight—1; Moderate—2; Serious—3; Severe—4
SDS Issue Date	5/26/2015
Revision Date	4/1/2024
Version	3

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.