

SAFETY DATA SHEET

Revision Date 01/30/2015

REVISION NUMBER: 2

Product identifier

Product name

F-184, Liquid Alkaline Foam Cleaner

Other means of identification

Product code

101820

UN/ID No. Synonyms 1824 NONE

Recommended use of the chemical and restrictions on use

Recommended Use

Cleaning agent.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer Address

Rochester Midland Corporation

155 Paragon Drive

Rochester, New York 14624 USA

Emergency telephone number

EMERGENCY TELEPHONE

INFOTRAC: 1-800-535-5053

OUTSIDE U.S.: +1-352-323-3500

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Reproductive Toxicity	Category 2
Corrosive to metals	Category 1

Label elements

Emergency Overview

DANGER

Hazard statements

Causes severe skin burns and eye damage Suspected of damaging fertility or the unborn child May be corrosive to metals



Appearance Dark Brown

Physical state Liquid

Odor Glycol Ether-like odor.

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Keep only in original container

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

IF SWALLOWED: Rinse mouth, DO NOT induce vomiting

Absorb spillage to prevent material damage

Precautionary Statements - Storage

Store locked up

Store in corrosive resistant container

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No information available

Other Information

May be harmful in contact with skin

Unknown Acute Toxicity

5.6% of the mixture consists of ingredient(s) of unknown toxicity

PRODUCT COMPOSITION CAS#	CAS No.	%	TRADE SECRET
Diethylene glycol methyl ether	111-77-3	4.5	*
SODIUM HYDROXIDE	1310-73-2	18.25	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

First aid measures

General advice

Immediately call a POISON CENTER or doctor/physician.

101820 F-184, Liquid Alkaline Foam Cleaner

Eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a POISON CENTER or

doctor/physician.

Skin contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse.

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a POISON CENTER or doctor/physician.

Ingestion

IF SWALLOWED: Rinse mouth, DO NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact NONE. Sensitivity to Static Discharge NONE.

Protective equipment and precautions for firefighters

CORROSIVE MATERIAL. Avoid exposure to mist and splashes. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear adequate personal protective equipment, see Section 8, Exposure Controls/Personal

Protection.

Environmental precautions

Environmental precautions

See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment

Dike to contain. Pick up with absorbant material. Put in suitable container for disposal.

Methods for cleaning up

Pick up and transfer to properly labeled containers. Flush residue with water.

Precautions for safe handling

Advice on safe handling

DANGER: Corrosive liquid and vapors. Avoid contact with eyes, skin and clothing. Do not

breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep locked up and out of reach of children. Empty containers may retain product residue, follow MSDS/label precautions even after container is emptied. Contact with certain food sugars can release hazardous amounts of carbon monoxide gas in enclosed vessels.

incompatible materials

Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Avoid contact with concentrated acids; may cause violent reactions.

Control parameters

Exposure Guidelines

PRODUCT COMPOSITION CAS#	ACGIH TLV	OSHA PEL	NIOSH IDLH
SODIUM HYDROXIDE 1310-73-2	Ceiling: 2 mg/m³	(vacated) Ceiling: 2 mg/m³ TWA: 2 mg/m³	10 mg/m³

Appropriate engineering controls

ENGINEERING CONTROLS

Showers

Eyewash stations

Ventilation systems. Corrosion resistant equipment recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection

Goggles and face shield are recommended to minimize eye contact.

Skin and body protection

Nitrile, neoprene, or other appropriate gloves are recommended to minimize hand skin contact. Appropriate protective clothing as needed to prevent skin contact. Rubber Boots. Liquid may penetrate leather shoes and cause delayed burns. It is the responsibility of the end user of this product to determine level of PPE required that is consistent with safe use of this product.

RESPIRATORY PROTECTION

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

Information on basic physical and chemical properties

Physical state **Appearance** Color

Liquid Dark Brown Brown

Odor Odor threshold

None to boiling,

Remarks • Method

Glycol Ether-like odor. No information available

Property рΗ

Values

14.0

Melting point/freezing point

No information available

100 °C / 212 °F

Boiling point / boiling range Flash point

Evaporation rate Flammability (solid, gas)

No information available

Flammability Limit in Air

No information available

Upper flammability limit: Lower flammability limit:

No information available No information available

Vapor pressure

No information available

101820 F-184, Liquid Alkaline Foam Cleaner

Vapor density Specific gravity No information available

1.218 - 1.224

Water solubility Solubility in other solvents Partition coefficient Autoignition temperature **Decomposition temperature** No information available No information available No information available

No information available No information available

Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** Oxidizing properties

No information available No information available

Other Information

Softening point

No information available

VOC (EPA METH.24) (G/L):

10.18 lbs/gal

Density **Bulk density**

No information available

REACTIVITY

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

CONDITIONS TO AVOID

Extremes of temperature and direct sunlight.

Incompatible materials

Avoid contact with aluminum, zinc, other soft metals or galvanized metals. Avoid contact with concentrated acids; may cause violent reactions.

<u>Hazardous Decomposition Products</u>

None known based on information supplied.

Information on likely routes of exposure

Product Information

Causes severe skin burns and eye damage

Inhalation

Causes burns.

Eye contact

Corrosive to the eyes and may cause severe damage including blindness.

Skin contact

Causes burns. May be harmful in contact with skin.

Ingestion

Causes burns.

PRODUCT COMPOSITION CAS#	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol methyl ether 111-77-3	-	= 650 mg/kg (Rabbit)	-
SODIUM HYDROXIDE 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

Reproductive Toxicity

May impair fertility. May cause harm to the unborn child. Possible risk of impaired fertility. Possible risk of harm to the unborn child.

STOT - single exposure

No information available. No information available.

STOT - repeated exposure Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity

5.6% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal)

4892 mg/kg

Ecotoxicity

5.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

PRODUCT COMPOSITION CAS#	Algae/aquatic plants	Fish	Crustacea
Diethylene glycol methyl ether 111-77-3	500: 72 h Desmodesmus subspicatus mg/L EC50	5741: 96 h Pimephales promelas mg/L LC50 7500: 96 h Lepomis macrochirus mg/L LC50 static 7500: 96 h Lepomis macrochirus mg/L LC50	
SODIUM HYDROXIDE 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	_

Persistence and degradability

No information available.

Bioaccumulation

No information available.

PRODUCT COMPOSITION CAS#	Partition coefficient
Diethylene glycol methyl ether 111-77-3	-0.682

Other adverse effects

No information available

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging

Do not reuse container.

UN/ID No.

1824

Proper shipping name

SODIUM HYDROXIDE SOLUTION

Hazard Class

Packing Group

Description

5 Liters (1.3 Gallons) and Less may be Classed as LTD. QTY.

International Inventories

TSCA

DSL/NDSL

EINECS/ELINCS

ENCS

IECSC

KECL

PICCS AICS

Complies Complies

Complies Does not Comply

Complies Does not Comply

Complies

Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

PRODUCT COMPOSITION CAS#	SARA 313 - Threshold Values %	
Diethylene glycol methyl ether - 111-77-3	1.0	

SARA 311/312 Hazard Categories

ACUTE HEALTH HAZARD	YES
CHRONIC HEALTH HAZARD	YES
FIRE HAZARD	No
Sudden release of pressure hazard	No
REACTIVE HAZARD	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

PRODUCT COMPOSITION CAS#	Hazardous Substances RQs (in LBS)	U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs
SODIUM HYDROXIDE 1310-73-2	1000	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

PRODUCT COMPOSITION CAS#	NJRTK:	MARTK:	PARTK:
Diethylene glycol methyl ether 111-77-3		Listed	Listed
SODIUM HYDROXIDE 1310-73-2	1706	Listed	Listed

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA

Health hazards 3

Flammability 0

Instability 1

Physical and Chemical Properties ALKALI

HMIS

Health hazards 3

Flammability 0

Physical hazards 1

Personal protection D

Revision Date

01/30/2015

Revision Note

<u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*** END OF SDS ***