SAFETY DATA SHEET



ULTRASIL 110

Section 1. Chemical product and company identification

Product name

: ULTRASIL 110

Recommended use and

: Cleaning product

restrictions

Use only for the purpose on the product label.

Product dilution information : Up to 1.28 oz/gal or 10 mL/L in water

Supplier's information

: Ecolab Inc. Food & Beverage Division

370 N. Wabasha Street St. Paul, MN 55102 1-800-392-3392

Code

: 916601

Date of issue

: 21 Aug 2013

EMERGENCY HEALTH INFORMATION: 1-800-328-0026

Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Product AS SOLD

GHS Classification

: SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION -

Category 1

GHS label elements

Signal word

Danger

Symbol

Hazard statements

: Causes severe skin burns and eye damage.

Precautionary statements

Prevention

: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Wash

hands thoroughly after handling.

Response

: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting, IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing, Immediately call a

POISON CENTER or physician.

Product AT USE DILUTION

Not classified.

No signal word.

No known significant effects or critical hazards.

Wash thoroughly after handling.

Get medical attention if symptoms appear.

ULTRASIL 110

Section 2. Hazards identification

Storage

: No other specific measures identified.

Disposal

: See section 13 for waste disposal information.

See section 13 for waste disposal

No other specific measures identified.

information.

None known.

Other hazards

: None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Product AS SOLD

Hazardous ingredients	Concentration Range (%)	CAS number	
SODIUM HYDROXIDE	7	1310-73-2	
TETRASODIUM EDTA	5 - 20	64-02-8	
benzenesulfonic acid, (1-methylethyl)-, sodium salt	1 - 5	28348-53-0	
benzenesulfonic acid, linear alkyl, sodium salt	1 - 5	68411-30-3	

Product AT USE DILUTION

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting, in accordance with local regulations.

Section 4. First aid measures

P	rodu	ıct	ΔS	SOL	ח

Eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention

immediately.

Skin contact

: Take off immediately all contaminated clothing. Rinse skin with water or shower. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention immediately.

Ingestion

: Get medical attention immediately. Rinse mouth.

Do not induce vomiting.

Product AT USE DILUTION

No known effect after eve contact. Rinse with water for a few minutes.

No known effect after skin contact. Rinse with water for a few minutes.

No special measures required. Treat symptomatically.

Get medical attention if symptoms occur.

Protection of first-

aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Notes to physician

: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The

exposed person may need to be kept under medical surveillance for 48 hours.

See toxicological information (section 11)

Section 5. Fire-fighting measures

Product AS SOLD

Suitable fire extinguishing

: Use water spray, fog or foam.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

Section 5. Fire-fighting measures

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Specific fire-fighting methods

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Section 6. Accidental release measures

Product AS SOLD

Personal precautions

: Initiate company's spill response procedures immediately. Keep people out of area. Put on appropriate personal protective equipment (see section 8). Do not touch or walk through spilled material.

Environmental precautions

: Avoid contact of spilled material and runoff with soil and surface waterways.

Methods for cleaning up : Follow company's spill procedures. Keep people away from spill. Put on appropriate personal protective equipment (see section 8). Absorb/ neutralize liquid material. Use a tool to scoop up solid or absorbed material and put into appropriate labeled container. Use a tool to scoop up solid or absorbed material and place into appropriate labeled waste container. Use a water rinse for final clean-up.

Product AT USE DILUTION

Use personal protective equipment as required.

Avoid contact of large amounts of spilled material and runoff with soil and surface waterways.

Use a water rinse for final clean-up.

Section 7. Handling and storage

Product AS SOLD

tightly closed.

Handling

: Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Use only with adequate ventilation. Wash thoroughly after handling.

Storage

ventilation. Wash thoroughly after handling.

: Keep out of reach of children. Keep container

Store between the following temperatures: 0 and

Product AT USE DILUTION

Wash thoroughly after handling.

Keep out of reach of children.

Section 8. Exposure controls/personal protection

Control parameters

Ingredient name	Exposure limits
SODIUM HYDROXIDE	ACGIH TLV (United States, 3/2012). C: 2 mg/m³ OSHA PEL (United States, 6/2010). TWA: 2 mg/m³ 8 hours. NIOSH REL (United States, 6/2009). CEIL: 2 mg/m³

Section 8. Exposure controls/personal protection

Product AS SOLD

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Personal protection

Eve protection

: Use chemical splash goggles. For continued or severe exposure wear a face shield over the

goggles.

Hand protection

: Use chemical-resistant, impervious gloves.

Skin protection

: Use synthetic apron, other protective equipment as necessary to prevent skin contact.

Respiratory protection

: A respirator is not needed under normal and

Hygiene measures

intended conditions of product use.

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing

before reusing.

Section 9. Physical and chemical properties

Product AS SOLD

Physical state

: Liquid.

Color Odor

: Brown [Light] : Faint odor

pΗ

: 12 to 13 (100%)

Flash point

: > 100°C

Product does not support combustion.

Explosion limits

: Not available.

Flammability (solid,

: Not available.

gas)

Melting point : Not available. : >100°C (>212°F) **Boiling point**

Evaporation rate

: Not available.

(butyl acetate = 1)

: Not available. Vapor pressure Vapor density : Not available.

Relative density

: 1.152 to 1.182 (Water = 1)

Solubility

: Easily soluble in the following materials: cold water and hot water.

Partition coefficient: : Not available.

n-octanol/water **Auto-ignition**

: Not available.

temperature

Decomposition temperature

: Not available.

Product AT USE DILUTION

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

No protective equipment is needed under normal use conditions.

No protective equipment is needed under normal use conditions.

No protective equipment is needed under normal use conditions.

A respirator is not needed under normal and intended conditions of product use.

Product AT USE DILUTION

Liquid.

Yellow [Light] Faint odor 9 to 12.5

> 100°C

Section 9. Physical and chemical properties

Odor threshold

: Not available.

Viscosity

: Not available.

Section 10. Stability and reactivity

Product AS SOLD

Stability

: The product is stable.

Possibility of hazardous

: Under normal conditions of storage and use, hazardous reactions will not occur.

reactions

Conditions to avoid

: No specific data.

Materials to avoid

: Highly reactive or incompatible with the following materials: acids.

Slightly reactive or incompatible with the following materials: metals and moisture.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11. Toxicological information

Route of exposure

: Skin contact, Eye contact, Inhalation, Ingestion

Product AS SOLD

Symptoms

Eye contact

: Adverse symptoms may include the following:

watering redness

Skin contact

: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Inhalation

: Adverse symptoms may include the following:

coughing

Respiratory tract irritation

Ingestion

: Adverse symptoms may include the following:

stomach pains

Acute toxicity

Eye contact

: Causes serious eye damage.

Skin contact

: Causes severe burns.

Inhalation

: May cause respiratory irritation.

Ingestion

: May cause burns to mouth, throat and stomach.

Product AT USE DILUTION

No specific data.

No specific data.

No specific data.

No specific data.

No known significant effects or critical

hazards.

Toxicity data

Product/ingredient name

acetic acid, (ethylenedinitrilo)tetra-,

LD50 Oral

Rat

1700 mg/kg

tetrasodium salt benzenesulfonic acid, (1-methylethyl)-,

LC50 Inhalation

Rat

>770 mg/l

sodium salt

Dusts and mists

LD50 Dermal

LD50 Oral

Rat

Rabbit >2000 mg/kg >7000 mg/kg

benzenesulfonic acid, linear alkyl, sodium

LD50 Dermal

Rat

>2000 mg/kg

salt

LD50 Oral

Rat

1080 mg/kg

Chronic toxicity

Section 11. Toxicological information

Carcinogenicity

: No known significant effects or critical hazards.

Mutagenicity

: No known significant effects or critical hazards.

Teratogenicity

: No known significant effects or critical hazards.

Developmental effects

: No known significant effects or critical hazards.

Fertility effects

: No known significant effects or critical hazards.

Section 12. Ecological information

Product AS SOLD

Ecotoxicity

: This material is harmful to aquatic life.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
acetic acid, (ethylenedinitrilo)tetra-, tetrasodium salt	Acute LC50 121 mg/l	Fish	96 hours
sodium hydroxide	Acute EC50 40 mg/l	Daphnia	48 hours
benzenesulfonic acid, (1-methylethyl)-, sodium salt	Acute LC50 >450 mg/l	Fish	96 hours
benzenesulfonic acid, linear alkyl, sodium salt	Acute LC50 1.04 mg/l	Fish	96 hours

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Product AS SOLD

Disposal methods

: Avoid disposal. Attempt to use product completely in accordance with intended use. Disposal should be in accordance with applicable regional, national and local laws and regulations.

RCRA classification: Unused product is D002 (Corrosive)

Product AT USE DILUTION

Diluted product can be flushed to sanitary sewer. Discard empty container in trash.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

DOT

DOT Classification

UN1824

DOT Proper shipping name

Sodium hydroxide solution

Class

Packing group

П

IMO/IMDG

IMO/IMDG Classification

UN1824

IMO/IMDG Proper shipping name

SODIUM HYDROXIDE SOLUTION

Class

8

Packing group

П

For transport in bulk, see shipping documents for specific transportation information.

Product AT USE DILUTION

Not intended for transport.

Section 15. Regulatory information

Product AS SOLD

U.S. Federal regulations

TSCA 8(b) inventory

: All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

SARA 313

Product name

CAS number

Concentration

Form R - Reporting

: No listed substance

requirements California Prop. 65


: No listed substance

Section 16. Other information

Product AS SOLD

Hazardous Material

Information System (U.S.A.)



National Fire Protection Association (U.S.A.)





Date of issue

: 21 Aug 2013

Prepared by

: Regulatory Affairs

1-800-352-5326

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.

