

SYNERGEX

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

SYNERGEX

Other means of identification

Not applicable.

Recommended use

Sanitizer

Restrictions on use

Reserved for industrial and professional use.

Product dilution information

0%-2%

Company

Ecolab Inc.

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency telephone

number

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date

04/29/2015

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Product AS SOLD

Oxidizing liquids Acute toxicity (Oral) Category 3 Category 4

Acute toxicity (Dermal) Skin corrosion

Category 3 Category 1A

Serious eye damage Skin sensitization

Category 1 Category 1

Product AT USE DILUTION

Eye irritation

: Category 2B

Skin sensitization

Category 1

GHS Label element

Product AS SOLD

Hazard pictograms





Signal Word

Danger

Hazard Statements

May intensify fire; oxidiser. Harmful if swallowed.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Precautionary Statements

Prevention:

Keep away from heat. Keep/Store away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

SYNERGEX

Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. If skin irritation or rash occurs: Get medical advice/ attention. Wash contaminated clothing before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Product AT USE DILUTION

Hazard pictograms



Signal Word

: Caution

Hazard Statements

May cause an allergic skin reaction. Causes eye irritation.

Precautionary Statements

Prevention:

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Response:

IF ON SKIN: Wash with plenty of soap and water, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Wash contaminated clothing before reuse. Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

: None known,

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product AS SOLD

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
sulphuric acid	7664-93-9	10 - 30
Hydrogen peroxide	7722-84-1	10.7
Secondary Alkanesulphonates	5324-84-5	5 - 10
Acetic acid	64-19-7	1 - 5
Peroxyacetic acid	79-21-0	2.38

SYNERGEX

Octanoic acid 124-07-2 1 - 5 9 -Octadecenoic acid (9Z)-, sulfonated, oxidized, 1315321-94-8 1 - 5

potassium salts

Peroxyoctanoic acid

33734-57-5

0.63

Product AT USE DILUTION

Chemical NameCAS-No.Concentration: (%)Hydrogen peroxide7722-84-10.214Peroxyacetic acid79-21-00.0476Peroxyoctanoic acid33734-57-50.0126

Section: 4. FIRST AID MEASURES

Product AS SOLD

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed

: Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled

Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders

: If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician

: Treat symptomatically.

Most important symptoms and effects, both acute and delayed

 See Section 11 for more detailed information on health effects and symptoms.

Product AT USE DILUTION

In case of eye contact

: Rinse with plenty of water.

In case of skin contact

: Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention.

If swallowed

: Rinse mouth. Get medical attention if symptoms occur.

If inhaled

: Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

Suitable extinguishing media

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

SYNERGEX

Specific hazards during

firefighting

: Special protective equipment for firefighters

Oxidizer. Contact with other material may cause fire.

Oxidizer; material is an oxidizer which may readily react with other

materials, especially upon heating.

Hazardous combustion

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx)

Sulphur oxides Oxides of phosphorus

Special protective equipment

for firefighters

: In case of fire, wear a full face positive-pressure self contained

breathing apparatus and protective suit.

Specific extinguishing

methods

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation, Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up Stop leak if safe to do so. Never soak up spilled or leaked acids and bases with sawdust, wood chips or similar materials. Isolate the waste do not allow it to come into contact with incompatible materials. For small spills contain with sand or vermiculite and dilute the contained product at least 10 times with water. Transfer to an open topped container and remove to a safe place for neutralization* / disposal. For large spills contain spill and evacuate the area, leave until the reaction subsides, then collect up for disposal. Obtain consent from the local water company / authority if considering discharge to sewer. *NEUTRALIZATION: once diluted, neutralize with a suitable alkali such as sodium bicarbonate.

Product AT USE DILUTION

Personal precautions, protective equipment and emergency procedures

: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Do not allow contact with soil, surface or ground water

Methods and materials for containment and cleaning up Stop leak if safe to do so. Contain spillage, and then collect with noncombustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Product AS SOLD

SYNERGEX

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

Conditions for safe storage : Keep in a cool, well-ventilated place. Keep away from reducing

agents. Keep away from strong bases. Keep away from combustible material. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers. Pressure bursts may occur due to

gas evolution if the container is not adequately vented.

Storage temperature : 5 °C to 35 °C

Product AT USE DILUTION

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Wash hands thoroughly

after handling.

Conditions for safe storage : Keep away from strong bases, Keep out of reach of children. Store in

suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sulphuric acid	7664-93-9	TWA (Thoracic fraction)	0.2 mg/m3	ACGIH
		TWA	1 mg/m3	NIOSH REL
		TWA	1 mg/m3	OSHA Z1
Hydrogen peroxide	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m3	NIOSH REL
		TWA	1 ppm 1.4 mg/m3	OSHA Z1
Acetic acid	64-19-7	TWA	10 ppm	ACGIH
;		STEL	15 ppm	ACGIH
		STEL	15 ppm 37 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	NIOSH REL
		TWA	10 ppm 25 mg/m3	OSHA Z1
Peroxyacetic acid	79-21-0	STEL	0.4 ppm	ACGIH

Engineering measures

 Effective exhaust ventilation system Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection

: Wear eye protection/face protection.

Hand protection

: Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

SYNERGEX

Skin protection

: Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection

: When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures

 Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.
 Wash face, hands and any exposed skin thoroughly after handling.
 Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

Product AT USE DILUTION

Engineering measures

: Effective exhaust ventilation system Maintain air concentrations below

occupational exposure standards.

Personal protective equipment

Eye protection

: No special protective equipment required.

Hand protection

No special protective equipment required.

Skin protection

: No special protective equipment required.

Respiratory protection

: No personal respiratory protective equipment normally required.

liquid

2

clear, colourless

slight, pungent

Product AT USE DILUTION

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD

Appearance

: liquid

Colour

: clear, colourless

Odour

: pungent

Ηq

: 0.2 - 1.5, 100 %

Flash point

: Not applicable.

Odour Threshold

no data available

Melting point/freezing point

: no data available

Initial boiling point and

boiling range

: > 35 °C

Evaporation rate

: no data available

Flammability (solid, gas)

no data available

Upper explosion limit

: no data available : no data available

Lower explosion limit

no data availableno data available

Vapour pressure
Relative vapour density

: 1.195 - 1.215

Relative density
Water solubility

: soluble

Solubility in other solvents

. soluble

Partition coefficient: n-

: no data available

octanol/water

: no data available

SYNERGEX

Auto-ignition temperature

: no data available

Thermal decomposition

no data available

Viscosity, kinematic

: no data available

Explosive properties

: no data available

Oxidizing properties

: Yes

Molecular weight

: no data available

VOC

: no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

Do not mix with bleach or other chlorinated products - will cause

chlorine gas.

Conditions to avoid

Direct sources of heat.

Exposure to sunlight.

Incompatible materials

: Chlorine-based bleaching agents

Metals

Polyvinylchloride Mild steel Strong bases

Hazardous decomposition

products

Decomposition products may include the following materials:

Carbon oxides

nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

Potential Health Effects

Product AS SOLD

Eyes

: Causes serious eye damage.

Skin

Toxic in contact with skin. Causes severe skin burns. May cause

allergic skin reaction.

Ingestion

: Harmful if swallowed. Causes digestive tract burns.

Inhalation

: May cause nose, throat, and lung irritation.

Chronic Exposure

: Health injuries are not known or expected under normal use.

Product AT USE DILUTION

: Causes eye irritation.

Skin : May cause allergic skin reaction.

Ingestion :

: Health injuries are not known or expected under normal use.

SYNERGEX

Inhalation

: Health injuries are not known or expected under normal use.

Chronic Exposure

: Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact

: Redness, Pain, Corrosion

Skin contact

Redness, Pain, Irritation, Corrosion, Allergic reactions

Ingestion

Corrosion, Abdominal pain

Inhalation

: Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact

: Redness, Irritation

Skin contact

: Redness, Irritation, Allergic reactions

Ingestion

: No symptoms known or expected.

Inhalation

: No symptoms known or expected.

Toxicity

Product AS SOLD

Acute oral toxicity

: Acute toxicity estimate : > 300 mg/kg

Acute inhalation toxicity

: 4 h Acute toxicity estimate : > 10 mg/l

Acute dermal toxicity

: Acute toxicity estimate : > 200 mg/kg

Skin corrosion/irritation

: no data available

Carcinogenicity

Teratogenicity

Serious eye damage/eye no data available

irritation

: no data available

Reproductive effects

no data available : no data available

Germ cell mutagenicity

no data available

STOT - single exposure

: no data available

STOT - repeated exposure

: no data available

Aspiration toxicity

: no data available

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD

Ecotoxicity

Environmental Effects

: Toxic to aquatic life.

Product

Toxicity to fish

: no data available

Toxicity to daphnia and other

: no data available

SYNERGEX

aquatic invertebrates

Toxicity to algae

: no data available

Components

Toxicity to fish

: sulphuric acid

96 h LC50: 22 mg/l

Acetic acid

96 h LC50: 75 mg/l

Peroxyacetic acid 96 h LC50: 0.8 mg/l

Octanoic acid

96 h LC50 Fish: 22 mg/l

9 -Octadecenoic acid (9Z)-, sulfonated, oxidized, potassium salts

96 h LC50: 0.75 mg/l

Peroxyoctanoic acid 96 h LC50 Fish: 0.15 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: Secondary Alkanesulphonates

48 h EC50 Daphnia: 3,200 mg/l

Peroxyacetic acid 48 h EC50: 0.73 mg/l

9 -Octadecenoic acid (9Z)-, sulfonated, oxidized, potassium salts

48 h EC50: 3.05 mg/l

Components

Toxicity to algae

: Hydrogen peroxide

72 h EC50: 1.38 mg/l

Peroxyacetic acid 72 h EC50: 0.7 mg/l

9 -Octadecenoic acid (9Z)-, sulfonated, oxidized, potassium salts

72 h EC50: 2.56 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

SYNERGEX

Product AS SOLD

Disposal methods

The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

D001 (Ignitable) D002 (Corrosive)

Product AT USE DILUTION

Disposal methods

: Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations

Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

UN number

: 3149

Description of the goods

Hydrogen peroxide and peroxyacetic acid mixtures, stabilized

Class

: 5.1 (8)

Packing group

: 11

Environmentally hazardous

: No

Sea transport (IMDG/IMO)

UN number

: 3149

Description of the goods

: HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE,

STABILIZED

Class

5.1 (8)

Packing group Marine pollutant : II : No

Product AT USE DILUTION Not intended for transport.

Section: 15. REGULATORY INFORMATION

Product AS SOLD

EPA Registration number

: 1677-250

EPCRA - Emergency Planning and Community Right-to-Know Act

SYNERGEX

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ	
			(lbs)	
sulphuric acid	7664-93-9	100	550	
sulphuric acid	7664-93-9	1000	550	

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
sulphuric acid	7664-93-9	1000	5501

SARA 311/312 Hazards

: Acute Health Hazard

Fire Hazard

SARA 302

: The following components are subject to reporting levels established

by SARA Title III, Section 302:

sulphuric acid

7664-93-9

18.18 %

Hydrogen peroxide

7722-84-1

11.2188 %

Peroxyacetic acid

79-21-0

2.43 %

SARA 313

: The following components are subject to reporting levels established

by SARA Title III, Section 313:

Peroxyacetic acid

79-21**-**0

2.43 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

United States TSCA Inventory:

not determined

Canadian Domestic Substances List (DSL):

This product contains the following components listed on the Canadian NDSL. All other components are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand:

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):

not determined


SYNERGEX

China Inventory of Existing Chemical Substances: not determined

Section: 16. OTHER INFORMATION

Product AS SOLD

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Product AT USE DILUTION NFPA:

Flammability

Special hazard

HMIS III:

٠.					transport that the second
	HEAL	TH			1
	FLAN	IMABI	LITY		0
	PHYS	ICAL H	AZARI)	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Issuing date

04/29/2015

version

1.0

Prepared by

: Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.