3850-PM-BCW0015d 3/2016 Permit



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

PERMIT NO. <u>3723405</u>

AMENDMENT NO. ---

APS ID. <u>1087994</u>

AUTH. ID. 1438808

WATER QUALITY MANAGEMENT PERMIT

| consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gállons. The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.000635 MGD Design Hydraulic Capacity: 0.000635 MGD Design Organic Capacity: 0. | A. | PERMITTEE (Name and Address): | CLIENT ID#: 377091 | | B. PROJECT/FACILITY (Nam | ne): | |
|--|----------------|--|-------------------------------------|------------------|-------------------------------|---------------------|--|
| New Wilmington, PA 16142 C. LOCATION (Municipality, County): Wilmington Township, Lawrence County D. This permit approves the construction and operation of sewage facilities consisting of: A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The syst consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 2066 carator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge returr • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.000635 MGD Design Hydraulic Capacity: Design Organic Capacity: Design Organic Capacity: United States of Capacity | | Larry Bryan | | | Larry Bryan SRSTP | | |
| C. LOCATION (Municipality, County): Willmington Township, Lawrence County D. This permit approves the construction and operation of sewage facilities consisting of: A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The syst consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 50-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 9.000635 MGD Design Hydraulic Capacity: 9.000635 MGD Design Organic Capacity: 1. In the Capacity: 1. In the Capacity: 1. In the Capacity: 9.000635 MGD Design Organic Capacity: 9.000 | | 441 State Route 18 | | | | | |
| D. This permit approves the construction and operation of sewage facilities consisting of: A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The syst consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: • 0.000635 MgD Design Hydraulic Capacity: • 1bs/day E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: • New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendurs dated MA, which are hereby made a part of this permit. • Permit Conditions for SETEs are attached and made part of this permit. Special Conditions IVA are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justi | | New Wilmington, PA 16142 | | | | | |
| D. This permit approves the construction and operation of sewage facilities consisting of: A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The syst consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with a bio-kinetic system and a bio-static studge returr. • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: O_000635 MGD Design Hydraulic Capacity: Design Organic Capacity: Permit Conditions for SFTFs are attached and made part of this permit. Permit Conditions for SFTFs are attached and made part of this permit. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions, shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | C. | LOCATION (Municipality, County): | | | SITE ID#: 860952 | | |
| A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The system consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.000635 MGD Design Hydraulic Capacity: 1. Design Organic Capacity: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27". 2023. Its supporting documentation and addendums dated MA, which are hereby made a part of this permit. Permit Conditions for SFTFs are attached and made part of this permit. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | Wilmington Township, Lawrence C | County | | | | |
| A Norweco Singulair Model 960-750/800 GPD Bio-Kinetic system with a Norweco Singulair Hydro-Kinetic Bio-Film Reactor. The system consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gallons. • The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. • The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.000635 MGD Design Hydraulic Capacity: 1. Design Organic Capacity: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27". 2023. Its supporting documentation and addendums dated MA, which are hereby made a part of this permit. Permit Conditions for SFTFs are attached and made part of this permit. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | D | This permit approves the construction and operation of sewage facilities consisting of | | | | | |
| consists of two (2) separate concrete treatment tanks with a total system capacity of 2,630 gállons. The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will profinal disinfection of the effluent, a 500-gallon pump chamber, and an effluent pump. Small Flow Sewage Treatment Facility (SFTF): Annual Average Flow: 0.000635 MGD Design Hydraulic Capacity: 0.000635 MGD Design Organic Capacity: 0. | υ. | This permit approves the construction and operation of sewage facilities consisting of. | | | | | |
| Annual Average Flow: Design Hydraulic Capacity: Design Organic Capacity: Design Organic Capacity: E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendums dated MA, which are hereby made a part of this permit. Permit Conditions for SFTFs are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. E. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | The first tank has a volume of 1,600 gallons and houses a 550-gallon pretreatment chamber, an extended aeration chamber with a Norweco Singulair Model 206C aerator, and a final clarification chamber with a bio-kinetic system and a bio-static sludge return. The second tank houses a hydro-kinetic bio-film reactor, an in-line Norweco Model AT 1500 UV Disinfection Unit, which will provide | | | | | |
| Design Hydraulic Capacity: Design Organic C | | | | | Small Flow Sewage Treatment I | Facility (SFTF): | |
| E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendums dated NA, which are hereby made a part of this permit. 2. Permit Conditions for SFTFs are attached and made part of this permit. 3. Special Conditions NIA are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permitee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | | | | Annual Average Flow: | <u>0.000635</u> MGD | |
| E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendums dated NA, which are hereby made a part of this permit. 2. Permit Conditions for SFTFs are attached and made part of this permit. 3. Special Conditions NIA are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permitee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | | | | Design Hydraulic Capacity: | 0.000635 MGD | |
| E. APPROVAL GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING: 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendums dated N/A, which are hereby made a part of this permit. 2. Permit Conditions for SFTFs are attached and made part of this permit. 3. Special Conditions N/A are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | | | | | | |
| 1. New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated 27th, 2023, its supporting documentation and addendums dated N/A, which are hereby made a part of this permit. 2. Permit Conditions for SFTFs are attached and made part of this permit. 3. Special Conditions N/A are attached and made part of this permit. F. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: 1. If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 et seq. Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey Justin C. Dickey | F | APPROVAL GRANTED BY THIS PE | EPMIT IS SUBJECT TO THE FOUL | l l | g g, - | | |
| Special Conditions <u>WA</u> are attached and made part of this permit. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | | New Permits: All construction, operations and procedures shall be in accordance with the Water Quality Management Permit application dated April | | | | | |
| Special Conditions <u>WA</u> are attached and made part of this permit. THE AUTHORITY GRANTED BY THIS PERMIT IS SUBJECT TO THE FOLLOWING FURTHER QUALIFICATIONS: If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey Justin C. Dickey, P.E. | 2. | Permit Conditions for SFTFs are atta | ached and made part of this permit. | | | | |
| If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached condition shall apply. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | 3. | | | | | | |
| shall apply. 2. Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permit by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | F. | | | | | | |
| by the issuance of this permit. 3. This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | 1. | If there is a conflict between the application or its supporting documents and amendments and the attached conditions, the attached conditions | | | | | |
| shall not relieve the permittee of any responsibility under any other law. PERMIT ISSUED: BY: Justin C. Dickey Justin C. Dickey, P.E. | 2. | Failure to comply with the rules and regulations of DEP or with the terms or conditions of this permit shall void the authority given to the permittee by the issuance of this permit. | | | | | |
| Justin C. Dickey, P.E. | 3. | This permit is issued pursuant to the Clean Streams Law Act of June 22, 1937, P.L. 1987, as amended 35 P.S. §691.1 <i>et seq.</i> Issuance of this permit shall not relieve the permittee of any responsibility under any other law. | | | | | |
| | PERMIT ISSUED: | | BY: | Justin C. Dickey | | | |
| Northwest Regional Office | July 12, 2023 | | | TITLE: | Clean Water Program Manager | | |



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

PERMIT CONDITIONS FOR SFTFs

General

- 1. The Department of Environmental Protection (DEP) considers the licensed Professional Engineer whose seal is affixed to the design documents to be fully responsible for the adequacy of all aspects of the facility design.
- 2. The outfall sewer or drain shall be extended to the low water mark of the receiving body of water. Where necessary to ensure proper mixing and waste assimilation, an outfall sewer or drain may be extended with appurtenances below the low water mark and into the bed of a navigable stream provided that the permittee has secured an easement, right-of-way, license or lease from DEP in accordance with Section 15 of the Dam Safety and Encroachments Act, the Act of November 26, 1978, P.L. 1375, as amended.
- 3. The approval is specifically made contingent on the permittee acquiring all necessary property rights, by easement or otherwise, providing for the satisfactory construction, operation, maintenance and replacement of all sewers or sewerage structures in, along, or across private property with full rights of ingress, egress and regress.
- 4. If, at any time, the SFTF covered by this permit creates a public nuisance, including but not limited to, causing malodors or causing environmental harm to waters of the Commonwealth, DEP may require the permittee to adopt appropriate remedial measures to abate the nuisance or harm.
- 5. If, after the issuance of this permit, DEP approves a municipal sewage facilities official plan or an amendment to an official plan under Act 537 (Pennsylvania Sewage Facilities Act, the Act of January 24, 1966, P.L. 1535 as amended) in which sewage from the herein approved facilities will be treated and disposed of at other planned facilities, the permittee shall, upon notification from the municipality or DEP, provide for the conveyance of its sewage to the planned facilities, abandon use and decommission the herein approved facilities including the proper disposal of solids, and notify DEP accordingly. The permittee shall adhere to schedules in the approved official plan, amendments to the plan, or other agreements between the permittee and municipality. This permit shall then, upon notice from DEP, terminate and become null and void and shall be relinquished to DEP.
- 6. The approval of the plans, and the authority granted in this permit, if not specifically extended, shall cease and be null and void 5 years from the issuance date of this permit unless construction or modification of the facilities covered by this permit has begun on or before the fifth anniversary of the permit date.
- 7. This permit does not relieve the permittee of any obligations to comply with all federal, interstate, state or local laws, ordinances and regulations applicable to the sewerage facilities.
- 8. This permit does not give any real or personal property rights or grant any exclusive privileges, nor shall it be construed to grant or confer any right, easement or interest in, on, to, or over any lands which belong to the Commonwealth.
- The authority granted by this permit is subject to all effluent requirements, monitoring requirements, and other conditions as set forth in the NPDES Permit and all subsequent amendments and renewals. No discharge is authorized from these facilities unless approved by an NPDES Permit.

Construction

- 10. The SFTF shall be constructed under the supervision of a Pennsylvania licensed Professional Engineer in accordance with the approved reports, plans and specifications. Any deviations from approved plans or specifications so revised should, therefore, be submitted well in advance of any construction work, which will be affected by such changes to the permit to allow sufficient time for review and approval. Structural revisions or other minor changes not affecting capacities, flows or operations will be permitted during construction without approval. Upon request, "as-built drawings" clearly showing such alterations shall be filed with DEP at the completion of the work.
- 11. When construction of the approved SFTF is completed and before it is placed in operation, the permittee shall notify DEP in writing so that a DEP representative may inspect the facilities. A Pennsylvania licensed Professional Engineer shall certify that construction of the permitted facilities was completed in accordance with the WQM application and design plans submitted to DEP, using the Post Construction Certification form (3800-PM-WSFR0179a). It is the permittee's responsibility to ensure that a Professional Engineer is on-site to provide the necessary oversight and/or inspections to certify the SFTF. The certification must be submitted to DEP within 30 days following completion of the SFTF, along with as-built drawings, photographs (if available), and a description of any DEP approved deviations from the NOI and design plans. The SFTF may not be placed into operation until DEP receives the completed Professional Engineer's certification.

12. The local Waterways Conservation Officer of the Pennsylvania Fish and Boat Commission (PFBC) shall be notified when the construction of any stream crossing and/or outfall is started and completed. A written permit must be secured from the PFBC if the use of explosives in any waterways is required and the permittee shall notify the local Waterways Conservation Officer when explosives are to be used.

Operation and Maintenance

- 13. The permittee shall maintain SFTF operation and maintenance (O&M) manuals at the facility and ensure proper O&M of the permitted facility. The permittee shall file the O&M manuals with DEP upon request.
- 14. Stormwater from roofs, foundation drains, basement drains or other sources shall not be admitted directly to the SFTF.
- 15. The SFTF shall be properly maintained so that the facility will perform as designed.
- 16. There shall be no physical connection between a public water supply system and a sewer or appurtenance to it which would permit the passage of any sewage or polluted water into the potable water supply. No water pipe shall pass through or come in contact with any part of the SFTF.
- 17. Collected screenings, slurries, sludge and other solids shall be handled and disposed of in compliance with Title 25 Pa. Code, Chapters 271, 273, 275, 283 and 285 (related to permits and requirements for land filling, land application, incineration and storage of sewage sludge), Federal Regulations (40 CFR Part 257) and the Federal Clean Water Act and its amendments.

- 2 -



COMMONWEALTH OF PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF CLEAN WATER

WATER QUALITY MANAGEMENT POST CONSTRUCTION CERTIFICATION

| PERMITTEE IDENTIFIER | | | | | | | |
|---|---------------------|-------------------------|--|--|--|--|--|
| Permittee Larry Bryan | | | | | | | |
| Municipality | Wilmington Township | | | | | | |
| County | Lawrence | | | | | | |
| WQM Permit No. | <u>3723405</u> | | | | | | |
| Facility Type | Sewage | | | | | | |
| All of the above information should be taken directly from the Water Quality Management Permit. | | | | | | | |
| CERTIFICATION | | | | | | | |
| This certification must be completed and returned to the permits section of the DEP's regional office issuing the WQM permit within 30 days of completion of the project and received by DEP prior to operation, and if requested, as-built drawings, photographs (if available) and a discussion of any DEP-approved deviations from the design plans during construction. | | | | | | | |
| I, being a Registered Professional Engineer in Pennsylvania, do hereby certify to the best of my knowledge and belief, based upon personal observation and interviews, that the above facility approved under the Water Quality Management Permit has been constructed in accordance with the plans, specifications and modifications approved by DEP. | | | | | | | |
| Construction Completion Date (MM/DD/YYYY): | | | | | | | |
| | | Professional Engineer | | | | | |
| | | Name | | | | | |
| | | (Please Print or Type) | | | | | |
| | | Signature | | | | | |
| | | Date | | | | | |
| | | License Expiration Date | | | | | |
| | | Firm or Agency | | | | | |

Telephone

Name _

Signature

Telephone

Title

Engin

eer's Seal **Permittee or Authorized Representative**

(Please Print or Type)