



**JOINT PERMIT FOR USE OF AN ALGICIDE, HERBICIDE OR FISH CONTROL CHEMICAL IN WATERS OF THE COMMONWEALTH**

**PERMIT NO.: 6125803**

In compliance with the provisions of Pennsylvania's Clean Streams Law, as amended, 35 P.S. §§ 691.1 *et seq.*, the regulations at 25 Pa. Code § 91.38, and the Fish and Boat Code, 30 Pa. C.S. § 2504(a)(1),

**James Tibor**  
**257 Rainbow Road**  
**Polk, PA 16342-3907**

is authorized to use the algicide(s), herbicide(s) or fish control chemical(s) ("pesticides") specified below, in accordance with the conditions and requirements set forth herein.

**THIS PERMIT SHALL BECOME EFFECTIVE ON JANUARY 14, 2026**

**Municipality:** Frenchcreek Township **County:** Venango  
**Water Body:** Tibor Private Pond **Total Area:** 0.75 acres  
**Receiving Stream:** Little Sandy Creek **Avg Depth:** 4.47 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area	Treatment Depth	Amount Each Treatment	No. Annual Treatments
Citrine Plus	1.0 gal/AF	0.75 acres	4.47 feet	3.35 gal	10
Clipper SC	12 fl oz/SA	0.75 acres	1.0 feet	9.0 oz	6
SeClear G	15 lbs/AF	0.38 acres	4.47 feet	25.48 lbs	10
GreenCleanPro	50 lbs/SA	0.75 acres	4.47 feet	37.5 lbs	10
Muckbiotics	25 lbs/SA	0.75 acres	4.47 feet	18.75 lbs	5
EutroSorb WC	10 PDU/AF	0.75 acres	4.47 feet	33.5 PDU	3
SonarOne	4.83 lbs/SA	0.75 acres	4.47 feet	3.62 lbs	2
Clearcast	64 oz/SA	0.75 acres	4.47 feet	48 oz	3

**THIS PERMIT IS ISSUED UNDER THE FOLLOWING CONDITIONS:**

1. The permittee shall use pesticides strictly as described by the product label. Chemical applications shall be performed in accordance with the manufacturer's label directions, existing pesticide use laws, and any conditions imposed by local or state agencies.
2. The permittee may treat a standing body of water (i.e., pond, lake, reservoir, etc.) only when there is minimal or no outflow occurring or expected.
3. The permittee shall not treat Fish and Boat Commission approved stocked trout waters between February 15 and June 1.
4. The permittee shall not treat bass waters during the first week of the Commonwealth inland waters harvest season for bass (the second Saturday in June through the following Saturday).
5. If copper sulfate will be used, the permittee shall not apply copper sulfate at a dose exceeding 0.5 mg/L Cu<sup>2+</sup> or 1.36 lbs CuSO<sub>4</sub>/acre-foot where the total hardness of the water body is less than 50 mg/L CaCO<sub>3</sub>. Where total hardness exceeds 50 mg/L CaCO<sub>3</sub>, the permittee shall not exceed a dose of 1.0 mg/L Cu<sup>2+</sup> or 2.72 lbs CuSO<sub>4</sub>/acre-foot.

6. The permittee shall not treat water bodies containing stocked or wild trout with copper in excess of 0.1 mg/L Cu<sup>2+</sup>.
7. The permittee shall treat water bodies containing very high plant densities separately, in sections, to prevent suffocation of fish. Monitoring of dissolved oxygen is recommended under these conditions.
8. The permittee is responsible for all damages to aquatic life and human health resulting from treatment.
9. Failure of the permittee or agents acting on behalf of the permittee to follow the approved specifications, conditions and requirements immediately renders this permit null and void.
10. If applicable, treatments must also comply with the terms and conditions of NPDES permit coverage.
11. The permittee shall comply with pesticide licensing requirements established by the Pennsylvania Department of Agriculture for the applications approved under this permit.
12. This permit is valid for the treatment information identified above. The permittee shall submit a new application to amend this permit if any of the following changes are proposed:
  - a. Changes to the water bodies being treated.
  - b. Increases in the maximum dose or to the number of annual treatments for any water body.
  - c. Changes in the pesticide(s) used for treatment, unless the new pesticide(s) contain the same active ingredient(s) and the same or lower percent composition of the ingredient in comparison to the pesticide(s) previously approved by DEP/PFBC.

APPROVALS		
<b>For the Pennsylvania Fish and Boat Commission:</b>		
<i>Heather Gahagan</i>	Division Chief	01/13/2026
Heather A. Gahagan	Title	Date
<b>Additional Requirements:</b>		
<b>For the Department of Environmental Protection:</b>		
Justin C. Dickey	Environmental Program Manager	1/13/2026
Justin C. Dickey, P.E.	Title	Date
<b>Additional Requirements:</b>	<p><b><u>Special Conditions:</u></b></p> <p>(1) The pond can only be treated when little to no overflow to the pond is occurring (i.e. minimal or base flow conditions).</p> <p>(2) The application of pesticides should not take place during rain events, when water levels exceed maximum capacity of the waterbody, and/or within at least 24-hours of a forecasted rain event.</p> <p>(3) If the application amount listed in the permit is exceeded at any time during the application or any unforeseen spill occurs of these listed chemicals at or near the application site, the Application Manager must contact the Polk Center Water Authority immediately.</p> <p>(4) If the application amount listed in the permit is exceeded at any time during the application or any unforeseen spill occurs of these listed chemicals at or near the application site, the Application Manager must contact the DEP 24-hour Emergency Response number at 1-800-541-2050.</p> <p>and</p> <p>(5) The applicator (AquaDoc, Inc.) must contact Polk Center Water Authority at least 48-hours in advance of any treatment that would occur to the pond on the James Tibor property related to permit number 6125803.</p>	