



JOINT PERMIT FOR USE OF AN ALGICIDE, HERBICIDE OR FISH CONTROL CHEMICAL IN WATERS OF THE COMMONWEALTH

PERMIT NO.: 6519800 A-1

In compliance with the provisions of Pennsylvania's Clean Streams Law, as amended, 35 P.S. §§ 691.1 *et seq.*, the regulations at 25 Pa. Code § 91.38, and the Fish and Boat Code, 30 Pa. C.S. § 2504(a)(1),

**Brookside Condominiums
3885 Brookside Lane
Murrysville, PA 15668**

is authorized to use the algicide(s), herbicide(s) or fish control chemical(s) ("pesticides") specified below, in accordance with the conditions and requirements set forth herein.

THIS PERMIT SHALL BECOME EFFECTIVE ON APRIL 4, 2019

THIS PERMIT SHALL EXPIRE AT MIDNIGHT ON APRIL 3, 2022



Municipality: Murrysville Borough **County:** Westmoreland
Water Body: Pond **Total Area:** 0.50 acres
Receiving Stream: Haymakers Run **Avg. Depth:** 5.0 feet

TREATMENT INFORMATION					
Chemical	Maximum Dose	Treatment Area	Treatment Depth	Amount Each Treatment	No. Annual Treatments
Citrine Plus	1.0 gal/AF	0.25 acres	5 feet	1.25 gal.	20
Aquathol-K	1.0 gal/AF	0.5 acres	5 feet	2.5 gal.	1
Tribune	1.0 gal/AF	0.5 acres	5 feet	2.5 gal.	1
Clipper SC	12 fl. oz/SA	0.5 acres	1 foot	6 fl. oz.	1
SeClear G	15 lbs/AF	0.5 acres	5 foot	37.5 lbs.	10
Cinco	0.5 gal/SA	0.2 acres	1 foot	0.1 gal.	3
GreenCleanPro	50 lbs./SA	0.5 acres	1 foot	25 lbs.	10
Muckbiotics	25 lbs./SA	0.5 acres	1 foot	12.5 lbs.	5

THIS PERMIT IS ISSUED UNDER THE FOLLOWING CONDITIONS:

1. The permittee shall use pesticides strictly as described by the product label. Chemical applications shall be performed in accordance with the manufacturer's label directions, existing pesticide use laws, and any conditions imposed by local or state agencies.
2. The permittee may treat a standing body of water (i.e., pond, lake, reservoir, etc.) only when there is minimal or no outflow occurring or expected.
3. The permittee shall not treat Fish and Boat Commission approved stocked trout waters between March 1 and June 15.
4. The permittee shall not treat bass waters during the first week of the Commonwealth inland waters harvest season for bass (the first Saturday after June 11 through the following Saturday).
5. If copper sulfate will be used, the permittee shall not apply copper sulfate at a dose exceeding 0.5 mg/L Cu²⁺ or 1.36 lbs CuSO₄/acre-foot where the total hardness of the water body is less than 50 mg/L CaCO₃. Where total hardness exceeds 50 mg/L CaCO₃, the permittee shall not exceed a dose of 1.0 mg/L Cu²⁺ or 2.27 lbs CuSO₄/acre-foot.

6. The permittee shall not treat water bodies containing stocked or wild trout with copper in excess of 0.1 mg/L Cu²⁺.
7. The permittee shall treat water bodies containing very high plant densities separately, in sections, to prevent suffocation of fish. Monitoring of dissolved oxygen is recommended under these conditions.
8. The permittee is responsible for all damages to aquatic life and human health resulting from treatment.
9. Failure of the permittee or agents acting on behalf of the permittee to follow the approved specifications, conditions and requirements immediately renders this permit null and void.
10. If applicable, treatments must also comply with the terms and conditions of NPDES permit coverage.
11. The permittee shall comply with pesticide licensing requirements established by the Pennsylvania Department of Agriculture for the applications approved under this permit.
12. This permit is valid for the treatment information identified above. The permittee shall submit a new application to amend this permit if any of the following changes are proposed:
 - a. Changes to the water bodies being treated.
 - b. Increases in the maximum dose or to the number of annual treatments for any water body.
 - c. Changes in the pesticide(s) used for treatment, unless the new pesticide(s) contain the same active ingredient(s) and the same or lower percent composition of the ingredient in comparison to the pesticide(s) previously approved by DEP/PFBC.

APPROVALS		
For the Pennsylvania Fish and Boat Commission:		
 <hr/> Heather Smiles	Division Chief <hr/> Title	04/04/2019 <hr/> Date 03/25/2021 <hr/> Amendment Date
Additional Requirements: none		
For the Department of Environmental Protection:		
 <hr/> Christopher Kriley, P.E.	Environmental Program Manager <hr/> Title	04/04/2019 <hr/> Date 03/25/2021 <hr/> Amendment Date
Additional Requirements: <ol style="list-style-type: none"> 1. The Westmoreland County Municipal Authority (MACW Sweeney Plant) facility has been identified as a public water supply (PWS) within 5 miles downstream of the point of application. You are required to notify the above referenced PWS as well as any other PWS within 5 miles downstream of the point of application at least 24 hours in advance of treatment. The pesticide <i>Aquathol-K</i> contains chemicals listed by the EPA as a drinking water contaminant with a federally designated maximum contaminant level (MCL). According to the product label, a set back from potable water intakes must be maintained during product application. If the distance is not maintained, the potable water intake must be closed to ensure compliance with the MCL of <u>0.1 ppm</u> for <i>Endothall Acid (Aquathol-K)</i>. Pesticide users are responsible under federal law to use pesticides according to the manufacturer's product label directions. 		

If monitoring is conducted, it must be performed after application at or just above the intake of any public water supply (PWS) located within 5 miles downstream of the point of application. Sampling for the contaminant must be completed following instructions provided on the product label and in 40 CFR 141 Subpart C of the Federal Code. The analytical results must be reported in writing to the PADEP Safe Drinking Water Program upon receipt, no later than 45 days after application. The test results should be sent to the attention of the Environmental Group Manager, Safe Drinking Water Program, PADEP 400 Waterfront Drive, Pittsburgh, PA, 15222.

2. Only one (1) product containing Copper Sulfate to be used in a single application.