

 Application Type
 New

 Wastewater Type
 Sewage

 Facility Type
 SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No.	PA0289353
APS ID	1037362
Authorization ID	1351578

Applicant, Facility and Project Information

Applicant Name	Penny Mackey	Facility Name	Penny Mackey SRSTP		
Applicant Address	73 Oil Valley Road	Facility Address	73 Oil Valley Road		
	Duke Center, PA 16729-9633		Duke Center, PA 16729-9633		
Applicant Contact	Penny Mackey	Facility Contact			
Applicant Phone	(814) 366-0006	Facility Phone			
Client ID	362558	Site ID	845354		
SIC Code	8800	Municipality	Otto Township		
SIC Description	Private Households	County	McKean		
Date Application Received March 30, 2021		WQM Required			
Date Application Accepted		WQM App. No.	4221402		
Project Description	<u>.</u>				

Summary of Review

This is a new discharge of a single residence sewage treatment plant (SRSTP) that will replace a malfunctioning on-lot system located at 73 Oil Valley Road.

Act 14 – Proof of Notification was submitted and received.

Proposed treatment will consist of (WQM Permit No. 4221402): A 1000-gallon dual compartment septic tanks with Zabel A300 effleunt filter and alarm followed by an EC7-500-C-P Coco filter unit with integrated pump and UV disinfection.

The EPA Waiver is in effect.

Planning approval is dated December 3, 2020 for a 400-GPD SRSTP.

There are no open violations in WMS for the subject Client ID (362558) as of May 3, 2021.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Justin C. Dickey Justin C. Dickey, P.E. / Environmental Engineer Manager	May 3, 2021

Discharge and Stream Data - 2 - Receiving Waters and PWS

lischarge, Receivi	ng Water	s and Water Supply Info	ormation		
Outfall No.001Latitude41° 57' 39.28"Quad NameEldredWastewater Description:Treated sewage from a sewage fro			Design Flow (MGD) Longitude Quad Code single family residence	.0004 -78º 28' 48.64" 41078H4	
Receiving Waters NHD Com ID Drainage Area Q ₇₋₁₀ Flow (cfs) Elevation (ft) Watershed No. Existing Use Exceptions to Use Assessment Statu Cause(s) of Impai	Creek 11236 1626 16-C us	med Tributary to Knapp (CWF) 34879 (approximate) Attaining Use(s)	Stream Code RMI Yield (cfs/mi ²) Q ₇₋₁₀ Basis Slope (ft/ft) Chapter 93 Class. Existing Use Qualifier Exceptions to Criteria	57553 0.1800 CWF 	
Source(s) of Impairment TMDL Status		Name			
Background/Ambi pH (SU) Temperature (°F) Hardness (mg/L) Other:	ent Data	 	Data Source 		
Nearest Downstre PWS Waters PWS RMI	am Publi <u>Allegher</u> 264.45	c Water Supply Intake ny River	New York State Line Flow at Intake (cfs) Distance from Outfall (mi)		

Changes Since Last Permit Issuance: N/A – This is a proposed facility.

Other Comments: This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Ecoflo Coco filter unit.

The Premier Tech Ecoflo Coco filter unit is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units (Ibs/day) ⁽¹⁾		Concentrations (mg/L)				Minimum ⁽²⁾	Required
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum		Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	xxx	XXX	XXX	1/year	Estimate
рН (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	ххх	XXX	xxx	10.0	xxx	20	1/year	Grab
TSS	ххх	xxx	xxx	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	ХХХ	XXX	XXX	200	XXX	ххх	1/year	Grab

Compliance Sampling Location: Outfall 001 after disinfection

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

eMAP – Discharge Location with Stream Designation



Google Earth – Aerial Imagery of Project Location

