

Northwest Regional Office CLEAN WATER PROGRAM

Application Type
Wastewater Type
Facility Type
Sewage
SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No. PA0288683

APS ID 1021760

Authorization ID 1323886

plicant Name	Joseph Miklosky	Facility Name	Joseph Miklosky SRSTP
olicant Address	3044 German Hill Road	Facility Address	3044 German Hill Road
	Tionesta, PA 16353-7523		Tionesta, PA 16353-7523
olicant Contact	Joseph Miklosky	Facility Contact	
olicant Phone	(814) 755-3438	Facility Phone	
ent ID	357981	Site ID	842663
Code	8800	Municipality	Kingsley Township
Description	Private Households	County	Forest
e Application Receiv	ved August 11, 2020	WQM Required	Yes
e Application Accep	ted August 21, 2020	WQM App. No.	2720406

Summary of Review

This is a new discharge for an existing 3-bedroom home to a repair of an existing malfunctioning on-lot system.

Act 14 - Proof of Notification was submitted and received.

Proposed treatment will consist of (WQM Permit No. 2720406): A 1000-gallon dual chambered concrete septic tank followed by a Premier Tech EC7 Coco Filter unit with integrated UV unit and pump preinstalled.

The EPA Waiver is in effect.

There are no open violations in WMS for the subject Client ID (357981) as of 9/4/2020.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Jordan A. Frey, E.I.T. Jordan A. Frey, E.I.T. / Civil Engineer Trainee	September 4, 2020
X		Justin C. Dickey Justin C. Dickey, P.E. / Environmental Engineer Manager	September 4, 2020

Discharge, Receiving Waters and Water Supply Information						
Outfall No. 001		_ Design Flow (MGD)	.0004			
Latitude 41° 31′ 56.00		_ Longitude	-79º 20' 51.31""			
Quad Name Kellettville		_ Quad Code	41079E3			
Wastewater Description:	Sewage Effluent					
Receiving WatersJug F	landle Run (CWF)	Stream Code	55003			
NHD Com ID 1004	73999	RMI	0.0000			
Drainage Area 0.12		Yield (cfs/mi²)	0.1			
Q ₇₋₁₀ Flow (cfs) 0.012		Q ₇₋₁₀ Basis	Default			
Elevation (ft) 1650		Slope (ft/ft)				
Watershed No. 16F		Chapter 93 Class.	Cold Water Fishes			
Existing Use		Existing Use Qualifier				
Exceptions to Use		Exceptions to Criteria				
Assessment Status	Attaining Use(s)					
Cause(s) of Impairment						
Source(s) of Impairment						
TMDL Status		Name				
Background/Ambient Data		Data Source				
pH (SU) 7.0		Default				
Temperature (°F)	- , ,		Default			
Hardness (mg/L) 100		Default				
Other:						
Nearest Downstream Publ	ic Water Supply Intake	Aqua Pennsylvania, Inc Em	lenton			
Nearest Downstream Public Water Supply Intake PWS Waters Allegheny River		Flow at Intake (cfs)	1376			
PWS RMI 90	IIY IXIVOI	Distance from Outfall (mi)	>50			
F VV O KIVII 90		Distance noin Outiali (IIII)				

Changes Since Last Permit Issuance: N/A – This is a proposed discharge (Planning was approved on July 29, 2020).

Other Comments:

This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Coco Filter The proposed discharge is to resolve a repair of a malfunctioning on-lot system.

The Coco Filter unit is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is a SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations				Monitoring Requirements			
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)			Minimum ⁽²⁾	Required	
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	xxx	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: <u>Outfall 001, after disinfection</u>

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location Map



Attachment 2 Google Earth Imagery

