

Northwest Regional Office CLEAN WATER PROGRAM

Application Type	New
Wastewater Type	Sewage
Facility Type	SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No. PA0290599

APS ID 1059795

Authorization ID 1390118

Applicant Name	Marg	arita & Vlacheslav Yunikov	Facility Name	Margarita & Vlacheslav Yunikov SRSTP	
Applicant Address	4512	Shannon Road	Facility Address	4512 Shannon Road	
	Erie,	PA 16510-4234	<u></u>	Erie, PA 16510-4234	
Applicant Contact	Marga	arita Yunikov	Facility Contact		
Applicant Phone	(814)	602-0271	Facility Phone		
Client ID	36898	37	_ Site ID	853031	
SIC Code	8800		Municipality	Harborcreek Township	
SIC Description Private Households		e Households	County	Erie	
Date Application Received		March 24, 2022	WQM Required	Yes	
Date Application Acc	epted	April 11, 2022	WQM App. No.	2522409	

Summary of Review

This is a new discharge for an existing 4-bedroom home to a repair of an existing malfunctioning on-lot system.

Act 14 - Proof of Notification was submitted and received.

Proposed treatment will consist of (WQM Permit No. 2522409): An existing 1250-gallon dual chambered concrete septic tank with Polylok Model A-100 solids filter, followed by a Premier Tech EC7 Coco Filter unit, and ultraviolet (UV) disinfection unit.

The EPA Waiver is in effect.

There are no open violations in WMS for the subject Client ID (368987) as of 5/9/2022.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Jordan A. Frey, E.I.T. Jordan A. Frey, E.I.T. / Project Manager	May 9, 2022
Х		Adam J. Pesek for Justin C. Dickey, P.E. / Acting Program Manager	May 10, 2022

ischarge, Receiving Waters and Wa	Supply Information				
Outfall No. 001	Design Flow (MGD)	0.0005			
Latitude 42° 7' 19.98"	Longitude	-79° 59' 38.98"			
Quad Name Hammett	Quad Code	42079A8			
Wastewater Description: Sewage	luent				
Unnamed Tribu Receiving Waters Creek (WWF, M	to Fourmile Stream Code	62391			
NHD Com ID 123926017	RMI	0.5300			
Drainage Area 10.2	Yield (cfs/mi²)	0.1			
Q ₇₋₁₀ Flow (cfs) 1.02	Q ₇₋₁₀ Basis	Default			
Elevation (ft) 1017	Slope (ft/ft)				
Watershed No. 15-A	Chapter 93 Class.	WWF, MF			
Existing Use	Existing Use Qualifier				
Exceptions to Use	Exceptions to Criteria				
Assessment Status Attaining	se(s)				
Cause(s) of Impairment					
Source(s) of Impairment					
TMDL Status	Name				
Background/Ambient Data	Data Source				
pH (SU) 7.0	Default				
Temperature (°F) 25	Default				
Hardness (mg/L) 100	Default				
Other:					
Nearest Downstream Public Water S	oly Intake Erie Water Works				
PWS Waters Lake Erie (Chestn	,	N/A			
PWS RMI N/A	Distance from Outfall (mi)	3.9			

Changes Since Last Permit Issuance: N/A – This is a proposed discharge (Planning was approved on January 4, 2022).

Other Comments:

This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Coco Filter. The proposed discharge is to resolve a repair of a malfunctioning on-lot system.

The Coco Filter unit is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is a SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)				Minimum ⁽²⁾	Required
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: Outfall 001, after disinfection.

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅, Total Suspended Solids, and Fecal Coliform are technology-based on the Department's "Small Flow Treatment Facilities Manual." The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location Map



Attachment 2 Google Earth Imagery

