

Northwest Regional Office CLEAN WATER PROGRAM

Application Type	New
Wastewater Type	Sewage
Facility Type	SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No.	PA0290840
APS ID	1065404
Authorization ID	1200651

Applicant Name	Mark	Nord	Facility Name	Griffith Nord Bramlett SRSTP
Applicant Address	233 F	orrest Road	Facility Address	233 Forrest Road
	New 0	Castle, PA 16105-4705		New Castle, PA 16105-4705
Applicant Contact	Mark	Nord	Facility Contact	
Applicant Phone	(724)	657-7100	Facility Phone	
Client ID	37057	' 4	Site ID	855629
SIC Code	8800		Municipality	Neshannock Township
SIC Description	Privat	e Households	County	Lawrence
Date Application Reco	eived	June 7, 2022	WQM Required	Yes
Date Application Acce	epted	June 21, 2022	WQM App. No.	3722403

Summary of Review

This is a new discharge for an existing 4-bedroom home to a repair of an existing malfunctioning on-lot system.

Act 14 – Proof of Notification was submitted and received.

Proposed treatment will consist of (WQM Permit No. 3722403): A Norweco Singulair Bio-Kinetic Model 960 unit followed by a Norweco Bio-Film Reactor with Model AT1500 ultraviolet (UV) disinfection unit, then to a 500-gallon pump tank and pump.

The EPA Waiver is in effect.

There are no open violations in WMS for the subject Client ID (370574) as of 7/14/2022.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date		
Х		Jordan A. Frey, E.I.T. Jordan A. Frey, E.I.T. / Project Manager	July 14, 2022		
Х		Adam J. Pesek for Justin C. Dickey, P.E. / Environmental Engineer Manager	July 20, 2022		

ischarge, Receiving W	laters and Water Supply Infor	rmation			
0.44.11.11.004		D : 51 (110D)			
Outfall No. 001		Design Flow (MGD)	0.0005		
Latitude 41° 2' 35		Longitude	-80° 23' 22.56"		
Quad Name Edinbe	-	Quad Code	41080A4		
Wastewater Descriptio	n: Sewage Effluent				
	Innamed Tributary to Shenango River (WWF)	O Stream Code	35855		
	30025486	RMI	0.7600		
-	072	Viold (ofo/mi2)	0.7000		
Q_{7-10} Flow (cfs) 0		Q ₇₋₁₀ Basis	Dry Stream		
` '	20	Slope (ft/ft)			
. ,	0-A		WWF		
Existing Use		Existing Use Qualifier	V V V V I		
Exceptions to Use		Exceptions to Criteria			
Assessment Status	Attaining Use(s)	Exosplicits to enterta			
Cause(s) of Impairmer	-4				
Source(s) of Impairme					
TMDL Status		Name			
Background/Ambient [Data	Data Source			
pH (SU) 7.0		Default			
Temperature (°F)	25	Default (WWF)			
Hardness (mg/L)	100	Default			
Other:					
Nearest Downstream F	Public Water Supply Intake	PA American Water Company	/ – New Castle		
PWS Waters She	enango River	Flow at Intake (cfs) 16.2			
PWS RMI 5.1		Distance from Outfall (mi)	5.5		

Changes Since Last Permit Issuance: N/A – This is a proposed discharge (Planning was approved on April 25, 2022).

Other Comments:

This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Norweco Singulair unit. The proposed discharge is to resolve a repair of a malfunctioning on-lot system.

The Norweco Singulair unit is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is a SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)				Minimum ⁽²⁾	Required
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: <u>Outfall 001, after disinfection</u>

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅, Total Suspended Solids, and Fecal Coliform are BPJ/technology-based on the Department's "Small Flow Treatment Facilities Manual." The limits for pH are technology-based on Chapter 93.

Attachment 1 eMap – Location Map



Attachment 2 Google Earth Imagery

