

Northwest Regional Office CLEAN WATER PROGRAM

Application Type

Wastewater Type

Facility Type

Sewage

SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No. PA0291102

APS ID 1069581

Authorization ID 1406881

Applicant Name	Nancy & Richard Miller	Facility Name	Nancy & Richard Miller SRSTP	
Applicant Address	292 Donation Road	Facility Address	8332 Church Road	
	Greenville, PA 16125-8008		Espyville, PA 16424-2308	
Applicant Contact	Richard Miller	Facility Contact	Richard Miller	
Applicant Phone	(724) 456-8500	Facility Phone	(724) 456-8500	
Client ID	371891	Site ID	856084	
SIC Code	8800	00 Municipality	South Shenango Township	
SIC Description	Private Households	County	Crawford	
Date Application Rece	ived August 9, 2022	WQM Required	Yes	
Date Application Accep	oted August 29, 2022	WQM App. No.	2022411	

Summary of Review

This is a new discharge for an existing 3-bedroom home for replacement of a malfunctioning on-lot system.

Act 14 - Proof of Notification was submitted and received.

Proposed treatment will consist of (WQM Permit No. 2022411): A Norweco Singulair Bio-Kinetic Model 960 unit followed by a Norweco Singulair Hydro-Kinetic Bio-Film Reactor and integrated Model AT 1500 ultraviolet (UV) disinfection unit.

The EPA Waiver is in effect.

There are no open violations in WMS for the subject Client ID (371891) as of 10/3/2022.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Jordan A. Frey, E.I.T. Jordan A. Frey, E.I.T. / Project Manager	October 3, 2022
Х		Adam J. Pesek (Lead Reviewer) for Vacant / Environmental Program Manager	October 7, 2022

ischarge, Receiving W	aters and Water Supply Infor	mation		
Outfall No. 001		Design Flow (MGD)	0.0004	
Latitude 41° 34′ 2	23.3"	Longitude	-80° 27' 50.7"	
Quad Name Hartste	own	Quad Code	41080E4	
Wastewater Description	n: Sewage Effluent			
U	Innamed Tributary to Shenango			
Receiving Waters R	iver (WWF)	Stream Code	36392	
NHD Com ID 1:	30028880	RMI	0.8900	
Drainage Area 0.	.54	Yield (cfs/mi²)	0.001	
Q ₇₋₁₀ Flow (cfs) <u>0</u>		Q ₇₋₁₀ Basis	Dry Stream	
Elevation (ft) 1	175	Slope (ft/ft)		
Watershed No. 20	0-A	Chapter 93 Class.	WWF	
Existing Use		Existing Use Qualifier		
Exceptions to Use		Exceptions to Criteria		
Assessment Status	Attaining Use(s)			
Cause(s) of Impairmen	nt			
Source(s) of Impairmen	nt			
TMDL Status		Name		
Background/Ambient D	Data	Data Source		
pH (SU) 7.0		Default		
Temperature (°C) 25		Default		
Hardness (mg/L)	100	Default		
Other:				
Nearest Downstream F	Public Water Supply Intake	Greenville Municipal Water Au	uthority	
PWS Waters Shenango River		Flow at Intake (cfs) 10.6		
PWS RMI 8.0		Distance from Outfall (mi) 17.8		

Changes Since Last Permit Issuance: N/A – This is a proposed discharge (Planning was approved on May 31, 2022).

Other Comments:

This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Norweco Singulair unit.

The Norweco Singulair unit is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is a SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations				Monitoring Requirements			
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)			Minimum ⁽²⁾	Required	
raidilletei	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: <u>Outfall 001, after disinfection</u>

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅ and Total Suspended Solids are BPJ limits based on the Small Flow Treatment Facilities Manual. Fecal Coliform is technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location Map



Attachment 2 Google Earth Imagery

