

Northwest Regional Office CLEAN WATER PROGRAM

Application Type	New
Wastewater Type	Sewage
Facility Type	SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No. PA0293245

APS ID 1088452

Authorization ID 1439615

Applicant Name	Bradley & Rebecca Fox	Facility Name	Bradley & Rebecca Fox SRSTP
Applicant Address	5770 Ruhl Road	Facility Address	5770 Ruhl Road
	Fairview, PA 16415-2533		Fairview, PA 16415-2533
Applicant Contact	Bradley Fox	Facility Contact	
Applicant Phone	(814) 746-6313	Facility Phone	
Client ID	377193	Site ID	859547
SIC Code	8800	Municipality	Fairview Township
SIC Description	Private Households	County	Erie
Date Application Rec	eived <u>May 1, 2023</u>	WQM Required	Yes
Date Application Acc	epted	WQM App. No.	2523414

Summary of Review

This is a new discharge for an existing 4-bedroom home to replace an existing malfunctioning on-lot system.

Act 14 - Notification was submitted and received.

Treatment will consist of (WQM Permit No. 2523414): An Ecoflo Coco Filter EC7-500-P-P-USA treatment system. The facility will consist of a 1,250 gallon, dual-compartment septic tank, an Ecoflo Coco filter treatment tank, a Rewatec Ultraviolet Disinfection Unit, and an outfall pipe.

There are no open violations in WMS for the subject Client ID (377193) as of 05/15/2023. 5/17/2023 CWY

EPA Waiver is in effect.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Dustin Hargenrater Dustin Hargenrater / Civil Engineer Trainee	May 15, 2023
X		Chad W. Yurisic Chad W. Yurisic, P.E. / Environmental Engineer Manager	5/17/2023

Discharge and Stream Data – 2 - Receiving Waters and PWS

Discharge, Receiving Waters and Water Supply Information				
Outfall No. 001	Design Flow (MGD)	.0005		
Latitude 42° 1' 37"	Longitude	-80° 13' 45"		
Quad Name Swanville	Quad Code	42080A2		
Wastewater Description: Sewage Effluent				
Receiving WatersTrout Run (CWF, MF)	Stream Code	62477		
NHD Com ID 123925659	RMI	0.4400		
Drainage Area 1.41	Yield (cfs/mi²)	.1		
Q ₇₋₁₀ Flow (cfs)141	Q ₇₋₁₀ Basis	Default		
Elevation (ft) 828	Slope (ft/ft)			
Watershed No. 15-A	Chapter 93 Class.	CWF, MF		
Existing Use	Existing Use Qualifier			
Exceptions to Use	Exceptions to Criteria			
Assessment Status Impaired				
Cause(s) of Impairment NUTRIENTS, SILTATION				
,	ROP LAND OR DRY LAND), CF	ROP PRODUCTION (CROP		
Source(s) of Impairment LAND OR DRY LAND)	Name	·		
TMDL Status	Name			
Declaration d/Ambiant Data	Data Source			
Background/Ambient Data				
pH (SU) 7 Temperature (°F) 68	Default Default - CWF			
Hardness (mg/L) 100	Default			
Other:	Delauit			
Other				
Nearest Downstream Public Water Supply Intake	Lake Erie – USA and Canada	Border		
PWS Waters Lake Erie	Flow at Intake (cfs)			
PWS RMI	Distance from Outfall (mi)	5.86		

Changes Since Last Permit Issuance: N/A – This is a new discharge (Planning was approved on 11/15/2022).

Other Comments: This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Coco filter.

The Coco filter is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is an SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)				Minimum ⁽²⁾	Required
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: <u>Outfall 001, after disinfection.</u>

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD₅, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location Map



Attachment 2 Google Earth Imagery

