

Northwest Regional Office CLEAN WATER PROGRAM

Application Type	New
Wastewater Type	Sewage
Facility Type	SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

Application No.	PA0295213			
APS ID	1094294			
Authorization ID	1449940			

Applicant Name	Corbin Dunkle	Facility Name	Corbin Dunkle SRSTP	
Applicant Address	6939 W Stancliff Road	Facility Address	6939 W Stancliff Road	
	Girard, PA 16417-8624		Girard, PA 16417-8624	
Applicant Contact	Corbin Dunkle	Facility Contact		
Applicant Phone	(814) 602-8029	Facility Phone		
Client ID	379072	Site ID	862305 Franklin Township	
SIC Code	_8800	Municipality		
SIC Description	Private Households	County	Erie	
Date Application Rec	ceived July 5, 2023	WQM Required	Yes – Application received	
Date Application Acc	epted	WQM App. No.	2523421	

Summary of Review

This is a new discharge which will serve an existing 3-bedroom home and replace an existing malfunctioning on-lot disposal system.

Act 14 - Notification was submitted and received.

Treatment of this facility will consist of (WQM Permit No. 2523421): A 1,000 gallon dual compartment septic tank, Ecoflo EC7-500-P-P-USA coco filter treatment system, an Integrated Rewatec UV Disinfection unit, and outfall pipe.

There are no open violations in WMS for the subject Client ID (379072) as of 8/16/2023. 8/16/2023 CWY

EPA Waiver is in effect.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Dustin Hargenrater Dustin Hargenrater / Civil Engineer Trainee	August 16, 2023
X		Chad W. Yurisic Chad W. Yurisic, P.E. / Environmental Engineer Manager	8/16/2023

Discharge and Stream Data – 2 - Receiving Waters and PWS

Discharge, Receiving Waters and Water Supply Information					
Outfall No. 001		Design Flow (MGD)	.0004		
Latitude 41° 57' 31.9"		Longitude	-80° 12' 20.5"		
Quad Name Edinboro No	rth	Quad Code	41080H2		
Wastewater Description:	Sewage Effluent				
Receiving Waters Goodba	n Run (CWF, MF)	Stream Code	62557		
NHD Com ID 123922	428	RMI	1.2400		
Drainage Area 1.41		Yield (cfs/mi²)	0.0405		
Q ₇₋₁₀ Flow (cfs) 0.0571		Q ₇₋₁₀ Basis	USGS - StreamStats		
Elevation (ft) 1,203		Slope (ft/ft)			
Watershed No. 15-A		Chapter 93 Class.	CWF, MF		
Existing Use		Existing Use Qualifier			
Exceptions to Use		Exceptions to Critoria			
Assessment Status	Attaining Llco(c)				
Cause(s) of Impairment					
Source(s) of Impairment					
TMDL Status		Name			
_					
Background/Ambient Data		Data Source			
pH (SU)	7.0	Default			
Temperature (°F)	68	Default			
Hardness (mg/L)					
Other:					
Nearest Downstream Public	Water Supply Intake	Lake Erie			
PWS Waters Lake Erie		Flow at Intake (cfs)			
PWS RMI		Distance from Outfall (mi)	16.9		

Changes Since Last Permit Issuance: N/A – This is a new discharge (Planning was approved on March 27, 2023)

Other Comments: This SRSTP was designed where applicable in accordance to the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Coco Filter.

The Coco filter is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is an SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units	Mass Units (lbs/day) (1)		Concentrations (mg/L)				Required
r ai ailletei	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: Outfall 001, after disinfection.

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD5, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location and Receiving Stream Data



Attachment 2 Google Earth – Site Imagery

