

## Northwest Regional Office CLEAN WATER PROGRAM

Application Type
Wastewater Type
Facility Type
Sewage
SRSTP

# NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

 Application No.
 PA0295345

 APS ID
 1096438

 Authorization ID
 1454096

Applicant Name	Mark Kosick	Facility Name	Mark Kosick SRSTP	
Applicant Address	266 Roenigk Road	Facility Address	109 Bowman Lane	
	Boyers, PA 16020-1318		Slippery Rock, PA 16057-3001	
Applicant Contact	Mark Kosick	Facility Contact		
Applicant Phone	(724) 651-3683	Facility Phone		
Client ID	376266	Site ID	866329	
SIC Code	8800	Municipality	Slippery Rock Township	
SIC Description	Private Households	County	Butler	
Date Application Rec	eived August 30, 2023	WQM Required	Yes – Application Received	
Date Application Accepted		WQM App. No.	1023413	

### **Summary of Review**

This is a new discharge which will serve an existing 3-bedroom home and replace an existing malfunctioning on-lot disposal system.

Act 14 - Notification was submitted and received.

Treatment of this facility will consist of (WQM Permit No. 1023413): A 1,500-gallon dual compartment septic tank that is currently being used as a holding tank, a new 500-gallon lift tank to pump the effluent into a Permier Tech EC7-500-C-P Coco Filter with integrated DiUV Disinfection unit, a new 1,000 gallon dual compartment concrete tank with a pump in the second compartment.

There are no open violations in WMS for the subject Client ID (376266) as of 9/21/2023. 10/2/2023 CWY

EPA Waiver is in effect.

#### **Public Participation**

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Dustin Hargenrater Dustin Hargenrater / Civil Engineer Trainee	September 21, 2023
X		Chad W. Yurisic Chad W. Yurisic, P.E. / Environmental Engineer Manager	10/2/2023

Discharge and Stream Data – 2 - Receiving Waters and PWS

Discharge, Receiving Waters and Water Supply Information						
Outfall No. 001		Design Flow (MGD)	.0004			
Latitude 41° 3' 30.36'	1	Longitude	-80° 1' 27.84"			
Quad Name Slippery R	ock	Quad Code	41080A1			
Wastewater Description:	Sewage Effluent					
	med Tributary to Slippery Creek (CWF)	Stream Code	34558			
	22138	 RMI	0.3000			
Drainage Area 0.89		Yield (cfs/mi²)	0.0084			
Q <sub>7-10</sub> Flow (cfs) 0.007	75	Q <sub>7-10</sub> Basis	USGS - StreamStats			
` '	` ' -					
Watershed No. 20-C		Chapter 93 Class.	CWF			
Existing Use		Existing Use Qualifier				
Exceptions to Use		Exceptions to Criteria				
Assessment Status	Attaining Use(s)					
Cause(s) of Impairment						
Source(s) of Impairment	Source(s) of Impairment					
TMDL Status	TMDL Status		Name			
Background/Ambient Data		Data Source				
pH (SU)			Default			
Temperature (°F)			Default			
Hardness (mg/L)						
Other:						
Nearest Downstream Publ	ic Water Supply Intake	Pennsylvania American Wate	r Co. – Ellwood City			
PWS Waters Slippery	PWS Waters Slippery Rock Creek		Flow at Intake (cfs) 53.1			
PWS RMI 0.1		Distance from Outfall (mi)	34.2			

Changes Since Last Permit Issuance: N/A – This is a new discharge (Planning was approved on August 30, 2023)

Other Comments: This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of a Coco Filter system.

The Coco filter system is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality monitoring was performed since this is an SRSTP.

### **Proposed Effluent Limitations and Monitoring Requirements**

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


### Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations				Monitoring Requirements			
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)			Minimum <sup>(2)</sup>	Required	
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: Outfall 001, after disinfection.

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD5, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology based on Chapter 93.7.

# Attachment 1 eMap – Location and Receiving Stream Data



# Attachment 2 Google Earth – Site Imagery

