

Northwest Regional Office CLEAN WATER PROGRAM

Application Type	New
Wastewater Type	Sewage
Facility Type	SRSTP

NPDES PERMIT FACT SHEET INDIVIDUAL SFTF/SRSTP

 Application No.
 PA0295361

 APS ID
 1096900

 Authorization ID
 1454982

Applicant Name	Suzanne Steigerwald	Facility Name	Suzanne Steigerwald SRSTP		
Applicant Address	1568 Garvin Road	Facility Address	1568 Garvin Road Cranberry Township, PA 16066-2210		
	Cranberry Township, PA 16066-2210	<u></u>			
Applicant Contact	Suzanne Steigerwald	Facility Contact			
Applicant Phone	(724) 612-1926	Facility Phone			
Client ID	379818	Site ID	865880		
SIC Code	8800	Municipality	Cranberry Township		
SIC Description	Description Private Households		Butler		
Date Application Rec	eived September 11, 2023	WQM Required	Yes – Application Received		
Date Application Acc	epted	WQM App. No.	1023414		

Summary of Review

This is a new discharge which will serve an existing 3-bedroom home and will replace an existing malfunctioning on-lot disposal system.

Act 14 - Notification was submitted and received.

Treatment of this facility will consist of (WQM Permit No. 1023414): An EC7-500-P-P-PACK-DiUV Coco filter with an integrated septic tank, DiUV unit, and effluent Pump.

There are no open violations in WMS for the subject Client ID (379818) as of 9/25/2023. 10/2/2023 CWY

EPA Waiver is in effect.

Public Participation

DEP will publish notice of the receipt of the NPDES permit application and a tentative decision to issue the individual NPDES permit in the *Pennsylvania Bulletin* in accordance with 25 Pa. Code § 92a.82. Upon publication in the *Pennsylvania Bulletin*, DEP will accept written comments from interested persons for a 30-day period (which may be extended for one additional 15-day period at DEP's discretion), which will be considered in making a final decision on the application. Any person may request or petition for a public hearing with respect to the application. A public hearing may be held if DEP determines that there is significant public interest in holding a hearing. If a hearing is held, notice of the hearing will be published in the *Pennsylvania Bulletin* at least 30 days prior to the hearing and in at least one newspaper of general circulation within the geographical area of the discharge.

Approve	Deny	Signatures	Date
Х		Dustin Hargenrater Dustin Hargenrater / Civil Engineer Trainee	September 25, 2023
X		Chad W. Yurisic Chad W. Yurisic, P.E. / Environmental Engineer Manager	10/2/2023

Discharge and Stream Data – 2 - Receiving Waters and PWS

Discharge, Receiving Waters and Water Supply Inform	nation	
Outfall No. 001	Design Flow (MGD)	.0004
Latitude 40° 44' 2"	Longitude	-80° 5' 50"
Quad Name Mars	Quad Code	40080F1
Wastewater Description: Sewage Effluent		
Receiving Waters	Stream Code	35040
NHD Com ID 126220298	RMI	0.1200
Drainage Area 0.0651	Yield (cfs/mi²)	0.00453
Q ₇₋₁₀ Flow (cfs) 0.000295	Q ₇₋₁₀ Basis	USGS - StreamStats
Elevation (ft) 1,271	Slope (ft/ft)	
Watershed No. 20-C	Chapter 93 Class.	WWF
Existing Use	Existing Use Qualifier	
Exceptions to Use	Exceptions to Criteria	
Assessment Status Attaining Use(s)		
Cause(s) of Impairment		
Source(s) of Impairment		
TMDL Status	Name	
Background/Ambient Data	Data Source	
pH (SU)	Default	
Temperature (°F)	Default - WWF	
Hardness (mg/L)		
Other:		
Nearest Downstream Public Water Supply Intake	Beaver Falls Municipal Author	itv.
PWS Waters Beaver River	Flow at Intake (cfs)	561
PWS RMI 3.5	Distance from Outfall (mi)	41
1 VVO IXIVII	Distance nom Outian (IIII)	<u> </u>

Changes Since Last Permit Issuance: N/A – This is a new discharge (Planning was approved on September 8, 2023)

Other Comments: This SRSTP was designed where applicable in accordance with the SFTF Manual, but it does not qualify for the PAG-04 General Permit due to the use of the Coco Filter.

The Coco Filter system is reportedly capable of meeting CBOD5 averages of 10 mg/l and TSS averages of 10 mg/l.

In accordance with the SOP, no water quality modeling was performed since this is an SRSTP.

Proposed Effluent Limitations and Monitoring Requirements

The limitations and monitoring requirements specified below are proposed for the draft permit, and reflect the most stringent limitations amongst technology, water quality and BPJ. Instantaneous Maximum (IMAX) limits are determined using multipliers of 2 (conventional pollutants) or 2.5 (toxic pollutants). Sample frequencies and types are derived from the "NPDES Permit Writer's Manual" (362-0400-001), SOPs and/or BPJ.


Outfall 001, Effective Period: Permit Effective Date through Permit Expiration Date.

	Effluent Limitations					Monitoring Requirements		
Parameter	Mass Units (lbs/day) (1)		Concentrations (mg/L)				Minimum ⁽²⁾	Required
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	Instant. Maximum	Measurement Frequency	Sample Type
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX	1/year	Estimate
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0	Upon Request	Grab
BOD5	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
TSS	XXX	XXX	XXX	10.0	XXX	20	1/year	Grab
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX	1/year	Grab

Compliance Sampling Location: Outfall 001, after disinfection.

Other Comments: Flow is monitor only based on Chapter 92a.61. The limits for BOD5, Total Suspended Solids, and Fecal Coliform are technology-based on Chapter 92a.47. The limits for pH are technology-based on Chapter 93.7.

Attachment 1 eMap – Location and Receiving Stream Data



Attachment 2 Google Earth – Site Imagery

