24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|---------------|-----------|-----------|---------------|---------------------------|
| BEAVER VALLEY | | Site Ivalile | Foliatant | Date | Concentration | Offics |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/4/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/10/2020 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/16/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/22/2020 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/3/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/9/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/15/2020 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/21/2020 | 0.005 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/27/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/10/2020 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/16/2020 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/22/2020 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/28/2020 | 0.003 | μg/m ³ |
| CHESTER | | | | | | |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/4/2020 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/10/2020 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/16/2020 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/22/2020 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/28/2020 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/3/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/9/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/15/2020 | 0.002 | $\mu g/m^3$ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/21/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/27/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/4/2020 | 0.002 | $\mu g/m$ ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/10/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/16/2020 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/22/2020 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/28/2020 | 0.002 | μg/m ³ |
| <u>CONEMAUGH</u> | | | | | | |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/4/2020 | 0.003 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/10/2020 | 0.004 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/16/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/22/2020 | 0.006 | μ g/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|-------------|------------------|-----------|-----------|---------------|-------------------|
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/28/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/3/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/9/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/15/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/27/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/10/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/16/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/22/2020 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/28/2020 | 0.008 | μg/m ³ |
| WOOD CITY | | | | | | |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/4/2020 | 0.003 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/10/2020 | 0.007 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/16/2020 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/22/2020 | 0.01 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/28/2020 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/3/2020 | 0.009 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/9/2020 | 0.014 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/21/2020 | 0.103 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/27/2020 | 0.004 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/4/2020 | 0.006 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/10/2020 | 0.01 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/16/2020 | 0.019 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/22/2020 | 0.008 | μg/m ³ |
| JRELDALE NO | <u>PRTH</u> | | | | | |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/4/2020 | 0.007 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/10/2020 | 0.011 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/16/2020 | 0.003 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/22/2020 | 0.014 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/28/2020 | 0.003 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/3/2020 | 0.013 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/9/2020 | 0.01 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/15/2020 | 0.005 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/21/2020 | 0.005 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/27/2020 | 0.002 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|-----|------------------|-----------|-----------|---------------|---------------------------|
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/10/2020 | 0.016 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/16/2020 | 0.007 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/22/2020 | 0.004 | μ g/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/28/2020 | 0.003 | μ g/m ³ |
| JRELDALE SO | UTH | | | | | |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/4/2020 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/10/2020 | 0.01 | μ g/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/16/2020 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/22/2020 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/28/2020 | 0.005 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/3/2020 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/9/2020 | 0.006 | μ g/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/15/2020 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/21/2020 | 0.009 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/27/2020 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/10/2020 | 0.005 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/16/2020 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/22/2020 | 0.003 | μ g/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/28/2020 | 0.003 | μ g/m ³ |
| NS BORO | | | | | | |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/4/2020 | 0.013 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/10/2020 | 0.023 | μ g/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/16/2020 | 0.01 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/22/2020 | 0.022 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/28/2020 | 0.004 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/3/2020 | 0.029 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/15/2020 | 0.007 | μ g/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/21/2020 | 0.014 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/27/2020 | 0.025 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/4/2020 | 0.069 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/10/2020 | 0.073 | μg/m ³ |
| NS PARK | | | | | | |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/4/2020 | 0.01 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/10/2020 | 0.023 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/16/2020 | 0.006 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------|-----------|-----------|---------------|-------------------|
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/22/2020 | 0.018 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/28/2020 | 0.002 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/3/2020 | 0.022 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/9/2020 | 0.006 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/15/2020 | 0.005 | μg/m [§] |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/21/2020 | 0.011 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/27/2020 | 0.011 | μg/m |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/4/2020 | 0.045 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/10/2020 | 0.034 | μg/m |
| JOY | | | | | | |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/4/2020 | 0.01 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/10/2020 | 0.004 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/16/2020 | 0.015 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/22/2020 | 0.018 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/28/2020 | 0.005 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/3/2020 | 0.049 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/15/2020 | 0.003 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/21/2020 | 0.027 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/27/2020 | 0.16 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/4/2020 | 0.161 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/10/2020 | 0.009 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/16/2020 | 0.004 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/22/2020 | 0.003 | μg/m |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/28/2020 | 0.004 | μg/m |
| LMERTON | | | | | | |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/4/2020 | 0.01 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/10/2020 | 0.071 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/16/2020 | 0.006 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/22/2020 | 0.199 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/28/2020 | 0.002 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/3/2020 | 0.021 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/9/2020 | 0.021 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/15/2020 | 0.041 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/21/2020 | 0.018 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/27/2020 | 0.004 | μg/m |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/4/2020 | 0.005 | μg/m |

24-hour Concentration Values

| EPA Codes | | Cir. N | | | | |
|-------------|------------|-----------------|-----------|-----------|---------------|------------------------|
| Site - | | Site Name | Pollutant | Date | Concentration | Units |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/16/2020 | 0.007 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/22/2020 | 0.004 | μg/m ³ |
| TTER TOWNS | <u>HIP</u> | | | | | |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/4/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/10/2020 | 0.004 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/16/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/22/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/28/2020 | 0.002 | $\mu g/m$ ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/3/2020 | 0.002 | μ g/m 3 |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/9/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/21/2020 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/27/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/10/2020 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/16/2020 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/22/2020 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/28/2020 | 0.003 | μg/m ³ |
| NPORT | | | | | | |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 1/4/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 1/10/2020 | 0.004 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 1/16/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 1/22/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 1/28/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 2/3/2020 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 2/9/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 2/15/2020 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 2/21/2020 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 2/27/2020 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/4/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/10/2020 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/16/2020 | 0.004 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/22/2020 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/28/2020 | 0.004 | μg/m ³ |