24-hour Concentration Values

January 1 - December 31, 2021

EPA Codes

| Site - | | Site Name | Pollutant | Date | Concentration | Units |
|-------------|---|---------------|-----------|-----------|---------------|-------------------|
| AVER VALLEY | | | | | | |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/4/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/10/2021 | 0.006 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/16/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/22/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/9/2021 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/15/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/21/2021 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 2/27/2021 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/11/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/17/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/23/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 3/29/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 4/4/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 4/22/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 5/4/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 5/10/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 5/16/2021 | 0.008 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 5/22/2021 | 0.005 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 6/21/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 7/9/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 7/15/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 7/21/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 7/27/2021 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 8/2/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 8/8/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 8/14/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| Site - | | Site Name | Pollutant | Date | Concentration | Units |
|-------------|---|---------------|-----------|------------|---------------|-------------------|
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 8/20/2021 | 0.008 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 8/26/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 9/7/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 9/13/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 9/19/2021 | 0.004 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 9/25/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 10/1/2021 | 0.005 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 10/7/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 10/13/2021 | 0.003 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 10/19/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 11/18/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 11/30/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 12/6/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 12/18/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 12/24/2021 | 0.002 | μg/m ³ |
| 42-007-0007 | 1 | BEAVER VALLEY | Lead (LC) | 12/30/2021 | 0.004 | μg/m ³ |
| STER | | | | | | |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/4/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/10/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/16/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/22/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/9/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/21/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 2/27/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/5/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/11/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/17/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/23/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 3/29/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------|-----------|------------|---------------|-------------------|
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 4/4/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 4/22/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 4/28/2021 | 0.006 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 5/4/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 5/10/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 5/16/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 5/22/2021 | 0.007 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 6/21/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 6/27/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 7/9/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 7/15/2021 | 0.006 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 7/21/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 7/27/2021 | 0.006 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 8/2/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 8/8/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 8/14/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 8/20/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 8/26/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 9/1/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 9/13/2021 | 0.006 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 9/19/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 9/25/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/1/2021 | 0.006 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/7/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/13/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/19/2021 | 0.004 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/25/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 11/18/2021 | 0.006 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------|-----------|------------|---------------|-------------------|
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 11/24/2021 | 0.007 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 11/30/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 12/6/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 12/18/2021 | 0.003 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 12/24/2021 | 0.002 | μg/m ³ |
| 42-045-0002 | 1 | CHESTER | Lead (LC) | 12/30/2021 | 0.003 | μg/m ³ |
| CONEMAUGH | | | | | | |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/4/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/10/2021 | 0.004 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/16/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/22/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/21/2021 | 0.005 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 2/27/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/11/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/17/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/23/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 3/29/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 4/4/2021 | 0.006 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 4/10/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 4/28/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 5/16/2021 | 0.006 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 5/22/2021 | 0.004 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 6/21/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 7/9/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|--------------|-----------|------------|---------------|-------------------|
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 7/15/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 7/21/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 7/27/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 8/2/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 8/14/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 8/20/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 8/26/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 9/1/2021 | 0.003 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 9/7/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 9/13/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 9/25/2021 | 0.003 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/1/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/7/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/13/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/19/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/25/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 11/6/2021 | 0.006 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 11/18/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 11/30/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 12/6/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 12/18/2021 | 0.003 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 12/24/2021 | 0.002 | μg/m ³ |
| 42-129-0009 | 1 | CONEMAUGH | Lead (LC) | 12/30/2021 | 0.003 | μg/m ³ |
| ELLWOOD CITY | | | | | | |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/4/2021 | 0.005 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/10/2021 | 0.007 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/16/2021 | 0.005 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/22/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/9/2021 | 0.015 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/21/2021 | 0.025 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|--------------|-----------|------------|---------------|-------------------|
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 2/27/2021 | 0.011 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/11/2021 | 0.025 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 3/29/2021 | 0.019 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 4/4/2021 | 0.008 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 4/10/2021 | 0.035 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 4/28/2021 | 0.007 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 5/4/2021 | 0.007 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 5/10/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 5/16/2021 | 0.007 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 5/22/2021 | 0.009 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 6/3/2021 | 0.008 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 6/9/2021 | 0.003 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 6/21/2021 | 0.015 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 7/9/2021 | 0.003 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 7/15/2021 | 0.013 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 7/21/2021 | 0.003 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 7/27/2021 | 0.005 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 8/2/2021 | 0.014 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 8/8/2021 | 0.011 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 8/14/2021 | 0.004 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 8/20/2021 | 0.005 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 8/26/2021 | 0.011 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 9/1/2021 | 0.002 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 9/7/2021 | 0.027 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 9/13/2021 | 0.003 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 9/19/2021 | 0.006 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 9/25/2021 | 0.043 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/1/2021 | 0.024 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/7/2021 | 0.009 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/13/2021 | 0.013 | μg/m ³ |
| 42-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/19/2021 | 0.012 | μg/m ³ |

24-hour Concentration Values

| EF | PA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|-------------|--------------------|-----|------------------|-----------|------------|---------------|-------------------|
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/25/2021 | 0.028 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 11/6/2021 | 0.016 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 11/12/2021 | 0.015 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 11/18/2021 | 0.002 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 11/24/2021 | 0.027 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 11/30/2021 | 0.012 | μg/m ³ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 12/6/2021 | 0.012 | $\mu g/m^3$ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 12/12/2021 | 0.003 | $\mu g/m^3$ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 12/18/2021 | 0.005 | $\mu g/m^3$ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 12/24/2021 | 0.013 | $\mu g/m^3$ |
| 42 | 2-073-0011 | 1 | ELLWOOD CITY | Lead (LC) | 12/30/2021 | 0.007 | $\mu g/m^3$ |
| <u>LAUR</u> | RELDALE NO | RTH | | | | | |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/4/2021 | 0.005 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/10/2021 | 0.015 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/16/2021 | 0.007 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/22/2021 | 0.003 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 1/28/2021 | 0.011 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/3/2021 | 0.032 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/9/2021 | 0.012 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/15/2021 | 0.012 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/21/2021 | 0.004 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 2/27/2021 | 0.004 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/5/2021 | 0.005 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/11/2021 | 0.026 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/17/2021 | 0.009 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/23/2021 | 0.01 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 3/29/2021 | 0.004 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 4/4/2021 | 0.004 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 4/10/2021 | 0.01 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 4/28/2021 | 0.009 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 5/4/2021 | 0.007 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 5/10/2021 | 0.011 | μg/m ³ |
| 42 | 2-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 5/16/2021 | 0.006 | μg/m ³ |

24-hour Concentration Values

| Site - | | Site Name | Pollutant | Date | Concentration | Units |
|-------------|------------|------------------|-----------|-----------|---------------|------------------------|
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 5/22/2021 | 0.005 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 5/28/2021 | 0.005 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 6/3/2021 | 0.005 | $\mu g/m^3$ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 6/9/2021 | 0.011 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 6/15/2021 | 0.008 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 6/21/2021 | 0.01 | μ g/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 6/27/2021 | 0.003 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 7/9/2021 | 0.007 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 7/15/2021 | 0.008 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 7/21/2021 | 0.008 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 7/27/2021 | 0.007 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 8/2/2021 | 0.006 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 8/8/2021 | 0.003 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 8/20/2021 | 0.009 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 9/1/2021 | 0.004 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 9/7/2021 | 0.019 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 9/13/2021 | 0.01 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 9/19/2021 | 0.005 | μg/m ³ |
| 42-011-0020 | 1 | LAURELDALE NORTH | Lead (LC) | 9/25/2021 | 0.007 | μg/m ³ |
| IRELDALE SO | <u>UTH</u> | | | | | |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/4/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/10/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/16/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/22/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 1/28/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/3/2021 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/9/2021 | 0.014 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/15/2021 | 0.013 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/21/2021 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 2/27/2021 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/5/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/11/2021 | 0.018 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/17/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/23/2021 | 0.01 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 3/29/2021 | 0.003 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------------|-----------|------------|---------------|-------------------|
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 4/4/2021 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 4/10/2021 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 4/28/2021 | 0.005 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 5/4/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 5/10/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 5/16/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 5/22/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 5/28/2021 | 0.013 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 6/9/2021 | 0.01 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 6/15/2021 | 0.012 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 6/21/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 7/9/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 7/15/2021 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 7/21/2021 | 0.01 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 7/27/2021 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 8/2/2021 | 0.005 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 8/8/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 8/14/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 8/20/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 8/26/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 9/1/2021 | 0.01 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 9/7/2021 | 0.014 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 9/13/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 9/25/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/1/2021 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/7/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/13/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/19/2021 | 0.008 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/25/2021 | 0.007 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 10/31/2021 | 0.004 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 11/6/2021 | 0.01 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------------|-----------|------------|---------------|-------------------|
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 11/18/2021 | 0.017 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 11/24/2021 | 0.006 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 11/30/2021 | 0.011 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 12/6/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 12/12/2021 | 0.003 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 12/18/2021 | 0.012 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 12/24/2021 | 0.005 | μg/m ³ |
| 42-011-1717 | 1 | LAURELDALE SOUTH | Lead (LC) | 12/30/2021 | 0.006 | μg/m ³ |
| LYONS BORO | | | | | | |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/4/2021 | 0.007 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/10/2021 | 0.027 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/16/2021 | 0.009 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/22/2021 | 0.033 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 1/28/2021 | 0.003 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/9/2021 | 0.016 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/21/2021 | 0.086 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 2/27/2021 | 0.006 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/5/2021 | 0.005 | $\mu g/m^3$ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/11/2021 | 0.075 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/17/2021 | 0.013 | $\mu g/m^3$ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/23/2021 | 0.003 | $\mu g/m^3$ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 3/29/2021 | 0.015 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 4/4/2021 | 0.004 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 4/10/2021 | 0.005 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 4/16/2021 | 0.018 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 4/22/2021 | 0.02 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 4/28/2021 | 0.042 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 5/4/2021 | 0.013 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 5/22/2021 | 0.019 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 5/28/2021 | 0.003 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 6/3/2021 | 0.005 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 6/9/2021 | 0.033 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 6/15/2021 | 0.012 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 6/21/2021 | 0.017 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------|-----------|------------|---------------|-------------------|
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 6/27/2021 | 0.007 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 7/3/2021 | 0.008 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 7/9/2021 | 0.009 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 7/15/2021 | 0.028 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 7/21/2021 | 0.008 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 7/27/2021 | 0.027 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 8/2/2021 | 0.021 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 8/8/2021 | 0.005 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 8/14/2021 | 0.009 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 8/20/2021 | 0.04 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 8/26/2021 | 0.013 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 9/1/2021 | 0.005 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 9/7/2021 | 0.014 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 9/13/2021 | 0.048 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 9/25/2021 | 0.019 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/1/2021 | 0.017 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/7/2021 | 0.014 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/13/2021 | 0.021 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/19/2021 | 0.12 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/25/2021 | 0.008 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 10/31/2021 | 0.018 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 11/12/2021 | 0.011 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 11/18/2021 | 0.037 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 11/24/2021 | 0.025 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 11/30/2021 | 0.028 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 12/6/2021 | 0.023 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 12/12/2021 | 0.02 | μ g/m 3 |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 12/18/2021 | 0.009 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 12/24/2021 | 0.047 | μg/m ³ |
| 42-011-0021 | 1 | LYONS BORO | Lead (LC) | 12/30/2021 | 0.008 | μg/m ³ |
| YONS PARK | | | | | | |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/4/2021 | 0.004 | $\mu g/m^3$ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/10/2021 | 0.052 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/16/2021 | 0.005 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------|-----------|-----------|---------------|-------------------|
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/22/2021 | 0.021 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/9/2021 | 0.015 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/21/2021 | 0.036 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 2/27/2021 | 0.008 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/5/2021 | 0.003 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/11/2021 | 0.072 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/17/2021 | 0.01 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/23/2021 | 0.003 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 3/29/2021 | 0.008 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 4/4/2021 | 0.003 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 4/10/2021 | 0.004 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 4/16/2021 | 0.012 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 4/22/2021 | 0.01 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 4/28/2021 | 0.032 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 5/4/2021 | 0.008 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 5/10/2021 | 0.009 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 5/16/2021 | 0.016 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 5/22/2021 | 0.018 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 6/3/2021 | 0.005 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 6/9/2021 | 0.031 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 6/15/2021 | 0.011 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 6/21/2021 | 0.007 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 6/27/2021 | 0.004 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 7/3/2021 | 0.005 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 7/9/2021 | 0.005 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 7/21/2021 | 0.005 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 7/27/2021 | 0.021 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 8/2/2021 | 0.015 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 8/8/2021 | 0.006 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 8/14/2021 | 0.007 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 8/20/2021 | 0.028 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 8/26/2021 | 0.011 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 9/1/2021 | 0.005 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|------------|-----------|------------|---------------|-------------------|
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 9/7/2021 | 0.012 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 9/13/2021 | 0.038 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 9/25/2021 | 0.015 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/1/2021 | 0.014 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/7/2021 | 0.013 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/13/2021 | 0.018 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/19/2021 | 0.09 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/25/2021 | 0.004 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 10/31/2021 | 0.016 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 11/12/2021 | 0.009 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 11/18/2021 | 0.029 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 11/24/2021 | 0.016 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 11/30/2021 | 0.023 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 12/6/2021 | 0.01 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 12/12/2021 | 0.018 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 12/18/2021 | 0.01 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 12/24/2021 | 0.041 | μg/m ³ |
| 42-011-0022 | 1 | LYONS PARK | Lead (LC) | 12/30/2021 | 0.007 | μg/m ³ |
| MT JOY | | | | | | |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 1/4/2021 | 0.013 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/9/2021 | 0.005 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/21/2021 | 0.037 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 2/27/2021 | 0.024 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/5/2021 | 0.021 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/11/2021 | 0.01 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/17/2021 | 0.004 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/23/2021 | 0.007 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 3/29/2021 | 0.028 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 4/4/2021 | 0.009 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 4/10/2021 | 0.006 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 4/22/2021 | 0.187 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 5/10/2021 | 0.013 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 5/16/2021 | 0.038 | $\mu g/m^3$ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------|-----------|------------|---------------|-------------------|
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 5/22/2021 | 0.056 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 5/28/2021 | 0.002 | $\mu g/m^3$ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 6/9/2021 | 0.017 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 6/15/2021 | 0.013 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 6/21/2021 | 0.004 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 7/3/2021 | 0.004 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 7/9/2021 | 0.036 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 7/15/2021 | 0.005 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 7/21/2021 | 0.007 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 7/27/2021 | 0.013 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 8/2/2021 | 0.012 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 8/8/2021 | 0.018 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 8/14/2021 | 0.009 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 8/20/2021 | 0.008 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 8/26/2021 | 0.008 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 9/1/2021 | 0.003 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 9/7/2021 | 0.014 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 9/13/2021 | 0.036 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 9/25/2021 | 0.021 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/1/2021 | 0.022 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/7/2021 | 0.003 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/13/2021 | 0.021 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/19/2021 | 0.381 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/25/2021 | 0.005 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 10/31/2021 | 0.218 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 11/6/2021 | 0.02 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 11/12/2021 | 0.042 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 11/18/2021 | 0.033 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 11/24/2021 | 0.074 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 11/30/2021 | 0.019 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 12/6/2021 | 0.019 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 12/18/2021 | 0.007 | μg/m ³ |
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 12/24/2021 | 0.006 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------|-----------|------------|---------------|-------------------|
| 42-071-0009 | 1 | MT JOY | Lead (LC) | 12/30/2021 | 0.004 | μg/m ³ |
| PALMERTON | | | | | | |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/4/2021 | 0.016 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/10/2021 | 0.018 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/16/2021 | 0.003 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 1/22/2021 | 0.038 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/9/2021 | 0.01 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/21/2021 | 0.024 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 2/27/2021 | 0.017 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/11/2021 | 0.047 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/17/2021 | 0.014 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/23/2021 | 0.006 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 3/29/2021 | 0.004 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 4/4/2021 | 0.023 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 4/10/2021 | 0.011 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 4/16/2021 | 0.005 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 4/22/2021 | 0.003 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 4/28/2021 | 0.049 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 5/4/2021 | 0.022 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 5/10/2021 | 0.012 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 5/16/2021 | 0.043 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 5/22/2021 | 0.018 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 6/3/2021 | 0.009 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 6/9/2021 | 0.019 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 6/21/2021 | 0.033 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 6/27/2021 | 0.027 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 7/9/2021 | 0.017 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 7/15/2021 | 0.073 | $\mu g/m^3$ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 7/21/2021 | 0.016 | $\mu g/m^3$ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 7/27/2021 | 0.019 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 8/2/2021 | 0.004 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 8/8/2021 | 0.014 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 8/20/2021 | 0.013 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 8/26/2021 | 0.027 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 9/1/2021 | 0.007 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|--------|-----------------------|-----------|------------|---------------|-------------------|
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 9/7/2021 | 0.038 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 9/13/2021 | 0.021 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 9/19/2021 | 0.011 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 9/25/2021 | 0.052 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/1/2021 | 0.025 | $\mu g/m^3$ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/7/2021 | 0.027 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/13/2021 | 0.01 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/19/2021 | 0.01 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/25/2021 | 0.028 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 10/31/2021 | 0.009 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 11/6/2021 | 0.018 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 11/12/2021 | 0.006 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 11/24/2021 | 0.059 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 11/30/2021 | 0.038 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 12/6/2021 | 0.02 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 12/12/2021 | 0.007 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 12/18/2021 | 0.006 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 12/24/2021 | 0.007 | μg/m ³ |
| 42-025-0214 | 1 | PALMERTON | Lead (LC) | 12/30/2021 | 0.01 | μg/m ³ |
| PALMERTON HIG | SH SCH | <u>IOOL</u> | | | | |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 1/4/2021 | 0.005 | $\mu g/m^3$ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 1/10/2021 | 0.004 | $\mu g/m^3$ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 1/16/2021 | 0.002 | $\mu g/m^3$ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 1/22/2021 | 0.004 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 2/9/2021 | 0.022 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 2/15/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 2/21/2021 | 0.005 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 3/11/2021 | 0.021 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 3/17/2021 | 0.006 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 3/23/2021 | 0.008 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 3/29/2021 | 0.002 | μg/m³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 4/4/2021 | 0.014 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 4/10/2021 | 0.009 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------------------|-----------|------------|---------------|-------------------|
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 4/28/2021 | 0.004 | $\mu g/m^3$ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 5/4/2021 | 0.024 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 5/10/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 5/16/2021 | 0.023 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 5/22/2021 | 0.008 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 5/28/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 6/3/2021 | 0.005 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 6/21/2021 | 0.004 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 7/9/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 7/15/2021 | 0.019 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 7/21/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 7/27/2021 | 0.009 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 8/2/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 8/8/2021 | 0.012 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 8/14/2021 | 0.005 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 8/20/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 9/1/2021 | 0.009 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 9/7/2021 | 0.009 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 9/13/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 9/25/2021 | 0.012 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/1/2021 | 0.008 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/7/2021 | 0.008 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/13/2021 | 0.003 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/19/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/25/2021 | 0.01 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 10/31/2021 | 0.006 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 11/6/2021 | 0.027 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 11/18/2021 | 0.018 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 11/24/2021 | 0.011 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 11/30/2021 | 0.008 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|-----|-----------------------|-----------|------------|---------------|-------------------|
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 12/6/2021 | 0.003 | μ g/m 3 |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 12/18/2021 | 0.017 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 12/24/2021 | 0.008 | μg/m ³ |
| 42-025-0217 | 1 | PALMERTON HIGH SCHOOL | Lead (LC) | 12/30/2021 | 0.009 | μg/m ³ |
| OTTER TOWNS | HIP | | | | | |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/4/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/10/2021 | 0.007 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/16/2021 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/22/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 1/28/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/21/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 2/27/2021 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/11/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/17/2021 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/23/2021 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 3/29/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 4/4/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 4/10/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 4/28/2021 | 0.002 | μg/m³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 5/4/2021 | 0.002 | μg/m³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 5/10/2021 | 0.002 | μg/m³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 5/16/2021 | 0.005 | μg/m³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 5/22/2021 | 0.003 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 6/21/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 6/27/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 7/3/2021 | 0.002 | μg/m ³ |
| 42-007-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 7/9/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA C | odes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|--------|----------------|---|-----------------|-----------|------------|---------------|-------------------|
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 7/15/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 8/8/2021 | 0.003 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 8/14/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 8/20/2021 | 0.006 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 8/26/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 9/1/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 9/7/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 9/13/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 9/19/2021 | 0.003 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 9/25/2021 | 0.01 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/1/2021 | 0.003 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/7/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/13/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/19/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/25/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 11/12/2021 | 0.005 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 11/18/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 11/24/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 11/30/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 12/6/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 12/18/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 12/24/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0006 | 1 | POTTER TOWNSHIP | Lead (LC) | 12/30/2021 | 0.003 | μg/m ³ |
| VANPOF | RT | | | | | | |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 1/4/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 1/10/2021 | 0.004 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 1/22/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 2/3/2021 | 0.002 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 2/9/2021 | 0.004 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 2/15/2021 | 0.003 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 2/21/2021 | 0.005 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 2/27/2021 | 0.005 | μg/m ³ |
| 42-00 | 7-0505 | 1 | VANPORT | Lead (LC) | 3/5/2021 | 0.002 | μg/m ³ |

24-hour Concentration Values

| EPA Codes Site - | | Site Name | Pollutant | Date | Concentration | Units |
|---------------------|---|-----------|-----------|------------|---------------|-------------------|
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/11/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/17/2021 | 0.004 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/23/2021 | 0.004 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 3/29/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 4/4/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 4/10/2021 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 4/16/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 4/22/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 4/28/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 5/4/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 5/10/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 5/16/2021 | 0.006 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 5/22/2021 | 0.005 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 5/28/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 6/3/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 6/9/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 6/15/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 6/21/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/1/2021 | 0.012 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/7/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/13/2021 | 0.003 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/19/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/25/2021 | 0.004 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 10/31/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 11/6/2021 | 0.005 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 11/12/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 11/18/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 11/30/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 12/6/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 12/12/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 12/18/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 12/24/2021 | 0.002 | μg/m ³ |
| 42-007-0505 | 1 | VANPORT | Lead (LC) | 12/30/2021 | 0.004 | μg/m³ |