

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
BEAVER VALLEY							
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/4/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/16/2022	0.004	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/22/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	7/28/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/3/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/9/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/15/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/21/2022	0.003	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	8/27/2022	0.004	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/2/2022	0.004	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/8/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/14/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/20/2022	0.002	µg/m ³	
42-007-0007	1	BEAVER VALLEY	Lead (LC)	9/26/2022	0.002	µg/m ³	
CHESTER							
42-045-0002	1	CHESTER	Lead (LC)	7/4/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	7/10/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	7/16/2022	0.003	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	7/22/2022	0.033	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	7/28/2022	0.005	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	8/3/2022	0.004	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	8/9/2022	0.005	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	8/15/2022	0.005	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	8/21/2022	0.005	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	8/27/2022	0.008	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	9/2/2022	0.006	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	9/8/2022	0.002	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	9/14/2022	0.004	µg/m ³	
42-045-0002	1	CHESTER	Lead (LC)	9/20/2022	0.005	µg/m ³	
CONEMAUGH							
42-129-0009	1	CONEMAUGH	Lead (LC)	7/4/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	7/10/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	7/16/2022	0.004	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	7/22/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	7/28/2022	0.002	µg/m ³	

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes							
Site	-	Site Name	Pollutant	Date	Concentration	Units	
42-129-0009	1	CONEMAUGH	Lead (LC)	8/3/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	8/9/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	8/15/2022	0.003	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	8/21/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	8/27/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	9/2/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	9/8/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	9/14/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	9/20/2022	0.002	µg/m ³	
42-129-0009	1	CONEMAUGH	Lead (LC)	9/26/2022	0.002	µg/m ³	
ELLWOOD CITY							
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/4/2022	0.018	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/10/2022	0.004	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/16/2022	0.009	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/22/2022	0.013	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	7/28/2022	0.006	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/9/2022	0.002	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/15/2022	0.004	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/21/2022	0.045	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	8/27/2022	0.003	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/2/2022	0.017	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/8/2022	0.003	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/14/2022	0.014	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/20/2022	0.018	µg/m ³	
42-073-0011	1	ELLWOOD CITY	Lead (LC)	9/26/2022	0.003	µg/m ³	
LAURELDALE SOUTH							
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/4/2022	0.004	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/10/2022	0.004	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/16/2022	0.027	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/22/2022	0.003	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	7/28/2022	0.003	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/3/2022	0.009	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/15/2022	0.008	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/21/2022	0.002	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	8/27/2022	0.006	µg/m ³	
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/2/2022	0.01	µg/m ³	

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/8/2022	0.004	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/14/2022	0.002	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/20/2022	0.006	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	9/26/2022	0.002	µg/m ³

LYONS BORO

42-011-0021	1	LYONS BORO	Lead (LC)	7/4/2022	0.015	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/10/2022	0.005	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/16/2022	0.01	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/22/2022	0.076	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	7/28/2022	0.025	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/3/2022	0.008	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/9/2022	0.048	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/15/2022	0.006	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/21/2022	0.005	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	8/27/2022	0.008	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/2/2022	0.007	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/8/2022	0.002	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/14/2022	0.038	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/20/2022	0.02	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	9/26/2022	0.047	µg/m ³

LYONS PARK

42-011-0022	1	LYONS PARK	Lead (LC)	7/4/2022	0.014	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/10/2022	0.004	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/16/2022	0.008	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/22/2022	0.046	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	7/28/2022	0.019	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/3/2022	0.005	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/9/2022	0.03	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/15/2022	0.006	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/21/2022	0.003	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	8/27/2022	0.006	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/2/2022	0.004	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/8/2022	0.002	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/14/2022	0.037	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/20/2022	0.018	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	9/26/2022	0.035	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
MT JOY							
42-071-0009	1	MT JOY		Lead (LC)	7/4/2022	0.01	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	7/16/2022	0.005	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	7/22/2022	0.012	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	7/28/2022	0.015	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	8/3/2022	0.012	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	8/9/2022	0.033	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	8/15/2022	0.009	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	8/21/2022	0.002	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	8/27/2022	0.009	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	9/2/2022	0.006	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	9/8/2022	0.002	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	9/14/2022	0.081	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	9/20/2022	0.036	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	9/26/2022	0.012	µg/m ³
PALMERTON							
42-025-0214	1	PALMERTON		Lead (LC)	7/4/2022	0.02	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/16/2022	0.009	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/22/2022	0.029	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	7/28/2022	0.021	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/3/2022	0.061	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/9/2022	0.021	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/15/2022	0.015	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/21/2022	0.022	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	8/27/2022	0.008	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/8/2022	0.013	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/14/2022	0.017	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/20/2022	0.009	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	9/26/2022	0.043	µg/m ³
PALMERTON HIGH SCHOOL							
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	7/4/2022	0.003	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	7/10/2022	0.005	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	7/16/2022	0.005	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	7/22/2022	0.003	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	7/28/2022	0.002	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL		Lead (LC)	8/3/2022	0.008	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes						
Site		Site Name	Pollutant	Date	Concentration	Units
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/9/2022	0.009	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/15/2022	0.018	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/21/2022	0.019	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	8/27/2022	0.004	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/2/2022	0.009	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/8/2022	0.003	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/14/2022	0.003	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/20/2022	0.002	µg/m ³
42-025-0217	1	PALMERTON HIGH SCHOOL	Lead (LC)	9/26/2022	0.002	µg/m ³
POTTER TOWNSHIP						
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/4/2022	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/10/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/16/2022	0.004	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/22/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	7/28/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/3/2022	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/9/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/15/2022	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/21/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	8/27/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/2/2022	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/8/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/14/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/20/2022	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	9/26/2022	0.002	µg/m ³
VANPORT						
42-007-0505	1	VANPORT	Lead (LC)	7/4/2022	0.004	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	7/10/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	7/16/2022	0.004	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	7/22/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	7/28/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	8/3/2022	0.004	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	8/9/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	8/15/2022	0.004	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	8/21/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	8/27/2022	0.003	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

July 2022 - September 2022

EPA Codes

Site	-	Site Name	Pollutant	Date	Concentration	Units
42-007-0505	1	VANPORT	Lead (LC)	9/2/2022	0.003	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	9/8/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	9/14/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	9/20/2022	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	9/26/2022	0.002	µg/m ³