

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2023 - March 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
BEAVER VALLEY							
42-007-0007	1	BEAVER VALLEY		Lead (LC)	1/6/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	1/12/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	1/18/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	1/24/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	1/30/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	2/5/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	2/11/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	2/17/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	2/23/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/1/2023	0.003	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/7/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/13/2023	0.003	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/19/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/25/2023	0.002	µg/m ³
42-007-0007	1	BEAVER VALLEY		Lead (LC)	3/31/2023	0.004	µg/m ³
CHESTER							
42-045-0002	1	CHESTER		Lead (LC)	1/6/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	1/12/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	1/18/2023	0.005	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	1/24/2023	0.004	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	1/30/2023	0.004	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	2/5/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	2/11/2023	0.004	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	2/17/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	2/23/2023	0.004	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	3/1/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	3/7/2023	0.004	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	3/25/2023	0.002	µg/m ³
42-045-0002	1	CHESTER		Lead (LC)	3/31/2023	0.002	µg/m ³
CONEMAUGH							
42-129-0009	1	CONEMAUGH		Lead (LC)	1/6/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH		Lead (LC)	1/12/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH		Lead (LC)	1/30/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH		Lead (LC)	2/5/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH		Lead (LC)	2/11/2023	0.003	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2023 - March 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-129-0009	1	CONEMAUGH	Lead (LC)	2/17/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/1/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/7/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/13/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/19/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/25/2023	0.002	µg/m ³
42-129-0009	1	CONEMAUGH	Lead (LC)	3/31/2023	0.016	µg/m ³

ELLWOOD CITY

42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/6/2023	0.002	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/12/2023	0.026	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/18/2023	0.003	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/24/2023	0.009	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	1/30/2023	0.003	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/5/2023	0.011	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/11/2023	0.007	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/17/2023	0.003	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	2/23/2023	0.006	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/1/2023	0.061	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/7/2023	0.002	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/13/2023	0.003	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/19/2023	0.002	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/25/2023	0.005	µg/m ³
42-073-0011	1	ELLWOOD CITY	Lead (LC)	3/31/2023	0.021	µg/m ³

LAURELDALE SOUTH

42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/6/2023	0.002	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/12/2023	0.002	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/18/2023	0.007	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/24/2023	0.003	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	1/30/2023	0.007	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/5/2023	0.004	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/11/2023	0.004	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/17/2023	0.002	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	2/23/2023	0.007	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/1/2023	0.009	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/7/2023	0.005	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/13/2023	0.005	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2023 - March 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/19/2023	0.002	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/25/2023	0.005	µg/m ³
42-011-1717	1	LAURELDALE SOUTH	Lead (LC)	3/31/2023	0.008	µg/m ³

LYONS BORO

42-011-0021	1	LYONS BORO	Lead (LC)	1/6/2023	0.017	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/12/2023	0.007	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/18/2023	0.056	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/24/2023	0.035	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	1/30/2023	0.036	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/5/2023	0.011	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/11/2023	0.005	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/17/2023	0.035	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	2/23/2023	0.019	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/1/2023	0.007	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/7/2023	0.002	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/13/2023	0.002	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/19/2023	0.008	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/25/2023	0.005	µg/m ³
42-011-0021	1	LYONS BORO	Lead (LC)	3/31/2023	0.011	µg/m ³

LYONS PARK

42-011-0022	1	LYONS PARK	Lead (LC)	1/6/2023	0.008	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/12/2023	0.007	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/18/2023	0.055	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/24/2023	0.021	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	1/30/2023	0.031	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/5/2023	0.007	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/11/2023	0.003	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/17/2023	0.02	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	2/23/2023	0.016	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/1/2023	0.009	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/7/2023	0.002	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/13/2023	0.002	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/19/2023	0.007	µg/m ³
42-011-0022	1	LYONS PARK	Lead (LC)	3/31/2023	0.008	µg/m ³

MT JOY

42-071-0009	1	MT JOY	Lead (LC)	1/6/2023	0.021	µg/m ³
-------------	---	--------	-----------	----------	-------	-------------------

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2023 - March 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes		Site Name		Pollutant	Date	Concentration	Units
Site	-						
42-071-0009	1	MT JOY		Lead (LC)	1/12/2023	0.006	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	1/18/2023	0.053	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	1/24/2023	0.035	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	1/30/2023	0.013	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	2/5/2023	0.004	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	2/11/2023	0.019	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	2/17/2023	0.007	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	2/23/2023	0.009	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/1/2023	0.006	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/7/2023	0.002	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/13/2023	0.029	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/19/2023	0.068	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/25/2023	0.011	µg/m ³
42-071-0009	1	MT JOY		Lead (LC)	3/31/2023	0.004	µg/m ³
PALMERTON							
42-025-0214	1	PALMERTON		Lead (LC)	1/6/2023	0.005	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/18/2023	0.011	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/24/2023	0.002	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	1/30/2023	0.037	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/5/2023	0.013	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/11/2023	0.004	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/17/2023	0.017	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	2/23/2023	0.016	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/1/2023	0.035	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/7/2023	0.002	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/19/2023	0.002	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/25/2023	0.005	µg/m ³
42-025-0214	1	PALMERTON		Lead (LC)	3/31/2023	0.034	µg/m ³
POTTER TOWNSHIP							
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	1/6/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	1/12/2023	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	1/18/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	1/24/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	1/30/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	2/5/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP		Lead (LC)	2/11/2023	0.002	µg/m ³

Discrete Data Retrieval - Quarterly Report

24-hour Concentration Values

January 2023 - March 2023

Note: The Palmerton High School monitor is currently suspended

EPA Codes

Site		Site Name	Pollutant	Date	Concentration	Units
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	2/17/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	2/23/2023	0.004	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/1/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/7/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/13/2023	0.003	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/19/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/25/2023	0.002	µg/m ³
42-007-0006	1	POTTER TOWNSHIP	Lead (LC)	3/31/2023	0.003	µg/m ³

VANPORT

42-007-0505	1	VANPORT	Lead (LC)	1/6/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	1/12/2023	0.005	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	1/18/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	1/24/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	1/30/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	2/5/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	2/11/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	2/17/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	2/23/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	3/1/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	3/7/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	3/13/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	3/19/2023	0.002	µg/m ³
42-007-0505	1	VANPORT	Lead (LC)	3/31/2023	0.004	µg/m ³