



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
AIR QUALITY PROGRAM**

STATE ONLY OPERATING PERMIT

Issue Date: November 17, 2020

Effective Date: November 17, 2020

Expiration Date: November 16, 2025

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 41-00033

Federal Tax Id - Plant Code: 24-0795508-1

Owner Information

Name: UPMC WILLIAMSPORT
Mailing Address: 700 HIGH ST
WILLIAMSPORT, PA 17701-3100

Plant Information

Plant: UPMC SUSQUEHANNAWILLIAMSPORT HOSP
Location: 41 Lycoming County 41001 Williamsport City
SIC Code: 8062 Services - General Medical And Surgical Hospitals

Responsible Official

Name: PATRICK HECK
Title: FACILITIES & PLANNING MGR
Phone: (570) 723 - 0463

Permit Contact Person

Name: RALPH HOYT
Title: MAINT LEAD
Phone: (570) 337 - 0891

[Signature] _____

MUHAMMAD Q. ZAMAN, ENVIRONMENTAL PROGRAM MANAGER, NORTHCENTRAL REGION



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

- E-I: Restrictions



SECTION A. Table of Contents

- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements
- E-V: Reporting Requirements
- E-VI: Work Practice Standards
- E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)




- F-I: Restrictions
- F-II: Testing Requirements
- F-III: Monitoring Requirements
- F-IV: Recordkeeping Requirements
- F-V: Reporting Requirements
- F-VI: Work Practice Standards
- F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous









**SECTION A. Site Inventory List**

Source ID	Source Name	Capacity/Throughput	Fuel/Material
034	WEIL-MCCLAIN BOILER		
036	CLEAVER-BROOKS BOILER A		
037	CLEAVER-BROOKS BOILER B		
039	HURST BOILER #1		
040	HURST BOILER #2		
041	HURST BOILER #3		
P102	DIESEL-FIRED EMERGENCY GENERATOR		
P104	CO-GEN ENGINE		
P105	TWO LARGE DIESEL-FIRED EMERGENCY GENERATORS		
P106	DIESEL-FIRED FIRE PUMP ENGINE		
P107	AMBULANCE SERVICE CENTER GENERATOR		
C104	OXIDATION CATALYST		
FM01	NATURAL GAS LINE		
FM03	THREE (3) 25,000-GALLON UNDERGROUND OIL TANKS		
FM06	125-GALLON ABOVEGROUND OIL TANK		
FM07	225-GALLON ABOVEGROUND OIL TANK		
S034	HOSPITAL OFFICE STACK		
S036	CLEAVER-BROOKS BOILER A STACK		
S037	CLEAVER-BROOKS BOILER B STACK		
S039	HURST BOILER #1 STACK		
S040	HURST BOILER #2 STACK		
S041	HURST BOILER #3 STACK		
S102	#2 FUEL OIL GENERATOR STACK		
S104	CO-GEN ENGINE STACK		
S105	TWO LARGE DIESEL-FIRED EMERGENCY GENERATORS STACK		
S106	DIESEL-FIRED FIRE PUMP ENGINE STACK		
S107	AMBULANCE SERVICE GENERATOR STACK		

PERMIT MAPS




PERMIT MAPS





PERMIT MAPS



**SECTION B. General State Only Requirements****#001 [25 Pa. Code § 121.1]****Definitions.**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]**Operating Permit Duration.**

(a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.

(b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)&(c)]**Permit Renewal.**

(a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.

(b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

(c) The permittee shall submit with the renewal application a fee for the processing of the application and an additional annual administrative fee as specified in 25 Pa. Code § 127.703(b) and (c). The fees shall be made payable to "The Commonwealth of Pennsylvania - Clean Air Fund" and shall be for the amount specified in the following schedule specified in 25 Pa. Code § 127.703(b) and (c).

(1) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.

(d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.

(e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).

(f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]**Operating Permit Fees under Subchapter I.**

(a) The permittee shall pay fees according to the following schedule specified in 25 Pa. Code § 127.703(b):

(1) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(2) Three hundred seventy-five dollars for applications filed for the calendar years beginning in 2005.

This fee schedule shall apply to the processing of an application for an operating permit as well as the extension,

**SECTION B. General State Only Requirements**

modification, revision, renewal, and re-issuance of each operating permit or part thereof.

(b) The permittee shall pay an annual operating permit administrative fee according to the fee schedule established in 25 Pa. Code § 127.703(c).

(1) Two hundred fifty dollars for applications filed during the 1995-1999 calendar years.

(2) Three hundred dollars for applications filed during the 2000-2004 calendar years.

(3) Three hundred seventy-five dollars for applications filed during the years beginning in 2005.

(c) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania - Clean Air Fund".

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]**Transfer of Operating Permits.**

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]**Inspection and Entry.**

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]**Compliance Requirements.**

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes

**SECTION B. General State Only Requirements**

a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]**Need to Halt or Reduce Activity Not a Defense.**

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]**Duty to Provide Information.**

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]**Revising an Operating Permit for Cause.**

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450 & 127.462]**Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and

**SECTION B. General State Only Requirements**

significant operating permit modifications, under this permit, as outlined below:

(b) Administrative Amendments. The permittee shall make administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall make minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.

(d) Permit modifications which do not qualify as minor permit modifications under 25 Pa. Code § 127.541 will be treated as a significant operating permit revision subject to the public notification procedures in §§ 127.424 and 127.425.

#012 [25 Pa. Code § 127.441]**Severability Clause.**

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]**De Minimis Emission Increases.**

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

(b) The Department may disapprove or condition de minimis emission increases at any time.

(c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO_x from a single source during the term of the permit and 5 tons of NO_x at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM₁₀ from a single source during the term of the permit and 3.0 tons of PM₁₀ at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

**SECTION B. General State Only Requirements**

- (1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.
 - (2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.
 - (3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.
 - (4) Space heaters which heat by direct heat transfer.
 - (5) Laboratory equipment used exclusively for chemical or physical analysis.
 - (6) Other sources and classes of sources determined to be of minor significance by the Department.
- (e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:
- (1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.
 - (2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.
 - (3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.
- (f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.
- (g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.
- (h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]**Operational Flexibility.**

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

- (1) Section 127.14 (relating to exemptions)
- (2) Section 127.447 (relating to alternative operating scenarios)
- (3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)
- (4) Section 127.449 (relating to de minimis emission increases)
- (5) Section 127.450 (relating to administrative operating permit amendments)

**SECTION B. General State Only Requirements**

(6) Section 127.462 (relating to minor operating permit modifications)

(7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11]**Reactivation**

(a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).

(b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]**Health Risk-based Emission Standards and Operating Practice Requirements.**

(a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].

(b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]**Circumvention.**

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]**Reporting Requirements.**

(a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.

(b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.

(c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

(d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.

(e) Any records, reports or information submitted to the Department shall be available to the public except for such

**SECTION B. General State Only Requirements**

records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]**Sampling, Testing and Monitoring Procedures.**

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]**Recordkeeping.**

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]**Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]**Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

**SECTION B. General State Only Requirements****#023 [25 Pa. Code §135.3]****Reporting**

(a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]**Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

No person may permit the emission into the outdoor atmosphere of fugitive air contaminants from a source other than the following:

- (1) Construction or demolition of buildings or structures.
- (2) Grading, paving and maintenance of roads and streets.
- (3) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (4) Clearing of land.
- (5) Stockpiling of materials.
- (6) Open burning operations.
- (7) Sources and classes of sources other than those identified above, for which the permittee has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - (a) The emissions are of minor significance with respect to causing air pollution.
 - (b) The emissions are not preventing or interfering with the attainment or maintenance of any ambient air quality standard.

002 [25 Pa. Code §123.2]**Fugitive particulate matter**

No person may permit fugitive particulate matter to be emitted into the outdoor atmosphere from a source specified in condition #001 (1)-(7) above if the emissions are visible at the point the emissions pass outside the person's property.

003 [25 Pa. Code §123.41]**Limitations**

No person may permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60% at any time.

004 [25 Pa. Code §123.42]**Exceptions**

The emission limitations of 25 Pa Code Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitations;
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions;
- (3) The emissions results from sources specified in 25 Pa Code Section 123.1(a)(1)-(9).

**SECTION C. Site Level Requirements****Fuel Restriction(s).****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Any #2 fuel oil or diesel fuel fired in any source at this facility shall be virgin fuel to which no reclaimed or waste oil or other waste materials have been added. Additionally, the sulfur content shall not, at any time, exceed 0.5% by weight.

II. TESTING REQUIREMENTS.**# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall perform tests or provide a fuel certification report of the percent sulfur by weight of each delivery of the #2 fuel oil or diesel fuel delivered to the facility.

OR

(a) The permittee shall keep records of fuel certification reports obtained yearly from the #2 fuel oil or diesel fuel supplier containing the name of the fuel oil supplier and stating that the sulfur percentage for each shipment of fuel delivered to the facility during the year shall not exceed 0.5% sulfur by weight.

(b) All testing and fuel certification reports shall be in accordance with the provisions of 25 Pa. Code Chapter 139.

007 [25 Pa. Code §139.1]**Sampling facilities.**

Upon the request of the Department, the person responsible for a source shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such source. The Department will set forth, in the request, the time period in which the facilities shall be provided as well as the specifications for such facilities.

008 [25 Pa. Code §139.11]**General requirements.**

(a) As specified in 25 Pa. Code Section 139.11(1), performance tests shall be conducted while the source is operating at maximum routine operating conditions or under such other conditions, within the capacity of the equipment, as may be requested by the Department.

(b) As specified in 25 Pa. Code Section 139.11(2), the Department will consider test results for approval where sufficient information is provided to verify the source conditions existing at the time of the test and where adequate data is available to show the manner in which the test was conducted. Information submitted to the Department shall include, as a minimum all of the following:

(1) A thorough source description, including a description of any air cleaning devices and the flue.

(2) Process conditions, for example, the charging rate of raw materials or the rate of production of final product, boiler pressure, oven temperature and other conditions which may effect emissions from the process.

(3) The location of sampling ports.

(4) Effluent characteristics, including velocity, temperature, moisture content, gas density (percentage CO, CO₂, O₂ and N₂), static and barometric pressures.

(5) Sample collection techniques employed, including procedures used, equipment descriptions and data to verify that isokinetic sampling for particulate matter collection occurred and that acceptable test conditions were met.

(6) Laboratory procedures and results.

(7) Calculated results.

**SECTION C. Site Level Requirements****III. MONITORING REQUIREMENTS.****# 009 [25 Pa. Code §123.43]****Measuring techniques**

Visible emissions may be measured using either of the following:

- (1) A device approved by the Department and maintained to provide accurate opacity measurements.
- (2) Observers, trained and certified, to measure plume opacity with the naked eye or with the aid of any devices approved by the Department.

010 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall conduct a weekly inspection around the facility during daylight hours to detect visible emissions, fugitive visible emissions and malodorous air emissions. Weekly inspections are necessary to determine:

- (1) the presence of visible emissions,
- (2) the presence of fugitive visible emissions,
- (3) the presence of malodors beyond the boundaries of the facility.

(b) All detected visible emissions, visible fugitive emissions or malodors that have the potential to exceed applicable limits shall be reported to the manager of the facility.

IV. RECORDKEEPING REQUIREMENTS.**# 011 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of tests or fuel certification reports of the percent sulfur by weight for each delivery of the #2 fuel oil or diesel fuel delivered to the facility to verify compliance with the 0.5% by weight sulfur content limitation,

OR

(a) The permittee shall keep records of fuel certification reports obtained yearly from the #2 fuel oil or diesel fuel supplier containing the name of the fuel oil supplier and stating that the sulfur percentage for each shipment of #2 fuel oil or diesel fuel delivered to the facility during the year shall not exceed 0.5% by weight.

(b) These records shall be retained for a minimum of five (5) years and shall be available to the Department upon request.

012 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

(a) The permittee shall maintain a logbook of the weekly facility inspections and shall record instances of visible emissions, fugitive visible emissions and malodorous air emissions, the name of the company representative monitoring these instances, the date and time of each occurrence, and the wind direction during each instance. The permittee shall also record the corrective action(s) taken to abate each recorded deviation or to prevent future occurrences.

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

013 [25 Pa. Code §135.5]**Recordkeeping**

(a) The permittee shall maintain records including computerized records that may be necessary to comply with 25 Pa. Code Section 135.3 (relating to reporting). These may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and

**SECTION C. Site Level Requirements**

quantification of potential and actual air contaminant emissions.

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 014 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall report malfunctions to the Department which occur at this facility. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner. Failures that are caused in part by poor maintenance or careless operation are not malfunctions.

(b) Failures that are caused in part by poor maintenance or careless operation shall be reported as excess emissions or deviations from this permits requirements.

(c) When the malfunction, excess emissions or deviation from this permits requirements poses an imminent and substantial danger to the public health and safety or potential harm to the environment, the permittee shall notify the Department by telephone no later than one (1) hour after the incident.

(d) Any malfunction, excess emissions or deviation from this permit's requirements that is not subject to the notice requirements of subsection (c) of this permit condition shall be reported to the Department within 24 hours of discovery. In notifying the Department, the permittee shall describe the following:

- (i) name and location of the facility;
- (ii) nature and cause of the malfunction or breakdown;
- (iii) time when the malfunction or breakdown was first observed;
- (iv) expected duration of excess emissions;
- (v) estimated rate of emissions; and
- (vi) corrective actions or preventative measures taken.

(e) The permittee shall notify the Department immediately when corrective measures have been accomplished.

(f) Upon the request of the Department, the permittee shall submit a full written report to the Regional Air Program Manager within fifteen (15) days of the malfunction, excess emissions or deviations from this permits requirements.

015 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

Upon request by the Department, the permittee shall submit all requested reports in accordance with the Department's suggested format.

016 [25 Pa. Code §135.3]**Reporting**

(a) A person who owns or operates a source to which 25 Pa. Code Chapter 135 applies, and who has previously been advised by the Department to submit an annual Air Information Management Systems (AIMS) report, shall submit by March 1 of each year an annual AIMS report for the preceding calendar year. The report shall include information for all previously reported sources, new sources which were first operated during the preceding calendar year and sources modified during the same period which were not previously reported.

**SECTION C. Site Level Requirements**

(b) A person who receives initial notification by the Department that an annual AIMS report is necessary shall submit an initial annual AIMS report within 60 days after receiving the notification or by March 1 of the year following the year for which the report is required, whichever is later.

(c) A source owner or operator may request an extension of time from the Department for the filing of a source report, and the Department may grant the extension for reasonable cause.

VI. WORK PRACTICE REQUIREMENTS.**# 017 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

The permittee shall take all reasonable actions for any source specified in 25 Pa Code Section 123.1(a)(1-9) to prevent particulate matter from becoming airborne. These actions shall include, but not limited to, the following:

(1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land.

(2) Application of asphalt, oil, or suitable chemicals on dirt roads, material stockpiles and other surfaces which may give rise to airborne dusts.

(3) Paving and maintenance of roadways.

(4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

VII. ADDITIONAL REQUIREMENTS.**# 018 [25 Pa. Code §121.7]****Prohibition of air pollution.**

No person may permit air pollution as that term is defined in the act (The Air Pollution Control Act (35 P.S. §§ 4001-4015)).

019 [25 Pa. Code §123.31]**Limitations**

No person may permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

020 [25 Pa. Code §129.14]**Open burning operations**

No person may permit the open burning of material at this facility unless in accordance with 25 Pa. Code Section 129.14.

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.


No compliance milestones exist.

**SECTION D. Source Level Requirements**

Source ID: 034

Source Name: WEIL-MCCLAIN BOILER

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.11]

Combustion units

No person may permit the emission of particulate matter from Source ID 034 into the outdoor atmosphere in excess of 0.40 pound per million Btu of heat input.

002 [25 Pa. Code §123.22]

Combustion units

[Compliance with the requirement specified in this streamlined permit condition assures compliance with the provision in 40 CFR 52.2020(c)]

No person may permit the emission into the outdoor atmosphere of sulfur oxides, (SO_x, expressed as SO₂), from Source ID 034 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

Fuel Restriction(s).

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only fire natural gas in Source ID 034.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VI. WORK PRACTICE REQUIREMENTS.**

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.


Source ID 034 consists of one (1) 3.85 million Btu per hour, Weil McLain model BG-1294-SF natural gas fired boiler.

**SECTION D. Source Level Requirements**

Source ID: 036

Source Name: CLEAVER-BROOKS BOILER A

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.11]****Combustion units**

Source ID 036 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]**Combustion units**

(a) The permittee shall not permit the emission of sulfur oxides, expressed as sulfur dioxide (SO₂), into the outdoor atmosphere from Source ID 036 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

(b) The sulfur content of #2 fuel oil fired in Source ID P036 shall not, at any time, exceed 0.0015% by weight.

003 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The air contaminants from Source ID 036 shall not exceed the following limitations while firing on natural gas:

(a) carbon monoxide (CO) - 300 parts per million, dry volume (ppmdv) corrected to 3% oxygen,

(b) nitrogen oxides (NO_x) - 30 parts per million, dry volume (ppmdv) corrected to 3% oxygen.

Fuel Restriction(s).**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 40 CFR Section 63.11237, related to the definition of a gas-fired boiler]

(a) The permittee shall only fire natural gas in Source ID 036.

(b) The permitted may fire Source ID 036 on virgin #2 fuel oil only during periods of gas curtailment, gas supply interruption, startups or periodic testing. Periodic testing while being fired on #2 fuel shall be in excess of a combined total of 48 hours during any calendar year.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****III. MONITORING REQUIREMENTS.****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 036 shall be equipped with instrumentation to monitor and record the amount of fuel usage.

IV. RECORDKEEPING REQUIREMENTS.**# 006 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.48c]****Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units Reporting and recordkeeping requirements.**

(a) The permittee shall keep records of the amount of natural gas fired in Source ID 036 on a monthly basis.

(b) All records generated pursuant to this permit condition shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 007 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]****Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the Standards of Performance for New Stationary Sources (40 CFR Part 60 Subpart Dc) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448**# 008 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.48c]****Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units Reporting and recordkeeping requirements.**

(a) The permittee shall submit semi-annual reports to the Department which includes the amount of natural gas fired in Source ID 036 on a monthly basis.

(b) The semi-annual reports shall be submitted no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the concurrent year).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 009 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 036 is a 37.659 million Btu per hour Cleaver Brooks model CBL-LN-200-150ST natural gas/#2 fuel oil-fired boiler.

**SECTION D. Source Level Requirements****# 010 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.40c]
Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units
Applicability and delegation of authority.**


Source ID 036 is subject to 40 CFR Part 60 Subpart Dc Sections 60.40c through 60.48c. The permittee shall comply with all applicable requirements specified in 40 CFR Part 60 Subpart Dc Sections 60.40c through 60.48c.

**SECTION D. Source Level Requirements**

Source ID: 037

Source Name: CLEAVER-BROOKS BOILER B

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.11]****Combustion units**

Source ID 037 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]**Combustion units**

(a) The permittee shall not permit the emission of sulfur oxides, expressed as sulfur dioxide (SO₂), into the outdoor atmosphere from Source ID 037 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.

(b) The sulfur content of #2 fuel oil fired in Source ID P037 shall not, at any time, exceed 0.0015% by weight.

003 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The air contaminants from Source ID 037 shall not exceed the following limitations while firing on natural gas:

(a) carbon monoxide (CO) - 300 parts per million, dry volume (ppmdv) corrected to 3% oxygen,

(b) nitrogen oxides (NO_x) - 30 parts per million, dry volume (ppmdv) corrected to 3% oxygen.

Fuel Restriction(s).**# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 40 CFR Section 63.11237, related to the definition of a gas-fired boiler]

(a) The permittee shall only fire natural gas in Source ID 037.

(b) The permitted may fire Source ID 037 on virgin #2 fuel oil only during periods of gas curtailment, gas supply interruption, startups or periodic testing. Periodic testing while being fired on #2 fuel shall be in excess of a combined total of 48 hours during any calendar year.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****III. MONITORING REQUIREMENTS.****# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 037 shall be equipped with instrumentation to monitor and record the amount of fuel usage.

IV. RECORDKEEPING REQUIREMENTS.**# 006 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.48c]****Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units Reporting and recordkeeping requirements.**

(a) The permittee shall keep records of the amount of natural gas fired in Source ID 037 on a monthly basis.

(b) All records generated pursuant to this permit condition shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 007 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]****Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the Standards of Performance for New Stationary Sources (40 CFR Part 60 Subpart Dc) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448**# 008 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.48c]****Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units Reporting and recordkeeping requirements.**

(a) The permittee shall submit semi-annual reports to the Department which includes the amount of natural gas fired in Source ID 037 on a monthly basis.

(b) The semi-annual report shall be submitted no later than March 1 (for January 1 through December 31 of the previous year) and September 1 (for July 1 of the previous year through June 30 of the concurrent year).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 009 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID 037 is a 37.659 million Btu per hour Cleaver Brooks model CBL-LN-200-150ST natural gas/#2 fuel oil-fired boiler.

**SECTION D. Source Level Requirements****# 010 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.40c]
Subpart Dc - Standards of Performance for Small Industrial- Commercial-Institutional Steam Generating Units
Applicability and delegation of authority.**


Source ID 037 is subject to 40 CFR Part 60 Subpart Dc Sections 60.40c through 60.48c. The permittee shall comply with all applicable requirements specified in 40 CFR Part 60 Subpart Dc Sections 60.40c through 60.48c.

**SECTION D. Source Level Requirements**

Source ID: 039

Source Name: HURST BOILER #1

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.11]

Combustion units

Source ID 039 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]

Combustion unitsThe permittee shall not permit the emission of sulfur oxides, expressed as sulfur dioxide (SO₂), into the outdoor atmosphere from Source ID 039 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.**Fuel Restriction(s).**

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel in Source ID 039.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID 039 is a 5.23 million Btu per hour, Hurst model VIX-G-125-150 natural gas fired boiler.

**SECTION D. Source Level Requirements**

Source ID: 040

Source Name: HURST BOILER #2

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.11]

Combustion units

Source ID 040 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]

Combustion unitsThe permittee shall not permit the emission of sulfur oxides, expressed as sulfur dioxide (SO₂), into the outdoor atmosphere from Source ID 040 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.**Fuel Restriction(s).**

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for Source ID 040.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID is a 040 is a 5.23 million Btu per hour, Hurst model VIX-G-125-150 natural gas fired boiler.

**SECTION D. Source Level Requirements**

Source ID: 041

Source Name: HURST BOILER #3

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.11]

Combustion units

Source ID 041 shall not emit particulate matter in excess of the rate of 0.40 pounds per million Btu of heat input.

002 [25 Pa. Code §123.22]

Combustion unitsThe permittee shall not permit the emission of sulfur oxides, expressed as sulfur dioxide (SO₂), into the outdoor atmosphere from Source ID 041 in excess of the rate of 4 pounds per million Btu of heat input over any 1-hour period.**Fuel Restriction(s).**

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The permittee shall only use natural gas as fuel for Source ID 041.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**


Source ID 041 is a 5.23 million Btu per hour, Hurst model VIX-G-125-150 natural gas fired boiler.

**SECTION D. Source Level Requirements**

Source ID: P102

Source Name: DIESEL-FIRED EMERGENCY GENERATOR

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

No person may permit the emission into the outdoor atmosphere of particulate matter from Source ID P102 in a manner that the concentration in the effluent gas exceeds 0.04 grains per dry standard cubic foot.

002 [25 Pa. Code §123.21]

General

No person may permit the emission into the outdoor atmosphere of sulfur oxides, expressed as SO₂, from Source ID P102 in a manner that the concentration of the sulfur oxides in the effluent gas exceeds 500 parts per million, by volume, dry basis.

Fuel Restriction(s).

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) Source ID P102 shall only be fired on diesel fuel/#2 fuel oil to which no reclaimed or waste oil or other material has been added.

(b) The sulfur content of diesel fuel/#2 fuel oil fired in Source ID P102 shall not, at any time, exceed 0.05% by weight.

Operation Hours Restriction(s).

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from the permittee requesting this elective restriction]

Source ID P102 shall not be operated more than 500 hours in any 12 consecutive month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) The permittee shall keep records of the hours of operation that Source ID P102 is operated on a monthly basis.

**SECTION D. Source Level Requirements**

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) The permittee shall submit an annual report to the Department which includes the number of hours that Source ID P102 operated on a monthly basis to verify compliance with the operational hour limitation in any 12 consecutive month period.

(b) The annual report shall be submitted by March 1 (for January 1 through December 31 of the previous year).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

007 [25 Pa. Code §127.441]

Operating permit terms and conditions.

Source ID P102 is a 335 brake-horsepower, IT Generac model 8297020200 diesel-fired emergency generator engine.

**SECTION D. Source Level Requirements**

Source ID: P104

Source Name: CO-GEN ENGINE

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The permittee shall not permit the following air contaminant emissions from the exhaust of ID C104 associated with Source ID P104 in excess of the limitations listed below:

(a) nitrogen oxides (NO_x, expressed as NO₂) - 0.5 grams per brake horsepower-hour, 2.94 pounds per hour and 12.20 tons in any 12 consecutive month period,

(b) carbon monoxide (CO) - 0.07 grams per brake horsepower-hour, 0.42 pounds per hour and 1.74 tons in any 12 consecutive month period,

(c) total combined volatile organic compounds (VOC) - 0.10 grams per brake horsepower-hour, 0.58 pounds per hour and 2.41 tons in any 12 consecutive month period,

(d) sulfur oxides (SO_x, expressed as SO₂) - 0.002 pounds per hour and 0.008 tons in any 12 consecutive month period,

(e) particulate matter (PM₁₀) - 0.01 grains per dry standard cubic foot of exhaust gas, 0.007 pounds per hour and 0.03 tons in any 12 consecutive month period,

(f) non-methane, non-ethane hydrocarbons (NMNEHC) - 0.07 grams per brake horsepower-hour, 0.42 pounds per hour and 1.74 tons in any 12 consecutive month period,

(g) formaldehyde - 0.03 grams per brake horsepower-hour, 0.16 pounds per hour and 0.67 tons in any 12 consecutive month period.

002 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Compliance with this streamlined permit condition assures compliance with the requirements of 25 Pa. Code Section 123.21]

No person may permit the emission into the outdoor atmosphere of sulfur oxides, expressed as SO₂, from Source ID P104 in a manner that the concentration of the sulfur oxides in the effluent gas exceeds 2 parts per million, by volume, dry basis.

Fuel Restriction(s).**# 003 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The permittee shall only use natural gas as fuel for Source ID P104.

**SECTION D. Source Level Requirements****Operation Hours Restriction(s).****# 004 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from the permittee taking this elective restriction and 25 Pa. Code Sections 127.1 and 127.12]

Source ID P104 shall not be operated more that 8,300 hours in any 12 consecutive month period.

Control Device Efficiency Restriction(s).**# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

ID C104 shall be capable of reducing the carbon monoxide and volatile organic compounds emissions by 97% and 86%, respectively, from Source ID P104.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.**# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

The permittee shall equip ID C104 with instrumentation to monitor pressure drop across ID C104 and the inlet gas temperature of ID C104 and shall monitor these parameters on a continuous basis.

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of the following information:

(1) The number of hours that Source ID P104 is operated on a monthly basis.

(2) The supporting calculations on a monthly basis used to verify compliance with the nitrogen oxide, carbon monoxide, volatile organic compound, particulate matter, sulfur oxide, and formaldehyde emission limitations for Source ID P104 in any 12 consecutive month period.

(3) The test reports and supporting calculations used to verify compliance with the nitrogen oxide, carbon monoxide, volatile organic compound, and formaldehyde emission limitations from ID C104 associated with Source ID P104

(4) The test reports and supporting calculations used to verify compliance with the carbon monoxide, volatile organic compound, and formaldehyde removal efficiency requirements of ID C104 associated with Source ID P104.

(5) The pressure drop across and the inlet gas temperature of ID C104 on a continuous basis via a data acquisition system and shall compute the hourly average of both the pressure drop across and the inlet temperature of ID C104.

(b) These records shall be kept for a minimum of five (5) years and shall be made available to the Department upon request.

**SECTION D. Source Level Requirements****V. REPORTING REQUIREMENTS.****# 008 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]****Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the New Source Performance Standards (40 CFR Part 60 Subpart JJJJ) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 009 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

(a) Source ID P104 is a natural gas-fired, Caterpillar Model G3520C, four (4) stroke lean burn (4SLB) reciprocating internal combustion engine, rated at 2,671 brake-horsepower equipped with low NOx electronic control technology.

(b) ID C104 is a Sud-Chemie oxidation catalyst, model EnviCat-5314-33.5x3.5x2

010 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Sections 127.1 and 127.12]

Source ID P104 shall be equipped with low NOx electronic control system to control NOx emissions. Additionally, the carbon monoxide, volatile organic compounds, and formaldehyde emissions from Source ID P104 shall be controlled by ID C104. The permittee shall not operate Source ID P104 without the simultaneous operation of ID C104 at any time.

011 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4230]**Subpart JJJJ - Standards of Performance for Stationary Spark Ignition Internal Combustion Engines****Am I subject to this subpart?**


Source ID P104 is subject to the requirements of 40 CFR Part 60 Subpart JJJJ, Sections 60.4230 through 60.4248. The permittee shall comply with all applicable requirements specified in 40 CFR Part 60 Subpart JJJJ Sections 60.4230 through 60.4248.

**SECTION D. Source Level Requirements**

Source ID: P105

Source Name: TWO LARGE DIESEL-FIRED EMERGENCY GENERATORS

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

The concentration of particulate matter in the exhaust of each emergency generator incorporated in Source ID P105 shall not exceed 0.04 grains per dry standard cubic foot of effluent gas volume.

002 [25 Pa. Code §123.21]

General

The concentration of sulfur oxides, expressed as sulfur dioxide (SO_x, expressed as SO₂), in the exhaust from each emergency generator incorporated in Source P105 shall not exceed 500 parts per million, by volume, dry basis.

003 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The nitrogen oxide (NO_x, expressed as NO₂) emissions from each emergency generator incorporated in Source ID P105 shall not exceed 34.85 pound per hour.

004 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4205]

Subpart IIII - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines**What emission standards must I meet for emergency engines if I am an owner or operator of a stationary CI internal co**

Each emergency generator incorporated in Source ID P105 shall not exceed the following emission rates at any time.

(a) nitrogen oxides (NO_x, expressed as NO₂) - 6.9 grams per brake horsepower-hour

(b) carbon monoxide (CO) - 8.5 grams per brake horsepower-hour

(c) particulate matter (PM/PM10) - 0.40 grams per brake horsepower-hour

(d) Hydrocarbons (HC) - 1.0 grams per brake horsepower-hour

Fuel Restriction(s).

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) Each emergency generator incorporated in Source ID P105 shall only be fired on diesel fuel/#2 fuel oil to which no reclaimed or waste oil or other material has been added.

(b) The sulfur content of diesel fuel/#2 fuel oil fired in Source ID P102 shall not, at any time, exceed 0.05% by weight.

Operation Hours Restriction(s).

006 [25 Pa. Code §127.441]

Operating permit terms and conditions.

The total combined hours of operation from both emergency generators incorporated in Source ID P105 shall not exceed 84 hours in any 12 consecutive month period

**SECTION D. Source Level Requirements****II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of the number of hours that each emergency generator incorporated in Source ID P105 operated on a monthly basis.

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 008 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall submit an annual report to the Department which includes the number of hours that each emergency generator incorporated in Source ID P105 operated on a monthly basis to verify compliance with the operational hour limitation in any 12 consecutive month period.

(b) The annual report shall be submitted by March 1 (for January 1 through December 31 of the previous year)

009 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]**Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the New Source Performance Standards (40 CFR Part 63 Subpart III) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P105 consists of two (2) 3,058 brake horsepower, MTU Detroit Diesel model 16V4000 G43 diesel-fired emergency generators.

011 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4200]**Subpart IIII - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines****Am I subject to this subpart?**


The two (2) emergency generators incorporated in Source ID P105 are subject to 40 CFR Part 60 Subpart IIII. The permittee shall comply with all requirements as specified in 40 CFR Part 60 Subpart IIII Sections 60.4200 through 60.4219.

**SECTION D. Source Level Requirements**

Source ID: P106

Source Name: DIESEL-FIRED FIRE PUMP ENGINE

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

The concentration of particulate matter in the exhaust of Source ID P106 shall not exceed 0.04 grains per dry standard cubic foot of effluent gas volume.

002 [25 Pa. Code §123.21]**General**

The concentration of sulfur oxides, expressed as sulfur dioxide (SO_x, expressed as SO₂), in the exhaust from Source P106 shall not exceed 500 parts per million, by volume, dry basis.

003 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The nitrogen oxides (NO_x, expressed as NO₂) emissions from Source ID P106 shall not exceed 1.5488 pounds per hour.

004 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4205]**Subpart III - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines****What emission standards must I meet for emergency engines if I am an owner or operator of a stationary CI internal co**

The permittee shall not permit the emission of the following air contaminants to exceed the following limitations from Source ID P106:

- (a) nitrogen oxides + non-methane, non-ethane hydrocarbons - 7.8 grams per brake horsepower-hour,
- (b) carbon monoxide - 3.7 grams per brake horsepower-hour,
- (c) particulate matter - 0.60 grams per brake horsepower-hour.

Fuel Restriction(s).**# 005 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) Source ID P106 shall only be fired on diesel fuel/#2 fuel oil to which no reclaimed or waste oil or other material has been added.

(b) The sulfur content of diesel fuel/#2 fuel oil fired in Source ID P106 shall not, at any time, exceed 0.05% by weight.

Operation Hours Restriction(s).**# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall not operate Source ID P106 more than 52 hours in any 12 consecutive month period.

**SECTION D. Source Level Requirements****II. TESTING REQUIREMENTS.**

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of the number of hours that Source ID P106 operated on a monthly basis.

(b) These records shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 008 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall submit an annual report to the Department which includes the number of hours that Source ID P106 operated on a monthly basis to verify compliance with the operational hour limitation in any 12 consecutive month period.

(b) The annual report shall be submitted no later than March 1 (for January 1 through December 31 of the previous year).

009 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]**Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the New Source Performance Standards (40 CFR Part 63 Subpart III) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****VII. ADDITIONAL REQUIREMENTS.****# 010 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P106 is a 160 brake horsepower Clarke model JU6H-UF30 diesel-fired fire pump engine.

011 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4200]**Subpart IIII - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines****Am I subject to this subpart?**


Source ID P106 is subject to the requirements of 40 CFR Part 60 Subpart IIII Section 60.4200 through 60.4219. The permittee shall comply with all applicable requirements of 40 CFR Part 60 Subpart IIII sections 60.4200 through 60.4219.

**SECTION D. Source Level Requirements**

Source ID: P107

Source Name: AMBULANCE SERVICE CENTER GENERATOR

Source Capacity/Throughput:

**I. RESTRICTIONS.****Emission Restriction(s).**

001 [25 Pa. Code §123.13]

Processes

The concentration of particulate matter in the exhaust of Source ID P107 shall not exceed 0.04 grains per dry standard cubic foot of effluent gas volume.

002 [25 Pa. Code §123.21]

General

The concentration of sulfur oxides, expressed as sulfur dioxide (SO₂), in the exhaust from Source ID P107 shall not exceed 500 parts per million, by volume, dry basis.

003 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4205]

Subpart III - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines**What emission standards must I meet for emergency engines if I am an owner or operator of a stationary CI internal co**

The permittee shall not permit the emission of the following air contaminants to exceed the following limitations from Source ID P107:

- (a) nitrogen oxides + non-methane, non-ethane hydrocarbons - 5.6 grams per brake horsepower-hour,
- (b) carbon monoxide - 4.10 grams per brake horsepower-hour,
- (c) particulate matter - 0.22 grams per brake horsepower-hour.

Fuel Restriction(s).

004 [25 Pa. Code §127.441]

Operating permit terms and conditions.

(a) Source ID P107 shall only be fired on diesel fuel/#2 fuel oil to which no reclaimed or waste oil or other material has been added.

(b) The sulfur content of diesel fuel fired in Source ID P107 shall not, at any time, exceed 0.05%, by weight.

Operation Hours Restriction(s).

005 [25 Pa. Code §127.441]

Operating permit terms and conditions.

[Additional authority for this permit condition is derived from the permittee taking this elective restriction]

Source ID P107 shall not be operated more than 500 hours in any 12 consecutive month period.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION D. Source Level Requirements****III. MONITORING REQUIREMENTS.****# 006 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P107 shall be equipped with an hour meter.

IV. RECORDKEEPING REQUIREMENTS.**# 007 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

(a) The permittee shall keep records of the hours of operation that Source ID P107 operated on a monthly basis.

(b) All records generated pursuant to this condition shall be retained for a minimum of five (5) years and shall be made available to the Department upon request.

V. REPORTING REQUIREMENTS.**# 008 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4]****Subpart A - General Provisions****Address.**

The submission of all requests, reports, applications, submittals and other communications required by the New Source Performance Standards (40 CFR Part 63 Subpart IIII) shall be submitted to both the U. S. Environmental Protection Agency and the Department. The Environmental Protection Agency copies may be sent to:

Office of Enforcement and Compliance Assistance
Air Protection Division (3HW20)
U. S. EPA, Region III
1650 Arch Street
Philadelphia, PA 19103-2029

and

The Pennsylvania Department of Environmental Protection
Air Quality Program Manager
208 W. Third Street, Suite 101
Williamsport, PA 17701-6448

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.**# 009 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

Source ID P107 is a 40 brake-horsepower, Olympian model D30P1 diesel-fired emergency generator.

010 [40 CFR Part 60 Standards of Performance for New Stationary Sources §40 CFR 60.4200]**Subpart IIII - Standards of Performance for Stationary Compression Ignition Internal Combustion Engines****Am I subject to this subpart?**

Source ID P107 is subject to the requirements of 40 CFR Part 60 Subpart IIII Sections 60.4200 through 60.4219. The permittee shall comply with all applicable requirements of 40 CFR Part 60 Subpart IIII Sections 60.4200 through 60.4219.



SECTION E. Source Group Restrictions.

No Source Groups exist for this permit.



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this permit.



SECTION G. Emission Restriction Summary.

No emission restrictions listed in this section of the permit.



SECTION H. Miscellaneous.

This operating permit was renewed on November 1, 2010.

Revision No. 1 issued on March 6, 2012, was an administrative amendment for the incorporation of the terms and conditions of Plan Approval #41-00033A.

The following air contaminant sources are considered by the Department to be insignificant with regards to air contaminant emissions and are determined to be exempt from permitting requirements. However, this determination does not exempt the sources from compliance with all applicable State and Federal regulation and all applicable air quality regulations specified in 25 Pa. Code Chapters 121-145:

- (a) Two (2) 3,000 gallon underground tanks used by emergency generators.
- (b) One (1) 10,000 gallon underground tank used by two (2) Keeler boilers.
- (c) One (1) 1000 gallon underground tank used by three (3) York Shipley boilers.
- (d) One (1) 125 gallon aboveground tank used by the MIS building generator.



***** End of Report *****
