



**COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
AIR QUALITY PROGRAM**

STATE ONLY SYNTHETIC MINOR OPERATING PERMIT

Issue Date: May 19, 2022

Effective Date: June 1, 2022

Expiration Date: May 31, 2027

In accordance with the provisions of the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and 25 Pa. Code Chapter 127, the Owner, [and Operator if noted] (hereinafter referred to as permittee) identified below is authorized by the Department of Environmental Protection (Department) to operate the air emission source(s) more fully described in this permit. This Facility is subject to all terms and conditions specified in this permit. Nothing in this permit relieves the permittee from its obligations to comply with all applicable Federal, State and Local laws and regulations.

The regulatory or statutory authority for each permit condition is set forth in brackets. All terms and conditions in this permit are federally enforceable unless otherwise designated.

State Only Permit No: 44-05016

Synthetic Minor

Federal Tax Id - Plant Code: 23-1982960-1

Owner Information

Name: LEWISTOWN CABINET CTR INC

Mailing Address: PO BOX 507

REEDSVILLE, PA 17084-0507

Plant Information

Plant: LEWISTOWN CABINET CTR/MILROY

Location: 44 Mifflin County

44903 Armagh Township

SIC Code: 2434 Manufacturing - Wood Kitchen Cabinets

Responsible Official

Name: DOUGLAS K KERSTETTER

Title: PRES

Phone: (717) 667 - 2121

Email: lcc@acsworld.com

Permit Contact Person

Name: DOUGLAS K KERSTETTER

Title: PRES

Phone: (717) 667 - 2121

Email: lcc@acsworld.com

[Signature] _____

WILLIAM R. WEAVER, SOUTH CENTRAL REGION AIR PROGRAM MANAGER



SECTION A. Table of Contents

Section A. Facility/Source Identification

Table of Contents
Site Inventory List

Section B. General State Only Requirements

- #001 Definitions.
- #002 Operating Permit Duration.
- #003 Permit Renewal.
- #004 Operating Permit Fees under Subchapter I.
- #005 Transfer of Operating Permits.
- #006 Inspection and Entry.
- #007 Compliance Requirements.
- #008 Need to Halt or Reduce Activity Not a Defense.
- #009 Duty to Provide Information.
- #010 Revising an Operating Permit for Cause.
- #011 Operating Permit Modifications
- #012 Severability Clause.
- #013 De Minimis Emission Increases.
- #014 Operational Flexibility.
- #015 Reactivation
- #016 Health Risk-based Emission Standards and Operating Practice Requirements.
- #017 Circumvention.
- #018 Reporting Requirements.
- #019 Sampling, Testing and Monitoring Procedures.
- #020 Recordkeeping.
- #021 Property Rights.
- #022 Alternative Operating Scenarios.
- #023 Reporting
- #024 Report Format

Section C. Site Level State Only Requirements

- C-I: Restrictions
- C-II: Testing Requirements
- C-III: Monitoring Requirements
- C-IV: Recordkeeping Requirements
- C-V: Reporting Requirements
- C-VI: Work Practice Standards
- C-VII: Additional Requirements
- C-VIII: Compliance Certification
- C-IX: Compliance Schedule

Section D. Source Level State Only Requirements

- D-I: Restrictions
- D-II: Testing Requirements
- D-III: Monitoring Requirements
- D-IV: Recordkeeping Requirements
- D-V: Reporting Requirements
- D-VI: Work Practice Standards
- D-VII: Additional Requirements

Note: These same sub-sections are repeated for each source!

Section E. Source Group Restrictions

- E-I: Restrictions



SECTION A. Table of Contents

- E-II: Testing Requirements
- E-III: Monitoring Requirements
- E-IV: Recordkeeping Requirements
- E-V: Reporting Requirements
- E-VI: Work Practice Standards
- E-VII: Additional Requirements

Section F. Alternative Operating Scenario(s)

- F-I: Restrictions
- F-II: Testing Requirements
- F-III: Monitoring Requirements
- F-IV: Recordkeeping Requirements
- F-V: Reporting Requirements
- F-VI: Work Practice Standards
- F-VII: Additional Requirements

Section G. Emission Restriction Summary

Section H. Miscellaneous

**SECTION A. Site Inventory List**

| Source ID | Source Name | Capacity/Throughput | Fuel/Material |
|-----------|--------------------------|---------------------|---------------|
| 101 | CABINET FINISHING SYSTEM | 50.000 Lbs/HR | VOC |
| C101 | SPRAY BOOTH FILTERS | | |
| S101 | SPRAY BOOTHS EXHAUST | | |

PERMIT MAPS

**SECTION B. General State Only Requirements****#001 [25 Pa. Code § 121.1]****Definitions.**

Words and terms that are not otherwise defined in this permit shall have the meanings set forth in Section 3 of the Air Pollution Control Act (35 P.S. § 4003) and in 25 Pa. Code § 121.1.

#002 [25 Pa. Code § 127.446]**Operating Permit Duration.**

(a) This operating permit is issued for a fixed term of five (5) years and shall expire on the date specified on Page 1 of this permit.

(b) The terms and conditions of the expired permit shall automatically continue pending issuance of a new operating permit, provided the permittee has submitted a timely and complete application and paid applicable fees required under 25 Pa. Code Chapter 127, Subchapter I and the Department is unable, through no fault of the permittee, to issue or deny a new permit before the expiration of the previous permit.

#003 [25 Pa. Code §§ 127.412, 127.413, 127.414, 127.446 & 127.703(b)]**Permit Renewal.**

(a) The permittee shall submit a timely and complete application for renewal of the operating permit to the appropriate Regional Air Program Manager. The application for renewal of the operating permit shall be submitted at least six (6) months and not more than 18 months before the expiration date of this permit.

(b) The application for permit renewal shall include the current permit number, a description of any permit revisions that occurred during the permit term, and any applicable requirements that were promulgated and not incorporated into the permit during the permit term. An application is complete if it contains sufficient information to begin processing the application, has the applicable sections completed and has been signed by a responsible official.

(c) The permittee shall submit with the renewal application a fee for the processing of the application as specified in 25 Pa. Code § 127.703(b). The fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" and submitted with the fee form to the respective regional office.

(d) The renewal application shall also include submission of proof that the local municipality and county, in which the facility is located, have been notified in accordance with 25 Pa. Code § 127.413.

(e) The application for renewal of the operating permit shall also include submission of supplemental compliance review forms in accordance with the requirements of 25 Pa. Code § 127.412(b) and § 127.412(j).

(f) The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application, shall promptly submit such supplementary facts or corrected information as necessary to address any requirements that become applicable to the source after the permittee submits a complete application, but prior to the date the Department takes action on the permit application.

#004 [25 Pa. Code § 127.703]**Operating Permit Fees under Subchapter I.**

(a) The permittee shall pay the annual operating permit maintenance fee according to the following fee schedule in either paragraph (1) or (2) in accordance with 25 Pa. Code § 127.703(d) on or before December 31 of each year for the next calendar year.

(1) For a synthetic minor facility, a fee equal to:

(i) Four thousand dollars (\$4,000) for calendar years 2021—2025.

(ii) Five thousand dollars (\$5,000) for calendar years 2026—2030.

(iii) Six thousand three hundred dollars (\$6,300) for the calendar years beginning with 2031.

**SECTION B. General State Only Requirements**

(2) For a facility that is not a synthetic minor, a fee equal to:

- (i) Two thousand dollars (\$2,000) for calendar years 2021—2025.
- (ii) Two thousand five hundred dollars (\$2,500) for calendar years 2026—2030.
- (iii) Three thousand one hundred dollars (\$3,100) for the calendar years beginning with 2031.

(b) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#005 [25 Pa. Code §§ 127.450 (a)(4) and 127.464]**Transfer of Operating Permits.**

(a) This operating permit may not be transferred to another person, except in cases of transfer-of-ownership that are documented and approved by the Department.

(b) In accordance with 25 Pa. Code § 127.450(a)(4), a change in ownership of the source shall be treated as an administrative amendment if the Department determines that no other change in the permit is required and a written agreement has been submitted to the Department identifying the specific date of the transfer of permit responsibility, coverage and liability between the current and the new permittee and a compliance review form has been submitted to, and the permit transfer has been approved by, the Department.

(c) This operating permit is valid only for those specific sources and the specific source locations described in this permit.

#006 [25 Pa. Code § 127.441 and 35 P.S. § 4008]**Inspection and Entry.**

(a) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Department or authorized representatives of the Department to perform the following:

(1) Enter at reasonable times upon the permittee's premises where a source is located or emissions related activity is conducted, or where records are kept under the conditions of this permit;

(2) Have access to and copy, at reasonable times, any records that are kept under the conditions of this permit;

(3) Inspect at reasonable times, any facilities, equipment including monitoring and air pollution control equipment, practices, or operations regulated or required under this permit;

(4) Sample or monitor, at reasonable times, any substances or parameters, for the purpose of assuring compliance with the permit or applicable requirements as authorized by the Clean Air Act, the Air Pollution Control Act, or the regulations promulgated under the Acts.

(b) Pursuant to 35 P.S. § 4008, no person shall hinder, obstruct, prevent or interfere with the Department or its personnel in the performance of any duty authorized under the Air Pollution Control Act or regulations adopted thereunder including denying the Department access to a source at this facility. Refusal of entry or access may constitute grounds for permit revocation and assessment of criminal and/or civil penalties.

(c) Nothing in this permit condition shall limit the ability of the EPA to inspect or enter the premises of the permittee in accordance with Section 114 or other applicable provisions of the Clean Air Act.

#007 [25 Pa. Code §§ 127.441 & 127.444]**Compliance Requirements.**

(a) The permittee shall comply with the conditions of this operating permit. Noncompliance with this permit constitutes a violation of the Clean Air Act and the Air Pollution Control Act and is grounds for one or more of the following:

**SECTION B. General State Only Requirements**

- (1) Enforcement action
- (2) Permit termination, revocation and reissuance or modification
- (3) Denial of a permit renewal application

(b) A person may not cause or permit the operation of a source which is subject to 25 Pa. Code Article III unless the source(s) and air cleaning devices identified in the application for the plan approval and operating permit and the plan approval issued for the source is operated and maintained in accordance with specifications in the applications and the conditions in the plan approval and operating permit issued by the Department. A person may not cause or permit the operation of an air contamination source subject to 25 Pa. Code Chapter 127 in a manner inconsistent with good operating practices.

(c) For purposes of Sub-condition (b) of this permit condition, the specifications in applications for plan approvals and operating permits are the physical configurations and engineering design details which the Department determines are essential for the permittee's compliance with the applicable requirements in this State-Only permit. Nothing in this sub-condition shall be construed to create an independent affirmative duty upon the permittee to obtain a predetermination from the Department for physical configuration or engineering design detail changes made by the permittee.

#008 [25 Pa. Code § 127.441]**Need to Halt or Reduce Activity Not a Defense.**

It shall not be a defense for the permittee in an enforcement action that it was necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

#009 [25 Pa. Code §§ 127.442(a) & 127.461]**Duty to Provide Information.**

(a) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of each source at the facility.

(b) The permittee shall furnish to the Department, in writing, information that the Department may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Department copies of records that the permittee is required to maintain in accordance with this permit.

#010 [25 Pa. Code § 127.461]**Revising an Operating Permit for Cause.**

This operating permit may be terminated, modified, suspended or revoked and reissued if one or more of the following applies:

- (1) The permittee constructs or operates the source subject to the operating permit so that it is in violation of the Air Pollution Control Act, the Clean Air Act, the regulations thereunder, a plan approval, a permit or in a manner that causes air pollution.
- (2) The permittee fails to properly or adequately maintain or repair an air pollution control device or equipment attached to or otherwise made a part of the source.
- (3) The permittee has failed to submit a report required by the operating permit or an applicable regulation.
- (4) The EPA determines that the permit is not in compliance with the Clean Air Act or the regulations thereunder.

#011 [25 Pa. Code §§ 127.450, 127.462, 127.465 & 127.703]**Operating Permit Modifications**

(a) The permittee is authorized to make administrative amendments, minor operating permit modifications and significant operating permit modifications, under this permit, as outlined below:

**SECTION B. General State Only Requirements**

(b) Administrative Amendments. The permittee shall submit the application for administrative operating permit amendments (as defined in 25 Pa. Code § 127.450(a)), according to procedures specified in § 127.450 unless precluded by the Clean Air Act or its regulations.

(c) Minor Operating Permit Modifications. The permittee shall submit the application for minor operating permit modifications (as defined 25 Pa. Code § 121.1) in accordance with 25 Pa. Code § 127.462.

(d) Significant Operating Permit Modifications. The permittee shall submit the application for significant operating permit modifications in accordance with 25 Pa. Code § 127.465.

(e) The applicable fees shall be made payable to "The Commonwealth of Pennsylvania Clean Air Fund" with the permit number clearly indicated and submitted to the respective regional office.

#012 [25 Pa. Code § 127.441]**Severability Clause.**

The provisions of this permit are severable, and if any provision of this permit is determined by a court of competent jurisdiction to be invalid or unenforceable, such a determination will not affect the remaining provisions of this permit.

#013 [25 Pa. Code § 127.449]**De Minimis Emission Increases.**

(a) This permit authorizes de minimis emission increases in accordance with 25 Pa. Code § 127.449 so long as the permittee provides the Department with seven (7) days prior written notice before commencing any de minimis emissions increase. The written notice shall:

(1) Identify and describe the pollutants that will be emitted as a result of the de minimis emissions increase.

(2) Provide emission rates expressed in tons per year and in terms necessary to establish compliance consistent with any applicable requirement.

(b) The Department may disapprove or condition de minimis emission increases at any time.

(c) Except as provided below in (d), the permittee is authorized to make de minimis emission increases (expressed in tons per year) up to the following amounts without the need for a plan approval or prior issuance of a permit modification:

(1) Four tons of carbon monoxide from a single source during the term of the permit and 20 tons of carbon monoxide at the facility during the term of the permit.

(2) One ton of NO_x from a single source during the term of the permit and 5 tons of NO_x at the facility during the term of the permit.

(3) One and six-tenths tons of the oxides of sulfur from a single source during the term of the permit and 8.0 tons of oxides of sulfur at the facility during the term of the permit.

(4) Six-tenths of a ton of PM₁₀ from a single source during the term of the permit and 3.0 tons of PM₁₀ at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(5) One ton of VOCs from a single source during the term of the permit and 5.0 tons of VOCs at the facility during the term of the permit. This shall include emissions of a pollutant regulated under Section 112 of the Clean Air Act unless precluded by the Clean Air Act, the regulations thereunder or 25 Pa. Code Article III.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(d) In accordance with § 127.14, the permittee is authorized to install the following minor sources without the need for a plan approval or permit modification:

**SECTION B. General State Only Requirements**

(1) Air conditioning or ventilation systems not designed to remove pollutants generated or released from other sources.

(2) Combustion units rated at 2,500,000 or less Btu per hour of heat input.

(3) Combustion units with a rated capacity of less than 10,000,000 Btu per hour heat input fueled by natural gas supplied by a public utility or by commercial fuel oils which are No. 2 or lighter, viscosity less than or equal to 5.82 c St, and which meet the sulfur content requirements of 25 Pa. Code §123.22 (relating to combustion units). For purposes of this permit, commercial fuel oil shall be virgin oil which has no reprocessed, recycled or waste material added.

(4) Space heaters which heat by direct heat transfer.

(5) Laboratory equipment used exclusively for chemical or physical analysis.

(6) Other sources and classes of sources determined to be of minor significance by the Department.

(e) This permit does not authorize de minimis emission increases if the emissions increase would cause one or more of the following:

(1) Increase the emissions of a pollutant regulated under Section 112 of the Clean Air Act except as authorized in Subparagraphs (c)(4) and (5) of this permit condition.

(2) Subject the facility to the prevention of significant deterioration requirements in 25 Pa. Code Chapter 127, Subchapter D and/or the new source review requirements in Subchapter E.

(3) Violate any applicable requirement of this permit, the Air Pollution Control Act, the Clean Air Act, or the regulations promulgated under either of the acts.

(f) Emissions authorized under this permit condition shall be included in the monitoring, recordkeeping and reporting requirements of this permit.

(g) Except for de minimis emission increases, installation of minor sources made pursuant to this permit condition and Plan Approval Exemptions under 25 Pa. Code § 127.14 (relating to exemptions), the permittee is prohibited from making changes or engaging in activities that are not specifically authorized under this permit without first applying for a plan approval. In accordance with § 127.14(b), a plan approval is not required for the construction, modification, reactivation, or installation of the sources creating the de minimis emissions increase.

(h) The permittee may not meet de minimis emission threshold levels by offsetting emission increases or decreases at the same source.

#014 [25 Pa. Code § 127.3]**Operational Flexibility.**

The permittee is authorized to make changes within the facility in accordance with the regulatory provisions outlined in 25 Pa. Code § 127.3 (relating to operational flexibility) to implement the operational flexibility requirements provisions authorized under Section 6.1(i) of the Air Pollution Control Act and the operational flexibility terms and conditions of this permit. The provisions in 25 Pa. Code Chapter 127 which implement the operational flexibility requirements include the following:

(1) Section 127.14 (relating to exemptions)

(2) Section 127.447 (relating to alternative operating scenarios)

(3) Section 127.448 (relating to emissions trading at facilities with Federally enforceable emissions caps)

(4) Section 127.449 (relating to de minimis emission increases)

(5) Section 127.450 (relating to administrative operating permit amendments)

**SECTION B. General State Only Requirements**

(6) Section 127.462 (relating to minor operating permit modifications)

(7) Subchapter H (relating to general plan approvals and general operating permits)

#015 [25 Pa. Code § 127.11]**Reactivation**

(a) The permittee may not reactivate a source that has been out of operation or production for at least one year unless the reactivation is conducted in accordance with a plan approval granted by the Department or in accordance with reactivation and maintenance plans developed and approved by the Department in accordance with 25 Pa. Code § 127.11a(a).

(b) A source which has been out of operation or production for more than five (5) years but less than 10 years may be reactivated and will not be considered a new source if the permittee satisfies the conditions specified in 25 Pa. Code § 127.11a(b).

#016 [25 Pa. Code § 127.36]**Health Risk-based Emission Standards and Operating Practice Requirements.**

(a) When needed to protect public health, welfare and the environment from emissions of hazardous air pollutants from new and existing sources, the permittee shall comply with the health risk-based emission standards or operating practice requirements imposed by the Department, except as precluded by §§ 6.6(d)(2) and (3) of the Air Pollution Control Act [35 P.S. § 4006.6(d)(2) and (3)].

(b) A person challenging a performance or emission standard established by the Department has the burden to demonstrate that performance or emission standard does not meet the requirements of Section 112 of the Clean Air Act.

#017 [25 Pa. Code § 121.9]**Circumvention.**

No person may permit the use of a device, stack height which exceeds good engineering practice stack height, dispersion technique or other technique which, without resulting in reduction of the total amount of air contaminants emitted, conceals or dilutes an emission of air contaminants which would otherwise be in violation of 25 Pa. Code Article III, except that with prior approval of the Department, the device or technique may be used for control of malodors.

#018 [25 Pa. Code §§ 127.402(d) & 127.442]**Reporting Requirements.**

(a) The permittee shall comply with the applicable reporting requirements of the Clean Air Act, the regulations thereunder, the Air Pollution Control Act and 25 Pa. Code Article III including Chapters 127, 135 and 139.

(b) The permittee shall submit reports to the Department containing information the Department may prescribe relative to the operation and maintenance of any air contamination source.

(c) Reports, test data, monitoring data, notifications and requests for renewal of the permit shall be submitted to the:

Regional Air Program Manager
PA Department of Environmental Protection
(At the address given in the permit transmittal letter, or otherwise notified)

(d) Any records or information including applications, forms, or reports submitted pursuant to this permit condition shall contain a certification by a responsible official as to truth, accuracy and completeness. The certifications submitted under this permit shall require a responsible official of the facility to certify that based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.

(e) Any records, reports or information submitted to the Department shall be available to the public except for such

**SECTION B. General State Only Requirements**

records, reports or information which meet the confidentiality requirements of § 4013.2 of the Air Pollution Control Act and §§ 112(d) and 114(c) of the Clean Air Act. The permittee may not request a claim of confidentiality for any emissions data generated for the facility.

#019 [25 Pa. Code §§ 127.441(c) & 135.5]**Sampling, Testing and Monitoring Procedures.**

(a) The permittee shall comply with the monitoring, recordkeeping or reporting requirements of 25 Pa. Code Chapter 139 and the other applicable requirements of 25 Pa. Code Article III and additional requirements related to monitoring, reporting and recordkeeping required by the Clean Air Act and the regulations thereunder including the Compliance Assurance Monitoring requirements of 40 CFR Part 64, where applicable.

(b) Unless alternative methodology is required by the Clean Air Act and regulations adopted thereunder, sampling, testing and monitoring required by or used by the permittee to demonstrate compliance with any applicable regulation or permit condition shall be conducted in accordance with the requirements of 25 Pa. Code Chapter 139.

#020 [25 Pa. Code §§ 127.441(c) and 135.5]**Recordkeeping.**

(a) The permittee shall maintain and make available, upon request by the Department, the following records of monitored information:

- (1) The date, place (as defined in the permit) and time of sampling or measurements.
- (2) The dates the analyses were performed.
- (3) The company or entity that performed the analyses.
- (4) The analytical techniques or methods used.
- (5) The results of the analyses.
- (6) The operating conditions as existing at the time of sampling or measurement.

(b) The permittee shall retain records of any required monitoring data and supporting information for at least five (5) years from the date of the monitoring, sample, measurement, report or application. Supporting information includes the calibration data and maintenance records and original strip-chart recordings for continuous monitoring instrumentation, and copies of reports required by the permit.

(c) The permittee shall maintain and make available to the Department upon request, records including computerized records that may be necessary to comply with the reporting, recordkeeping and emission statement requirements in 25 Pa. Code Chapter 135 (relating to reporting of sources). In accordance with 25 Pa. Code Chapter 135, § 135.5, such records may include records of production, fuel usage, maintenance of production or pollution control equipment or other information determined by the Department to be necessary for identification and quantification of potential and actual air contaminant emissions.

#021 [25 Pa. Code § 127.441(a)]**Property Rights.**

This permit does not convey any property rights of any sort, or any exclusive privileges.

#022 [25 Pa. Code § 127.447]**Alternative Operating Scenarios.**

The permittee is authorized to make changes at the facility to implement alternative operating scenarios identified in this permit in accordance with 25 Pa. Code § 127.447.

**SECTION B. General State Only Requirements****#023 [25 Pa. Code §135.3]****Reporting**

(a) If the facility is a Synthetic Minor Facility, the permittee shall submit by March 1 of each year an annual emissions report for the preceding calendar year. The report shall include information for all active previously reported sources, new sources which were first operated during the preceding calendar year, and sources modified during the same period which were not previously reported. All air emissions from the facility should be estimated and reported.

(b) A source owner or operator of a Synthetic Minor Facility may request an extension of time from the Department for the filing of an annual emissions report, and the Department may grant the extension for reasonable cause.

#024 [25 Pa. Code §135.4]**Report Format**

If applicable, the emissions reports shall contain sufficient information to enable the Department to complete its emission inventory. Emissions reports shall be made by the source owner or operator in a format specified by the Department.

**SECTION C. Site Level Requirements****I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

No person shall permit the emission into the outdoor atmosphere of any fugitive air contaminant from a source other than the following:

- (a) Construction or demolition of buildings or structures.
- (b) Grading, paving and maintenance of roads and streets.
- (c) Use of roads and streets. Emissions from material in or on trucks, railroad cars and other vehicular equipment are not considered as emissions from use of roads and streets.
- (d) Clearing of land.
- (e) Stockpiling of materials.
- (f) Open burning operations.
- (g) Sources and classes of sources other than those identified above, for which the operator has obtained a determination from the Department that fugitive emissions from the source, after appropriate control, meet the following requirements:
 - 1) the emissions are of minor significance with respect to causing air pollution;
 - 2) the emissions are not preventing or interfering with the attainment or maintenance of any ambient air standard.

002 [25 Pa. Code §123.2]**Fugitive particulate matter**

No person shall emit particulate matter into the outdoor atmosphere from a source specified in Section C, Condition #001 if the emissions are visible at the point the emissions pass outside the person's property.

003 [25 Pa. Code §123.31]**Limitations**

No person shall permit the emission into the outdoor atmosphere of any malodorous air contaminants from any source in such a manner that the malodors are detectable outside the property of the person on whose land the source is being operated.

004 [25 Pa. Code §123.41]**Limitations**

No person shall permit the emission into the outdoor atmosphere of visible air contaminants in such a manner that the opacity of the emission is either of the following:

- (1) Equal to or greater than 20% for a period or periods aggregating more than three minutes in any 1 hour.
- (2) Equal to or greater than 60 % at any time.

005 [25 Pa. Code §123.42]**Exceptions**

The emission limitations of Section 123.41 shall not apply when:

- (1) The presence of uncombined water is the only reason for failure of the emission to meet the limitation;
- (2) The emission results from the operation of equipment used solely to train and test persons in observing the opacity of visible emissions;
- (3) The emission results from sources specified in 25 Pa. Code Section 123.1(a) (relating to prohibition of certain fugitive

**SECTION C. Site Level Requirements**

emissions).

006 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The permittee shall limit the facility's total actual emissions below the following levels to maintain the facility's Title V synthetic minor status:

- (a) 100 tons/year of sulfur oxides (SO_x)
- (b) 100 tons/year of nitrogen oxides (NO_x)
- (c) 100 tons/year of carbon monoxide (CO)
- (d) 100 tons/year of PM-10 (particulate matter with an effective aerodynamic diameter of less than or equal to a nominal 10 micrometer body as measured by the applicable reference method or an equal method)
- (e) 50 tons/year of volatile organic compounds (VOC)
- (f) 10 tons/year of any individual hazardous air pollutant (HAP)
- (g) 25 tons/year of total combined hazardous air pollutants

The above emission limits are based upon a 12-month rolling total and apply to each consecutive 12-month rolling total period. Compliance verification requires emissions to be calculated for each month and each consecutive 12-month rolling total period. Calculation records shall be maintained on-site for the most recent five-year period and made available to Department representatives upon request.

007 [25 Pa. Code §129.14]**Open burning operations**

- (a) No person shall conduct the open burning of materials in such a manner that:
 - (1) The emissions are visible, at any time, at the point such emissions pass outside the property of the person on whose land the open burning is being conducted.
 - (2) Malodorous air contaminants from the open burning are detectable outside the property of the person on whose land the open burning is being conducted.
 - (3) The emissions interfere with the reasonable enjoyment of life and property.
 - (4) The emissions cause damage to vegetation or property.
 - (5) The emissions are or may be deleterious to human or animal health.
- (b) The requirements of Section (a), above, do not apply when the open burning operations result from:
 - (1) A fire set to prevent or abate a fire hazard, when approved by the Department and set by or under the supervision of a public officer.
 - (2) A fire set for the purpose of instructing personnel in fire fighting, when approved by the Department.
 - (3) A fire set for the prevention and control of disease or pests, when approved by the Department.

**SECTION C. Site Level Requirements**

(4) A fire set solely for recreational or ceremonial purposes.

(5) A fire set solely for cooking food.

(c) This permit does not constitute authorization to burn solid waste pursuant to Section 610 (3) of the Solid Waste Management Act, 35 P.S. Section 6018.610 (3), or any other provision of the Solid Waste Management Act.

II. TESTING REQUIREMENTS.**# 008 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The Department reserves the right to require exhaust stack testing of the sources referenced in this permit as necessary during the permit term to verify emissions for purposes including emission fees, malfunctions or permit condition violations.

009 [25 Pa. Code §139.1]**Sampling facilities.**

Upon the request of the Department, the permittee shall provide adequate sampling ports, safe sampling platforms and adequate utilities for the performance by the Department of tests on such sources. In the request, the Department will set forth the time period in which the facilities shall be provided, as well as the specifications for the facilities.

III. MONITORING REQUIREMENTS.**# 010 [25 Pa. Code §123.43]****Measuring techniques**

Visible air contaminants may be measured using either of the following:

- 1) A device approved by the Department and maintained to provide accurate opacity measurements.
- 2) Observers, trained and certified in EPA Method 9, to measure plume opacity with the naked eye or with the aid of devices approved by the Department.

011 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

The permittee shall conduct a weekly inspection of the plant premises during daylight hours when the plant is in production to detect visible stack emissions, fugitive emissions leaving the premises and malodorous air emissions as follows:

- (a) Stack emissions in excess of the limits stated in Section C, Condition #004. Stack emissions may be measured according to the methods specified in Section C, Condition #010 or alternatively, plant personnel who observe visible emissions may report the incidence of visible emissions to the Department within two hours of each incident and make arrangements for a certified observer to verify the visible emissions.
- (b) The presence of visible emissions beyond the plant property boundaries, as stated in Section C, Condition #002.
- (c) The presence of odorous air emissions beyond the plant property boundaries as stated in Section C, Condition #003.

IV. RECORDKEEPING REQUIREMENTS.**# 012 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall maintain records of each weekly inspection conducted in accordance with Section C, Condition 011. At a minimum, these records shall include the following information:

**SECTION C. Site Level Requirements**

- (1) The name of the company representative conducting each inspection.
- (2) The date and time of each inspection.
- (3) The wind direction during each inspection.
- (4) A description of the emissions and/or malodors observed and the actions taken to mitigate them.

The permittee shall maintain these records for a minimum of five years and shall make them available to Department representatives upon request.

V. REPORTING REQUIREMENTS.**# 013 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall report malfunctions which occur at the facility to the Department. A malfunction is any sudden, infrequent, and not reasonably preventable failure of air pollution control equipment, process equipment, or a process to operate in a normal or usual manner that may result in an increase in air emissions above minor significance. Failures that are caused in part by poor maintenance or careless operation are not malfunctions. Malfunctions shall be reported as follows:

(a) When the malfunction poses an imminent and substantial danger to the public health and safety or harm to the environment, the notification shall be reported immediately to the Department by telephone. The telephone report of such malfunctions shall occur no later than two hours after the incident.

(1) The notice shall describe the:

- (i) name and location of the facility;
- (ii) nature and cause of the malfunction or breakdown;
- (iii) time when the malfunction or breakdown was first observed;
- (iv) expected duration of excess emissions; and
- (v) estimated rate of emissions.

(2) The owner or operator shall notify the Department immediately when corrective measures have been accomplished.

(3) The permittee shall submit a written report of instances of such malfunctions to the department, in writing, within three (3) days of the of the telephone report.

(4) The owner or operator shall submit reports on the operation and maintenance of the source to the Regional Air Program Manager at such intervals and in such form and detail as may be required by the Department. Information required in the reports may include, but is not limited to, process weight rates, firing rates, hours of operation, and maintenance schedules.

(b) Unless otherwise required by this permit, any other malfunction that is not subject to the reporting requirements of (a) above, shall be reported to the Department, in writing, within five (5) days of discovery of the malfunction.

(c) Malfunctions shall be reported to the Department at the following address:

PADEP
Air Program Manager
909 Elmerton Avenue
Harrisburg, PA 17110

Telephone reports can be made to the Air Quality Program at (717) 705-4702 during normal business hours or to the Department's Emergency Hotline at any time. The current Emergency Hotline phone number can be found at <https://www.dep.pa.gov/About/Regional/SouthcentralRegion/Pages/default.aspx>.

**SECTION C. Site Level Requirements****VI. WORK PRACTICE REQUIREMENTS.****# 014 [25 Pa. Code §123.1]****Prohibition of certain fugitive emissions**

The permittee shall take all reasonable actions to prevent particulate matter from the sources identified in Section C, Condition #001 (a) through (e) from becoming airborne. The actions shall include, but are not limited to, the following:

- (1) Use, where possible, of water or chemicals for control of dust in the demolition of buildings or structures, construction operations, the grading of roads or the clearing of land.
- (2) Application of asphalt, oil, water or suitable chemicals on dirt roads, materials stockpiles and other surfaces which may give rise to airborne dusts.
- (3) Paving and maintenance of roadways.
- (4) Prompt removal of earth or other material from paved streets onto which earth or other material has been transported by trucking or earth moving equipment, erosion by water, or other means.

015 [25 Pa. Code §127.444]**Compliance requirements.**

The permittee shall operate and maintain the emission sources and air cleaning devices referenced in this permit in accordance with the manufacturer's general recommendations and good air pollution control practices.

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VIII. COMPLIANCE CERTIFICATION.

No additional compliance certifications exist except as provided in other sections of this permit including Section B (relating to State Only General Requirements).

IX. COMPLIANCE SCHEDULE.

No compliance milestones exist.

**SECTION D. Source Level Requirements**

Source ID: 101


Source Name: CABINET FINISHING SYSTEM

Source Capacity/Throughput:

50.000 Lbs/HR

VOC

Conditions for this source occur in the following groups: 001
002

**I. RESTRICTIONS.****Emission Restriction(s).****# 001 [25 Pa. Code §123.13]****Processes**

No person shall permit the emission into the outdoor atmosphere of particulate matter from the Source ID 101 cabinet finishing system in excess of 0.04 grain per dry standard cubic foot of effluent gas.

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

V. REPORTING REQUIREMENTS.**# 002 [25 Pa. Code §127.441]****Operating permit terms and conditions.**

The permittee shall provide the following information to obtain credit for surface coating wastes sent off-site for recycling or incineration at a legally-permitted facility:

- (a) amount per month of surface coating wastes shipped from the facility
- (b) waste profile for each shipment, and
- (c) identification of the waste disposal company for each shipment

003 [25 Pa. Code §127.441]**Operating permit terms and conditions.**

[Additional authority for this permit condition is derived from 25 Pa. Code Section 135.3]

The permittee shall submit an annual air emissions report to the Department through the Altoona District Supervisor that includes the following information:

- (a) coating usage
- (b) identification and composition of each new surface coating used during the reporting year.

**SECTION D. Source Level Requirements**

The report for each January 1st through December 31st period is due no later than March 1st of the following year for each year authorized by the operating permit or its renewal.

The permittee may request an extension of time from the Department for the filing of the annual report specified above and the Department may grant the extension for reasonable cause.

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements) and/or Section E (Source Group Restrictions).

**SECTION E. Source Group Restrictions.**

Group Name: 001

Group Description: Surface Coating Operations (Section 129.52)

Sources included in this group

| ID | Name |
|-----|--------------------------|
| 101 | CABINET FINISHING SYSTEM |

I. RESTRICTIONS.**Emission Restriction(s).****# 001 [25 Pa. Code §129.52]****Surface coating processes**

Surface coating processes.

(a) This section applies to a surface coating process category, regardless of the size of the facility, which emits or has emitted VOCs into the outdoor atmosphere in quantities greater than 3 pounds (1.4 kilograms) per hour, 15 pounds (7 kilograms) per day or 2.7 tons (2,455 kilograms) per year during any calendar year since January 1, 1987.

(b) A person may not cause or permit the emission into the outdoor atmosphere of VOCs from a surface coating process category listed in Table I, unless one of the following limitations is met:

(1) The VOC content of each as applied coating is equal to or less than the standard specified in Table I.

(i) The VOC content of the as applied coating, expressed in units of weight of VOC per volume of coating solids, shall be calculated as follows:

$$\text{VOC} = (\text{Wo})(\text{Dc})/\text{Vn}$$

Where:

VOC = VOC content in lb VOC/gal of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100%-weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvent(s)

Dc = Density of coating, lb/gal, at 25°C

Vn = Volume percent of solids of the as applied coating

(ii) [NA - NO DIP COATING]

(iii) The VOC content of the as applied coating, expressed in units of weight of VOC per weight of coating solids, shall be calculated as follows:

$$\text{VOCB} = (\text{Wo})/(\text{Wn})$$

Where:

**SECTION E. Source Group Restrictions.**

VOCB = VOC content in lb VOC/lb of coating solids

Wo = Weight percent of VOC (Wv-Ww-Wex)

Wv = Weight percent of total volatiles (100%-weight percent solids)

Ww = Weight percent of water

Wex = Weight percent of exempt solvents

Wn = Weight percent of solids of the as applied coating

(iv) Sampling and testing shall be done in accordance with the procedures and test methods specified in Chapter 139 (relating to sampling and testing).

(2) [NA - NO ADD-ON CONTROLS]

(c) A facility, regardless of the facility's annual emission rate, which contains surface coating processes shall maintain records sufficient to demonstrate compliance with this section. At a minimum, a facility shall maintain daily records of:

(1) The following parameters for each coating, thinner and other component as supplied:

(i) The coating, thinner or component name and identification number.

(ii) The volume used.

(iii) The mix ratio.

(iv) The density or specific gravity.

(v) The weight percent of total volatiles, water, solids and exempt solvents.

(vi) The volume percent of solids for Table I surface coating process categories 1—10.

(2) The VOC content of each coating, thinner and other component as supplied.

(3) The VOC content of each as applied coating.

(d) The solvents methyl chloroform (1,1,1-trichloroethane) and methylene chloride are exempt from control under this section and § 129.67 (relating to graphic arts systems). A surface coating process which seeks to comply with this section through the use of an exempt solvent may not be included in any alternative standards.

(e) If more than one emission limitation under miscellaneous metal parts and products applies to a specific coating, the least stringent emission limitation applies.

(f) A person may not cause or permit the emission into the outdoor atmosphere of VOCs from the application of wood furniture coatings unless the coatings are applied using electrostatic, airless, curtain coating, roller coating, hand roller, hand brush, flow coating, dip coating or high volume-low pressure application equipment. Air atomized sprays may be used to apply cosmetic specialty coatings if the volume of the cosmetic specialty coatings is less than 5% by volume of the total coating used at the facility or to apply final repair coatings.

(g) The records shall be maintained for 2 years and shall be submitted to the Department on a schedule reasonably prescribed by the Department.

(h) The VOC standards in Table I do not apply to a coating used exclusively for determining product quality and commercial acceptance, touch-up and repair and other small quantity coatings if the coating meets the following criteria:

**SECTION E. Source Group Restrictions.**

(1) The quantity of coating used does not exceed 50 gallons per year for a single coating and a total of 200 gallons per year for all coatings combined for the facility.

(2) The owner or operator of the facility requests, in writing, and the Department approves, in writing, the exemption prior to use of the coating.

(i) [NA - NO METAL FURNITURE OR LARGE APPLIANCE COATING]

(j) [NA - NO PAPER COATINGS]

Table I Summary - Units are Lbs VOC per Lb coating solids

11. Wood furniture manufacturing operations

(a) Topcoats and enamels 3.0

(b) Washcoat 14.3

(c) Final repair coat 3.3

(d) Basecoats 2.2

(e) Cosmetic specialty coatings 14.3

(f) Sealers 3.9

Category 11 was adopted on May 7, 1988

II. TESTING REQUIREMENTS.

002 [25 Pa. Code §129.52]

Surface coating processes

Sampling and testing shall be done in accordance with the procedures and test methods specified in Chapter 139.14(a)(1).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

**SECTION E. Source Group Restrictions.**

Group Name: 002

Group Description: Wood Furniture Manufacturing Operations (Sections 129.101 - 129.107)

Sources included in this group

| ID | Name |
|-----|--------------------------|
| 101 | CABINET FINISHING SYSTEM |

I. RESTRICTIONS.**Emission Restriction(s).****# 001 [25 Pa. Code §129.101]****General provisions and applicability**

The permittee shall comply with the more stringent emissions limitation or applicable requirement for wood furniture manufacturing operations in 129.52 and Sections 129.102-129.106.

This condition does not apply to a coating used exclusively for determining product quality and commercial acceptance, touch-up and repair and other small quantity coatings if the coating meets the following criteria:

1. The quantity of coating used does not exceed 50 gallons per year for a single coating and a total of 200 gallons per year for all coatings combined for the facility.
2. The permittee requests, in writing, and the Department approves, in writing, the exemption prior to use of the coating.

[Compliance with the above streamlined permit condition assures compliance with the provisions contained at 40 CFR Section 52.2020(c)(94).]

002 [25 Pa. Code §129.101]**General provisions and applicability**

§ 129.101. General provisions and applicability.

(a) Beginning June 10, 2000, this section and § § 129.102—129.107 apply to each wood furniture manufacturing facility located in a county included in the northeast ozone transport region or in a county designated as severe, serious, moderate or marginal ozone nonattainment that emits or has the potential to emit 25 tons or more per year of VOCs from wood furniture manufacturing operations.

(b) The owner or operator of an existing wood furniture manufacturing facility subject to subsection (a) shall comply with this section and § § 129.102—129.107 by June 11, 2001, except for those facilities which have RACT determinations approved by the EPA as revisions to the SIP prior to June 10, 2000.

(c) An existing wood furniture manufacturing facility that increases its actual emissions or potential to emit to 25 tons per year or more of VOCs from wood furniture manufacturing operations shall comply with this section and § § 129.102—129.107 within 1 year after becoming subject to subsection (a), except for those facilities which have RACT determinations approved by the EPA as revisions to the SIP prior to June 10, 2000.

(d) At a minimum, a new source installed at an existing facility that is subject to the requirements of subsection (a) shall comply with the emission standards of § 129.102 (relating to emission standards) upon installation of the new source.

(e) The owner or operator of a wood furniture manufacturing facility subject to this section, § § 129.52 and 129.102—129.107 shall comply with the more stringent emissions limitation or applicable requirement for wood furniture manufacturing operations in § 129.52 or this section and § § 129.102—129.107.

(f) The VOC standards in § 129.102 Table IV do not apply to a coating used exclusively for determining product quality and commercial acceptance, touch-up and repair and other small quantity coatings if the coating meets the following criteria:

(1) The quantity of coating used does not exceed 50 gallons per year for a single coating and a total of 200 gallons per year for all coatings combined for the facility.

(2) The owner or operator of the facility requests, in writing, and the Department approves, in writing, the exemption prior

**SECTION E. Source Group Restrictions.**

to use of the coating.

§ 129.102. Emission standards.

An owner or operator of a facility subject to this section, §§ 129.101 and 129.103—129.107 shall limit VOC emissions from wood furniture manufacturing operations by:

(1) Applying either waterborne topcoats or a combination of sealers and topcoats and strippable spray booth coatings with a VOC content equal to or less than the standards specified in Table IV:

Table IV - Emission Limits of VOC for Wood Furniture Manufacturing Sealers, Topcoats and Strippable Spray Booth Coatings As Applied, in Pounds of VOC Per Pound of Coating Solids (kg VOC/kg of Coating Solids), by Category

(1) Waterborne Topcoats – 0.8

(2) High solids coating systems:

Sealer – 1.9

Topcoat – 1.8

(3) Acid-cured alkyd amino systems

(i) Acid-cured alkyd amino sealer – 2.3

Acid-cured alkyd amino conversion varnish topcoat – 2.0

(ii) Other Sealer – 1.9

Acid-cured alkyd amino conversion varnish topcoat – 2.0

(iii) Acid-cured alkyd amino sealer – 2.3

Other topcoat – 1.8

(4) Waterborne strippable spray booth cleaning – 0.8

END OF TABLE IV REQUIREMENTS

(2) [NA – EMISSIONS AVERAGING NOT USED]

(3) [NA – CONTROL DEVICE NOT USED]

(4) Using a combination of the methods specified in paragraphs (1)—(3).

§ 129.103. Work practice standards.

(a) Work practice implementation plan. Within 60 days after the compliance date specified in § 129.101(b) or (c) (relating to general provisions and applicability), an owner or operator of a facility subject to the requirements in this section and §§ 129.101, 129.102 and 129.104—129.107 shall:

(1) Prepare and maintain a written work practice implementation plan that defines work practices for each wood furniture manufacturing operation and addresses the provisions in subsections (b)—(j). The owner or operator of the facility shall comply with the work practice implementation plan.

(2) Make available the written work practice implementation plan for inspection by the Department upon request. If the Department determines that the work practice implementation plan does not adequately address the criteria specified in subsections (b)—(j), the Department may require that the facility owner or operator modify the plan.

(b) Operator training program. New and existing personnel, including contract personnel, who are involved in coating, cleaning or washoff operations or implementation of the requirements of this section, § 129.101, 129.102 and 129.104—129.107 shall complete an operator training program.

(1) For a facility subject to § 129.101(b), new personnel hired after June 10, 2000, shall be trained upon hiring. For a facility subject to the requirements of § 129.101(c), new personnel shall be trained upon hiring.

**SECTION E. Source Group Restrictions.**

(2) [NA – ALL EXISTING PERSONNEL HAVE BEEN TRAINED]

(3) Personnel shall be given refresher training annually.

(4) A copy of the written operator training program shall be maintained with the work practice implementation plan. The operator training program shall include the following:

(i) A list of all current personnel by name and job description that are required to be trained.

(ii) An outline of the subjects to be covered in the initial and annual refresher training sessions for each position or group of personnel.

(iii) Lesson plans for courses to be given at the initial and annual refresher training sessions that include, at a minimum, appropriate application techniques, appropriate cleaning and washoff procedures, appropriate equipment setup and adjustment to minimize coating usage and overspray and appropriate management of cleanup wastes.

(iv) A description of the methods to be used at the completion of the initial or annual refresher training sessions to demonstrate and document successful completion.

(v) A record of the date each employee is trained.

(c) Leak inspection and maintenance plan. An owner or operator of a facility shall prepare and maintain with the work practice implementation plan a written leak inspection and maintenance plan which shall include the following:

(1) A minimum visual inspection frequency of once per month for all equipment used to transfer or apply coatings or solvents.

(2) An inspection schedule.

(3) The methods for documenting the date and results of each inspection and any repairs that were made.

(4) The time frame between identifying a leak and making the repair, which shall adhere to the following schedule:

(i) A first attempt at repairs, including tightening of packing glands, shall be made within 5 working days after the leak is detected.

(ii) Final repairs shall be made within 15 working days, unless the leaking equipment is to be replaced by a new purchase, in which case repairs shall be completed within 3 months.

(d) Cleaning and washoff solvent accounting system. A solvent accounting form shall be developed to account for solvents used in cleaning and washoff operations. The information recorded on the form shall include the following:

(1) The total number of pieces processed through washoff operations each month and the reason for the washoff operations.

(2) The name and total quantity of each solvent used each month for:

(i) Cleaning activities.

(ii) Washoff operations.

(3) The name and total quantity of each solvent evaporated to the atmosphere each month from:

(i) Cleaning activities.

(ii) Washoff operations.

**SECTION E. Source Group Restrictions.**

(e) Spray booth cleaning. An owner or operator of a facility may not use compounds containing more than 8.0% by weight of VOC for cleaning spray booth components other than conveyors, continuous coaters and their enclosures, or metal filters, unless the spray booth is being refurbished. If the spray booth is being refurbished, that is, the spray booth coating or other material used to cover the booth is being replaced, the facility shall use no more than 1.0 gallon of solvent to prepare the booth prior to applying the booth coating.

(f) Storage requirements. An owner or operator of a facility shall use normally closed containers for storing coating, cleaning and wash off materials.

(g) Application equipment requirements. An owner or operator of a facility may not use conventional air spray guns to apply coatings except under any of the following circumstances:

(1) To apply coatings that have a VOC content no greater than 1.0 lb VOC/lb solids (1.0 kg VOC/kg solids), as applied.

(2) For touch-up and repair coatings under one of the following circumstances:

(i) The coatings are applied after completion of the wood furniture manufacturing operation.

(ii) The coatings are applied after the stain and before any other type of coating is applied, and the coatings are applied from a container that has a volume of no more than 2.0 gallons.

(3) The spray is automated, that is, the spray gun is aimed and triggered automatically, not manually.

(4) [NA – CONTROL SYSTEM NOT USED]

(5) The conventional air spray gun is used to apply coatings and the cumulative total usage of those coatings is no more than 5.0% of the total gallons of coating used during each semiannual reporting period.

(6) The conventional air spray gun is used to apply stain on a part for which the Department notifies the operator, in writing, of its determination that it is technically or economically infeasible to use any other spray application technology. To support the facility's claim of technical or economic infeasibility, a videotape, a technical report or other documentation shall be submitted to the Department showing either independently or in combination, the following:

(i) The production speed is too high or the part shape is too complex for one operator to coat the part, and the application station is not large enough to accommodate an additional operator.

(ii) The excessively large vertical spray area of the part makes it difficult to avoid sagging or runs in the stain.

(h) Line cleaning. The solvent used for line cleaning shall be pumped or drained into a normally closed container.

(i) Spray gun cleaning. The solvent used to clean spray guns shall be collected into a normally closed container.

(j) Washoff operations. The emissions from washoff operations shall be controlled by the following:

(1) Using normally closed containers for washoff operations.

(2) Minimizing dripping by tilting or rotating the part to drain as much solvent as possible.

§ 129.104. Compliance procedures and monitoring requirements.

(a) Compliance methods. An owner or operator of a facility subject to the emission standards in § 129.102 (relating to emission standards) shall demonstrate compliance with those provisions by using one or more of the following methods:

(1) To support that each sealer, topcoat and strippable spray booth coating meets the requirements of § 129.102(1) (relating to emission standards):

(i) Maintain CPDSs for each of the coatings.

**SECTION E. Source Group Restrictions.**

(ii) Maintain documentation showing the VOC content of the as applied coating in lbs VOC/lb solids, if solvent or other VOC is added to the coating before application.

(iii) Perform sampling and testing in accordance with the procedures and test methods in Chapter 139 (relating to sampling and testing).

(2) [NA – CONTROL DEVICE NOT USED]

(b) [NOTE - INITIAL COMPLIANCE WAS ACHIEVED]

(c) Continuous compliance demonstrations. An owner or operator of a facility subject to the requirements of this section and §§ 129.101—129.103 and 129.105—129.107 shall submit, in writing, to the Department a compliance certification with the semiannual report required by § 129.106(b).

(1) Compliant coatings. An owner or operator of a facility subject to § 129.102 that is complying through the procedures specified in subsection (a)(1) shall demonstrate continuous compliance by the following:

(i) Using compliant coatings.

(ii) Maintaining records that demonstrate the coatings are compliant.

(iii) Submitting a compliance certification which states that compliant sealers, topcoats, or both, and strippable spray booth coatings have been used each day in the semiannual reporting period or should otherwise identify the days of noncompliance and the reasons for noncompliance.

(2) Continuous coaters. An owner or operator of a facility subject to § 129.102 that is complying through the procedures specified in subsection (a)(1) and is applying sealers, topcoats, or both, using continuous coaters shall demonstrate continuous compliance by either:

(i) Using compliant coatings as determined by the VOC content of the coating in the reservoir and as calculated from records, and submitting a compliance certification which states that compliant sealers, topcoats, or both, have been used each day in the semiannual reporting period or should otherwise identify the days of noncompliance and the reasons for noncompliance.

(ii) Using compliant coatings, as determined by the VOC content of the coating in the reservoir, maintaining a viscosity of the coating in the reservoir that is no less than the viscosity of the initial coating by monitoring the viscosity with a viscosity meter or by testing the viscosity of the initial coating and retesting the viscosity of the coating in the reservoir each time solvent is added, maintaining records of solvent additions and submitting a compliance certification which states that compliant sealers, topcoats, or both, as determined by the VOC content of the coating in the reservoir, have been used each day in the semiannual reporting period. Additionally, the certification shall state that the viscosity of the coating in the reservoir has not been less than the viscosity of the initial coating, that is, the coating that is initially mixed and placed in the reservoir, for any day in the semiannual reporting period or should otherwise identify the days of noncompliance and the reasons for noncompliance.

(3) [NA – CONTROL DEVICE NOT USED]

(4) Work practice implementation plan. An owner or operator of a facility subject to the work practice standards of § 129.103 shall demonstrate continuous compliance by following the work practice implementation plan and submitting a compliance certification which states that the work practice implementation plan is being followed, or should otherwise identify the periods of noncompliance with the work practice standards and the reasons for noncompliance.

(d) Compliance certification requirements. The compliance certification shall be signed by a responsible official of the company that owns or operates the facility. In addition to the certification requirements of this section, the certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the documents are true, accurate and complete.

§ 129.105. Recordkeeping requirements.

**SECTION E. Source Group Restrictions.**

(a) Requirement. The owner or operator of a wood furniture manufacturing operation shall keep records to demonstrate compliance with this section and § 129.101—129.104, 129.106 and 129.107. The records shall be maintained for at least 5 years.

(b) Compliant coatings. The following records shall be maintained to demonstrate compliance with § 129.102 (relating to emission standards).

(1) A certified product data sheet for each coating and strippable spray booth coating subject to the emission limits of § 129.102.

(2) The VOC content as applied, lbs VOC/lb solids (kg VOC/kg solids), of each coating and strippable spray booth coating subject to the emission limits of § 129.102, and copies of data sheets documenting how the as applied values were determined.

(c) Continuous coaters. The owner or operator of a facility subject to the emission limits of § 129.102 that is complying through the procedures specified in § 129.104(a)(1) (relating to compliance procedures and monitoring requirements) and is applying sealers, topcoats, or both, using continuous coaters shall maintain the records required by subsections (a) and (b) and records of the following:

(1) Solvent and coating additions to the continuous coater reservoir.

(2) Viscosity measurements.

(d) [NA – CONTROL DEVICE NOT USED]

(e) Work practice implementation plan. The owner or operator of a facility subject to the work practice standards of § 129.103 (relating to work practice standards) shall maintain onsite copies of the work practice implementation plan and all records associated with fulfilling the requirements of that plan, including:

(1) Records demonstrating that the operator training program is in place.

(2) Records maintained in accordance with the leak inspection and maintenance plan.

(3) Records associated with the cleaning and washoff solvent accounting system.

(4) Records associated with the limitation on the use of conventional air spray guns showing total coating usage and the percentage of coatings applied with conventional air spray guns for each semiannual reporting period.

(5) Records showing the VOC content of compounds used for cleaning booth components, except for solvent used to clean conveyors, continuous coaters and their enclosures or metal filters.

(6) Copies of logs and other documentation developed to demonstrate that the other provisions of the work practice implementation plan are followed.

(f) In addition to the recordkeeping requirements of subsection (a), the owner or operator of a facility that complies with § 129.103 or § 129.104(a)(1) shall maintain a copy of the compliance certifications submitted in accordance with § 129.106(b) (relating to reporting requirements) for each semiannual period following the compliance date.

(g) The owner or operator of a facility shall maintain a copy of the other information submitted with the initial status report required by § 129.106(a) and the semiannual reports required by § 129.106(b).

§ 129.106. Reporting requirements.

(a) [NOTE – INITIAL COMPLIANCE WAS ACHIEVED]

(b) Semiannual compliance report dates. When demonstrating compliance in accordance with § 129.104(a)(1) or (2), a semiannual report covering the previous 6 months of wood furniture manufacturing operations shall be submitted to the

**SECTION E. Source Group Restrictions.**

Department according to the following schedule:

(1) [NA – INITIAL COMPLIANCE WAS ACHIEVED]

(2) [NA – INITIAL COMPLIANCE WAS ACHIEVED]

(3) Each semiannual report shall include the information required by § 129.104(c) and (d), a statement of whether the facility was in compliance or noncompliance and, if the facility was in noncompliance, the measures taken to bring the facility into compliance.

§ 129.107. Special provisions for facilities using an emissions averaging approach.

[NA – EMISSIONS AVERAGING NOT USED]

II. TESTING REQUIREMENTS.

No additional testing requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

III. MONITORING REQUIREMENTS.

No additional monitoring requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

IV. RECORDKEEPING REQUIREMENTS.

No additional record keeping requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

V. REPORTING REQUIREMENTS.

No additional reporting requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VI. WORK PRACTICE REQUIREMENTS.

No additional work practice requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).

VII. ADDITIONAL REQUIREMENTS.

No additional requirements exist except as provided in other sections of this permit including Section B (State Only General Requirements).



SECTION F. Alternative Operation Requirements.

No Alternative Operations exist for this State Only facility.



SECTION G. Emission Restriction Summary.

No emission restrictions listed in this section of the permit.



SECTION H. Miscellaneous.

The Source ID 101 cabinet finishing system consists of four separate spray stations.

The following sources and activities are not subject to any specific work practice standards, testing, monitoring, recordkeeping or reporting requirements:

1. Air conditioning and ventilation systems
2. Office equipment
3. Janitorial equipment
4. Plant maintenance (painting, welding, woodworking, ceaning, etc.)
5. Mobile sources (trucks, forklifts, snowblowers, etc.)
6. Fuel oil, gasoline, propane and other storage tanks
7. Emergency equipment (generators, lights, pumps, etc. and training)
8. Materials handling and storage
9. Laboratory/analytical activities

The facility has three (3) permanent and four (4) portable baghouses to control particulate matter from the woodworking process conducted on the facility. All but one (1) of these baghouses are located within the facility and each of them vent inside the buildings.

The external baghouse is a MAC Model 96RT80 is designed to 10,000 cfm and services the following equipment:

1. Three (3) 1-4" table saws
2. Two (2) 1-4" routers
3. One (1) 1-4" belt sander
4. One (1) 1-4" dove tailer
5. One (1) 1-4" drill
6. One (1) 1-4" band saw
7. One (1) 1-6" belt sander
8. One (1) 1-6" dado
9. One (1) 1-4" saw
10. One (1) 1-4" chop saw
11. Capacity for 3,700 cfm in the future expansion

There is also a 0.90 MMBtu/Hr Heatmor Model 800 CSS outdoor wood burning furnace. It is fired on clean adhesive/coating free biomass.



***** End of Report *****
