







Oil and Gas Management

# Form C Well Integrity Training Module







# **Training Outline**

### **Opening Remarks**

- Streamlining the Process
- Intent of Section 78.88

### **Inspections**

- Form C Layout
- Summary of Form C Features and Use
- Examples by Well Type

### Reporting

- Development of Greenport/OGRE Well Integrity Reporting Webpage
- Data Management Tools and Online Resources

### Discussion/Q&A

Time with Subsurface and Data Management & Compliance Staff

# Opening Remarks

### **Streamlining the Process**

- Keep it simple take advantage of existing reporting options
- Avoid redundancy don't ask for data you already have
- Be flexible allow multiple reporting formats (e.g., paper and GreenPort), but make them all look similar for ease of use
- Assume Integrity the starting point should be that the inspected well does not have any problems
- Consistent Documentation if potential problems are identified (fluids survey), a standard process allows these matters to be qualified immediately and consistently



# Opening Remarks

### **Intent of Section 78.88**

- To assemble records that verify operating wells are in compliance with the well construction and operating requirements of this chapter (78) and the act
- To ensure that wells are structurally sound and in compliance with Section 78.73(c)
- To annually indentify the compliance status of each operating well in the state
- To gather baseline data about a well so significant changes are evident

To accomplish these objectives, key inspection elements have been defined

# Form Layout

					Primary Production Pressure (psig)				or Other
					Primary		Maximum		
					Production		Allowable		
				Primary	Vent Flow as		Pressure		
				Production	Required per	Annular	Exceeded per	Water Level or	Water Level
			Inspection	Pressure	78.83(a)(1) or	Production	78.73(c)	Other	or Other
Permit #	Farm name	Unconventional	Date	(psig)	Other (cfpd)	Pressure (psig)	(Y/N/U)	Measurement	Unit

	Pressure on Pro	ipd) or Shut-in duction Annulus sig)		Fluids S	urvey (Gas, Oil,	or Brine)				
							Any Liquids (Oil			
						Surface	or Brine) to			
						Wellhead	Surface or			
	Open Flow or	Open Flow or		Gas Outside	Gas Outside	Equipment	Outside	Corrosion		
9	Shut-in Pressure	Shut-in Pressure	Any Fluids	Freshwater	Intermediate	Gas Emissions	Freshwater	Problems	No-inspection	
	Measurement	Unit	Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)	(Y/N)	comments	Text comments

	PRE-POPULATE IN GREENPORT ENVIRONMENT				Primary Produc	tion Pressure (ps	sig)	Water Leve	or Other
Permit #	Farm name	Unconventional	Inspection Date	Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	78.73(c)	Water Level or Other Measurement	or Other

	ssure on Pro	fpd) or Shut-in duction Annulus sig)		Fluids S	iurvey (Gas, Oil,	or Brine)				
							Any Liquids (Oil			
						Surface	or Brine) to			
						Wellhead	Surface or			
Оре	en Flow or	Open Flow or		Gas Outside	Gas Outside	Equipment	Outside	Corrosion		
Shut-	-in Pressure	Shut-in Pressure	Any Fluids	Freshwater	Intermediate	Gas Emissions	Freshwater	Problems	No-inspection	
Mea	asurement	Unit	Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)	(Y/N)	comments	Text comments

4 LINES FOR
UNCONVENTIONAL
WELLS (DATE
REQUIRED); 1 LINE FOR
CONVENTIONAL WELLS
(DATE ASSIGNED: CAN
BE UPDATED WITH
ACTUAL INSPECTION
DATE)

	Primary Produc	tion Pressure (ps	ig)	Water Level	or Other
Inspec nal Dat	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)	Water Level or Other Measurement	Water Level or Other Unit

Open Flow (cfpd) or Shut-in Pressure on Production Annulus (psig)			Fluids S	urvey (Gas, Oil,	or Brine)				
						Any Liquids (Oil			
					Surface	or Brine) to			
					Wellhead	Surface or			
Open Flow or	Open Flow or		Gas Outside	Gas Outside	Equipment	Outside	Corrosion		
Shut-in Pressure	Shut-in Pressure	Any Fluids	Freshwater	Intermediate	Gas Emissions	Freshwater	Problems	No-inspection	
Measurement	Unit	Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)	(Y/N)	comments	Text comments

#### IN SUMMARY

- ALL OPERATORS (conventional and unconventional) MUST INSPECT ALL OPERATING WELLS (conventional and unconventional) 4 TIMES PER YEAR
  - JAN 1 TO MAR 31
  - APR 1 TO JUNE 30
  - JULY 1 TO SEP 30
  - OCT 1 TO DEC 31
- Operating wells include ACTIVE wells and ABANDONED WELLS THAT HAVE NOT BEEN PLUGGED
- However, only ONE INSPECTION RESULT needs to be REPORTED FOR CONVENTIONAL WELLS, preferably the quarter closest to the reporting period; whereas 4 INSPECTION RESULTS need to be REPORTED FOR UNCONVENTIONAL WELLS for any Form used (Forms A, B or C)



SOME FIELDS
REQUIRED; OTHERS
DEPENDENT UPON
WELL DESIGN AND
CONDITIONS

Permit #

		<b>Primary Product</b>	ion Pressure (ps	ig)	Water Level	or Other
		Primary		Maximum		
		Production		Allowable		
	Primary	Vent Flow as		Pressure		
	Production	Required per	Annular	Exceeded per	Water Level or	Water Level
n	Pressure	78.83(a)(1) or	Production	78.73(c)	Other	or Other
	(psig)	Other (cfpd)	Pressure (psig)	(Y/N/U)	Measurement	Unit

Open Flow (cf	pd) or Shut-in								
Pressure on Pro	duction Annulus								
(ps	sig)		Fluids S	urvey (Gas, Oil,	or Brine)				
						Any Liquids (Oil			
					Surface	or Brine) to			
					Wellhead	Surface or			
Open Flow or	Open Flow or		Gas Outside	Gas Outside	Equipment	Outside	Corrosion		
Shut-in Pressure	Shut-in Pressure	Any Fluids	Freshwater	Intermediate	Gas Emissions	Freshwater	Problems	No-inspection	
Measurement	Unit	Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)	(Y/N)	comments	Text comments

					Prin	nary Production	Pressure (ps	sig)	Water Level	l or Other
					I Pr Primary Ve	Primary roduction ent Flow as	Annular	Maximum Allowable Pressure Exceeded per	Water Level or	· Water Level
Permit #	Farm name	e Un	  nconventional			COMMI ROVIDEI		78.73(c) (Y/N/U)	Other Measurement	or Other Unit
					EACH W					
Open Flow (	cfpd) or Shut-in					E.G., "1				
	oduction Annulus psig)		Fluids S		IS NOT OUR WELL"					
					Surface Wellhead	Any Liquids (Oil or Brine) to Surface or				
Open Flow or Shut-in Pressure Measurement		Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Gas Emissions	Outside Freshwater Casing (Y/N)	Corrosion Problems (Y/N)			comments

						.:	:-1	Water	O4b
					Primary Product Primary	tion Pressure (ps	Maximum	Water Level	or Other
					Production		Allowable		
				Primary	Vent Flow as		Pressure		
				Production	Required per	Annular	Exceeded per	Water Level or	Water Level
			Inspection	Pressure	78.83(a)(1) or	Production	78.73(c)	Other	or Other
Permit #	Farm name	Unconventional	Date	(psig)	Other (cfpd)	Pressure (psig)	(Y/N/U)	Measurement	Unit

						<u>OF</u>	PTIONAL	<u> </u>			
	fpd) or Shut-in					CC	<b>MMEN</b>	TS UP T	<u>o</u>		
	duction Annulus sig)		Fluids S	urvey (Gas, Oil	, or Brine	<u>25</u>	5 CHAR	<b>ACTERS</b>	<u> </u>		
					Surf	<u>IN</u>	<u>CLUDIN</u>	<u>G SPAC</u>	<u>ES</u>		
Open Flow or	Open Flow or		Gas Outside	Gas Outside	Wellh Equipn		Surface or Outside	Corrosion			
	Shut-in Pressure Unit	Any Fluids Noted (Y/N)	Freshwater	Intermediate Casing (cfpd)	Gas Emis	ssions	Freshwater Casing (Y/N)	Problems (Y/N)	No-inspection comments	١	Text comments
measar emeric	Offic	110104 (1/11)	casing (cipa)	basing (cipa)	(cip	~	Cosmis (1/11/	(1711)	Comments		rext comments

Primary Production Pressure (psig)	Primary Produc Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	tion Pressure (p Annular Production Pressure (psig)	sig)  Maximum  Allowable  Pressure  Exceeded per  78.73(c) (Y/N/U)
Whole Number Starting at 0 OR blank	Whole Number Starting at 0, blank OR NRM	Whole Number Starting at 0 OR blank	Y, N, U OR blank

NOTE: IF YOU ANSWER "Y" UNDER "THE MAXIMUM ALLOWABLE PRESSURE EXCEEDED" FIELD, YOU MUST REPORT THIS CONDITION TO DISTRICT OGI SUPERVISOR WITHIN 24 HOURS AND IMPLEMENT MEASURES TO LOWER THE PRESSURE ON THE CASING SEAT

# **Primary Production Pressure Section**

- Leave field BLANK if it does not apply to your well design and/or operating environment
- NRM = Not Readily
   Measurable: this designates
   flows that can't be
   constrained for
   measurement or are too
   small to measure
- U = Unknown: this applies when gas is produced through surface/coal casing, but casing set depth is not known

Water Level or Other			
Water Level or Other Measurement	Water Level or Other Unit		
Positive Number with Two Decimals OR blank	ft, ppg, bbls/day, hrs/day, TDS, µS/cm, blank OR NPW		

### **Water Level or Other**

- Leave field BLANK if it does not apply to your well design and/or operating environment;
   e.g., any well equipped with separate production string
- Unit Descriptions:
  - ft: Feet (Water Level)
  - ppg: Pounds Per Gallon (Mud Scale Weight)
  - bbls/day: Barrels per Day (Avg. Daily Pumping Volume)
  - hrs/day: Hours per Day (Avg. Daily Pumping Rate)
  - TDS: Total Dissolved Solids (Produced Water Quality)
  - μS/cm: Microsiemens per Centimeter (Produced Water Quality)
  - NPW: No Produced Water (For wells that don't produce fluids)

Open Flow (cfpd) or Shut-in Pressure on Production Annulus (psig) Open Flow or Shut-**Open Flow or Shut**in Pressure in Pressure Unit Measurement Whole Number cfpd, psig OR Starting at 0, I, blank NRM OR blank

# Open Flow or Shut-in Pressure on Production Annulus

- Leave field BLANK if it does not apply to your well design and/or operating environment; e.g., annulus is produced
- I = Inaccessible: wells constructed in a way that prevent access to the production annulus
- Unit Description:
  - cfpd: Cubic Feet per Day
  - psig: Pounds per Square Inch
     Gauge

Fluids Survey (Gas, Oil, or Brine)				
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
Y or N	Whole Number Starting at 0, I, NRM OR blank	Whole Number Starting at 0, I, NRM OR blank	Whole Number Starting at 0, NRM OR blank	Y, N OR blank

### **Fluids Survey**

- "Any Fluids Noted" field MUST always be answered with Y or N, unless no inspection was completed and the appropriate no-inspection comment was selected
- If fluids are noted (Y), the other applicable fields MUST be completed in this section of the form
- <u>Surface equipment is WELLHEAD EQUIPMENT; not separators, compressors, gathering lines, etc.</u>

### **Examples of Fluids Leaks**



### **Examples of Fluids Leaks**



# Corrosion Problems (Y/N)

Y or N

### **Corrosion Problems**

- This will ALWAYS be a Y or N, unless no inspection was completed and the appropriate no-inspection comment was selected.
- Corrosion Problem: Severe corrosion that will lead to an imminent environmental release if not addressed, i.e., mechanical failure may occur before next quarterly inspection. Surface equipment designed to contain pressure and/or fluids should be focused on as part of this inspection.
- **Enter Y** if any <u>severe corrosion</u> problems are noted that, unless repaired, will result in the imminent failure of well components intended to contain pressure and/or produced fluids.
- Enter N if there is no corrosion or only minor surface corrosion observed as part of this inspection, as the presence of some surface oxidation is actually beneficial to the integrity of operating wells.


NOTE: IF YOU ANSWER "Y," YOU MUST REPORT THIS CONDITION TO DISTRICT OGI SUPERVISOR WITHIN 24 HOURS

### **Examples of Severe Corrosion Problems**



### **Examples of Severe Corrosion Problems**





### **No-Inspection & Text Comments**

- No-inspection comments:
  - Plugged Well
  - This is not our well
  - Gas storage well
  - Well spud, drilling not completed
  - Regulatory Inactive Well
  - Injection Well
  - Observation Well
  - Status validation underway
- Status validation underway: any wells that aren't inspected on paper forms or Form A and Form B will also be automatically qualified with this comment
- Abandoned wells must still be inspected if they have not yet been plugged
- Text Comments: should be used to note any significant observations during inspection: don't necessarily let DEP interpret data for you – CLARIFY

# BREAK – QUESTIONS?

### Casing Definitions: Wells Spud PRIOR TO February 5, 2011

<u>CONDUCTOR PIPE:</u> A short string of large-diameter casing used to stabilize the top of the wellbore in shallow unconsolidated formations. It may be cemented, driven, or sanded in (this is not counted as a separate casing string if using Form A).

<u>SURFACE/COAL CASING:</u> In most cases, if **ANY** FRESHWATER ZONES or WORKABLE COAL SEAMS/MINE VOIDS are isolated over this depth interval, the casing is considered SURFACE/COAL CASING. Note that more than one surface or coal casing string may be used and brackish water/brine zones may also be isolated.

INTERMEDIATE CASING: In most cases, if ONLY BRACKISH WATER/BRINE ZONES are isolated over this depth interval, the casing is considered INTERMEDIATE CASING. This casing may also isolate non-target hydrocarbon zones. Intermediate casing is not used in every well and is only possible if separate coal/surface and production strings are present. Note that more than one intermediate string may be used.

**PRODUCTION CASING:** A string of pipe other than surface casing and coal protective casing which is run for the purpose of confining or conducting hydrocarbons and associated fluids from one or more producing horizons to the surface. Production casing may be anchored with cement or a packer, or cemented to surface, but MUST ISOLATE hydrocarbons from the next shallower casing string in the well completely to meet this definition, i.e., it cannot be free-hanging in the wellbore.

### Casing Definitions: Wells Spud AFTER February 5, 2011


<u>CONDUCTOR PIPE:</u> A short string of large-diameter casing used to stabilize the top of the wellbore in shallow unconsolidated formations. It may be cemented or driven (this is not counted as a separate casing string if using Form A).

<u>SURFACE/COAL CASING:</u> In most cases, if **ONLY** FRESHWATER ZONES or WORKABLE COAL SEAMS/MINE VOIDS are isolated over this depth interval, the casing is considered SURFACE/COAL CASING. Note that more than one surface or coal casing string may be used and that the deepest fresh groundwater casing must be no more than 200 feet below the base of fresh groundwater.

INTERMEDIATE CASING: In most cases, if ONLY BRACKISH WATER/BRINE ZONES are isolated over this depth interval, the casing is considered INTERMEDIATE CASING. This casing may also isolate non-target hydrocarbon zones. Intermediate casing is not used in every well and is only possible if separate coal/surface and production strings are present. Note that more than one intermediate string may be used.

**PRODUCTION CASING:** A string of pipe other than surface casing and coal protective casing which is run for the purpose of confining or conducting hydrocarbons and associated fluids from one or more producing horizons to the surface. Production casing may be anchored with cement or a packer, or cemented to surface, but MUST ISOLATE hydrocarbons from the next shallower casing string in the well completely to meet this definition, i.e., it cannot be free-hanging in the wellbore.

### **Annulus Definitions**



# Examples by Well Type


- Single-String\* Vented Oil Well
- Single-String\* Combo Well
- Single-String\* Gas Well
- Multi-String Oil Well
- Multi-String Gas Well
- Multi-String Combo Well
- Multi-String Gas Well, Annular Production
- Multi-String Combo Well, Annular Production

Each example will include a well with no leaks and one with identified leaks

Assume no lost circulation issues at wells with annular production inside surface casing

\*Indicates well with only "freshwater" casing


- Oil well (open-hole completion)
   equipped with surface casing
   (orange) and conductor pipe (dark
   blue) only
- Tubing used to recover oil, but not depicted
- Casing head gas is vented to the atmosphere to keep back pressure off of producing formation and casing seat
- The water level is not accessible



Primary Production Pressure (psig)			
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
(F°-6/	100	(b 8)	


### Notes

- For this well design, only the Primary Production
   Vent Flow in cfpd needs to be reported
- All other fields are left BLANK in this section of the inspection report



### Notes

 To monitor for leaks in the surface casing, which is serving as production casing, the operator has chosen to monitor the produced water volume in bbls/day instead of measuring the water level



### Notes

– The annular space between the surface casing and conductor pipe is inspected for the presence of escaping gas (downhole leak), which is reported in cfpd since this space is open to the atmosphere

Fluids Survey (Gas, Oil, or Brine)				
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
N Y	0		0	Υ

#### Notes

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a faulty valve has allowed a small volume of oil/brine to discharge to the surface and all other applicable portions of the Fluids Survey section must be completed: note that "Gas Outside Freshwater Casing" refers to outside the conductor pipe for this design

Corrosion Problems (Y/N) N

#### Notes

No corrosion problems are noted


Text comments

Oil/brine leak to surface from faulty valve: valve replaced

#### Notes

 The reason for the leak and the repair is documented in the comments field for the red-shaded example


- Combo well (open-hole completion)
   equipped with surface casing
   (orange) and conductor pipe (dark
   blue) only
- Tubing is used to recover oil, but not depicted
- Gas is produced inside of the surface casing
- The water level is not accessible



Primary Production Pressure (psig)			
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
150			N


### Notes

- For this well design, the Primary Production Pressure in psig needs to be reported
- The pressure, whether shut-in or flowing, is compared to 80% x 0.433 psi/ft x surface casing set depth (ft) it is below this benchmark
- All other fields are left BLANK in this section of the inspection report



### Notes

 To monitor for leaks in the surface casing, which is serving as production casing, the operator has chosen to monitor the produced water quality in Total Dissolved Solids (TDS) instead of measuring the water level



### Notes


– The annular space between the surface casing and conductor pipe is inspected for the presence of escaping gas (downhole leak), which is reported in cfpd since this space is open to the atmosphere

# Single-String Combo Well Example

	Fluids S	urvey (Gas, Oil, c	or Brine)	
Any Fluids	Gas Outside Freshwater	Gas Outside Intermediate	Surface Wellhead Equipment Gas Emissions	Any Liquids (Oil or Brine) to Surface or Outside Freshwater
Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)
N				
Y	0		NRM	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a minor thread leak has allowed a small volume of gas to escape at the surface and all other applicable portions of the Fluids Survey section must be completed: please note - although a leak is noted, NRM (not readily measureable) is recorded in the "Surface Equipment Gas Emissions" because the amount could not be quantified

# Single-String Combo Well Example



#### Notes

No corrosion problems are noted


Text comments

Minor thread leak noted

#### Notes


 The reason for the leak of gas at the surface is documented in the comments field for the red-shaded example

- Gas well (open-hole completion)
   equipped with surface casing
   (orange) and conductor pipe (dark
   blue) only
- Gas is produced inside of the surface casing




	Primary Product	ion Pressure (psig	<u>;</u> )
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
250			Y

- For this well design, the Primary Production Pressure in psig needs to be reported
- The pressure, whether shut-in or flowing, is compared to 80% x 0.433 psi/ft x surface casing set depth (ft) it is above this benchmark (IMMEDIATE DEP REPORTING REQUIRED)
- All other fields are left BLANK in this section of the inspection report



### Notes

 Nothing is recorded for this inspection element due to the fact that it is not required for gas wells – it is only required for oil or combo wells



### Notes

The annular space between the surface casing and conductor pipe is inspected for the presence of escaping gas (downhole leak), which is reported in cfpd since this space is open to the atmosphere

	Fluids S	urvey (Gas, Oil, o	or Brine)	
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
N				
Y	NRM		0	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a small volume of gas was escaping outside the conductor casing and all other applicable portions of the Fluids Survey section must be completed: NRM is recorded in the "Gas Outside Freshwater Casing" because the amount could not be quantified

#### Notes

No corrosion problems are noted

Corrosion
Problems (Y/N)

N

#### Text comments


Overpressuring casing seat; gas observed outside of surface (production) casing

Overpressuring casing seat; gas observed outside of surface (production) casing and conductor pipe

#### Notes


Overpressuring of the casing seat and the observation of gas outside of freshwater casing are documented in the comments field for the example

- Multi-string oil well (cased-hole completion) equipped with production casing (light blue), intermediate casing (green), surface casing (orange), and conductor pipe (dark blue)
- Tubing used to recover oil, but not depicted
- Casing head gas is vented to the atmosphere because no pipeline is available




	Primary Product	ion Pressure (psig	3)
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
	120		

- For this well design, only the Primary Production
   Vent Flow in cfpd needs to be reported
- All other fields are left BLANK in this section of the inspection report



### Notes

 Nothing is recorded for this inspection element due to the fact that oil is not produced inside a surface or coal string (tubing is used to recover oil and the well is equipped with a separate, perforated production casing)



### Notes

The annular space between the production casing and intermediate casing is inspected for the presence of escaping gas (downhole leak), which is reported in psig since this space is shut-in

	Fluids Survey (Gas, Oil, or Brine)				
ı	Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
	N Y	0	25	0	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, escaping gas was noted outside the intermediate casing. It was discovered that a shallow gas zone was not completely isolated in the intermediate hole section of the well.

Corrosion
Problems (Y/N)
N

#### Notes

No corrosion problems are noted


#### **Text comments**

Annular gas flow noted outside intermediate string estimated at 25 cfpd

#### Notes


The observation and estimated flow of annular gas outside the intermediate casing are documented in the comments field for the red-shaded example

 Gas well (cased-hole completion) equipped with production casing (light blue), surface casing (orange), and conductor pipe (dark blue)




	Primary Product	ion Pressure (psig	;)
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
500	other (dipa)	r ressure (psig)	

- For this well design, the Primary Production Pressure in psig needs to be reported
- All other fields are left BLANK in this section of the inspection report



### Notes

 Nothing is recorded for this inspection element due to the fact that it is not required for gas wells – it is only required for single-string oil or combo wells



### Notes

The annular space between the production casing and surface casing is inspected for the presence of escaping gas (downhole leak), which is reported in cfpd since this space is open to the atmosphere

	Fluids S	urvey (Gas, Oil, c	or Brine)	
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
N	0		NRM	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a small volume of escaping gas was noted in association with the surface well equipment and all other applicable portions of the Fluids Survey section must be completed: although a leak is noted, NRM is recorded in the "Surface Equipment Gas Emissions" field because the amount could not be quantified

Corrosion
Problems (Y/N)
N

- Notes
  - No corrosion problems are noted


Notes

 The reason for the leak of gas at the surface is documented in the comments field for the red-shaded example

**Text comments** 


Minor thread leak noted

- Combo well (open-hole completion)
   equipped with production casing (light
  blue), surface casing (orange), and
   conductor pipe (dark blue)
- Tubing is used to recover oil, but not depicted
- Frac pipe (production casing) has been left in the well to prevent overpressuring of the surface casing seat
- Associated gas is produced inside of the production casing




	Primary Producti	ion Pressure (psig	;)
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)

- For this well design, the Primary Production Pressure in psigneds to be reported
- All other fields are left BLANK in this section of the inspection report



### Notes

 Nothing is recorded for inspection element due to production pipe being set on a packer, which effectively serves as a separate production casing



### Notes

 The annular space between the frac pipe (production casing) and surface casing is inspected for the presence of escaping gas (downhole leak), which is reported in cfpd since this space is open to the atmosphere

Fluids Survey (Gas, Oil, or Brine)				
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
N Y	0		NRM	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a small volume of escaping gas was noted during the inspection due to a thread leak and all other applicable portions of the Fluids Survey section must be completed: please note NRM is recorded in the "Surface Equipment Gas Emissions" because the amount could not be quantified

Corrosion
Problems (Y/N)
N

#### Notes

 No corrosion problems are noted


### Notes

 The reason for the leak of gas at the surface is documented in the comments field for the red-shaded example

#### **Text comments**


Minor thread leak noted

- Gas well (cased-hole completion) equipped with production casing (light blue), intermediate casing (green), surface casing (orange), and conductor pipe (dark blue)
- Annular gas is produced inside of the intermediate casing




	Primary Product	ion Pressure (psig	,
	r iiiiai y r i oddeti	on Fressure (psig	<i>51</i>
	Primary		Maximum
Primary	Production Vent		Allowable
Production	Flow as Required	Annular	Pressure
Pressure	per 78.83(a)(1) or	Production	Exceeded per
(psig)	Other (cfpd)	Pressure (psig)	78.73(c) (Y/N/U)
600		100	

- For this well design, the Primary Production Pressure in psig needs to be reported
- The Annular Production Pressure in psig also needs to be reported
- All other fields are left BLANK in this section of the inspection report



### Notes

 Nothing is recorded for inspection element due to because it is not required for multi-string wells (it is only required for single-string oil or combo wells)




### Notes

 This section is left blank as the production annulus is being produced and was reported in the primary production section of the form

	Fluids S	urvey (Gas, Oil, c	or Brine)	
Any Fluids Noted (Y/N)	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
N	0	0	NRM	N

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a small volume of escaping gas was noted at the wellhead and all other applicable portions of the Fluids Survey section must be completed: NRM is recorded in the "Surface Equipment Gas Emissions" because the amount could not be quantified



#### Notes

No corrosion problems are noted


Notes

 The reason for the leak of gas at the surface is documented in the comments field for the red-shaded example

#### **Text comments**


Leak around tubing hanger bolt

- Combo well (cased-hole completion) equipped with production casing (light blue), surface casing (orange), and conductor pipe (dark blue)
- Tubing used to recover oil, but not depicted – associated gas is produced inside production casing
- Annular gas from a shallow zone is also produced inside of the surface casing




	Primary Product	ion Pressure (psig	<b>;</b> )
Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	Maximum Allowable Pressure Exceeded per 78.73(c) (Y/N/U)
150		50	N

- For this well design, the Primary Production Pressure in psig needs to be reported
- Annular Production Pressure in psig also needs to be reported
- Since the annulus is produced inside of surface casing, the pressure is compared to 80% x 0.433 psi/ft x surface casing set depth (ft) – it is below this benchmark
- The Primary Production Vent Flow field is left BLANK in this section of the inspection report



#### Notes

 Nothing is recorded for this inspection element due to the fact that oil is not produced inside a surface or coal string (tubing is used to recover oil and the well is equipped with a separate, perforated production casing)



### Notes

 This section is left blank as the production annulus is being produced and was reported in the primary production section of the form

#### Multi-String Combo Well, Annular Production Example

	Fluids S	urvey (Gas, Oil, o	or Brine)	
Any Fluids Noted (Y/N) N	Gas Outside Freshwater Casing (cfpd)	Gas Outside Intermediate Casing (cfpd)	Surface Wellhead Equipment Gas Emissions (cfpd)	Any Liquids (Oil or Brine) to Surface or Outside Freshwater Casing (Y/N)
Y	0		NRM	N

#### Notes

- If no fluids (gas, oil, or brine) are noted, "N" is entered and all other fields in the Fluids
   Survey section are left BLANK
- When fluids are noted, first two columns to right of "Y" indicate downhole casing leaks, third column indicates any surface wellhead equipment leaks, and last column indicates discharges of oil or brine to surface from wellhead equipment or flowing to surface outside of freshwater casing
- In the red-shaded example, a small volume of escaping gas was noted at the wellhead and all other applicable portions of the Fluids Survey section must be completed: although a leak is noted, NRM is recorded in the "Surface Equipment Gas Emissions" because the amount could not be quantified

#### Multi-String Combo Well, Annular Production Example

Corrosion
Problems (Y/N)
N

#### Notes

No corrosion problems are noted

Text comments

Minor thread leak noted

#### Notes

The reason for the leak of gas at the surface is documented in the comments field for the redshaded example

## Examples by Well Type

## BREAK – QUESTIONS?

## Reporting

## Development of GreenPort/OGRE Well Integrity Reporting Webpage

- The reporting site will go live on January 1, 2015
- All inspection forms must be filed with the Department by February 15, 2015
- You may use either Form A, Form B, or Form C; but you MAY NOT use combinations of these forms
- This training module covers the Form C process



## Reporting

## Development of GreenPort/OGRE Well Integrity Reporting Webpage

- Electronic reporting is required for many operators
- For companies with 10 or fewer conventional wells in their inventories, paper forms may be completed and mailed to the Department

#### MAILING ADDRESS:

PA DEP

Bureau of Oil & Gas Planning & Program Management PO Box 8765

Harrisburg, PA 17105-8765



## Paper Form

per DBN PROT	Pennsylvania DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS MANAGEMENT SHORTEDIN															
	MECHANICAL INTEGRITY ASSESSMENT REPORT – FORM C															
MAILING AE	LING ADDRESS:															
Bureau of O PO Box 876	reau of Oil & Gas Planning & Program Management Box 8765															
	darrisburg, PA 17105-8765  1. Well Operator/Owner (OGO Number)															
	TICE OF			noc.,												
			4. Welhead	Pressure/Ro	v	5. Water L Othe		6. Open Flow Shut-in Pres Production	Annulus		7. Fluid	ds Survey (Ga	s, Oil, or Bin	e)		
Abridged API	3. Date <sup>1</sup>	a. Primary	b. Primary	c. Annular	d. Maximum			(psig	0	a. Any	b. Gas	c. Gas	d. Surface	e. Any Liquids	8. Corrosion Problems	9. Comments
		Production Pressure (psig)	Production Vent Flow (cfpd)	Production Pressure (psig)	Allowable Pressure Exceeded per 78.73(c) (Y/NU)	a. Measure- ment	b. Unit	a. Measure- ment	b. Unit	Fluids Noted (Y/N)	Outside Fresh Water Casing (cfpd)	Outside Intermediate Casing (cfpd)	Equipment Gas Emissions (cfpd)	(Oil or Brine) to Surface or Outside Freshwater	(Y/N)	
						_								Casing (Y/N)		_
						-										
						-										
	_		-	-	-	-						-		-		_
																_
																_
																_
																_

Paper Form (OOGM126) and Instructions Now Available on E-Library

http://www.elibrary.dep.state.pa.us/dsweb/HomePage

Select "Forms" → "Office of Oil and Gas Management" → "Mechanical Integrity
Assessment Report-Form C"

## GreenPort/OGRE Reporting

- PADEP, Bureau of Information Technology will provide Well Integrity access to the users who have a role in OGRE for production/waste reporting.
- The Electronic Filing Administrator (EFA) for the company can then provide additional access to people if they want other staff/consultants to submit their integrity forms. Each user must have their own GreenPort account.
- The only time a new registration will be required is if an operator is not currently registered in GreenPort. In this case, they will need to self-register in OGRE & submit paperwork to become an EFA.
- If GreenPort or an application is not working, call the PA DEP Help Desk: 717.705.3768







Torn Corbett, Governor | Dana Aurikst, Acting Secretary | DEP Home

#### DEPGreenPort: List Applications

**Applications** 

This list of applications to which you have access

Account Administration

Password change, e-mail address change, password recovery hint/answer, etc.

Logout

Logout of DEPGreenPort

Reporting

Oil and Gas Reporting

Oil and Gas Reporting

Oli and Gas Reporting Security

Oil and Gas Reporting Security

> eWell eWell

eWell Security

Enroll

Click on the "Enroll" button to obtain a

lieting of smallphla ealf maintainal

#### **OGRE Environment**



#### **DEP Oil and Gas Reporting - Electronic**

Welcome

Logged in as FLANAGANJ using operator ID 39315 Switch Operator | Back to GreenPo

#### Site Menu

Welcome
Online Reporting
Production/Waste Reporting
Production Reporting Guide
Spreadsheet Reporting
Download and Validation
Spreadsheet Reporting Guide
Current Waste Facility List
Request to Add Waste Facility
Act 9 Well Site Information
Act 9 Emergency Response Plans
Act 9 ERP Renewals
Air Emissions Reporting

Well Integrity Reporting
DEP Notifications
Contact Us
What's New

Welcome to the Pennsylvania DEP Oil & Gas website for Operators to electronically report production, waste and provide DEP with notification information. Unconventional well production and waste is required to be reported electronically to DEP using this website by February 15th and August 15th of each year. All other Conventional well production and waste is required to be reported annually by February 15th.

Production/Waste Reporting: allows Operators to select a reporting period to create a production report, and/or to make modifications to unsubmitted reports for production and waste data. A status is noted for each created report.

SPUD Notification: Section 201(f) of the Pennsylvania Oil and Gas Act requires well operators to provide the Department with a least 24 hours notice of the date on which drilling of a permitted well will commence. In addition, each Well Permit issued by the Department specifically requires the well operator to notify the DEP Oil and Gas inspector identified on the permit at least 24 hours prior to commencement of drilling activities for that well. Operators should submit the required notification to the assigned DEP Oil and Gas inspector for a permitted well prior to commencement of drilling activities.

**DEP Notifications**: As of April 13, 2012, the Site Menu link, *DEP Notifications*, passes control over to the DEP Notification system where operators can submit various notifications to DEP. Your user context is preserved, and you can freely move between this well production reporting site and the notification system without the need to login separately. See also the *What's New* release notes.

10.0.5388.22401

## Summary of Form C Features and Use

	PRE-POPULATE IN GREENPORT ENVIRONMENT		]		Primary Produc	tion Pressure (ps	ig)	Water Level	l or Other
Permit #	Farm name	Unconventional	Inspection Date	Primary Production Pressure (psig)	Primary Production Vent Flow as Required per 78.83(a)(1) or Other (cfpd)	Annular Production Pressure (psig)	78.73(c)	Water Level or Other Measurement	or Other

	ssure on Pro	fpd) or Shut-in duction Annulus sig)		Fluids S	urvey (Gas, Oil,	or Brine)				
							Any Liquids (Oil			
						Surface	or Brine) to			
						Wellhead	Surface or			
Оре	en Flow or	Open Flow or		Gas Outside	Gas Outside	Equipment	Outside	Corrosion		
Shut-	-in Pressure	Shut-in Pressure	Any Fluids	Freshwater	Intermediate	Gas Emissions	Freshwater	Problems	No-inspection	
Mea	asurement	Unit	Noted (Y/N)	Casing (cfpd)	Casing (cfpd)	(cfpd)	Casing (Y/N)	(Y/N)	comments	Text comments




## Reporting Template in OGRE

- Permit (API) Number, Farm Name, and Unconventional indicator will be pre-populated
- 4 lines for all Unconventional assets (date MUST be provided by operator) and 1 line for each Conventional asset (a default inspection date of 1/1/INSPECTION YEAR will be pre-populated in form)
- For conventional wells, it is recommended that default date be replaced with the actual inspection date, although this is NOT REQUIRED



#### OIL & GAS DATA MANAGENT

#### www.depweb.state.pa.us





## Reporting

#### **OGRE Well Integrity Reporting Inventory**

- If a well appears in your inventory, but you did not inspect it, you MUST select one of the No-Inspection Standard Comments THIS YEAR (next year these will be pre-populated):
  - Plugged well
  - This is not our well
  - Gas storage well
  - Observation well
  - Well spud, drilling not completed
  - Regulatory Inactive Well
  - Injection Well
  - Status validation underway
- Note that abandoned wells must still be inspected up until the quarter in which they are plugged



## Reporting

#### **OGRE Well Integrity Reporting Inventory**

- If you have inspected a well, but that API Number does not appear in the template downloaded through GreenPort, it is important that you take steps to help PADEP update our records:
  - Contact the District Oil and Gas Operations Office to correct any paperwork issues regarding well ownership
  - Retain all integrity inspection records at your office for the required timeframe
  - If you need more assistance, contact Myron Sucholdoski: 717.772.2199



#### Well Transfers

#### **OGRE Well Integrity Reporting Inventory**

- Well permit or registration transfer establishes a new permittee and is not complete until PA DEP approves the transfer (application 5500-PM-OG0010).
- The date of authorization by the agency is the effective date of the change in well ownership no matter what the legal agreement between the two parties involved in the transaction states.
- If the well permit transfer was not successfully executed, the well will not appear on the pre-populated list downloaded through GreenPort.
- If a transfer is completed by <u>December 31<sup>st</sup> at midnight</u>, the new permittee is responsible for reporting all well integrity data for the inspection year.
- If a well is transferred to you, be sure to obtain all the necessary information from the former permittee to complete integrity reporting for that well.
- This process is identical for Production Reporting as well.



## Report Submittal

## Development of GreenPort/OGRE Well Integrity Reporting Webpage

- After the spreadsheet template form is populated, you will upload the file through OGRE
- Data validation will take place overnight as part of a batch process:
   make sure you fill out the form correctly!
- Note that there are some drop-down boxes (e.g., standard measurement units) to assist with validation, but most operators will be copying and pasting their data directly into the template instead of entering it well-by-well
- If the form was not filled out correctly, errors will be flagged and you will have to correct them and resubmit the form in its entirety



## Coming Next Year

- If you used Form C to report in 2015, the spreadsheet template will be pre-populated with inspection data from the previous year when you download it to report inspection results in 2016, so only information that has changed will need to be updated
- A web-based form reporting option will also be developed by 2016: this will be useful for operators who have small well inventories and have access to the web, but do not own Microsoft Excel



#### Oil & Gas Management Reports Page

pennsylvania 🗚

PA STATE AGENCIES -

ONLINE SERVICES -

--search PA--

...

Tom Corbett, Governor | Chris Abruzzo, Secretary | DEP Home

✓ Site ✓ Documents ✓ News

— DEP Search/Keyword — GO

Log In

About DEP

Newsroom

DEP Programs A - Z

Air

Energy

Environmental Cleanup & Brownfields

Mining

Oil and Gas

Office of Oil and Gas Management

Act 13

**Radiation Protection** 

Waste

Water

Home > Oil and Gas > Office of Oil and Gas Management > Oil and Gas Reports



#### Oil and Gas Reports

The Department of Environmental Protection is committed to providing information in an accessible and user-friendly format. In order to do so more effectively, the department has created interactive reports that allow the user to select specific criteria for the desired information. In addition, the report data can easily be downloaded for further analysis. The report links on this page provide oil and gas production information, permits issued, drilling commence date (SPUD date), county data, operator specific data, as well as inspections, violations and enforcement actions. For questions or problems with any of these reports, contact the Office of Oil and Gas Manangement, Bureau of Compliance and Data Administration at 717-772-2199 or by email at RA-EP-BOGMOGRE@pa.gov

#### **Interactive Map**

Oil and Gas Mapping

**Interactive Reports** 

Office of Oil and Gas Management
Topics

- Office of Oil and Gas Management
  - ▶ Conservation Law
  - Contacts & Directions
  - Oil and Gas Related Topics
  - Marcellus Shale
    - Oil and Gas Reports
  - Oil and Gas Production Reports
  - Public Resources
  - Industry Resources
  - Operator Electronic Registration – Oil and Gas Reporting
  - Applications & Authorization Forms
  - FAQ
  - Abandoned & Orphan Well Program




### Oil & Gas SPUD Report




There are instructions on how to run the SPUD Report posted on the Mechanical Integrity Assessment web page.

#### OIL & GAS SPUD Report

#### **Needed Information for Report**



#### **Run Report**





Use the default Spud Begin Date of **01/01/1800** to ensure all active wells are included in your inventory.



## OIL & GAS Spud Report



#### DEP OFFICE OF OIL AND GAS MANAGEMENT SPUD DATA

11/3/2014 10:49:45 AM

SPUD Date Range: 1/1/1800 - 8/1/2014; County: All; Municipality: All; Region: All; Operator: KEYSTONE ENERGY OIL & GAS INC (6231); Unconventional Only: No

UD .TE \$	API / PERMIT ‡	ogo#‡	OPERATOR ÷	REGION	COUNTY	MUNICIPALITY	FARM NAME \$	WELL TYPE ‡	WELL STATUS
1/1/1800	063-26280	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO SWDO Dstr Off	Indiana	Burrell Twp	KENDALL 2A	GAS	Active
1/1/1800	063-26215	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO SWDO Dstr Off	Indiana	Burrell Twp	KENDALL 3A	GAS	Active
1/1/1800	063-28219	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO SWDO Dstr Off	Indiana	Burrell Twp	STEVE S YOSCHAK 1	GAS	Active
1/1/1800	063-25981	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO SWDO Dstr Off	Indiana	Cherryhill Twp	FRANK L ERWIN 1	GAS	Active
1/1/1800	065-22365	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO NWDO Dstr Off	Jefferson	Bell Twp	CLIFFORD BUFFINGTON 1	GAS	Active
1/1/1800	065-22366	OGO-24997	KEYSTONE ENERGY OIL & GAS INC	EP DOGO NWDO Dstr Off	Jefferson	Bell Twp	CLIFFORD BUFFINGTON 2	GAS	Active

WELL STATUS	LATITUDE	LONGITUDE	CONFIGURATION	UNCONVENTIONAL
Active	40.455606	-79.217056	Vertical Well	No
Active	40.4561	-79.2251	Vertical Well	No
Active	40.489998	-79.182582	Vertical Well	No



## OIL & GAS SPUD Report Download



	A	В	С	D	Ε	F	G
1	SPUD_DATE	API	OGO_NUM	OPERATOR	REGION	COUNTY	MUNICIPALITY
2	1/1/1800	063-26280	- 02 BI   10 BI   1		EP DOGO SWDO Dstr Off	Indiana	Burrell Twp
3	1/1/1800	063-26215			EP DOGO SWDO Dstr Off	Indiana	Burrell Twp
4	1/1/1800	063-28219			EP DOGO SWDO Dstr Off	Indiana	Burrell Twp
5	1/1/1800	063-25981			EP DOGO SWDO Dstr Off	Indiana	Cherryhill Twp
6	1/1/1800	065-22365			EP DOGO NWDO Dstr Off	Jefferson	Bell Twp

H		J	K	L	M	N
FARM_NAME	WELL_CODE_DESC	WELL_STATUS	LATITUDE	LONGITUDE	CONFIGURATION	UNCONVENTIONAL
KENDALL 2A	GAS	Active	40.455606	-79.217056	Vertical Well	No
KENDALL 3A	GAS	Active	40.4561	-79.2251	Vertical Well	No
STEVE S YOSCHAK 1	GAS	Active	40.489998	-79.182582	Vertical Well	No
FRANK LERWIN 1	GAS	Active	40.64556	-79.047663	Vertical Well	No



#### Oil & Gas Management Reports Page

pennsylvania 🗚

PA STATE AGENCIES -

ONLINE SERVICES

--search PA--

Tom Corbett, Governor | Chris Abruzzo, Secretary | DEP Home

✓ Site ✓ Documents ✓ News

— DEP Search/Keyword — GO

Log In

About DEP

Newsroom

DEP Programs A - Z

Air

Energy

Environmental Cleanup & Brownfields

Mining

Oil and Gas

Office of Oil and Gas Management

Act 13

**Radiation Protection** 

Waste

Water

Home > Oil and Gas > Office of Oil and Gas Management > Oil and Gas Reports



Oil and Gas Reports

The Department of Environmental Protection is committed to providing information in an accessible and user-friendly format. In order to do so more effectively, the department has created interactive reports that allow the user to select specific criteria for the desired information. In addition, the report data can easily be downloaded for further analysis. The report links on this page provide oil and gas production information, permits issued, drilling commence date (SPUD date), county data, operator specific data, as well as inspections, violations and enforcement actions. For questions or problems with any of these reports, contact the Office of Oil and Gas Manangement, Bureau of Compliance and Data Administration at 717-772-2199 or by email at RA-EP-BOGMOGRE@pa.gov

**Interactive Map** 


Oil and Gas Mapping


**Interactive Reports** 


Office of Oil and Gas Management
Topics

- Office of Oil and Gas Management
  - ▶ Conservation Law
  - Contacts & Directions
  - Oil and Gas Related Topics
  - Marcellus Shale
    - Oil and Gas Reports
  - Oil and Gas Production Reports
  - Public Resources
  - Industry Resources
  - Operator Electronic Registration – Oil and Gas Reporting
  - Applications & Authorization Forms
  - FAQ
  - Abandoned & Orphan Well Program























## Discussion/Q&A











Oil and Gas Management

# Thanks! Questions?

Seth Pelepko, P.G.
Subsurface Activities Section Chief
Bureau of Oil and Gas Planning and Program Management
717.772.2199

(mipelepko@pa.gov)