

Water Supply Assessment, Preparedness, Prevention and Contingency Plan

Pennsylvania Pipeline Project

Prepared for:

Sunoco Pipeline L.P.

535 Friztown Road
Sinking Spring, PA 19608

Prepared by:

Tetra Tech, Inc.

661 Anderson Drive
Pittsburgh, Pennsylvania 15220
(412) 921-7090
Fax (412) 921-4040

December 2, 2016

Revised February 6, 2017

TABLE OF CONTENTS

Section	Page
1.0	PROJECT DESCRIPTION..... 1
2.0	SURFACE AND GROUNDWATER PROTECTION PLANS 1
3.0	WATER SUPPLY PLAN PURPOSE 1
4.0	EXISTING ENVIRONMENT 2
4.1	PRIVATE GROUNDWATER WELLS..... 2
4.2	PUBLIC WATER SUPPLY WELLS AND INTAKES 2
5.0	RISK ASSESSMENT 3
5.1	DESCRIPTION OF RISKS 3
5.1.1	Hazardous Material Spill and Encounters..... 3
5.1.2	Conventional Auger Bore and HDD Installation Methods..... 3
5.1.3	Hydrostatic Testing..... 4
5.2	RISKS TO WATER SUPPLIES 5
5.2.1	Private Groundwater Wells..... 5
5.2.2	Public Water Supply Wells..... 6
5.2.3	Public Water Supply Surface Water Intakes..... 6
6.0	PREVENTION, PREPAREDNESS, AND CONTINGENCIES..... 7
6.1	PUBLIC AND PRIVATE OWNER CONSULTATIONS 7
6.2	HAZARDOUS MATERIAL SPILLS AND ENCOUNTERS..... 8
6.3	RELEASES FROM HDDS..... 10
6.4	NOTIFICATIONS..... 11

APPENDICES

A	Water Supplier Consultations
B	Well Test Plan
C	Hydrogeologic Review and Aquifer Summary
D	Master Water Supplier Index

WATER SUPPLY ASSESSMENT, PREPAREDNESS, PREVENTION AND CONTINGENCY PLAN PENNSYLVANIA PIPELINE PROJECT

1.0 PROJECT DESCRIPTION

Sunoco Pipeline, L.P. (SPLP) proposes to construct and operate the Pennsylvania Pipeline Project (Project or PPP) that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way (ROW) from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the ROW from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same ROW. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles. For a detailed Project Description see Attachment 9 of the Project's Chapter 105 Joint Application for Permit.

2.0 SURFACE AND GROUNDWATER PROTECTION PLANS

SPLP has developed four plans that accompany the Erosion & Sedimentation Plan (E&S Plan). These plans assess the potential impacts and provide for the protection of surface and groundwater due to unanticipated Project activities. The overarching PPC Plan addresses spill prevention, countermeasures, and response in general. Potential impacts to surface waters and public and private water supplies in particular have been analyzed and addressed within two supplemental plans to the PPC Plan: this Water Supply Assessment, Preparedness, Prevention and Contingency Plan (Water Supply Plan); and a HDD Inadvertent Return Assessment, Preparedness, Prevention and Contingency Plan (IR Plan). This Water Supply Plan provides for the assessment of the existing public and private water supplies in or along the project, as well as identifies prevention and preparedness measures to be implemented to protect those supplies. The IR Plan outlines the preconstruction activities implemented to ensure sound geological features are included in the HDD profile, the measures to prevent impact, and the plan to be implemented if an impact were to occur. In addition, a Void Mitigation Plan for Karst Terrain and Underground Mining (Karst Plan) is provided as part of the E&S Plan and assesses the potential impacts and avoidance and mitigation measures during open-cut and drilling procedures. The purpose of these plans is to protect surface and groundwater resources Project-wide. The PPC Plan is provided as Attachment 12A of the Project's Chapter 105 Joint Application for Permit, this Water Supply Plan is provided as Attachment 12B, the IR Plan is provided as Attachment 12C, and the Karst Plan as Attachment 12D. These four plans also accompany every E&S Plan developed for the Project under the Chapter 102 regulations.

3.0 WATER SUPPLY PLAN PURPOSE

Private and public water supply sources are located along and/or downstream of proposed work areas. This plan describes the methodology used to identify those water supplies (i.e., private groundwater wells, public groundwater wells, and private water supply intakes) in relation to the Project areas and presents a summary of the existing environment in regards to these supplies. Next, this plan provides an evaluation of the risks to the types of supplies and outlines the

prevention, preparedness, and contingencies in regards to the potential impacts to those supplies.

4.0 EXISTING ENVIRONMENT

A variety of sources were used to identify the existing environment in regards to private and public water supplies in the vicinity of the Project areas. The methods of identification and summary of the results are provided in each of the following subsections.

The data acquired included:(1) Public Water Supply (PWS) areas identified by accessing the Pennsylvania Department of Environmental Protection's (PADEP's) eMapPA platform (<http://www.depgis.state.pa.us/eMapPA/>) to locate both "Groundwater Wells" and "Surface Water Intakes", this included Public Water Systems as well; (2) private water wells identified using the Pennsylvania Department of Conservation and Natural Resources' (DCNRs') Pennsylvania Groundwater Information System (PaGWIS); and (3) water supply data acquired from landowners during the pipeline easement negotiations.

4.1 PRIVATE GROUNDWATER WELLS

Representatives from SPLP spoke with all landowners directly affected by the Project's workspaces in regards to the presence and location of any waters supply wells. Landowner consultations and plat preparation associated with the acquisition process provided the best available data in regards to the presence and location of groundwater wells. SPLP has avoided all direct impacts to all private water wells. In addition to the information gained from the landowners, SPLP utilized the PAGWIS data to identify 22 approximate water well locations within 150 feet of all HDD alignments, including parcels that would be adjacent to, but not directly crossed by, the Project. The distance of 150 feet was used based on Federal Energy Regulatory Commission guidelines for identification of water wells in the vicinity of their authorized Projects. The locations of these wells are kept within the Project files and are not displayed here to protect the rights of the individual owners. Although the PAGWIS data is made available to the public, the accuracy as stated within the metadata is not reliable and what SPLP has or will obtain represents exact well locations.

4.2 PUBLIC WATER SUPPLY WELLS AND INTAKES

Public water suppliers within one mile of wetlands and waterbodies impacted by the Project were obtained from PADEP's eMapPA platform. Public Community Water Systems within 1 mile of the proposed workspaces were identified as well. In each query, both groundwater wells and surface water intakes were identified. The analysis resulted in the identification of 146 PWS as potentially occurring within the 1.0 mile buffer of the Project areas. Project notification letters and maps were sent to all identified PWS authorities and are provided in Attachment A. In these correspondences, SPLP requested the locations of the authority's PWS groundwater well and/or surface intakes as well as an assessment of potential impacts. Many authorities did not provide intake locations, but did inform SPLP that impacts were not anticipated. If a ground water well location was provided, the location was analyzed for potential impacts. When higher risk situations or concerns are raised, SPLP has or will consult with the supplier in regards to well locations, depths, and additional PPC activities.

Contact reports outlining all PWS authority consultations can be found in Appendix A and master list of these suppliers is provide in Appendix D.

5.0 RISK ASSESSMENT

The project involves the installation 306.8 miles of 20-inch pipeline and 255.8 miles of 16-inch pipeline and supporting aboveground block valve (53) and pump station (8) facilities. The pipeline installation will involve open trenching the majority of the mileage to a depth adequate enough to provide a minimum of 4 feet-of-cover to the top of the pipe in all areas except stream crossings where it will be a minimum of 5-feet-of-cover. The project also involves 132 HDDs for the 20-inch pipeline and 105 HDDs for the 16-inch pipeline and 304 auger bores for the 20-inch pipeline and 250 for the 16-inch pipeline.

Private and public water supplies may be impacted by hazardous material spills during any of the project activities including, open trenching, HDD and auger bore installation, and block valve and pump station construction and installation, and hydrostatic testing. Open trenching and grading activities have the potential to encounter karst areas/openings that may lead to groundwater sources. Unanticipated encounters with contaminated soil may also threaten water resources and supplies. Additional risks to private and public water supplies may result from the activities associated with the HDD method of pipeline installation, specifically, the use of drilling fluids during the drill process. Hydrostatic testing may require the use of and discharge to public water supply surface waters.

5.1 DESCRIPTION OF RISKS

5.1.1 HAZARDOUS MATERIAL SPILL AND ENCOUNTERS

The materials anticipated to be stored on site during this pipeline construction include diesel fuel, lubricating oil, bentonite clay, and welding gasses (oxygen and acetylene). Of these materials, the material stored in the largest volume and with the highest potential adverse impact to private / public water supply wells and public water supply surface water intakes is diesel fuel.

Encounters with karst terrain or openings during open trenching or grading activities offer a possible pathway for contaminants to migrate to groundwater resources. However, the threat to groundwater sources is limited to sedimentation from on-site run-off into the opening. A diesel fuel spill in the same location as an encountered karst area would be an unlikely event. SPLP has also developed a karst terrain plan that provides procedures for mitigating encounters with subsurface openings. The plan is provided in Attachment 12D of the Project's Chapter 105 Joint Application for Permit. There is the potential to encounter an unanticipated petroleum-based impacted soil during Project construction. The threat of such an encounter to surface or groundwater would depend on the location and extent of the impacted condition and is covered within the Project's overarching PPC Plan.

5.1.2 CONVENTIONAL AUGER BORE AND HDD INSTALLATION METHODS

Conventional auger boring (CAB) or jack and bore is a dry trenchless method of installing a relatively shallow underground steel pipe, from an excavated entry pit to an excavated exit pit, beneath an avoidance obstacle (such as a road). Specifically, a specialized track machine pushes the product pipe into and through the ground while simultaneously auger boring to remove the spoil from within the pipe. This push and clean-out process is repeated for each pipe segment until the desired

total installation length is achieved. The technique has been utilized extensively in the United States for numerous decades, primarily for road and railroad crossings. A more detailed description of the CAB process is presented in Section SPLPs' *Trenchless Feasibility Analysis* (TFA) included with the Alternatives Analysis provided with the Project's Chapter 105 Joint Application for Permit.

Horizontal directional drilling (HDD) is a steerable trenchless method of installing underground pipe, conduit, or cable in a shallow arc along a prescribed bore path by using a surface-launched drilling rig, with minimal to no impact along the bore path. The easiest forms of HDD emerged in the 1960s and have since been advanced and are typically utilized when conventional trenching techniques are not desirable or practicable. It is suitable for a variety of soil and bedrock conditions and primarily intended for obstacle avoidance including, but not limited to, stream crossings, roads, and protected environmental features systems. A more detailed description of the HDD process is presented in SPLPs' *Trenchless Feasibility Analysis* (TFA) included with the Alternatives Analysis provided with the Project's Chapter 105 Joint Application for Permit.

Throughout the HDD process, a pressurized drilling fluid comprised primarily of water and bentonite clay is pumped into and circulates back out of the bore hole. The principal functions of drilling fluid in HDD pipeline installation are listed below.

- Transportation of spoil
- Cooling and cleaning of cutters
- Reduction of friction
- Hole stabilization
- Transmission of hydraulic power
- Hydraulic excavation
- Soil modification

5.1.3 HYDROSTATIC TESTING

Hydrostatic testing involves filling a pipeline segment with water and performing a pressure test. SPLP utilizes hydrostatic tests for a variety of applications, such as strength testing prior to commissioning a newly constructed pipeline, testing pipeline replacement sections before being tied into the main pipeline, as a periodic pipeline reassessment method after a pipeline has been in operation, or to establish a new maximum operating pressure. The hydrostatic tests are used to ensure that the pipeline is suitable for service prior to commissioning. SPLP will be installing new pipe to complete the Project.

A combination of approved surface water sources and public water sources will be used to provide the water required for HDD, hydrostatic testing of pipeline segments installed by HDD, and hydrostatic testing of the main pipeline. The pipeline will be tested hydrostatically in accordance with DOT regulations, 49 C.F.R. Part 192. The pipeline will be filled with water and maintained at a test pressure and duration in compliance with SPLP's engineering standards and applicable federal regulations. After completion of a satisfactory test, the water will be discharged to the ground or directly to a surface water in accordance with in obtained permits or trucked to an offsite facility. HDD segments will be hydrostatically tested individually after the installation process. Subsequently, once the entire pipeline has been installed within a construction spread, the full pipeline will be hydrostatically tested.

5.2 RISKS TO WATER SUPPLIES

5.2.1 PRIVATE GROUNDWATER WELLS

Private groundwater wells are constructed by one of three types as follows:

- Drilled wells are constructed by either a cable tool (percussion) or rotary-drill machines. Well depths typically range between 50 and 500 feet, while some reach depths over 1,000 feet. Drilled wells are the most common type. Drilled wells typically have 20 to 40 feet of casing set at the surface to protect against shallow sources of contamination but the casings are rarely grouted in place, so the protection is limited.
- Driven wells are constructed by driving a small-diameter pipe into shallow water-bearing sand or gravel. Hand-driven wells usually are only about 30 feet deep, while machine-driven wells can be 50 feet or more.
- Dug wells are of a historical nature and constructed by hand shoveling a shaft down below the water table. The sides are usually lined with stones, bricks, or other material to prevent collapse and the top may be capped when not utilized. Dug wells usually do not exceed 25 feet in depth.

Potential Hazardous Material Spill and Encounter Impacts

Given appropriate material handling practices and limited quantities of the hazardous materials on site at given moment, hazardous materials spills and unanticipated contaminate soil encounters occurring in Project areas pose a minimal threat to private groundwater wells.

Potential CAB Impacts

CAB is a relatively shallow construction process that must occur in a dry environment. CAB areas with a high groundwater table are dewatered by various methods to temporarily dry the area to facilitate construction. Given the depth (not more than 20 feet) of CAB and adjacency with only the high groundwater table, threats to significantly deeper groundwater tables used for private wells are considered to be minimal.

Potential HDD Impacts

HDD for pipelines usually occur at depths less than 100 feet, which could include the crossing of shallow aquifers. The primary potential impact to groundwater is the migration of drilling fluid away from the HDD drill path. Specifically, drilling fluid expended downhole will flow in the path of least resistance. While the path of least resistance is typically the bore hole itself, it may instead be an existing fracture, fissure, or formation opening in the soil or rock substrate. When this happens, circulation can be lost or reduced and drilling fluid could enter the groundwater table that could be used by private groundwater wells.

Hydrostatic Testing

SPLP will use new pipe in the installation of the pipelines and therefore contamination of the water used for hydrostatic testing is not expected. Therefore, discharge of the water whether it be to upland areas or direct discharge to a surface water would not introduce contaminants into public or private groundwater or surface water supplies. To ensure the water being discharged is free of contaminants, a PAG-10 permit is obtained for all hydrostatic test locations and requires pre-test and discharge testing of the water.

5.2.2 PUBLIC WATER SUPPLY WELLS

Public water supply wells are typically drilled wells constructed by either a cable tool (percussion) or rotary-drill machines. Well depths are similar to private wells. Drilled wells typically have 40 feet or more of grouted casing set at the surface which effectively protects against shallow sources of contamination.

Potential Hazardous Material Spill and Encounter Impacts

Given appropriate material handling practices, casing requirements for public water supply wells and limited quantities of the hazardous materials on site at given moment, hazardous materials spills and unanticipated contaminate soil encounters occurring in Project areas pose a minimal threat to public water supply wells.

Potential CAB Impacts

As described in Section 5.2.1 above, CAB construction process is not expected to affect these deep public water supply wells.

Potential HDD Impacts

As stated earlier drilled wells typically have 40 feet or more of grouted casing set at the surface which effectively protects against shallow sources of contamination. HDD for pipelines usually occur at depths greater than 40 feet, which could include the crossing of shallow aquifers. The primary potential impact to groundwater is the migration of drilling fluid away from the HDD drill path. Specifically, drilling fluid expended downhole will flow in the path of least resistance. While the path of least resistance is typically the bore hole itself, it may instead be an existing fracture, fissure, or formation opening in the soil or rock substrate. When this happens, circulation can be lost or reduced and drilling fluid could enter the groundwater table that could be used by private groundwater wells.

Hydrostatic Testing

As noted in Section 5.2.1, SPLP will use new pipe in the installation of the pipelines and therefore contamination of the water used for hydrostatic testing is not expected. To ensure the water being discharged is free of contaminants, a PAG-10 permit is obtained for all hydrostatic test locations and requires pre-test and discharge testing of the water.

5.2.3 PUBLIC WATER SUPPLY SURFACE WATER INTAKES

Potential Hazardous Material Spill and Encounter Impacts

Hazardous material spills and encounters with unanticipated contaminated soil has a potential to impact surface waters that may be upstream and in or along a surface water with a public water supply intake. Work with diesel run equipment is often carried out adjacent to, and within wetlands, waterways, and floodways. A spill could result in a direct and immediate impact.

Potential CAB Impacts

Because the CAB construction process is conducted in a dry environment, no interaction with surface waters is anticipated. The risk to surface water intakes is considerably low.

Potential HDD Impacts

HDD fluid follows the path of least resistance and may leave the bore hole through a variety of geologic features. The environment may be impacted if the fluid

inadvertently returns to the surface at a location on a waterway's banks or within a waterway or wetland. If the fluid cannot be adequately contained, it can mix with surface water, dramatically increasing turbidity, and flow downstream. If this turbid flow reaches a surface water intake, then the public water supply could be adversely affected.

Hydrostatic Testing

As noted in Section 5.2.1, SPLP will use new pipe in the installation of the pipelines and therefore contamination of the water used for hydrostatic testing is not expected. To ensure the water being discharged is free of contaminants, a PAG-10 permit is obtained for all hydrostatic test locations and requires pre-test and discharge testing of the water.

6.0 PREVENTION, PREPAREDNESS, AND CONTINGENCIES

Identification and description of the existing environment (see Section 4.0) in regards to public and private water supplies and the risks and threats (see Section 5.0) to these supplies in regards to Project actions, allowed SPLP to develop prevention, preparedness, and contingencies as outlined within the following subsections.

6.1 PUBLIC AND PRIVATE OWNER CONSULTATIONS

Attachment A provides the status of SPLP's efforts to consult with PWS authorities within the vicinity of the Project. The majority of the PWS authorities identified have responded with no issue or concern and/or provided the requested location. Several have not responded, and those that did not respond were contacted by telephone to ensure receipt and consideration of the correspondence. Some PWS authorities requested additional information, which SPLP has provided. Some consultations with PWS authorities are on-going and will be resolved to ensure that public water supplies are not put at risk from the Project. Identification of the PWS intakes and concerns raised by the authorities has allowed SPLP to better prevent and prepare contingencies for potential impacts to these resources.

When location data is made available by the public water supplier as a result of consultation efforts, SPLP will identify those wells within 150 feet of HDD alignments. For these wells, the drill path will be compared to the well depth and geology of the area. Those wells in geologies with potentially significant interconnected secondary porosity (solution openings and structural features) will be considered for monitoring during HDD installs depending on specific individual water supplier requirements. All public water suppliers with known wells within 150 feet of HDDs, will be notified at least 72 hours prior to initiation of the drilling phase of the HDD construction activity.

Once the project is fully permitted and construction begins, SPLP will field verify the location of all private drinking water wells within 150 feet of HDDs previously identified through PaGWIS data and landowner consultation. With landowner approval, and if well conditions permit, SPLP will test the wells for water quality and quantity before, during, and after the drill operation in accordance with SPLP's water supply testing plan (Appendix B). Also if any landowner outside of the HDD areas requested pre- and post-construction testing of the wells, that testing will also occur in accordance with SPLP's water supply testing plan. To-date 120 landowners have requested such testing. All identified private wells within 150 feet of HDDs, will be notified at least 72 hours prior to initiation of the drilling phase of the HDD construction activity.

PADEP will be notified within 24 hours of receipt of any water supply complaints. This data will be utilized as a baseline for comparison to post-inadvertent return and/or post-construction sampling results to evaluate potential impacts and mitigation measures, if necessary.

6.2 HAZARDOUS MATERIAL SPILLS AND ENCOUNTERS

Emergency response protocol for material spills is the same as the protocol documented in SPLP's PPC Plan. The PPC Plan provides the following:

- List of emergency response coordinators
- Duties and responsibilities of the emergency response coordinator
- Chain of command
- Countermeasures to be undertaken by facility
- Countermeasures to be taken by contractors
- Internal and external communications and alarm systems
- Evacuation plan for installation personnel
- Emergency equipment available for response

To ensure site personnel are adequately prepared so they can respond effectively to an emergency, a material spill training program has been generated. SPLP's PPC Plan provides documentation of this program. To mitigate the risk of fuel spillage, all fuel shall be stored in code compliant double-contained vessels. In addition, all fuels will be stored in accordance with the setbacks from aquatic resources as identified within the Project's E&S Plan. To comply with the regulatory requirements set forth in 25 Pa. Code Section 78, SPLP has developed a PPC Plan for effective action to minimize and abate hazards to human health and the environment from fire, explosion, emission or discharge of pollutants to air, soil, surface water, or groundwater. Although hazardous materials (other than diesel fuel) are not planned for use on the Project, SPLP's PPC Plan describes the actions that SPLP or contractor personnel will take regarding hazardous materials if encountered.

Specific Spill Clean Up Procedures:

In the event of a release of hazardous materials during construction activities or if impacted soils identified by visual or olfactory methods are encountered during construction, the following procedures will be followed:

1. Work is stopped immediately in the area if an apparent worker safety concern is identified.
2. Upon discovery, SPLP's Environmental Compliance Coordinator (ECC) will be contacted.
3. If the ECC determines that impacted soils may be present, the ECC representative will notify an SPLP approved Rapid Response contractor. Additionally, if the ECC determines that current conditions cause or threaten pollution to surface or groundwater, then the ECC will immediately notify PADEP of the condition in accordance with 25 Pa. Code §91.33.
4. The Rapid Response contractor dispatches the appropriate personnel and equipment to further assess the site.
5. Rapid Response personnel examine the soil and screen it with a photoionization detector to determine the presence/absence of volatile and semi-volatile organic compounds.

6. If the Rapid Response personnel determine there are no impacted soils in the area, then the soil is considered cleared and can be used as backfill.
7. Upon positive identification of impacted soils, Rapid Response personnel will document site conditions, the estimated extent of the condition, and any potential threats to health, safety, and the environment. If at this or any other point of the response process, the ECC in consultation with the Rapid Response personnel concludes that there is a threat of or actual pollution to surface water or groundwater, and PADEP has not been previously notified of the incident, then the ECC will immediately notify PADEP of the condition in accordance with 25 Pa. Code §91.33.
8. Rapid Response personnel will then excavate and segregate any impacted soils, placing an impervious cover over and under the impacted soils.
9. After the impacted soils have been excavated and segregated, Rapid Response personnel collect representative samples of the impacted soils and analyze the soil samples for organics in accordance with PADEP's Management of Fill Policy.
10. If the results of the sampling do not exceed the numeric standards in Table GP-1a of the General Permit for Beneficial Use of Regulated Fill, then the soils may be reused in the area as backfill. If the results of the sampling exceed the numeric standards in Table GP-1a of the General Permit for Beneficial Use of Regulated Fill, then the impacted soils shall be disposed at a properly permitted offsite disposal facility.
11. Construction may continue unless the ECC, in consultation with the Rapid Response personnel, determines that proceeding with construction poses a threat to health, safety, or the environment.

Petroleum and Petroleum Related Materials: In dealing with a petroleum spill, the immediate response action is to attempt to eliminate the source of the spill as soon as possible. In the event of an accidental spill, emergency measures will be implemented by SPLP to isolate the spilled material and prevent the release from entering surface water or groundwater. Berms may be constructed to contain the spill, and/or excavation equipment may be used to promptly remove impacted soils, concrete, or asphalt. Stormwater collection structures will be either blocked or pumped, if appropriate, to prevent the release to surface water.

Soil that is impacted as a result of an accidental spill or release will be containerized for subsequent disposal. The typical clean up procedure for the spilled oil is as follows:

- Remove sources of ignition (ignition sources are not to be within 50' of any storage tanks)
- Contain the spill using whatever equipment and material are available. Petroleum captured within secondary containment should be recycled to the extent possible. In water, booms should be used to limit the spread of oil along the surface. On land, absorbent materials such as Oil Dri, straw, sawdust, or soil should be used to soak up any free or flowing oil and limit its spread. The most important thing is to act quickly to limit the extent of the spill.
- Remove the petroleum soaked materials using the most effective means, whether it is by hand using shovels or heavy earth moving equipment. Caution must be exercised in using construction equipment in and around streams to minimize the disturbance to the watercourse. It may be

necessary to provide clean fill to reconstruct the affected areas after removal of the petroleum contaminated soils.

6.3 RELEASES FROM HDDS

A separate IR PPC Plan has been created for the Project and is supplemental to this PPC. Like this plan, the IR Plan is to be included with all permitting documents provided to the contractor (see Attachment 12C of the Chapter 105 Joint Application for Permit). The IR Plan addresses 25 Pa. Code §78a.68a: Horizontal Directional drilling for oil and gas pipelines. The immediate response actions in dealing with an inadvertent return of drilling fluids (primarily bentonite and water) from a horizontal direction drill include discontinuing drilling operations, identifying the area of the inadvertent return, and isolating the inadvertent return.

As identified in Section 5.3 the risks to water supplies associated with use of the CAB installation method are considerably low. However, HDD methods do present some risk. To ensure the highest probability of success on the proposed HDD installations, SPLP has assembled a technical team which includes engineers and consultants having expertise in HDD design, construction, and environmental issues. Groundwater & Environmental Services, Inc. (GES) reviewed certain information described in Appendix C to identify potential Inadvertent Return (IR) problem areas. GES assembled information related to certain parameters associated with aquifers to assess the relative risk of IRs at HDDs. Of the 17 counties that the proposed PPP crosses, GES reviewed HDD profiles and supplemental information for nine of the counties where geologies representative of all HDD crossings were evaluated. SPLP's IR Plan provides documentation of the methodologies the team employs to eliminate / minimize inadvertent releases of drilling fluids. These protocols include:

- Design criteria and geotechnical sampling
- Site feasibility analysis and inadvertent release risk assessments
- Drinking water source protection protocols

The most effective way to minimize environmental impact associated with HDD installations, and specifically with drilling fluids, is to maintain drilling fluid circulation to the extent practicable. To help facilitate this goal, SPLP's IR Plan provides documentation of the planned HDD implementation procedures and inadvertent returns preparedness measures. These protocols include:

- Drilling fluid control
- Environmental / geologic inspection
- HDD alignment monitoring and inadvertent return protocols

In the event an inadvertent release or return occurs, the fast and appropriate response by all Project parties is essential to minimize adverse impacts. These actions will depend on the location and time of release or return, site specific geologic conditions, and the volume of the release or return.

In the event an inadvertent release occurs to surface waters that could potentially affect a downstream water supply intake point, an SPLP representative will notify the owner / manager of the water supply to provide ample warning so that intake can be temporarily discontinued until the turbidity plume passes.

Should an inadvertent return adversely affect a groundwater or surface water supply source, the following actions shall occur:

- Clean drinking water shall be supplied to affected users until the situation is resolved.
- Water quality and quantity re-sampling shall be conducted to determine the extent of impact and help determine remedial actions, if any.

SPLP's IR Plan provides the details of planned response to inadvertent returns. These protocols address:

- Inadvertent returns in uplands
- Inadvertent returns in wetland(s) / stream(s)
- Containment and clean-up materials and equipment
- Notifications

6.4 NOTIFICATIONS

All identified public water suppliers with known wells within 150 feet of HDDs, will be notified at least 72 hours prior to initiation of the drilling phase of the HDD construction activity.

All identified private wells within 150 feet of HDDs, will be notified at least 72 hours prior to initiation of the drilling phase of the HDD construction activity.

PADEP will be notified at least 24 hours prior to initiation of the drilling phase of the HDD construction activity. This notification will be made through PADEP's online Oil and Gas Reporting Electronic (OGRE) application. The OGRE application is accessed via the DEP Greenport login in system at <https://www.depgreenport.state.pa.us>.

PADEP will be notified within 2 hours of receipt of any water supply complaints. This notification will be made through PADEP's online Oil and Gas Reporting Electronic (OGRE) application. The OGRE application is accessed via the DEP Greenport login in system at <https://www.depgreenport.state.pa.us>.

The Project's IR Plan contains additional notifications regarding inadvertent returns.

The Pennsylvania Clean Streams Law regulations require that when any pollutant discharged into surface or groundwater, including sewers, drains and ditches, the person spilling the substance or the person owning the premises from which the substance is spilled must notify PADEP immediately. The following notifications will be made to PADEP immediately following an occurrence:

- PADEP Southwest Regional Office: 412-442-4000
- PADEP Southcentral Regional Office: 866-825-0208
- PADEP Southeast Regional Office: 484-250-5900
- PA Fish and Boat Commission Bureau of Law Enforcement: 717-705-7861
SWRO: 814-445-8974, SCRO: 717-486-7087, SERO: 717-626-0228
- Other agencies that will be notified:
 - U.S. Army Corps of Engineers
Pittsburgh District: 412-395-7155
Baltimore District: 410-962-3670

Philadelphia District: 215-656-6728

- Local agencies and municipalities who are downstream users of water, as applicable (see Water Supply Plan supplied with the Project's E&S Plan)

Appendix A

Water Supplier Consultations

List of Contacted Public Supply Sources

PWS ID	PWS Name	Date Sent	Response	Phone
PA4070008	ALTOONA CITY AUTH. WATER DEPT.	9/20/2016	In consultation	814-949-2222
PA1460073	AQUA PA MAIN DIVISION	9/20/2016	In consultation	610-645-1082
PA1150035	AQUA PA UWCHLAN	9/20/2016	No response	610-645-1164
PA4070054	AUTUMN EST	9/20/2016	No response	814-695-0536
PA4070011	BLAIR TWP WATER & SEWER AUTH	9/20/2016	Responded – No Issue	814-695-6300
PA5320006	BLAIRSVILLE MUNI AUTH	9/20/2016	No response	724-459-9100
PA3060052	CAERNARVON TWP AUTH	9/20/2016	No response	610-286-1017
NA	CAMP HILL STATE CORRECTIONAL INST	9/20/2016	Responded – No Issue	
PA1230004	CHESTER WATER AUTHORITY	9/20/2016	Responded – No Issue	610-876-8185
PA7380007	CORNWALL BORO MUNI AUTH	9/20/2016	Responded – No Issue	717-274-5441
PA7210065	COUNTRY VIEW EST	9/21/2016	Responded – No Issue	717-776-7109
PA7210001	CREEK VIEW MOBILE HOME COMMUN	9/20/2016	No response	717-245-2100
PA4110030	CRESSON BORO WATER SYS	9/20/2016	No response	814-886-2139
PA4110038	CRESSON TWP MUNI AUTH	9/20/2016	No response	814-886-2793
PA4110299	CROYLE TWP WATER AUTH	9/21/2016	No response	814-495-9009
PA1150037	DEVEREUX FOUNDATION BRANDYWINE	9/20/2016	No response	610-942-5900
PA4070012	DUNCANSVILLE MUNI WATER AUTH	9/20/2016	No response	814-695-1497
PA4110009	EBENSBURG BORO MUNI AUTH	9/20/2016	Responded – No Issue	814-472-8780
PA1150191	ELVERSON WATER COMPANY	9/20/2016	Responded – No Issue	610-286-5115
PA4070034	FREEDOM TWP WATER & SEWER	9/20/2016	Responded – No Issue	814-695-8051
PA4070013	GREENDOWN ACRES MHP	9/20/2016	No response	814-695-1464
PA4110014*	GREATER JOHNSTOWN WATER AUTH-SALTlick	2/4/2017	No response	814-533-4300
PA7210003	HARMONY ESTATES MHP	9/20/2016	No response	717-730-4141

PWS ID	PWS Name	Date Sent	Response	Phone
PA7380033	HEIDELBERG TWP MUNI AUTH	9/21/2016	Responded – No Issue	717-949-6977
PA4110017	HIGHLAND S & W AUTH BEAVERDAM	9/20/2016	Responded – No Issue	814-266-3146
PA4110015	HIGHLAND S & W AUTH LLOYDELL	9/20/2016	Responded – No Issue	814-266-3146
PA4110016	HIGHLAND S&W AUTH NORTHERN END	9/20/2016	Responded – No Issue	814-266-3146
PA5650069	HIGHRIDGE WATER AUTH	9/20/2016	Responded – No Issue	888-557-4343
PA7210022	HILLSIDE MHP	9/20/2016	No response	717-576-3155
PA4070017	HOLLIDAYSBURG MUNI AUTH	9/20/2016	Responded – No Issue	814-695-7543
PA4110021	JACKSON TWP WATER AUTH	9/20/2016	Responded – No Issue	814-322-1262
PA7380010	LEBANON WATER AUTH	9/20/2016	Responded – No Issue	717-865-2191
PA5650012	LITTLE ACRES MHP	9/20/2016	No response	724-863-1388
PA1150030	LOAGS CORNER MOBILE HOME PARK	9/21/2016	No response	610-286-5183
PA7670024	MEADOWBROOK MHP	9/20/2016	No response	717-774-8887
PA7210063	MIDDLESEX TWP MUNI AUTH	9/20/2016	No response	717-243-0674
PA7220038	MIDDLETOWN BORO WATER AUTH	9/20/2016	No response	717-948-3055
PA5020025*	MUN AUTH OF WESTMORELAND COUNTY – MCKEESPORT	2/4/2017	No response	412-678-6065
PA7210049	N MIDDLETON WATER AUTH	9/20/2016	No response	717-243-8269
PA7220017	PA AMER WATER CO	9/20/2016	No response	717-533-5627
PA5020039	PA AMER WATER CO-PITTSBURGH	9/20/2016	No response	724-437-0102
PA7210029	PA AMERICAN WATER CO WEST	9/20/2016	No response	717-774-7460
PA5320025	PA AMERICAN WATER CO-INDIANA D	9/20/2016	No response	724-465-6600
PA1230886	PATHWAYS	9/20/2016	No response	610-459-9177
PA5650026	PINE GARDEN APARTMENTS	9/20/2016	No response	724-875-0882
PA7380031	QUENTIN WATER CO	9/20/2016	No response	717-274-5514
PA3060067	SHILLINGTON MUNI AUTH	9/20/2016	No response	610-777-1338
PA7220036	STEELTON BORO WATER AUTH	9/20/2016	No response	717-939-0425

PWS ID	PWS Name	Date Sent	Response	Phone
PA7220015	SUEZ WATER	9/20/2016	No response	717-561-1103
PA7210028	UNITED WATER PA MECHANICSBURG	9/20/2016	No response	717-561-1103
PA3060076	WERNERSVILLE MUNI WATER AUTH	9/20/2016	Responded – No Issue	610-678-4711
PA7360141	WEST COCALICO TWP WATER AUTH	9/20/2016	Responded – No Issue	717-336-8720
PA5650034	WESTMORELAND MA-TRUXALL SYS	9/20/2016	No response	724-727-2300
PA3060127	ABRAXAS ACADEMY	1/18/2017	No response	(610)913-8000
PA7220935	ADVENTURE SPORTS IN HERSHEY	1/18/2017	In consultation	717-533-7479
PA3061101	ALLEGHENY EVAN LUTH CH	1/18/2017	No response	(610)777-2520
PA3061055	AMER HOUSE OF FRITZTOWN	1/18/2017	No response	(610)678-0609
PA3060403	AMERICAN LEGION POST 537	1/18/2017	No response	(610)286-5920
PA7220949	ANALYTICAL LABORATORY SVCS	1/18/2017	In consultation	717-944-5541
PA7671020	ASSN OF BAPTIST FOR WORLD EVNG	1/18/2017	No response	(717)774-4400
PA4070313	AVIATION INN	1/18/2017	No response	(814)932-0595
PA3061231	BASIL PIZZERIA	1/18/2017	No response	(484)509-2066
PA3061194	BC MONTESSORI COUNTRY DAY SCH	1/18/2017	No response	(610)777-3080
PA3061154	BIG BERTHAS GRILL	1/18/2017	No response	(610)670-4540
PA4310850	BRANCH CPGRD	1/18/2017	No response	814-643-0485
PA3061100	BRECKNOCK ACADEMY	1/18/2017	No response	(610)777-2980
PA3060846	BRECKNOCK TWP FIRE COMPANY	1/18/2017	No response	(610)777-9575
PA5650902	BUSH RECREATION AREA	1/18/2017	No response	(729)639-9013
PA3060417	CAMP ADAHI & ADAHI KIDS	1/18/2017	No response	(610)856-7250
PA5630431	CANONSBURG SPORTSMEN ASSOCIATN	1/18/2017	No response	(724)745-0527
PA1150310	CAR SENSE UWCHLAND	1/18/2017	No response	(610)458-3700
PA7210982	CARLISLE YS MENS CLUB	1/18/2017	No response	717-243-1892
PA3061213	CATERING BY JOHN LOWE	1/18/2017	No response	(610)873-7229
PA7360836	COCALICO CREEK CPGRD	1/18/2017	In consultation	717-336-2014
PA3060633	COMMUNITY FIRE CO OF FRITZTOWN	1/18/2017	No response	(610)678-0502
PA7671148	CULHANES STEAK HOUSE	1/18/2017	No response	(717)938-0930
PA3061150	CUSHION PEAK ROD & GUN CLUB	1/18/2017	Responded – No Issue	(610)670-9558

PWS ID	PWS Name	Date Sent	Response	Phone
PA7210832	DOGWOOD ACRES REC AREA	1/18/2017	In consultation	717-776-5203
PA7210321	ECONOLODGE	1/18/2017	No response	717-766-4728
PA7671289	FAIRVIEW ELEM SCH	1/18/2017	No response	(717)938-9577
PA7381039	FAIRVIEW GC	1/18/2017	No response	(717)273-3411
PA7670980	FAIRVIEW TWP BLDG	1/18/2017	No response	(717)901-5261
PA7500808	FOWLERS HOLLOW ST PARK	1/18/2017	No response	717-776-5272
PA3060638	GALEN HALL CC INC	1/18/2017	No response	(610)678-8011
PA4070346	GEESEYTOWN VOL FIRE CO	1/18/2017	No response	(814)695-8003
PA3060438	GOUGLERSVILLE FIRE CO	1/18/2017	No response	(610)777-2449
PA3060347	GOV MIFFLIN BRECKNOCK ELEM SCH	1/18/2017	No response	(610)775-5079
PA7361081	GRACE BRETHERN RETREAT CENTER	1/18/2017	No response	717-336-2541
PA1230820	GRADYVILLE FOODS COUNTRY DELI	1/18/2017	No response	(610)558-3354
PA7670890	GUY SHELLY AMER LEGION 974	1/18/2017	No response	(717)774-3149
PA4310841	HAPPY TRAILS CAMPGROUND	1/18/2017	No response	(814)458-3101
PA7220044	HARRISBURG INTL AIRPORT	1/18/2017	No response	717-948-3900
PA7220964	HISTORIC ACRES OF HERSHEY	1/18/2017	No response	570-298-6340
PA5630338	HOUSTON SUNOCO	1/18/2017	No response	(724)745-1214
PA3060640	HUIES GRAY FOX INN	1/18/2017	No response	717-484-2625
PA3061243	JOANNA FURNACE	1/18/2017	No response	(610)286-0388
PA3061019	JOANNA STORE	1/18/2017	No response	(610)286-5197
PA3060989	KEN GRILL RECREATION ASSN	1/18/2017	No response	(610)777-9322
PA4110837	KEYSTONE RESTAURANT	1/18/2017	No response	(814)886-4533
PA7360835	KINGDOM HALL MOUNT JOY	1/18/2017	Responded – No Issue	(717)653-8501
PA3060401	LA CANTINA ITALIAN RESTAURANT	1/18/2017	No response	(610)777-5646
PA1230852	LA PORTA RISTORANTE	1/18/2017	No response	(610)358-5104
PA7210943	LANE ENTERPRISES	1/18/2017	No response	717-249-8342
PA7381059	LEBANON VAL BIBLE CHURCH	1/18/2017	No response	(717)867-4403
PA4110046	LILLY MUNI WATER WORKS	1/18/2017	No response	(814)886-7227
PA7220400	MANGIA MANGIA	1/18/2017	No response	570-689-3794
PA3060515	MANOR GC	1/18/2017	No response	(610)678-9597

PWS ID	PWS Name	Date Sent	Response	Phone
PA3060439	MAPLE GROVE PARK	1/18/2017	No response	(610)856-7200
PA1150818	MARSH CREEK STATE PARK	1/18/2017	No response	(610)458-5180
PA7360325	MIDDLECREEK WILDLIFE MGMT AREA	1/18/2017	No response	(717)733-1512
PA3060881	MOHNTON FISH & GAME ASSN	1/18/2017	No response	(610)775-3470
PA3060803	MORGANTOWN PROP	1/18/2017	No response	(610)913-7516
PA3061184	MOUNTAIN VIEW APARTMENTS	1/18/2017	Responded – No Issue	717-484-0973
PA3060821	NOLDE ENVIRONMENTAL ED CTR	1/18/2017	No response	(610)796-3699
PA7360382	NORTH LANC CO GAME & FISH ASSN	1/18/2017	No response	717-336-7280
PA3060069	PAW PENN DISTRICT	1/18/2017	No response	(610)404-1540
PA1150616	PETER J. CAMIEL SERVICE PLAZA	1/18/2017	No response	(610)286-0255
PA7670870	PHAT ALBERTS	1/18/2017	No response	(717)938-4790
PA5320838	PINE RIDGE COUNTY PARK	1/18/2017	No response	724-463-8636
PA7380426	PLAINS LPG SERVICES LP	1/18/2017	No response	(717)949-3469
PA4310800	RAYSTOWN LAKE ARMY CORPS ENG	1/18/2017	No response	(814)658-3405
PA4310855	RAYSTOWN LAKE CORP 7 PTS PLANT	1/18/2017	No response	(814)658-3405
PA7220420	RUTTERS FARM STORE #20	1/18/2017	No response	717-771-5970
PA4310856	SEVEN POINTS BAIT & GROCERY	1/18/2017	No response	(814)658-3718
PA3061175	SGL CARBON GROUP LLC	1/18/2017	No response	(610)670-4095
PA3061099	SINKING SPRING FAMILY YMCA	1/18/2017	No response	(610)678-0484
PA3060625	SLEEPY HOLLOW ATHLETIC CLUB	1/18/2017	No response	(610)856-7516
PA3060969	SLEEPY HOLLOW POOL	1/18/2017	No response	(610)856-1418
PA4310867	SMITTY S EATS N TREATS	1/18/2017	No response	(814)644-3791
PA3060432	SOUTH MOUNTAIN YMCA	1/18/2017	No response	(610)670-2267
PA7670937	SPEEDWAY 6760	1/18/2017	No response	(717)938-1428
PA3060922	ST BENEDICT CH	1/18/2017	No response	(610)856-1006
PA3061130	STEELCO	1/18/2017	No response	(610)678-6411
PA3061205	STEELCO WELL #2	1/18/2017	No response	(610)678-6411
PA7220916	STEVE HEINS GROCERY STORE	1/18/2017	No response	717-533-5222
PA3061018	SUNOCO FOOD SHOP	1/18/2017	No response	(610)678-3550
PA1230939	SWEETWATER FARM B AND B	1/18/2017	No response	(610)459-4711

PWS ID	PWS Name	Date Sent	Response	Phone
PA5650498	THE PINES	1/18/2017	No response	(724)468-9923
PA7381005	THOUSAND TRAILS	1/18/2017	No response	(717)867-5515
PA7210918	TRADING POST MARKET	1/18/2017	No response	717-776-3082
PA3060943	TURKEY HILL MINI MKT 115	1/18/2017	Responded – No Issue	(717)299-8908
PA3060362	TWIN VALLEY FIELD HOUSE	1/18/2017	No response	(610)286-8652
PA3061021	TWIN VALLEY MIDDLE SCHOOL	1/18/2017	No response	(610)286-8679
PA3060360	TWIN VALLEY SENIOR HIGH SCHOOL	1/18/2017	No response	(610)286-8679
PA4070391	VFW POST NO 8724	1/18/2017	In consultation	(814)695-9703
PA3060658	VINEMONT COMM LUTH CH	1/18/2017	No response	(610)670-1141
PA7500369	WILDWOOD FAMILY CG	1/18/2017	Responded – No Issue	717-734-3656
PA4110340	WOODLAND PARK CAMPGROUND	1/18/2017	No response	(814)472-9857

*PWS is located greater than 1 mile from Project impacted aquatic resource, however PADEP guidance requested this PWS be included.

To: Abraxas Academy Telephone: 610-913-8000

Contact name: Daniel Stringfellow

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Daniel Stringfellow at Abraxas Academy on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 23, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

MORGANTOWN, PA 19543

OFFICIAL USE

Certified Mail Fee \$3.30

\$0.00

Extra Services & Fees (check box, add fee as appropriate)

Return Receipt (hardcopy) \$0.00

Return Receipt (electronic) \$0.00

Certified Mail Restricted Delivery \$0.00

Adult Signature Required \$0.00


Adult Signature Restricted Delivery \$0.00

Postage \$1.57

Total Postage and Fees \$4.87

Sent To ABRAXAS ACADEMY
Street and Address c/o DANIEL STRINGFELLOW
City, State, and ZIP P.O. BOX 645
MORGANTOWN, PA 19543

PS Form 3849, October 2013



7016 2140 0001 1523 7767



USPS Tracking®

Still Have Questions?

[Browse our FAQs ›](#)



Get Easy Tracking Updates ›

Sign up for My USPS.

Tracking Number: **70162140000115237767**

On Time

Updated Delivery Day: **Monday, January 23, 2017**

Product & Tracking Information

Postal Product:

First-Class Mail®

Features:

Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 23, 2017 , 10:57 am	Delivered	MORGANTOWN, PA 19543
Your item was delivered at 10:57 am on January 23, 2017 in MORGANTOWN, PA 19543.		
January 23, 2017 , 8:25 am	Available for Pickup	MORGANTOWN, PA 19543
January 23, 2017 , 8:06 am	Arrived at Unit	MORGANTOWN, PA 19543
January 22, 2017 , 9:20 pm	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:54 am	In Transit to Destination	
January 21, 2017 , 8:54 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS ›](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)

Copyright © 2017 USPS. All Rights Reserved.



January 18th, 2017

ABRAXAS ACADEMY
c/o Daniel Stringfellow, Director
P.O. Box 645
Morgantown, PA 19543

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Adventure Sports in Hershey Telephone: 717-533-7479

Contact name: Janet Hill

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Janet Hill at Adventure Sports in Hershey on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Greg Hill (ghill@keystonecustomhome.com) (with cc to Dale Archenbach – daa@cplx.net) emailed Josh Baird on January 25, 2017 identifying concern with the Project's proximity to their on-site well source and has the potential to require an immediate shutdown of their business. They are requiring documentation assessment of the risk exposure to their public water supply by SPLP, including potential of leakage and the geotechnical study of the impact on the water supply. They request definition of " " will be co-located in or adjacent to existing utility corridors " mean specifically as it relates to their facility. They would like to know if they now need to test their PWS for potential Natural gas liquid contamination.

They requested information by February 15, 2017 or they will deem the project is not in good standing as it relates to their PWS.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:29 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206125040 Delivered

Your package has been delivered

Tracking # 778206125040

Ship date:
Wed,
1/18/2017

Delivery date:
Thu, 1/19/2017
9:28 am

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



c/o Janet Hill
Adventure Sports In
Hershey
2905 Church Road
ELIZABETHTOWN, PA
17022
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206125040](#)

Status: Delivered: 01/19/2017
09:28 AM Signed for
By: Signature not
required

Reference: 112IC05958, 16

Signed for by: Signature not required

Delivery location: ELIZABETHTOWN,
PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:29 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ADVENTURE SPORTS IN HERSHEY
c/o Janet Hill
2905 Church Road
Elizabethtown, PA 17022

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Allegheny Evan Luth Church Telephone: 610-777-2520

Contact name: Property Committee Chairman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to the Property Committee Chairman at Allegheny Evan Luth Church on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:06 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204430240 Delivered

Your package has been delivered

Tracking # 778204430240

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:03 am

c/o Property
Committee
Chairman
Allegheny Evan Luth
Ch
1324 Alleghenyville
Road
MOHNTON, PA
19540
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778204430240](#)

Status: Delivered: 01/19/2017
10:03 AM Signed for
By: T.ORMSBEE

Reference: 112IC05958, 16

Signed for by: T.ORMSBEE

Delivery location: MOHNTON, PA


Delivered to: Receptionist/Front
Desk

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope

Number of pieces: 1

Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday
Standard transit:	1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:05 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ALLEGHENY EVAN LUTH CH
c/o Property Committee Chairman
1327 Alleghenyville Road
Mohnton, PA 19540

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Altoona City Auth. Water Dept. Telephone: 814-949-2222

Contact name: William Cochran

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to William Cochran at the Altoona City Auth. Water Dept. on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016. Phone conversation with Mike Sinisi of Altoona Water Authority on 10/28/2016, he requested shapefiles of the pipeline in the vicinity of the authority's watershed – shapefile sent on 10/28/2016.

Lavolette, Carrie

From: trackingupdates@fedex.com
Sent: Thursday, September 22, 2016 2:57 PM
To: Lavolette, Carrie
Subject: FedEx Shipment 777275189468 Delivered

Your package has been delivered

Tracking # 777275189468

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 9/22/2016
2:52 pm

William Cochran
Altoona City Auth.
Water Dept.
20 Greenwood Road
ALTOONA, PA 16602
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275189468
Status:	Delivered: 09/22/2016 2:52 PM Signed for By: D.BECK
Reference:	112IC05958, 16
Signed for by:	D.BECK
Delivery location:	ALTOONA, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:57 PM CDT on 09/22/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.


Thank you for your business.

ALTOONA CITY AUTHORITY



- ### Legend
- Proposed Pipeline
 - PA State Roads
 - PA Municipality
 - Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:
 Sunoco Pipeline L.P.

Prepared By:
 TETRA TECH

Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Amer House of Fritztown Telephone: 610-678-0609

Contact name: Craig J Lutz

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Craig J Lutz at Amer House of Fritztown on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.


Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:31 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204494035 Delivered



Your package has been delivered

Tracking # 778204494035

Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 9:27 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	c/o Craig J. Lutz Amer House of Fritztown 737 Fritztown Road SINKING SPRING, PA 19608 US


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204494035
Status:	Delivered: 01/19/2017 09:27 AM Signed for By: M.A
Reference:	112IC05958, 16
Signed for by:	M.A
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:30 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

AMER HOUSE OF FRITZTOWN
c/o Craig J Lutz
737 Fritztown Rd
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: American Legion Post 537 Telephone: 610-286-5920

Contact name: Roger Jacobs, Post Commander

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Roger Jacobs at American Legion Post 537 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:47 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204516320 Delivered

Your package has been delivered

Tracking # 778204516320

Ship date:
Wed,
1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:42 am

c/o Roger Jacobs
(Post Commander)
American Legion Post
537
4499 Twin Valley
Road
MORGANTOWN, PA
19543
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204516320
Status:	Delivered: 01/19/2017 10:42 AM Signed for By: L.CREITZ
Reference:	112IC05958, 16
Signed for by:	L.CREITZ
Delivery location:	MORGANTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 12:00 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:47 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

**AMERICAN LEGION POST 537
c/o Roger Jacobs, Post Commander
4499 Twin Valley Road
Morgantown, PA 19543**

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Analytical Laboratory Svcs Telephone: 717-944-5541

Contact name: Peter Frick

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Peter Frick at Analytical Laboratory Svcs on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Mike Farling sent an email on January 25, 2017 (msf208@aol.com) requesting the map be sent to him. He was forwarded the letter only from Scott Brunk (Scott.Brunk@ALSGlobal.com). Mike is the owner of the building at 34 Dogwood Lane and stated that occupants of the building are on well water and it is used as an environmental laboratory. Josh Baird followed up with requested map on January 26, 2017.


Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:23 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206145579 Delivered



Your package has been delivered

Tracking # 778206145579


Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 9:14 am
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 c/o Peter Frick Analytical Laboratory Svcs 34 Dogwood Lance MIDDLETOWN, PA 17057 US

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206145579
Status:	Delivered: 01/19/2017 09:14 AM Signed for By: B.SCHAEFFER
Reference:	112IC05958, 16
Signed for by:	B.SCHAEFFER
Delivery location:	MIDDLETOWN, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:22 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ANALYTICAL LABORATORY SVCS
c/o Peter Frick
34 Dogwood Lance
Middletown, PA 17057

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Aqua PA Main Division Telephone: 610-645-1082

Contact name: Curt Steffy

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Curt Steffy at Aqua PA Main Division on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received voicemail and email from Craig Marleton, requesting digital AR site plans to aid in his review. Site plans were sent via FTP on 9/26/16; received an email on 9/27/16 inquiring about the Swedesford Road resource he saw on the Chester AR site plans. Advised that it is not part of the project anymore; sent an email with HDD plans and KMZ of the HDD in the area of their intake; received and email request for additional HDD drawings on 10/7/2016 and drawing was sent on 10/7/16. Extension was granted until 10/20/16. Letter received on 10/20/16 from AquaAmerica requesting meeting to discuss their concerns regarding potential impacts. Sunoco and AquaAmerica have been in coordination. On February 1, 2017 AquaAmerica sent a letter to PADEP indicating the ongoing investigations that Sunoco is performing on AquaAmerica's hillside wells. Per this letter, AquaAmerica expressed the assurance of cooperation between Sunoco and AquaAmerica.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:09 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275246803 Delivered

Your package has been delivered

Tracking # 777275246803

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
10:03 am

Curt Steffy
Aqua PA Main
Division
762 Lancaster
Avenue
BRYN MAWR, PA
19010
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275246803
Status:	Delivered: 09/21/2016 10:03 AM Signed for By: A.AUSTIN
Reference:	112IC05958, 16
Signed for by:	A.AUSTIN
Delivery location:	BRYN MAWR, PA
Delivered to:	Mailroom
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 3:00 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:09 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.






© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.


AQUA PA MAIN DIVISION



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Aqua PA Uwchlan Telephone: 610-645-1164

Contact name: Curt Steffy

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Curt Steffy at Aqua PA Uwchlan on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 9:36 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470507716 Delivered

Your package has been delivered

Tracking # 777470507716

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Mon,
10/17/2016 9:34
am

Aqua PA Uwchlan
762 W Lancaster
Avenue
BRYN MAWR, PA
19010
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777470507716
Status:	Delivered: 10/17/2016 09:34 AM Signed for By: A.ALSTON
Reference:	112IC05958, 16
Signed for by:	A.ALSTON
Delivery location:	BRYN MAWR, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Adult Signature Required

Deliver Weekday

Standard transit: 10/17/2016 by 3:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:36 AM CDT on 10/17/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.






Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.




Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 6,000 Feet



Prepared For:




Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Assn of Baptist for World Evng Telephone: 717-774-4400

Contact name: Bruce Santos

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Bruce Santos at Assn of Baptist for World Evng on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:10 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206945033 Delivered

Your package has been delivered

Tracking # 778206945033

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:03 am

c/o Bruce Santos
Assn Of Baptist For
Wold Evng
522 Lewisberry Road
NEW CUMBERLAND,
PA 17070
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206945033
Status:	Delivered: 01/19/2017 10:03 AM Signed for By: T.PEQUIGNOT
Reference:	112IC05958, 16
Signed for by:	T.PEQUIGNOT
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Mailroom
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:09 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ASSN OF BAPTIST FOR WORLD EVNG
c/o Bruce Santos
522 Lewisberry Road
New Cumberland, PA 17070

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Autumn Est Telephone: 814-695-0536

Contact name: Matt Fowler

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Matt Fowler at Autumn Est on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:40 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275287755 Delivered

Your package has been delivered

Tracking # [777275287755](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:34 am

Matt Fowler
Autumn Est
117 Shaffer Lane
HOLLIDAYSBURG, PA
16648
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275287755
Status:	Delivered: 09/21/2016 11:34 AM Signed for By: B.SOLLENBERGER
Reference:	112IC05958, 16
Signed for by:	B.SOLLENBERGER
Delivery location:	HOLLIDAYSBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:40 AM CDT on 09/21/2016.



All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.






Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.




Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 1,000 Feet



Prepared For:




Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Aviation Inn Telephone: 814-932-0595

Contact name: Allen Butterbaugh

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Allen Butterbaugh at Aviation Inn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:29 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205827366 Delivered

Your package has been delivered

Tracking # 778205827366

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:26 am

c/o Allen
Butterbaugh
Aviation Inn
721 E Logan Ave
ALTOONA, PA 16602
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778205827366
Status:	Delivered: 01/19/2017 10:26 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	ALTOONA, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 12:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:28 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

AVIATION INN
c/o Allen Butterbaugh
721 E Logan Ave
Altoona, PA 16602

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Basil Pizzeria Telephone: 484-509-2066

Contact name: Domenic Gentile

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Domenic Gentile at Basil Pizzeria on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 3:10 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204542199 Delivered

Your package has been delivered

Tracking # 778204542199

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
3:02 pm

c/o Domenic Gentile
Basil Pizzeria
776 Fritztown Rd
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204542199
Status:	Delivered: 01/19/2017 3:02 PM Signed for By: L.MANHOSIN
Reference:	112IC05958, 16
Signed for by:	L.MANHOSIN
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 2:07 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BASIL PIZZERIA
c/o Domenic Gentile
776 Fritztown Rd
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: BC Montessori Country Day Sch Telephone: 610-777-3080

Contact name: Cindy Rusnak - Director

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Cindy Rusnak at BC Montessori Country Day School on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:29 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204584611 Delivered

Your package has been delivered

Tracking # 778204584611

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:24 am

c/o Cindy Rusnak,
Director
Bc Montessori
Country Day Sch
53 Vermont Road
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204584611
Status:	Delivered: 01/19/2017 10:24 AM Signed for By: G.RUSNAK
Reference:	112IC05958, 16
Signed for by:	G.RUSNAK
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:28 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BC MONTESSORI COUNTRY DAY SCH
c/o Cindy Rusnak - Director
53 Vermont Road
Sinking Spring, PA 19608

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Big Berthas Grill Telephone: 610-670-4540

Contact name: Bob Schwartz

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Bob Schwartz at Big Berthas Grill on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:31 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204604628 Delivered

Your package has been delivered

Tracking # 778204604628

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:05 am

c/o Bob Schwartz
Big Berthas Grill
499 Mountain Home
Rd
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204604628
Status:	Delivered: 01/19/2017 10:05 AM Signed for By: D.RUPP
Reference:	112IC05958, 16
Signed for by:	D.RUPP
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:31 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BIG BERTHAS GRILL
c/o Bob Schwartz
499 Mountain Home Rd
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Blair Twp Water & Sewer Auth Telephone: 814-695-6300

Contact name: Joseph Pyzowski

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Joseph Pyzowski at Blair Twp Water & Sewer Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Spoke with Tim on 9/21/16, he requested new maps zoomed out to the West, as well as zoomed in around the Holtzinger property. Mapping was provided on 9/22/16 via email. Spoke with Tim again on 10/18/16, he gave verbal approval, pending 30 ft clearance from culdesac.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:04 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276040324 Delivered

Your package has been delivered

Tracking # 777276040324

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:58 am

Joseph Pyzowski

Blair Twp Water and
Sewer Authority
377 Cedarcrest Drive
DUNCANSVILLE, PA
16635
US

FedEx


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777276040324
Status:	Delivered: 09/21/2016 11:58 AM Signed for By: K.MCGRAW
Reference:	112IC05958, 16
Signed for by:	K.MCGRAW
Delivery location:	DUNCANSVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:03 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.


Thank you for your business.

BLAIR TWP WATER & SEWER AUTHORITY



- ### Legend
- Proposed Pipeline
 - PA State Roads
 - PA County
 - PA Municipality
 - Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Blairsville Muni Auth Telephone: 724-459-9100

Contact name: Ron Hood

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ron Hood at Blairsville Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:15 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275338690 Delivered

Your package has been delivered

Tracking # 777275338690

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:12 am

Ron Hood
Blairsville Muni
Authority
203 Market St
BLAIRSVILLE, PA
15717
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275338690
Status:	Delivered: 09/21/2016 11:12 AM Signed for By: S.LEE
Reference:	112IC05958, 16
Signed for by:	S.LEE
Delivery location:	BLAIRSVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:15 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.

BLAIRSVILLE MUNICIPAL AUTHORITY

Global Indicator




Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area



Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Branch Cpgrd Telephone: 814-643-0485

Contact name: Ed Paterson

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ed Paterson at Branch Cpgrd on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:51 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206508299 Delivered

Your package has been delivered

Tracking # 778206508299

Ship date:
Wed,
1/18/2017

Delivery date:
Thu, 1/19/2017
10:46 am

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

c/o Robert Moyer
Branch Cpgrd
203 Weaver Road
DUNCANVILLE, PA
16635
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206508299
Status:	Delivered: 01/19/2017 10:46 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	DUNCANVILLE, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:50 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BRANCH CPGRD
c/o Robert Moyer
203 Weaver Road
Duncansville, PA 16635

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Brecknock Academy Telephone: 610-777-2980

Contact name: Robert Graffius - Director

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Robert Graffius at Brecknock Academy on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:58 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204634046 Delivered

Your package has been delivered

Tracking # 778204634046

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:56 am

c/o Robert Graffius,
Director
Brecknock Academy
4273 New Holland
Road
MOHNTON, PA
19540
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204634046
Status:	Delivered: 01/19/2017 09:56 AM Signed for By: R.GRAFFIUS
Reference:	112IC05958, 16
Signed for by:	R.GRAFFIUS
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:58 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BRECKNOCK ACADEMY
c/o Robert Graffius, Director
4273 New Holland Road
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Brecknock Twp Fire Company Telephone: 610-777-9575

Contact name: Russell Fryberger - President

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Russell Fryberger at Brecknock Twp Fire Company on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:09 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204670835 Delivered

Your package has been delivered

Tracking # 778204670835

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:06 am

c/o Russell
Fryberger,
President
Brecknock Twp Fire
Company
1153 Kurtz Mill Road
MOHNTON, PA
19540
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204670835
Status:	Delivered: 01/19/2017 10:06 AM Signed for By: V.BRUNO
Reference:	112IC05958, 16
Signed for by:	V.BRUNO
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:09 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BRECKNOCK TWP FIRE COMPANY
c/o Russell Fryberger, President
1153 Kurtz Mill Road
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Bush Recreation Area Telephone: 729-639-9013

Contact name: David Bishop

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to David Bishop at Bush Recreation Area on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:17 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206889095 Delivered

Your package has been delivered

Tracking # 778206889095

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
11:12 am

c/o David Bishop,
Resource Mgr.
Bush Recreation Area
440 Loyalhanna Dam
Road
SALTSBURG, PA
15681
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206889095
Status:	Delivered: 01/19/2017 11:12 AM Signed for By: P.TOMAN
Reference:	112IC05958, 16
Signed for by:	P.TOMAN
Delivery location:	SALTSBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 12:00 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:17 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

BUSH RECREATION AREA
c/o David Bishop, Resource Mgr.
440 Loyalhanna Dam Road
Saltsburg, PA 15681

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Camp Adahi & Adahi Kids Telephone: 610-856-7520

Contact name: Judy Stump – Exc Dirng

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Judy Stump at Camp Adahi and Adahi Kids on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:51 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204709081 Delivered

Your package has been delivered

Tracking # 778204709081

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:46 am

c/o Judy Stump
Camp Adahi & Adahi
Kids
172 Hartz Store Rd
MOHNTON, PA
19540
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204709081
Status:	Delivered: 01/19/2017 09:46 AM Signed for By: S.PICCONE
Reference:	112IC05958, 16
Signed for by:	S.PICCONE
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:50 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CAMP ADAHI & ADAHI KIDS
c/o Judy Stump - Exc Dirng
172 Hartz Store Rd
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Camp Hill State Correctional Inst Telephone: Not available

Contact name: Matthew Klopotek

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Matthew Klopotek at Camp Hill State Correctional Inst on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received and email from Matthew Klopotek on 9/23/16 requesting additional mapping, which was sent via email on 9/23/16. Received an email on 10/17 from Howard Gouse expressing a finding of no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 11:26 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470701518 Delivered

Your package has been delivered

Tracking # 777470701518

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Mon,
10/17/2016
11:24 am

Camp Hill State
Correctional Inst.
2500 Lisburn Road
CAMP HILL, PA
17011
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777470701518
Status:	Delivered: 10/17/2016 11:24 AM Signed for By: J.JOHNSON
Reference:	112IC05958, 16
Signed for by:	J.JOHNSON
Delivery location:	CAMP HILL, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Adult Signature Required

Deliver Weekday

Standard transit: 10/17/2016 by 3:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:26 AM CDT on 10/17/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.






© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

CAMP HILL STATE CORRECTIONAL INST



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area

0 1,500 Feet

Prepared For:




Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Canonsburg Sportsment Associatn Telephone: 724-745-0527

Contact name: Matt Urham

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Matt Urham at Canonsburg Sportsment Associatn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

CANONSBURG, PA 15317

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

0205
21

Postage	\$1.57
Total Postage and Fees	\$4.87

Postmark
Here
01/19/2017

Sent To
CANONSBURG SPORTSMEN ASSOC.
Street and Apt. #
c/o MATT URHAM
City, State, ZIP+4
P.O. BOX 298
CANONSBURG, PA 15317

PS Form 3800

7016 2140 0001 1523 7774



USPS Tracking®

Still Have Questions?

[Browse our FAQs ›](#)



Get Easy Tracking Updates ›

Sign up for My USPS.

Tracking Number: 70162140000115237774

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 25, 2017 , 3:10 pm	Available for Pickup	CANONSBURG, PA 15317
Your item arrived at the CANONSBURG, PA 15317 post office at 3:10 pm on January 25, 2017 and is ready for pickup.		
January 21, 2017 , 8:38 am	Available for Pickup	CANONSBURG, PA 15317
January 20, 2017 , 6:12 pm	Arrived at USPS Facility	WARRENDALE, PA 15086
January 20, 2017 , 8:56 am	Arrived at USPS Destination Facility	PITTSBURGH, PA 15290
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

[Track It](#)

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS ›](#)





January 18th, 2017

CANONSBURG SPORTSMEN ASSOCIATN
c/o Matt Urham
P.O. Box 298
Canonsburg, PA 15317

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Car Sense Uwchland Telephone: 610-458-3700

Contact name: Tony Gorgone

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Tony Gorgone at Car Sense Uwchland on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:35 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205958986 Delivered

Your package has been delivered

Tracking # 778205958986

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:21 am

c/o Tony Gorgone
Car Sense Uwchland
21 Pottstown Pike
UWCHLAND, PA
19480
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205958986
Status:	Delivered: 01/19/2017 09:21 AM Signed for By: T.TETITTA
Reference:	112IC05958, 16
Signed for by:	T.TETITTA
Delivery location:	UWCHLAND, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:35 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CAR SENSE UWCHLAND
c/o Tony Gorgone
21 Pottstown Pike
Uwchland, PA 19480

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Carlisle Ys Mens Club Telephone: 717-243-1892

Contact name: Lewis Burgett

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Lewis Burgett at Carlisle Ys Mens Club on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:14 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206014018 Delivered

Your package has been delivered

Tracking # 778206014018

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:08 am

c/o Lewis Burgett
Carlisle Ys Mens
Club
311 Southwest Street
CARLISLE, PA
17013
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206014018
Status:	Delivered: 01/19/2017 10:08 AM Signed for By: K.TRACY
Reference:	112IC05958, 16
Signed for by:	K.TRACY
Delivery location:	CARLISLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:13 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CARLISLE YS MENS CLUB
c/o Lewis Burgett
311 Southwest Street
Carlisle, PA 17013

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Catering by John Lowe Telephone: 610-873-7229

Contact name: John Lowe

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to John Lowe at Catering by John Lowe on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:52 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204727600 Delivered

Your package has been delivered

Tracking # 778204727600

Ship date:
Wed,
1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:47 am

c/o John Lowe
Catering By John
Lowe
400 N. Guthriesville
Road
DOWNTOWN, PA
19335
US

FedEx

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778204727600
Status:	Delivered: 01/19/2017 09:47 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	DOWNTOWN, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:52 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CATERING BY JOHN LOWE
c/o John Lowe
400 N. Guthriesville Road
Downingtown, PA 19335

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Cernarvon Twp Auth Telephone: 610-286-1017

Contact name: Robert Weaver

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Robert Weaver at Cernarvon Twp Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:05 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275360523 Delivered

Your package has been delivered

Tracking # [777275360523](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:59 am

Robert Weaver
Caernarvon Township
Authority
601 Hemlock Road
CAERNARVON, PA
19543
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275360523
Status:	Delivered: 09/21/2016 11:59 AM Signed for By: C.BOWMAN
Reference:	112IC05958, 16
Signed for by:	C.BOWMAN
Delivery location:	CAERNARVON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:04 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

CAERNARVON TWP WATER AUTHORITY



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area

0 3,000 Feet

Prepared For:

Prepared By:

Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Chester Water Authority Telephone: 610-876-8185

Contact name: Robert Judge

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Robert Judge at Chester Water Authority on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.


Email received on 10/7/16 stating a Letter of No Objection had been signed.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 9:10 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470722733 Delivered

Your package has been delivered

Tracking # 777470722733

Ship date: Fri, 10/14/2016	Delivery date: Mon, 10/17/2016 9:06 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	Chester Water Authority 415 Welsh Street CHESTER, PA 19013 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777470722733
Status:	Delivered: 10/17/2016 09:06 AM Signed for By: D.WELLS
Reference:	112IC05958, 16
Signed for by:	D.WELLS
Delivery location:	CHESTER, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Adult Signature Required



Deliver Weekday

Standard transit: 10/17/2016 by 3:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:09 AM CDT on 10/17/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






CHESTER WATER AUTHORITY

CHESTER COUNTY
DELAWARE COUNTY


Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project
Public Water Supply Area



Prepared For:




Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Cocalico Creek Cpgrd Telephone: 717-336-2014

Contact name: Jody Rampolla

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jody Rampolla at Cocalico Creek Cpgrd on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Jody Rampolla called on January 19, 2017 and requested a different map be sent to her.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:05 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206554357 Delivered

Your package has been delivered

Tracking # 778206554357

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:32 am

c/o Jody Rampolla
Cocalico Creek
Cpgrd
560 Cocalico Creek
DENVER, PA 17517
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778206554357
Status:	Delivered: 01/19/2017 10:32 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	DENVER, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Residential Delivery

Standard transit:	1/19/2017 by 10:30 am
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:05 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

COCALICO CREEK CPGRD
c/o Jody Rampolla
560 Cocalico Creek
Denver, PA 17517

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Community Fire Co of Fritzytown Telephone: 610-678-0502

Contact name: Ray Dilaplane – Head Trustee

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ray Dilaplane at Community Fire Co of Fritzytown on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 3:13 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204787877 Delivered

Your package has been delivered

Tracking # 778204787877

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
3:08 pm

c/o Ray Dilaplane
Community Fire Co of
Fritztown
1060 Fritztown Rd
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204787877
Status:	Delivered: 01/19/2017 3:08 PM Signed for By: P.RICE
Reference:	112IC05958, 16
Signed for by:	P.RICE
Delivery location:	SINKING SPRING, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 2:13 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

COMMUNITY FIRE CO OF FRITZTOWN
c/o Ray Dilaplane Head Trustee
1060 Fritztown Rd
Sinking Spring, PA 19608

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Cornwall Boro Muni Auth Telephone: 717-274-5441

Contact name: Bob Henry

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Bob Henry at Cornwall Boro Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email from Bard Henry on 10/4/16 requesting further consultation. Spoke with her on 10/7/16, Barb emailed a map. The authority signed a Letter of No Objection.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:12 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275460949 Delivered

Your package has been delivered

Tracking # 777275460949

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
12:08 pm

Barb Henry
Cornwall Boro Muni
Authority
44 Rexmont Road
LEBANON, PA 17042
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275460949
Status:	Delivered: 09/21/2016 12:08 PM Signed for By: B.HENRY
Reference:	112IC05958, 16
Signed for by:	B.HENRY
Delivery location:	LEBANON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:12 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






CORNWALL BORO MUNICIPAL AUTHORITY




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Country View Est Telephone: 717-776-7109

Contact name: John D Walter

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination


A letter was sent to John D Walter at Country View Est on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 23, 2016.

Received a call on 9/23/16 from Mr. Walter, verbally stating no impact, but was going to review the package when he received it.

Country View Estates – PWS Delivery Confirmation

Tracking Number: 9505516150686291025194

 **Delivered**

On Time
Updated Delivery Day: Wednesday, October 19, 2016 ⓘ

Product & Tracking Information

Postal Product: Priority Mail™ Features: Insured USPS Tracking®

DATE & TIME	STATUS OF ITEM	LOCATION
October 19, 2016 , 8:28 am	Delivered	NEWVILLE, PA 17241
Your item was delivered at 8:28 am on October 19, 2016 in NEWVILLE, PA 17241.		
October 19, 2016 , 8:26 am	Available for Pickup	NEWVILLE, PA 17241
October 19, 2016 , 6:40 am	Arrived at Post Office	NEWVILLE, PA 17241
October 19, 2016 , 4:41 am	Departed USPS Facility	HARRISBURG, PA 17107
October 18, 2016 , 1:28 pm	Arrived at USPS Facility	HARRISBURG, PA 17107
October 18, 2016 , 7:40 am	Departed USPS Facility	ROCHESTER, NY 14606
October 17, 2016 , 10:07 pm	Arrived at USPS Origin Facility	ROCHESTER, NY 14606
October 17, 2016 , 7:33 pm	Departed Post Office	BUFFALO, NY 14203
October 17, 2016 , 1:41 pm	Acceptance	BUFFALO, NY 14203

Available Actions


- Text Updates ⓘ
- Email Updates ⓘ

Track Another Package

Tracking (or receipt) number

Manage Incoming Packages

Track all your packages from a dashboard.
No tracking numbers necessary.






[Sign up for My USPS](#) 

COUNTRY VIEW ESTATES MHP

Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



UPPER FRANKFORD
LOWER FRANKFORD

UPPER FRANKFORD
WEST PENNSBORO

LOWER FRANKFORD
WEST PENNSBORO

To: Creek View Mobile Home Commun Telephone: 717-245-2100

Contact name: Justin Neidlinger

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Justin Neidlinger at Creek View Mobile Home Commun on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:23 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275498508 Delivered

Your package has been delivered

Tracking # 777275498508

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
12:12 pm

Justin Neidlinger

Creek View Mobile
Home Community
493 Potato Road
CARLISLE, PA
17013
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [777275498508](#)

Status: Delivered:
09/21/2016 12:12 PM
Signed for By:
L.JOHN

Reference: 112IC05958, 16

Signed for by: L.JOHN

Delivery location: CARLISLE, PA

Delivered to: Residence

Service type: FedEx Standard
Overnight

Packaging type: FedEx Envelope

Number of pieces: 1


Weight: 0.50 lb.

Special handling/Services: Direct Signature
Required

Deliver Weekday

Residential Delivery

Standard transit: 9/21/2016 by 8:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:22 AM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.


© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

CREEK MOBILE HOME COMMUNITY



Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Cresson Boro Water Sys Telephone: 814-886-2139

Contact name: Joseph Pupo

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Joseph Pupo at Cresson Boro Water Sys on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:48 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275588750 Delivered

Your package has been delivered

Tracking # 777275588750

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
10:44 am

Joseph Pupo
Cresson Boro Water
Sys
631 Second Street
CRESSON, PA
16630
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275588750
Status:	Delivered: 09/21/2016 10:44 AM Signed for By: J.EAGER
Reference:	112IC05958, 16
Signed for by:	J.EAGER
Delivery location:	CRESSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:48 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






CRESSON BORO WATER SYS




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Cresson Twp Muni Auth Telephone: 814-886-2793

Contact name: Veronica Harkins

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Veronica Harkins at Cresson Twp Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:27 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275606123 Delivered

Your package has been delivered

Tracking # 777275606123

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
10:20 am

Veronica Harkins
Cresson Twp. Muni.
Authority
730 Portage Road
CRESSON, PA
16630
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275606123
Status:	Delivered: 09/21/2016 10:20 AM Signed for By: B.STRITTMATTER
Reference:	112IC05958, 16
Signed for by:	B.STRITTMATTER
Delivery location:	CRESSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:26 AM CDT on 09/21/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.








CRESSON TWP MUNICIPAL AUTHORITY

Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Croyle Twp Water Auth Telephone: 814-495-9009

Contact name: Fred Meier

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Fred Meier at Croyle Twp Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 23, 2016.

Missed call received from POC on 9/21. Return message was left on 9/21/16 for POC.

From: auto-reply@usps.com
To: [Grosse, Nate](#)
Subject: USPS Item Delivered, PO Box for Shipment 9505516150686291025187
Date: Wednesday, October 19, 2016 10:06:51 AM



Tracking Number: 9505516150686291025187

Hello Nate Grosse,

Thank you for using USPS.com.

This is a post-only message. Please do not respond.

Nate Grosse has requested that you receive a USPS Tracking® delivery or delivery attempt update, as shown below.

USPS Tracking® e-mail update information provided by the U.S. Postal Service.

Tracking Number: [9505516150686291025187](#)

Updated Delivery Date: October 19, 2016

Service Type: USPS Tracking®

Shipment Activity	Location	Date & Time	Shipping Partner
Delivered, PO Box	SUMMERHILL, PA 15958	October 19, 2016 8:36 am	
Available for Pickup	SUMMERHILL, PA 15958	October 19, 2016 8:35 am	
Arrived at Post Office	SUMMERHILL, PA 15958	October 19, 2016 8:32 am	
Departed USPS Facility	WARRENDALE, PA 15086	October 18, 2016	

Arrived at USPS Facility	WARRENDALE, PA 15086	4:13 pm October 18, 2016 8:57 am
Departed USPS Facility	ROCHESTER, NY 14606	October 18, 2016 4:00 am
Arrived at USPS Origin Facility	ROCHESTER, NY 14606	October 17, 2016 10:08 pm
Departed Post Office	BUFFALO, NY 14203	October 17, 2016 7:33 pm
Acceptance	BUFFALO, NY 14203	October 17, 2016 1:40 pm

Reminder: USPS Tracking[®] by email

Date of email request: October 19, 2016

Future activity will continue to be emailed for up to 2 weeks from the Date of Request shown above. If you need to initiate the USPS Tracking[®] by email process again at the end of the 2 weeks, please do so at the USPS Tracking[®] site at <http://www.usps.com/shipping/uspstrackingfaqs.htm>

Results provided by the U.S. Postal Service.

Want to Track on the go?


You can track your packages using USPS Text Tracking[™] by texting your tracking number to 28777 (2USPS[™]) or selecting the Text Update option on our USPS Tracking[®] site. Standard Message and Data Rates may apply.

For more information go to <https://www.usps.com/text-tracking/welcome.htm>

Download USPS Mobile®




[USPS.com](#) | [Privacy Policy](#) | [Customer Service](#) | [FAQs](#)



This is an automated email please do not reply to this message. This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please delete. Any other use of the email by you is prohibited.






CROYLE TWP WATER AUTH



Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Culhanes Steak House Telephone: 717-938-0930

Contact name: Tom Sagonas

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Tom Sagonas at Culhanes Steak House on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.


Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:22 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206975058 Delivered



Your package has been delivered

Tracking # 778206975058

Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 10:17 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	c/o Tom Sagonas Culhanes Steak House 1 Laurel Rd NEW CUMBERLAND, PA 17070 US


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206975058
Status:	Delivered: 01/19/2017 10:17 AM Signed for By: M.SAGONAS
Reference:	112IC05958, 16
Signed for by:	M.SAGONAS
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:22 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CULHANES STEAK HOUSE
c/o Tom Sagonas
1 Laurel Rd
New Cumberland, PA 17070

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Cushion Peak Rod & Gun Club Telephone: 610-670-9558

Contact name: Beverly Ansley / Lee Balkman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Beverly Ansley at Cushion Peak Rod & Gun Club on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017. Additionally, Lee Balkman (President of Cushion Peak Rod & Gun Club) called on January 20, 2017 and explained that the process was already addressed in 2016 with Sunoco and there were no issues/concerns.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:46 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204803329 Delivered

Your package has been delivered

Tracking # 778204803329

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
11:41 am

c/o Beverly Ansley
Cushion Peak Rod &
Gun Club
180 Vinemont Rd
REINHOLDS, PA
17569
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204803329
Status:	Delivered: 01/19/2017 11:41 AM Signed for By: M.GRUBB
Reference:	112IC05958, 16
Signed for by:	M.GRUBB
Delivery location:	REINHOLDS, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:46 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

CUSHION PEAK ROD & GUN CLUB
c/o Beverly Ansley
180 Vinemont Rd
Reinholds, PA 17569

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Devereux Foundation Brandywine Telephone: 610-942-5900

Contact name: Scott Carter

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Scott Carter at Devereux Foundation Brandywine on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:41 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275625015 Delivered

Your package has been delivered

Tracking # 777275625015

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
1:38 pm

Scott Carter
Devereux Foundation
Brandywine
160 Devereux Road
GLENMOORE, PA
19343
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275625015
Status:	Delivered: 09/21/2016 1:38 PM Signed for By: D.DRUMHELLER
Reference:	112IC05958, 16
Signed for by:	D.DRUMHELLER
Delivery location:	GLENMOORE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:40 PM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






DEVEREUX FOUNDATION BRANDYWINE




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Dogwood Acres Rec Area Telephone: 717-766-5203

Contact name: Charles Strub

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Charles Strub at Dogwood Acres Rec Area on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Dogwood Acres Rec Area called Josh Baird on January 19, 2017 requesting further mapping.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 2:10 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206037269 Delivered

Your package has been delivered

Tracking # 778206037269

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
2:05 pm

c/o Charles Strub
Dogwood Acres Rec
Area
4500 Enola Road
NEWVILLE, PA
17241
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206037269](#)

Status: Delivered:
01/19/2017 2:05 PM
Signed for By:
Signature not
required

Reference: 112IC05958, 16

Signed for by: Signature not
required

Delivery location: NEWVILLE, PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:09 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

DOGWOOD ACRES REC AREA
c/o Charles Strub
4500 Enola Road
Newville, PA 17241

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Duncansville Muni Water Auth Telephone: 814-695-1497

Contact name: Robert Hazenstab

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Robert Hazenstab at Duncansville Muni Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:53 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275643367 Delivered

Your package has been delivered

Tracking # [777275643367](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
1:46 pm

Robert Hazenstab
Duncansville Muni
Water Authority
1146 Third Avenue
DUNCANSVILLE, PA
16635
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275643367
Status:	Delivered: 09/21/2016 1:46 PM Signed for By: P.FOX
Reference:	112IC05958, 16
Signed for by:	P.FOX
Delivery location:	DUNCANSVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:52 PM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

DUNCANSVILLE WATER SYS



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 3,000 Feet

Prepared For:

**Sunoco
Pipeline L.P.**

Prepared By:

TETRA TECH

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Econolodge Telephone: 717-766-4728

Contact name: Shirish Patel

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Shirish Patel at Econolodge on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:15 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206060039 Delivered

Your package has been delivered

Tracking # 778206060039

Ship date:
Wed,
1/18/2017

Delivery date:
Thu, 1/19/2017
9:10 am

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



c/o Shirish Patel
Econolodge
650 Gettysburg Rd
MECHANICSBURG,
PA 17055
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206060039](#)

Status: Delivered: 01/19/2017
09:10 AM Signed for
By: S.PATEL

Reference: 112IC05958, 16

Signed for by: S.PATEL

Delivery location: MECHANICSBURG,
PA

Delivered to: Receptionist/Front
Desk

Service type: FedEx Priority
Overnight


Packaging type: FedEx Envelope

Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:15 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ECONOLODGE
c/o Shirish Patel
650 Gettysburg Rd
Mechanicsburg, PA 17055

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Ebensburg Boro Muni Auth Telephone: 814-472-8780

Contact name: Daniel L. Penatzer

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Daniel L. Penatzer at Ebensburg Boro Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email on 9/21/16 stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:01 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275662671 Delivered

Your package has been delivered

Tracking # 777275662671

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
12:56 pm

Daniel L. Penatzer,
Mgr.

Ebensburg Boro Muni
Authority
300 W High Street
EBENSBURG, PA
15931
US

FedEx

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275662671
Status:	Delivered: 09/21/2016 12:56 PM Signed for By: R.MYERS
Reference:	112IC05958, 16
Signed for by:	R.MYERS
Delivery location:	EBENSBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:00 PM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






EBENSBURG BORO MUNI WATER AUTH




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Elverson Water Company Telephone: 610-286-5115

Contact name: Merel Stolfus

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Merel Stolfus at Elverson Water Company on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email on 9/30/16 stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 12:45 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470871848 Delivered

Your package has been delivered

Tracking # 777470871848

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Mon,
10/17/2016
12:40 pm

Elverson Water
Company
26 E. Main Street
ELVERSON, PA
19520
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777470871848
Status:	Delivered: 10/17/2016 12:40 PM Signed for By: D.SLYE
Reference:	112IC05958, 16
Signed for by:	D.SLYE
Delivery location:	ELVERSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 10/17/2016 by 4:30
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:45 AM CDT on 10/17/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.


ELVERSON WATER CO INC



- Legend**
- Proposed Pipeline
 - PA State Roads
 - PA County
 - PA Municipality
 - Public Water Supply Area



**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:

Prepared By:

Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Fairview Elem Sch Telephone: 717-938-9577

Contact name: Russell Barnell

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Russell Barnell at Fairview Elem Sch on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:27 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206989801 Delivered

Your package has been delivered

Tracking # 778206989801

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:21 am

c/o Russel Burnell
Fairview Elem School
507 Fishing Creek
Road
NEW CUMBERLAND,
PA 17070
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206989801
Status:	Delivered: 01/19/2017 10:21 AM Signed for By: D.JONES
Reference:	112IC05958, 16
Signed for by:	D.JONES
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:26 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

FAIRVIEW ELEM SCH
c/o Russel Burnell
507 Fishing Creek Road
New Cumberland, PA 17070

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Fairview GC Telephone: 717-867-4403

Contact name: Jim Jones

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jim Jones at Fairview GC on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:53 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206708467 Delivered

Your package has been delivered

Tracking # 778206708467

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:50 am

c/o Jim Jones

Fairview Gc
2399 Quentin Rd
LEBANON, PA 17042
US


FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206708467
Status:	Delivered: 01/19/2017 09:50 AM Signed for By: J.JONES
Reference:	112IC05958, 16
Signed for by:	J.JONES
Delivery location:	LEBANON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:53 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

FAIRVIEW GC
c/o Jim Jones
2399 Quentin Rd
Lebanon, PA 17042

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Fairview Twp Bldg Telephone: 717-901-5261

Contact name: Steve Smith

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Steve Smith at Fairview Twp Bldg on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:02 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778207013029 Delivered

Your package has been delivered

Tracking # 778207013029

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:58 am

c/o Steve Smith
Fairview Twp Bldg
599 Lewisberry Road
NEW CUMBERLAND,
PA 17070
US


FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778207013029
Status:	Delivered: 01/19/2017 09:58 AM Signed for By: J.GIBB
Reference:	112IC05958, 16
Signed for by:	J.GIBB
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:02 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

FAIRVIEW TWP BLDG
c/o Steve Smith
599 Lewisberry Road
New Cumberland, PA 17070

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Fowlers Hollow St Park Telephone: 717-776-5272

Contact name: Col Dennigh St Pk

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Col Dennigh St Pk at Fowlers Hollow St Park on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 2:22 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206778544 Delivered

Your package has been delivered

Tracking # 778206778544

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
2:16 pm

c/o Col Denning St
Pk
Fowlers Hollow St
Park
1599 Doubling Gap
Rd
NEWVILLE, PA
17241
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778206778544
Status:	Delivered: 01/19/2017 2:16 PM Signed for By: J.JOHNS
Reference:	112IC05958, 16
Signed for by:	J.JOHNS
Delivery location:	NEWVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:22 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

FOWLERS HOLLOW ST PARK
c/o Col Denning St Pk
1599 Doubling Gap Rd
Newville, PA 17241

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Freedom Twp Water & Sewer Telephone: 814-695-8051

Contact name: Susahn Claycomb

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Susahn Claycomb at Freedom Twp Water & Sewer on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:09 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275681129 Delivered

Your package has been delivered

Tracking # 777275681129

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:07 am

Susahn Claycomb
Freedom Twp. Water
& Sewer
131 Municipal Street
EAST FREEDOM,
PA 16637
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275681129
Status:	Delivered: 09/21/2016 11:07 AM Signed for By: S.CLAYCOMB
Reference:	112IC05958, 16
Signed for by:	S.CLAYCOMB
Delivery location:	EAST FREEDOM, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:09 AM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






FREEDOM TWP WATER & SEWER AUTH



Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Galen Hall CC Inc Telephone: 610-678-8011

Contact name: Brian Stiefel

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Brian Stiefel at Galen Hall CC Inc on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 23, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

WERNERSVILLE, PA 19565

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00



Postage	\$1.57
Total Postage and Fees	\$4.87

Sent To
Street and Ap
City, State, Zi
PS Form 38 WERNERSVILLE, PA 19565

GALEN HALL CC INC.
c/o BRIAN STIEFEL
P.O. BOX 127

7016 2140 0001 1523 7750



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: **70162140000115237750**

On Time

Updated Delivery Day: **Monday, January 23, 2017**

Product & Tracking Information

Postal Product:

First-Class Mail®

Features:

Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 23, 2017 , 8:53 am	Delivered	WERNERSVILLE, PA 19565
Your item was delivered at 8:53 am on January 23, 2017 in WERNERSVILLE, PA 19565.		
January 23, 2017 , 7:00 am	Available for Pickup	WERNERSVILLE, PA 19565
January 23, 2017 , 6:57 am	Arrived at Unit	WERNERSVILLE, PA 19565
January 23, 2017 , 1:08 am	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:53 am	In Transit to Destination	
January 21, 2017 , 8:53 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)





January 18th, 2017

GALEN HALL CC INC
c/o Brian Stiefel
P.O. Box 127
Wernersville, PA 19565

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Geesytown Vol Fire Co Telephone: 814-695-8003

Contact name: Claude M Walls

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Claude M Walls at Geesytown Vol Fire Co on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:29 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205848489 Delivered

Your package has been delivered

Tracking # 778205848489

Ship date:
Wed,
1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
11:24 am

c/o Claude M Walls
Geeseytown Vol Fire
Co
215 Mary St.
HOLLIDAYSBURG, PA
16648
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778205848489](#)

Status: Delivered: 01/19/2017
11:24 AM Signed for
By: Signature Release
on file

Reference: 112IC05958, 16

Signed for by: Signature Release on
file

Delivery location: HOLLIDAYSBURG,
PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 12:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:28 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

GEESEYTOWN VOL FIRE CO
c/o Claude M Walls
215 Mary St.
Hollidaysburg, PA 16648

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Gouglersville Fire Company Telephone: 610-777-2449

Contact name: Ron Heffner - President

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ron Heffner at Gouglersville Fire Company on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:33 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204833262 Delivered

Your package has been delivered

Tracking # 778204833262

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:28 am

c/o Ron Heffner,
President
Gouglersville Fire Co
475 Mohns Hill Road
READING, PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204833262
Status:	Delivered: 01/19/2017 10:28 AM Signed for By: V.WALLACE
Reference:	112IC05958, 16
Signed for by:	V.WALLACE
Delivery location:	READING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:33 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

GOUGLERSVILLE FIRE CO
c/o Ron Heffner, President
475 Mohns Hill Road
Reading, PA 19608

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Gov Mifflin Brecknock Elem Sch Telephone: 610-775-5079

Contact name: Mark Naylor

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mark Naylor at Gov Mifflin Brecknock Elem Sch on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:17 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204862453 Delivered

Your package has been delivered

Tracking # 778204862453

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:09 am

c/o Mark Naylor
Gov Mifflin Brecknock
Elem Sch
10 S. Waverly St
SHILLINGTON, PA
19607
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204862453
Status:	Delivered: 01/19/2017 10:09 AM Signed for By: M.TIM
Reference:	112IC05958, 16
Signed for by:	M.TIM
Delivery location:	SHILLINGTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:17 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

GOV MIFFLIN BRECKNOCK ELEM SCH
c/o Mark Naylor
10 S Waverly St
Shillington, PA 19607

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Grace Brethren Retreat Center Telephone: 717-336-2541

Contact name: Mike Gehlert

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mike Gehlert at Grace Brethren Retreat Center on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:33 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206621347 Delivered

Your package has been delivered

Tracking # 778206621347

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:27 am

c/o Mike Gehlert
Grace Brethren
Retreat Center
480 Forest Rd
DENVER, PA 17517
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206621347
Status:	Delivered: 01/19/2017 10:27 AM Signed for By: D.MILLER
Reference:	112IC05958, 16
Signed for by:	D.MILLER
Delivery location:	DENVER, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:32 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

GRACE BROTHERS RETREAT CENTER
c/o Mike Gehlert
480 Forest Rd
Denver, PA 17517

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Gradyville Foods Country Deli Telephone: 610-558-3354

Contact name: Donald Butler

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Donald Butler at Gradyville Foods Country Deli on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

GRADYVILLE, PA 19037

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

Postage	\$1.36
Total Postage and Fees	\$4.66

Sent To
GRADYVILLE FOODS COUNTRY DELI
Street and Apt. # c/o DONALD BUTLER
City, State, ZIP+4 P.O. BOX 209
GRADYVILLE, PA 19037

PS Form 3800

OFFICIAL USE

0205
21

Postmark
Date
01/19/2017

7016 2140 0001 1523 7835



USPS Tracking®

Still Have Questions?

[Browse our FAQs ›](#)



Get Easy Tracking Updates ›

Sign up for My USPS.

Tracking Number: **70162140000115237835**

Expected Delivery Day: **Monday, January 23, 2017**

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

[Text Updates](#)

[Email Updates](#)

DATE & TIME	STATUS OF ITEM	LOCATION
January 23, 2017 , 3:10 pm	Delivered	GRADYVILLE, PA 19039
Your item was delivered at 3:10 pm on January 23, 2017 in GRADYVILLE, PA 19039.		
January 22, 2017 , 9:03 am	In Transit to Destination	
January 21, 2017 , 2:03 am	Departed USPS Destination Facility	PHILADELPHIA, PA 19176
January 20, 2017 , 1:45 pm	Arrived at USPS Destination Facility	PHILADELPHIA, PA 19176
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:50 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS ›](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)

Copyright © 2017 USPS. All Rights Reserved.



January 18th, 2017

GRADYVILLE FOODS COUNTRY DELI
c/o Donald Butler
Po Box 209
Gradyville, PA 19037

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Greedown Acres Mhp Telephone: 814-695-1464

Contact name: David Reynolds

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to David Reynolds at Greedown Acres Mhp on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 2:15 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470910996 Delivered

Your package has been delivered

Tracking # 777470910996

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Mon,
10/17/2016
12:09 pm

Greendown Acres
Mobile Home Park
210 Allen Lane
CEDAREEDGE, CO
81413
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777470910996
Status:	Delivered: 10/17/2016 12:09 PM Signed for By: P.WIKKERSON
Reference:	112IC05958, 16
Signed for by:	P.WIKKERSON
Delivery location:	CEDAREEDGE, CO
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 10/17/2016 by 4:30
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:14 PM CDT on 10/17/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



GREEDOWN ACRES MHP


Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Guy Shelly Amer Legion 974 Telephone: 717-774-3149

Contact name: Ray Martz

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ray Martz at Guy Shelly Amer Legion 974 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.


Lavolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:15 AM
To: Lavolette, Carrie
Subject: FedEx Shipment 778207029521 Delivered



Your package has been delivered

Tracking # 778207029521

Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 9:10 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	c/o Ray Martz Guy Shelly Amer Legion 974 352 March Run Rd NEW CUMBERLAND, PA 17070 US


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778207029521
Status:	Delivered: 01/19/2017 09:10 AM Signed for By: G.MARTZ
Reference:	112IC05958, 16
Signed for by:	G.MARTZ
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:15 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

GUY SHELLY AMER LEGION 974
c/o Ray Martz
352 March Run Rd
New Cumberland, PA 17070

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Happy Trails Campground Telephone: 814-458-3101

Contact name: Greg Trail

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Greg Trail at Happy Trails Campground on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 20, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Friday, January 20, 2017 1:03 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206416607 Delivered

Your package has been delivered

Tracking # 778206416607

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Fri, 1/20/2017
12:57 pm

c/o Greg Trail
Happy Trails
Campground
13682 Upper Corners
Rd
HESSTON, PA
16647
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778206416607
Status:	Delivered: 01/20/2017 12:57 PM Signed for By: G.TRAILS
Reference:	112IC05958, 16
Signed for by:	G.TRAILS
Delivery location:	HESSTON, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:02 PM CST on 01/20/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

HAPPY TRAILS CAMPGROUND
c/o Greg Trail
13682 Upper Corners Rd
Hesstonille, PA 16647

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Harmony Estates Mhp Telephone: 717-730-4141

Contact name: Kim Losh Co

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Kim Losh Co at Harmony Estates Mhp on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivered on 9/21, and returned to sender on 9/30/16 due to inability to reach recipient for signature.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Friday, October 28, 2016 3:26 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777571134410 Delivered

Your package has been delivered

Tracking # 777571134410

Ship date:
Thu, 10/27/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Fri, 10/28/2016
3:24 pm

Harmony Estates
Mobile Home Park
123 Gilpin Drive
WEST CHESTER,
PA 19382
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [777571134410](#)

Status: Delivered:
10/28/2016 3:24 PM
Signed for By:
Signature not
required

Reference: 112IC05958, 16

Signed for by: Signature not
required

Delivery location: WEST CHESTER,
PA

Delivered to: Residence

Service type: FedEx Standard
Overnight

Packaging type: FedEx Envelope

Number of pieces: 1


Weight: 0.50 lb.

Special handling/Services: No Signature Required

Deliver Weekday

Residential Delivery

Standard transit: 10/28/2016 by 8:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 2:25 PM CDT on 10/28/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.

HARMONY ESTATES MHP

Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Harrisburg Intl Airport Telephone: 717-948-3900

Contact name: Scott Snoke

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Scott Snoke at Harrisburg Intl Airport on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:10 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206161965 Delivered

Your package has been delivered

Tracking # 778206161965

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:04 am

c/o Scott Snoke
Harrisburg Intl Airport
One Terminal Drive,
Suite 300
MIDDLETOWN, PA
17057
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206161965
Status:	Delivered: 01/19/2017 10:04 AM Signed for By: C.WALKER
Reference:	112IC05958, 16
Signed for by:	C.WALKER
Delivery location:	MIDDLETOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:09 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

HARRISBURG INTL AIRPORT
c/o Scott Snoke
One Terminal Drive, Suite 300
Middletown, PA 17057

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Heidelberg Twp Muni Auth Telephone: 717-949-6977

Contact name: Ed Hartman

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ed Hartman at Heidelberg Twp Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 22, 2016.

Received a phone call on 9/30/16 requesting the information via email. Email with information was sent on 10/3/16. A letter indicating no impact was received on 10/19/16.

From: auto-reply@usps.com
To: [Grosse, Nate](#)
Subject: USPS Item Delivered, PO Box for Shipment 9505516150686291025163
Date: Wednesday, October 19, 2016 10:20:23 AM



Tracking Number: 9505516150686291025163

Hello Nate Grosse,

Thank you for using USPS.com.

This is a post-only message. Please do not respond.

Nate Grosse has requested that you receive a USPS Tracking® delivery or delivery attempt update, as shown below.

USPS Tracking® e-mail update information provided by the U.S. Postal Service.

Tracking Number: [9505516150686291025163](#)

Updated Delivery Date: October 19, 2016

Service Type: USPS Tracking®

Shipment Activity	Location	Date & Time	Shipping Partner
Delivered, PO Box	SCHAEFFERSTOWN, PA 17088	October 19, 2016 8:48 am	
Arrived at Post Office	SCHAEFFERSTOWN, PA 17088	October 19, 2016 8:48 am	
Departed USPS Facility	HARRISBURG, PA 17107	October 19, 2016 5:19 am	
Arrived at USPS Facility	HARRISBURG, PA 17107	October 18, 2016	

Departed USPS Facility	ROCHESTER, NY 14606	1:28 pm October 18, 2016 7:40 am
Arrived at USPS Origin Facility	ROCHESTER, NY 14606	October 17, 2016 10:06 pm
Departed Post Office	BUFFALO, NY 14203	October 17, 2016 7:33 pm
Acceptance	BUFFALO, NY 14203	October 17, 2016 1:39 pm

Reminder: USPS Tracking® by email

Date of email request: October 19, 2016

Future activity will continue to be emailed for up to 2 weeks from the Date of Request shown above. If you need to initiate the USPS Tracking® by email process again at the end of the 2 weeks, please do so at the USPS Tracking® site at <http://www.usps.com/shipping/uspstrackingfaqs.htm>

Results provided by the U.S. Postal Service.

Want to Track on the go?








You can track your packages using USPS Text Tracking™ by texting your tracking number to 28777 (2USPS™) or selecting the Text Update option on our USPS Tracking® site. Standard Message and Data Rates may apply.

For more information go to <https://www.usps.com/text-tracking/welcome.htm>

Download USPS Mobile®



[USPS.com](#) | [Privacy Policy](#) | [Customer Service](#) | [FAQs](#)






This is an automated email please do not reply to this message. This message is for the designated recipient only and may contain privileged, proprietary, or otherwise private information. If you have received it in error, please delete. Any other use of the email by you is prohibited.




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Highlands S & W Auth Beaverdam Telephone: 814-266-3146

Contact name: Edward J. Englehart

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Edward J. Englehart at Highlands S & W Auth Beaverdam on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email on 9/21/16 indicating source location, and stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:39 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275721880 Delivered

Your package has been delivered

Tracking # 777275721880

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
10:37 am

Edward J. Englehart,
Mgr.

Highland S&W Auth -
Beaverdam
120 Tank Drive
JOHNSTOWN, PA
15904
US

FedEx

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275721880
Status:	Delivered: 09/21/2016 10:37 AM Signed for By: D.MORISA
Reference:	112IC05958, 16
Signed for by:	D.MORISA
Delivery location:	JOHNSTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:38 AM CDT on 09/21/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.




HIGHLAND SAND & W AUTHORITY

Global Indicator



- ### Legend
- Proposed Pipeline
 - PA State Roads
 - PA County
 - PA Municipality
 - Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:
Sunoco Pipeline L.P.

Prepared By: TETRA TECH	Date: 9/2016
-----------------------------------	-----------------

Base Map:
 ESRI World Imagery, October 2011
 Coordinate System NAD 83
 Stateplane, PA South, Feet

To: Highlands S & W Auth Lloydell Telephone: 814-266-3146

Contact name: Edward J. Englehart

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Edward J. Englehart at Highlands S & W Auth Lloydell on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.


Received an email on 9/21/16 indicating source location, and stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 9:40 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470967470 Delivered

Your package has been delivered

Tracking # 777470967470

Ship date: Fri, 10/14/2016	Delivery date: Mon, 10/17/2016 9:34 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	Highland Sewer&Water Auth. Lloydell 120 Tank Drive JOHNSTOWN, PA 15904 US

Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	777470967470
Status:	Delivered: 10/17/2016 09:34 AM Signed for By: H.HOHON
Reference:	112IC05958, 16
Signed for by:	H.HOHON
Delivery location:	JOHNSTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.



Special handling/Services:	Adult Signature Required
-----------------------------------	--------------------------

Deliver Weekday

Standard transit:	10/17/2016 by 4:30 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:39 AM CDT on 10/17/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.




HIGHLAND SAND & W AUTHORITY

Global Indicator



- ### Legend
- Proposed Pipeline
 - PA State Roads
 - PA County
 - PA Municipality
 - Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:

Prepared By:

Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Highlands S & W Auth Northern End Telephone: 814-266-3146

Contact name: Edward J. Englehart

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Edward J. Englehart at Highlands S & W Auth Northern End on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email on 9/21/16 indicating source location, and stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 9:40 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777470987596 Delivered

Your package has been delivered

Tracking # 777470987596

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Mon,
10/17/2016 9:34
am**

**Highland S&W
Authority Northern
End**
120 Tank Drive
JOHNSTOWN, PA
15904
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777470987596
Status:	Delivered: 10/17/2016 09:34 AM Signed for By: H.HOHON
Reference:	112IC05958, 16
Signed for by:	H.HOHON
Delivery location:	JOHNSTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Adult Signature Required
-----------------------------------	--------------------------

Deliver Weekday

Standard transit:	10/17/2016 by 4:30 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:39 AM CDT on 10/17/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:



Prepared By:



Date:

9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Highridge Water Auth Telephone: 888-557-4343

Contact name: George E. Sulkosky

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to George E. Sulkosky at Highridge Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received email on 9/23/16 stating no impact.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:34 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275779110 Delivered

Your package has been delivered

Tracking # 777275779110

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Wed, 9/21/2016
12:31 pm**

George E. Sulkosky,
Ex. Director

Highridge Water
Authority
17 Maple Avenue
BLAIRSVILLE, PA
15717
US

FedEx

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275779110
Status:	Delivered: 09/21/2016 12:31 PM Signed for By: C.HRISTINE
Reference:	112IC05958, 16
Signed for by:	C.HRISTINE
Delivery location:	BLAIRSVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:33 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.

HIGHRIDGE WATER AUTHORITY


Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Hillside Mhp Telephone: 717-576-3155

Contact name: Steve Hollenbaugh

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Steve Hollenbaugh at Hillside Mhp on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Saturday, September 24, 2016 2:05 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275794371 Delivered

Your package has been delivered

Tracking # 777275794371

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Sat, 9/24/2016
2:04 pm

Steve Hollenbaugh
Hillside MHP
2404 Walnut Bottom
Road
CARLISLE, PA 17015
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	777275794371
Status:	Delivered: 09/24/2016 2:04 PM Signed for By: S. HOLLENBAUGH
Door Tag number:	DT104394686116
Reference:	112IC05958, 16
Signed for by:	S. HOLLENBAUGH
Delivery location:	MIDDLETOWN, PA
Delivered to:	FedEx Location
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Direct Signature Required

Deliver Weekday

Residential Delivery

Standard transit: 9/21/2016 by 8:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:04 PM CDT on 09/24/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Historic Acres of Hershey Telephone: 570-298-6340

Contact name: Kevin Freedman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Kevin Freedman at Historic Acres of Hershey on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

To: Hollidaysburg Muni Auth Telephone: 814-695-7543

Contact name: John Little

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to John Little at Hollidaysburg Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received a letter dated 10/3/16 requesting additional information (plans and profiles). Called Gary Winsor at Stiffler & McGraw on 10/12/16, left a voicemail in regards to the letter. Spoke with Gary Winsor on 10/17. He had some documents to review in regards to the Project, but said he thought everything was good and would contact us if he has any further questions.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:52 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275810555 Delivered

Your package has been delivered

Tracking # [777275810555](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
12:42 pm

John Little

Hollidaysburg Muni
Authority
401 Blair Street
HOLLIDAYSBURG, PA
16648
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [777275810555](#)

Status: Delivered: 09/21/2016
12:42 PM Signed for
By: S.OSWALD

Reference: 112IC05958, 16

Signed for by: S.OSWALD

Delivery location: HOLLIDAYSBURG,
PA

Delivered to: Receptionist/Front
Desk

Service type: FedEx Standard
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:52 AM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

HOLLIDAYSBURG BORO AUTH




Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Houston Sunoco Telephone: 724-745-1214

Contact name: Mehul Vakil

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mehul Vakil at Houston Sunoco on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:30 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206866760 Delivered

Your package has been delivered

Tracking # 778206866760

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:27 am

c/o Mehul Vakil
Houston Sunoco
2300 Hill Church Road
CANONSBURG, PA
15317
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206866760
Status:	Delivered: 01/19/2017 09:27 AM Signed for By: M.VECHIL
Reference:	112IC05958, 16
Signed for by:	M.VECHIL
Delivery location:	CANONSBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:29 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

HOUSTON SUNOCO
c/o Mehul Vakil
2300 Hill Church Road
Canonsburg, PA 15317

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Huies Gray Fox Inn Telephone: 717-484-2625

Contact name: Dale Huie

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Dale Huie at Huies Gray Fox Inn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:51 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206640971 Delivered

Your package has been delivered

Tracking # 778206640971

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
11:47 am

c/o Dale Huie
Huies Gray Fox Inn
2142 South Galen
Hall Rd
REINHOLDS, PA
17569
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206640971
Status:	Delivered: 01/19/2017 11:47 AM Signed for By: D.HUIE
Reference:	112IC05958, 16
Signed for by:	D.HUIE
Delivery location:	REINHOLDS, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:50 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

HUIES GRAY FOX INN
c/o Dale Huie
2142 South Galen Hall Rd
Reinholds, PA 17569

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Jackson Twp Water Auth Telephone: 814-322-1262

Contact name: Walter Ditchcreek

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Walter Ditchcreek at Jackson Twp Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:04 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275831391 Delivered

Your package has been delivered

Tracking # 777275831391

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
12:59 pm

Walter Ditchcreek,
Chairman
Jackson Twp Water
Authority
2949 William Penn
Avenue
JOHNSTOWN, PA
15909
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [777275831391](#)

Status: Delivered: 09/21/2016
12:59 PM Signed for
By: D.BUSKA

Reference: 112IC05958, 16

Signed for by: D.BUSKA

Delivery location: JOHNSTOWN, PA

Delivered to: Receptionist/Front
Desk

Service type: FedEx Standard
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 4:30 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:04 PM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






JACKSON TWP WATER AUTHORITY




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Joanna Furnace Telephone: 610-286-0388

Contact name: Mark Zerr

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mark Zerr at Joanna Furnace on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 27, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

GEIGERTOWN, PA 19523

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

Postage	\$1.57
Total Postage and Fees	\$4.87

0205 21
Postmark Here
01/19/2017
ELIOT STATION
PA 19523

Sent To
Street and JOANNA FURNACE
c/o MARK ZERR
City, State P.O. BOX 36
PS Form GEIGERTOWN, PA 19523

7016 2140 0001 1523 7743



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: **70162140000115237743**

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 27, 2017 , 12:47 pm	Delivered, Individual Picked Up at Post Office	GEIGERTOWN, PA 19523
Your item was picked up at the post office at 12:47 pm on January 27, 2017 in GEIGERTOWN, PA 19523.		
January 23, 2017 , 8:35 am	Available at PO Box	GEIGERTOWN, PA 19523
January 23, 2017 , 8:25 am	Sorting Complete	GEIGERTOWN, PA 19523
January 23, 2017 , 7:00 am	Arrived at USPS Facility	WERNERSVILLE, PA 19565
January 23, 2017 , 6:57 am	Arrived at Unit	WERNERSVILLE, PA 19565
January 22, 2017 , 8:53 am	In Transit to Destination	
January 22, 2017 , 4:58 am	Departed USPS Facility	HARRISBURG, PA 17107
January 21, 2017 , 8:53 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

Sign up for My USPS >





January 18th, 2017

JOANNA FURNACE
c/o Mark Zerr
P.O. Box 36
Geigertown, PA 19523

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Joanna Store Telephone: 610-286-5197

Contact name: Teresa Moyer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Teresa Moyer at Joanna Store on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:44 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204895856 Delivered

Your package has been delivered

Tracking # 778204895856

Ship date:
Wed,
1/18/2017

Delivery date:
Thu, 1/19/2017
10:39 am

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



c/o Teresa Moyer
Joanna Store
1102 Elverson Road
MORGANTOWN, PA
19543
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204895856
Status:	Delivered: 01/19/2017 10:39 AM Signed for By: P.HUYETT
Reference:	112IC05958, 16
Signed for by:	P.HUYETT
Delivery location:	MORGANTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:44 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

JOANNA STORE
c/o Teresa Moyer
1102 Elverson Road
Morgantown, PA 19543

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Ken Grill Recreation Assn Telephone: 610-777-9322

Contact name: Randy Hauk

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Randy Hauk at Ken Grill Recreation Assn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 24, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

READING, PA 19607

OFFICIAL USE

Certified Mail Fee	\$3.30	0205
\$		21
Extra Services & Fees (check box, add fees as appropriate)	\$0.00	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	
Postage	\$1.57	
\$		
Total Postage and Fees	\$4.87	
\$		



Sent To
Street and Ap
City, State, Zi
PS Form 381

KEN GRILL RECREATION ASSN.
c/o RANDY HAUK
P.O. BOX 113
SHILLINGTON, PA 19607

70116 2140 0001 1523 7736



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: 70162140000115237736

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 24, 2017 , 4:48 pm	Delivered	READING, PA 19607
Your item was delivered at 4:48 pm on January 24, 2017 in READING, PA 19607.		
January 23, 2017 , 9:34 am	Available for Pickup	READING, PA 19607
January 22, 2017 , 7:25 pm	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:53 am	In Transit to Destination	
January 21, 2017 , 8:53 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard.
No tracking numbers necessary.

[Sign up for My USPS >](#)





January 18th, 2017

KEN GRILL RECREATION ASSN
c/o Randy Hauk
P.O. Box 113
Shillington, PA 19607

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Keystone Restaurant Telephone: 814-886-4533

Contact name: Gary and Jay Ritchey

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Gary and Jay Ritchey at Keystone Restaurant on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

EBENSBURG, PA 15931

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fees as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

Postage	\$1.57
Total Postage and Fees	\$4.87

Sent To
Street and #
City, State, ..
PS Form 3800, April 2012 Edition

KEYSTONE RESTAURANT
c/o GARY AND JAY RITCHEY
P.O. BOX 277
EDENSBURG, PA 15931



7016 2140 0001 1523 7817



USPS Tracking®

Still Have Questions?

[Browse our FAQs ›](#)



Get Easy Tracking Updates ›

Sign up for My USPS.

Tracking Number: 70162140000115237811

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 25, 2017 , 1:38 pm	Delivered	EBENSBURG, PA 15931
Your item was delivered at 1:38 pm on January 25, 2017 in EBENSBURG, PA 15931.		
January 21, 2017 , 9:12 am	Available for Pickup	EBENSBURG, PA 15931
January 21, 2017 , 6:00 am	Departed USPS Facility	JOHNSTOWN, PA 15904
January 20, 2017 , 11:44 am	Arrived at USPS Destination Facility	JOHNSTOWN, PA 15904
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard.
No tracking numbers necessary.

[Sign up for My USPS ›](#)





January 18th, 2017

KEYSTONE RESTAURANT
c/o Gary And Jay Ritchey
P.O. Box 277
Ebensburg, PA 15931

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Kingdom Hall Mount Joy Telephone: 717-653-8501

Contact name: Ralph Watters

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ralph Watters at Kingdom Hall Mount Joy on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.


Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:54 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778207054978 Delivered



Your package has been delivered

Tracking # 778207054978

Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 9:48 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	c/o Ralph Watters Kingdom Hall Mount Joy 861 Milton Grove Rd MOUNT JOY, PA 17552 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778207054978
Status:	Delivered: 01/19/2017 09:48 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	MOUNT JOY, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:53 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

KINGDOM HALL MOUNT JOY
c/o Ralph Watters
861 Milton Grove Rd
Mount Joy, PA 17552

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: La Cantina Italian Restaurant Telephone: 610-777-5646

Contact name: Salvatore Russo

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Salvatore Russo at La Cantina Italian Restaurant on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:58 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204940392 Delivered

Your package has been delivered

Tracking # 778204940392

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:55 am

c/o Salvatore Russo
La Cantina Italian
Restaurant
4312 New Holland
Road
MOHNTON, PA
19540
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778204940392
Status:	Delivered: 01/19/2017 10:55 AM Signed for By: K.SWEIGART
Door Tag number:	DT104558854823
Reference:	112IC05958, 16
Signed for by:	K.SWEIGART
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:58 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

LA CANTINA ITALIAN RESTAURANT
c/o Salvatore Russo
4312 New Holland Road
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: La Porta Ristorante Telephone: 610-358-5104

Contact name: Hugh Donahue

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Hugh Donahue at La Porta Ristorante on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:01 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206343582 Delivered

Your package has been delivered

Tracking # 778206343582

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:57 am

c/o Hugh Donahue
La Porta Ristorante
1192 N. Middletown
Road
MEDIA, PA 19063
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206343582
Status:	Delivered: 01/19/2017 09:57 AM Signed for By: K.KORANCNG
Reference:	112IC05958, 16
Signed for by:	K.KORANCNG
Delivery location:	MEDIA, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:01 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

LA PORTA RISTORANTE
c/o **Hugh Donahue**
1192 N. Middletown Road
Media, PA 19063

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Lane Enterprises Telephone: 717-249-8342

Contact name: Gary Hinkelman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Gary Hinkelman at Lane Enterprises on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:27 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206081059 Delivered

Your package has been delivered

Tracking # 778206081059

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:22 am

c/o Gary Hinkelman
Lane Enterprises
1244 Claremont Rd
CARLISLE, PA
17013
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206081059
Status:	Delivered: 01/19/2017 10:22 AM Signed for By: T.RTHROME
Reference:	112IC05958, 16
Signed for by:	T.RTHROME
Delivery location:	CARLISLE, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:27 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

LANE ENTERPRISES
c/o Gary Hinkelman
1244 Claremont Rd
Carlisle, PA 17013

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Lebanon Val Bible Church Telephone: 717-867-4403

Contact name: Deacon Board Chairman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Deacon Board Chairman at Lebanon Val Bible Church on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:23 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206726477 Delivered

Your package has been delivered

Tracking # 778206726477

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:20 am

c/o Deacon Board
Chairman
Lebanon Val Bible
Church
1482 Horseshoe Pike
LEBANON, PA 17042
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206726477
Status:	Delivered: 01/19/2017 09:20 AM Signed for By: T.STANKOVICH
Reference:	112IC05958, 16
Signed for by:	T.STANKOVICH
Delivery location:	LEBANON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:22 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

LEBANON VAL BIBLE CHURCH
c/o Att: Deacon Board Chairman
1482 Horseshoe Pike
Lebanon, PA 17042

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Lebanon Water Auth Telephone: 717-865-2191

Contact name: Jonathan Beers

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jonathan Beers at Lebanon Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

No impact email received from Bob Sentz on 9/26/16.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:30 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275848526 Delivered

Your package has been delivered

Tracking # 777275848526

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
1:27 pm

Jonathan Beers
Lebanon Water
Authority
2311 Ridgeview
Road
LEBANON, PA 17042
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275848526
Status:	Delivered: 09/21/2016 1:27 PM Signed for By: L.COOLEY
Reference:	112IC052958, 16
Signed for by:	L.COOLEY
Delivery location:	LEBANON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:29 PM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






LEBANON CITY WATER AUTHORITY




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Lilly Muni Water Works Telephone: 814-886-7227

Contact name: Paul Sklodawski

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Paul Sklodawski at Lilly Muni Water Works on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.



January 18th, 2017

LILLY MUNI WATER WORKS
c/o Paul Sklodawski
417 Cleveland St
Lilly, PA 15938

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 12:23 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205879021 Delivered

Your package has been delivered

Tracking # 778205879021

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
12:19 pm

c/o Paul Sklodawski
Lilly Muni Water
Works
417 Cleveland St
LILLY, PA 15938
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205879021
Status:	Delivered: 01/19/2017 12:19 PM Signed for By: Signature Release on file
Reference:	112IC05958, 16
Signed for by:	Signature Release on file
Delivery location:	LILLY, PA
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit:

1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:23 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

To: Little Acres Mhp Telephone: 724-863-1388

Contact name: Cary Ruffner

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Cary Ruffner at Little Acres Mhp on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery attempts on Septemeber 21, 22, and 23, 2016. Returned to sender due to inability to reach recipient for signature.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, October 19, 2016 12:31 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777471229476 Delivered

Your package has been delivered

Tracking # 777471229476

Ship date:
Fri, 10/14/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed,
10/19/2016
12:29 pm

Little Acres Mobile
Home Park
11070 Greer Street
NORTH
HUNTINGDON, PA
15642
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	777471229476
Status:	Delivered: 10/19/2016 12:29 PM Signed for By: S.RUFFNER
Door Tag number:	DT104221052694
Reference:	112IC05958, 16
Signed for by:	S.RUFFNER
Delivery location:	NORTH HUNTINGDON, PA
Delivered to:	Residence
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Adult Signature Required

Deliver Weekday

Residential Delivery

Standard transit: 10/17/2016 by 8:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:31 AM CDT on 10/19/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

LITTLE ACRES MHP



Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Loags Corner Mobile Home Park Telephone: 610-286-5183

Contact name: Alvin Horning

From: Josh Baird (Tt)

Date: September 20, 2016


Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Alvin Horning at Loags Corner Mobile Home Park on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 23, 2016.

Loags Corner Mobile Home Park – PWS Delivery Confirmation

Tracking Number: 9505516150686291025170

 **Delivered**


On Time
Updated Delivery Day: Wednesday, October 19, 2016


Product & Tracking Information

Postal Product: Priority Mail™ **Features:** Insured USPS Tracking®

DATE & TIME	STATUS OF ITEM	LOCATION
October 19, 2016 , 9:27 am	Delivered, PO Box	MORGANTOWN, PA 19543
Your item has been delivered and is available at a PO Box at 9:27 am on October 19, 2016 in MORGANTOWN, PA 19543.		
October 19, 2016 , 7:04 am	Arrived at Post Office	MORGANTOWN, PA 19543
October 18, 2016 , 10:51 pm	Departed USPS Facility	LANCASTER, PA 17604
October 18, 2016 , 3:42 pm	Arrived at USPS Facility	LANCASTER, PA 17604
October 18, 2016 , 2:47 pm	Departed USPS Facility	HARRISBURG, PA 17107
October 18, 2016 , 1:28 pm	Arrived at USPS Facility	HARRISBURG, PA 17107
October 18, 2016 , 7:40 am	Departed USPS Facility	ROCHESTER, NY 14606
October 17, 2016 , 10:07 pm	Arrived at USPS Origin Facility	ROCHESTER, NY 14606
October 17, 2016 , 7:33 pm	Departed Post Office	BUFFALO, NY 14203
October 17, 2016 , 1:39 pm	Acceptance	BUFFALO, NY 14203

Available Actions

Text Updates 

Email Updates 






Confirmation
9505516150686291025170
Your request will be processed whenever there is new delivery related event activity.
Your confirmation will be sent to the following:
nate.grosse@tetrattech.com




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:




Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Mangia Mangia Telephone: 570-689-3794

Contact name: Natale Amato

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Natale Amato at Mangia Mangia on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:46 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206256855 Delivered

Your package has been delivered

Tracking # 778206256855

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:43 am

c/o Natale Amato
Mangia Mangia
2981 Elizabethtown
Road
HERSHEY, PA 17033
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206256855
Status:	Delivered: 01/19/2017 09:43 AM Signed for By: S.SPAIN
Reference:	112IC05958, 16
Signed for by:	S.SPAIN
Delivery location:	HERSHEY, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:46 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MANGIA MANGIA
c/o Natale Amato
2981 Elizabethtown Road
Hershey, PA 17033

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Manor GC Telephone: 610-678-9597

Contact name: Michael Heckman

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Michael Heckman at Manor GC on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:41 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204961324 Delivered

Your package has been delivered

Tracking # 778204961324

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:35 am

c/o Michael
Heckman
Manor Gc
153 Bran Road
SINKING SPRING,
PA 19608
US

FedEx


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204961324
Status:	Delivered: 01/19/2017 10:35 AM Signed for By: H.HECKMAN
Reference:	112IC05958, 16
Signed for by:	H.HECKMAN
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:41 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MANOR GC
c/o Michael Heckman
153 Bran Road
Sinking Spring, PA 19608

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Maple Grove Park Telephone: 610-856-7200

Contact name: Mark Stauffer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mark Stauffer at Maple Grove Park on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:06 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778204997553 Delivered

Your package has been delivered

Tracking # 778204997553

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:59 am

c/o Mark Stauffer
Maple Grove Park
30 Stauffer Park Lane
MOHNTON, PA
19540
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778204997553
Status:	Delivered: 01/19/2017 09:59 AM Signed for By: A.BEAGLE
Reference:	112IC05958, 16
Signed for by:	A.BEAGLE
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:05 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MAPLE GROVE PARK
c/o Mark Stauffer
30 Stauffer Park Lane
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Marsh Creek State Park Telephone: 610-458-5180

Contact name: Lorry Nygard

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Lorry Nygard at Marsh Creek State Park on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:13 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205980164 Delivered

Your package has been delivered

Tracking # 778205980164

Ship date:
Wed,
1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:10 am

c/o Lorry Nygard
Marsh Creek State
Park
675 Park Road
DOWNTOWN, PA
19335
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778205980164](#)

Status: Delivered: 01/19/2017
10:10 AM Signed for
By: G.STRONK

Reference: 112IC05958, 16

Signed for by: G.STRONK

Delivery location: DOWNTOWN, PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:13 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MARSH CREEK STATE PARK
c/o Lorry Nygard
675 Park Road
Downingtown, PA 19335

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Mun Auth of Westmoreland County-McKeesport Telephone: 412-678-6065

Contact name: Sarah Restivo

From: Josh Baird (Tt)

Date: February 4, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination


A letter was sent to Sarah Restivo at Mun Auth of Westmoreland County-McKeesport on February 4th, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on February 6th, 2017.



USPS Tracking®

Still Have Questions?
[Browse our FAQs >](#)

 [Get Easy Tracking Updates >](#)
Sign up for My USPS.

Tracking Number: **EL621497560US**

Scheduled Delivery Day: Monday, February 6, 2017, 3:00 pm
Money Back Guarantee
Signed for By: WAIVED // GREENSBURG, PA 15601 // 8:09 am

Product & Tracking Information

Postal Product: Priority Mail Express 2-Day™
Features: Insured PO to Addressee
Up to \$100 insurance included
Restrictions Apply

Available Actions

[Proof of Delivery](#)

[Text Updates](#)

[Email Updates](#)

DATE & TIME	STATUS OF ITEM	LOCATION
February 6, 2017, 8:09 am	Delivered, PO Box	GREENSBURG, PA 15601
Your item has been delivered and is available at a PO Box at 8:09 am on February 6, 2017 in GREENSBURG, PA 15601. Waiver of signature was exercised at time of delivery.		
February 6, 2017, 6:15 am	Arrived at Post Office	GREENSBURG, PA 15601
February 5, 2017, 11:17 pm	Arrived at USPS Destination Facility	PITTSBURGH, PA 15290
February 5, 2017, 5:20 pm	In Transit to Destination	
February 4, 2017, 5:20 pm	Arrived at USPS Origin Facility	ROCHESTER, NY 14692
February 4, 2017, 2:19 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
February 4, 2017, 11:32 am	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

[Track It](#)

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)



February 4th, 2017

**Mun Auth of Westmoreland County-McKeesport
c/o Sarah Restivo
P.O. Box 730
Greensburg, PA 15601**

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by February 14th, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Meadowbrook Mhp Telephone: 717-774-8887

Contact name: Ryan Flynn

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ryan Flynn at Meadowbrook Mhp on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:18 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275895977 Delivered

Your package has been delivered

Tracking # [777275895977](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:15 am

Ryan Flynn
Meadowbrook MHP
184 Meadowbrook
Court
NEW CUMBERLAND,
PA 17070
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275895977
Status:	Delivered: 09/21/2016 11:15 AM Signed for By: J.PEREZ
Reference:	112IC05958, 16
Signed for by:	J.PEREZ
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Residence
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Residential Delivery

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:17 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

MEADOWBROOK MHP



Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 1,500 Feet

Prepared For:




Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Middlecreek Wildlife Mgmt Area Telephone: 717-733-1512

Contact name: Jim Binder

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jim Binder at Middlecreek Wildlife Mgmt Area on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

KLEINFELTERSVILLE, PA 17039

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fees as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

0205
21


Postage	\$1.57
Total Postage and Fees	\$4.87

01/19/2017

Sent To
Street and A
City, State, ZIP
PS Form 3800

MIDDLECREEK WILDLIFE MGMT. AREA
c/o JIM BINDER
P.O. BOX 110
KLEINFELTERSVILLE, PA 17039

70116 2140 0001 1523 7798





USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: 70162140000115237798

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 24, 2017 , 2:11 pm	Delivered	KLEINFELTERSVILLE, PA 17039
Your item was delivered at 2:11 pm on January 24, 2017 in KLEINFELTERSVILLE, PA 17039.		
January 24, 2017 , 5:29 am	In Transit to Destination	
January 22, 2017 , 10:29 pm	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:54 am	In Transit to Destination	
January 21, 2017 , 8:54 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)

Copyright © 2017 USPS. All Rights Reserved.



January 18th, 2017

MIDDLECREEK WILDLIFE MGMT AREA
c/o Jim Binder
P.O.Box 110
Kleinfeltersville, PA 17039

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Middlesex Twp Muni Auth Telephone: 717-243-0674

Contact name: Rory L. Morrison

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Rory L. Morrison at Middlesex Twp Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:52 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275911749 Delivered

Your package has been delivered

Tracking # 777275911749

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
12:49 pm

Rory L. Morrison
Middlesex Twp Muni.
Authority
350 N. Middlesex
Road, Suite 2
CARLISLE, PA
17013
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275911749
Status:	Delivered: 09/21/2016 12:49 PM Signed for By: R.KOCH
Reference:	112IC05958, 16
Signed for by:	R.KOCH
Delivery location:	CARLISLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 3:00 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:51 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






MIDDLESEX TWP MUNICIPAL AUTH




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Middletown Boro Water Auth Telephone: 717-948-3055

Contact name: Daniel Standish

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Daniel Standish at Middletown Boro Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:48 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275924061 Delivered

Your package has been delivered

Tracking # 777275924061

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
10:43 am

Daniel Standish
Middletown Boro.
Water Authority
453 South Lawrence
Street
MIDDLETOWN, PA
17057
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275924061
Status:	Delivered: 09/21/2016 10:43 AM Signed for By: W.SHAEFFER
Reference:	112IC05958, 16
Signed for by:	W.SHAEFFER
Delivery location:	MIDDLETOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 3:00 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:48 AM CDT on 09/21/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area


**Sunoco PA Pipeline Project
Public Water Supply Area**



Prepared For:
 **Sunoco Pipeline L.P.**

Prepared By:
 **TETRA TECH** Date:
 9/2016

Base Map;
 ESRI World Imagery, October 2011
 Coordinate System NAD 83
 Stateplane, PA South, Feet



To: Mohnton Fish & Game Assn Telephone: 610-775-3470

Contact name: Barbara Reisch

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Barbara Reisch at Mohnton Fish & Game Assn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 1:28 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205018820 Delivered

Your package has been delivered

Tracking # 778205018820

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
1:25 pm

c/o Barbara Reisch
Mohnton Fish &
Game Assn
100 Gun Club Lane
MOHNTON, PA
19540
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778205018820
Status:	Delivered: 01/19/2017 1:25 PM Signed for By: D.NAUGLE
Door Tag number:	DT104558953083
Reference:	112IC05958, 16
Signed for by:	D.NAUGLE
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:28 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MOHNTON FISH & GAME ASSN
c/o Barbara Reisch
100 Gun Club Lane
Mohnton, PA 19540

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Morgantown Prop Telephone: 610-913-7516

Contact name: Frank Eisenhauer

From: Josh Baird (Tt)

Date: January 17, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Frank Eisenhauer at Morgantown Prop on January 17, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 18, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Wednesday, January 18, 2017 10:09 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778194829254 Delivered

Your package has been delivered

Tracking # 778194829254

Ship date:
Tue, 1/17/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 1/18/2017
10:05 am

Frank Eisenhauer
Morgantown Prop
75 Grace Blvd,
Building D
MORGANTOWN, PA
19543
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778194829254
Status:	Delivered: 01/18/2017 10:05 AM Signed for By: R.RAQUET
Reference:	112IC05958, 16
Signed for by:	R.RAQUET
Delivery location:	MORGANTOWN, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/18/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:08 AM CST on 01/18/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MORGANTOWN PROP
c/o Frank Eisenhauer
75 Grace Blvd. Building D
Morgantown, PA 19543

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Mountain View Apartments Telephone: 717-484-0973

Contact name: Robert Nass

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Robert Nass at Mountain View Apartments on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.


Bob Nass left a voicemail for Tetra Tech on January 19, 2017 confirming he received the FedEx shipment. He also indicated he is a partner of Sunoco and owns approximately 40 acres in the area near the country club. The map he received does not denote the area where he is. He requested a correct map so he can comment on it. His contact information is robertanass@gmail.com, 904-614-2244.

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:01 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206667990 Delivered



Your package has been delivered

Tracking # 778206667990


Ship date: Wed, 1/18/2017	Delivery date: Thu, 1/19/2017 9:58 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	c/o Robert Nass Mountain View Apartments 905 Biscayne Blvd Suite 1 DELAND, FL 32724 US

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206667990
Status:	Delivered: 01/19/2017 09:58 AM Signed for By: H.SWAN
Reference:	112IC05958, 16
Signed for by:	H.SWAN
Delivery location:	DELAND, FL
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:01 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

MOUNTAIN VIEW APARTMENTS
c/o Robert Nass
905 Biscayne Blvd Suite 1
Deland, FL 32724

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: N. Middleton Water Auth Telephone: 717-243-8269

Contact name: E. Lee Koch

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to E. Lee Koch at N. Middleton Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.


Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:16 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275936709 Delivered

Your package has been delivered

Tracking # 777275936709

Ship date: Tue, 9/20/2016	Delivery date: Wed, 9/21/2016 11:06 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	E Lee Koch N. Middleton Water Authority 240 Clearwater Drive CARLISLE, PA 17013 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275936709
Status:	Delivered: 09/21/2016 11:06 AM Signed for By: B.MILLER
Reference:	112IC05958, 16
Signed for by:	B.MILLER
Delivery location:	CARLISLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required



Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:16 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

NORTH MIDDLETON AUTHORITY


Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Nolde Environmental Ed Ctr Telephone: 610-796-3699

Contact name: Lisa Miller – Center Manager

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Lisa Miller at Nolde Environmental Ed Ctr on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 1:09 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205364128 Delivered

Your package has been delivered

Tracking # 778205364128

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
1:07 pm

c/o Lisa Miller,
Center Manager
Nolde Environmental
Ed Ctr
2910 New Holland
Road
READING, PA 19607
US

FedEx

Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778205364128
Status:	Delivered: 01/19/2017 1:07 PM Signed for By: A.KISSINGER
Reference:	100-NRS-T29725, 12
Signed for by:	A.KISSINGER
Delivery location:	READING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:08 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

NOLDE ENVIRONMENTAL ED CTR
c/o Lisa Miller, Center Manager
2910 New Holland Road
Reading, PA 19607

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: North Lanc Co Game & Fish Assn Telephone: 717-949-6977

Contact name: Lon Ensinger

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Lon Ensinger at North Lanc Co Game & Fish Assn on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:05 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206688690 Delivered

Your package has been delivered

Tracking # 778206688690

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:56 am

c/o Lon Ensinger
North Lanc Co Game
& Fish Assn
180 Forest Road
DENVER, PA 17517
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206688690
Status:	Delivered: 01/19/2017 10:56 AM Signed for By: B.ENSINGER
Door Tag number:	DT104524556657
Reference:	112IC05958, 16
Signed for by:	B.ENSINGER
Delivery location:	DENVER, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:05 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

NORTH LANC CO GAME & FISH ASSN
c/o Lon Ensinger
180 Forest Road
Denver, PA 17517

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: PA Amer Water Co - Indiana Telephone: 724-465-6600

Contact name: Sherri Medivitz

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Sherri Medivitz at PA Amer Water Co - Indiana on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 2:03 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276007027 Delivered

Your package has been delivered

Tracking # [777276007027](#)

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
2:00 pm

Sherri Medivitz
PA American Water
Co - Indiana
1034 Waterworks
Road
INDIANA, PA 15701
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777276007027
Status:	Delivered: 09/21/2016 2:00 PM Signed for By: H.MCANULTY
Reference:	112IC05958, 16
Signed for by:	H.MCANULTY
Delivery location:	INDIANA, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 1:02 PM CDT on 09/21/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.



Global Indicator




Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 6,000 Feet



Prepared For:



**Sunoco
Pipeline L.P.**


Prepared By:



TETRA TECH

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: PA Amer Water Co - Pittsburgh Telephone: 724-437-0102

Contact name: Not available

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to PA Amer Water Co – Pittsburgh on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.


Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:55 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275992341 Delivered

Your package has been delivered

Tracking # 777275992341

Ship date: Tue, 9/20/2016	Delivery date: Wed, 9/21/2016 11:47 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	PA Amer. Water Co - Pittsburgh 560 Horning Road BETHEL PARK, PA 15102 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275992341
Status:	Delivered: 09/21/2016 11:47 AM Signed for By: E.BELLMAN
Reference:	112IC05958, 16
Signed for by:	E.BELLMAN
Delivery location:	BETHEL PARK, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required



Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:54 AM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

PA AMERICAN WATER CO PITTSBURGH DIST



Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:




Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: PA Amer Water Co West Telephone: 717-774-7460

Contact name: Shawn Wiley

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Shawn Wiley at PA Amer Water Co West on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:39 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275978212 Delivered

Your package has been delivered

Tracking # 777275978212

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Wed, 9/21/2016
11:36 am

Shawn Wiley
PA Amer. Water Co -
West
275 Steigerwalt
Hollow Road
NEW CUMBERLAND,
PA 17070
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777275978212
Status:	Delivered: 09/21/2016 11:36 AM Signed for By: T.THOTTO
Reference:	112IC05958, 16
Signed for by:	T.THOTTO
Delivery location:	NEW CUMBERLAND, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Direct Signature Required
-----------------------------------	---------------------------

Deliver Weekday

Standard transit:	9/21/2016 by 3:00 pm
--------------------------	----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:38 AM CDT on 09/21/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






PA AMERICAN WATER CO HERSHEY DIST



Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: PA Amer Water Co Telephone: 717-533-5627

Contact name: Justin Brame

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Justin Brame at PA Amer Water Co on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.


Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:48 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777275949238 Delivered



Your package has been delivered

Tracking # [777275949238](#)

Ship date: Tue, 9/20/2016	Delivery date: Wed, 9/21/2016 11:45 am	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 A horizontal bar with four segments. The first three are purple and the fourth is green with a white checkmark. Delivered	Justin Brame PA Amer. Water Company 200 East Canal Street HUMMELSTOWN, PA 17036 US


Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777275949238
Status:	Delivered: 09/21/2016 11:45 AM Signed for By: T.PATRICK
Reference:	112IC05958, 16
Signed for by:	T.PATRICK
Delivery location:	HUMMELSTOWN, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:47 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



Global Indicator

Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 9,000 Feet

Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Pathways Telephone: 610-459-9177

Contact name: Gene Laird

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Gene Laird at Pathways on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.


Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 1:05 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276017473 Delivered

Your package has been delivered

Tracking # 777276017473

Ship date: Tue, 9/20/2016	Delivery date: Wed, 9/21/2016 1:02 pm	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	Gene Laird Pathways 519 Station Road WAWA, PA 19063 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777276017473
Status:	Delivered: 09/21/2016 1:02 PM Signed for By: K.BONES
Reference:	112IC05958, 16
Signed for by:	K.BONES
Delivery location:	WAWA, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required Deliver Weekday



Standard transit:

9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:05 PM CDT on 09/21/2016.



All weights are estimated.






To track the latest status of your shipment, click on the tracking number above.


Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



- ### Legend
-  Proposed Pipeline
 -  PA State Roads
 -  PA County
 -  PA Municipality
 -  Public Water Supply Area



Prepared For:





Prepared By:



Date:
9/2016

Base Map:
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet










Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 1,000 Feet


Prepared For:



**Sunoco
Pipeline L.P.**

Prepared By:  TETRA TECH	Date: 9/2016
---	-----------------

Base Map;
 ESRI World Imagery, October 2011
 Coordinate System NAD 83
 Stateplane, PA South, Feet



To: Paw Penn District Telephone: 610-404-1540

Contact name: Jennifer Milakeve

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jennifer Milakeve at Paw Penn District on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:02 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205414516 Delivered

Your package has been delivered

Tracking # 778205414516

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:56 am

c/o Jennifer
Milakeve
Paw Penn District
660 Lincoln Road
BIRDSBORO, PA
19508
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205414516
Status:	Delivered: 01/19/2017 09:56 AM Signed for By: M.HOFFMAN
Reference:	112IC05958, 16
Signed for by:	M.HOFFMAN
Delivery location:	BIRDSBORO, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 12:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:01 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

PAW PENN DISTRICT
c/o Jennifer Milakeve
660 Lincoln Road
Birdsboro, PA 19508

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Peter J. Camiel Service Plaza Telephone: 610-286-0255

Contact name: Michale Grafton

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Michale Grafton at Peter J. Camiel Service Plaza on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

ELVERSON, PA 19520

OFFICIAL USE

Certified Mail Fee \$3.30
\$
Extra Services & Fees (check box, add fee as appropriate)
 Return Receipt (hardcopy) \$0.00
 Return Receipt (electronic) \$0.00
 Certified Mail Restricted Delivery \$0.00
 Adult Signature Required \$0.00
 Adult Signature Restricted Delivery \$0.00

0205
21

Postmark
Here
01/19/2017
EAST NANTMEAL
PA 19520

Postage \$1.57
\$
Total Postage and Fees \$4.87
\$

Sent To PETER J. CAMIEL SERVICE PLAZA
Street and c/o MICHALE GRAFTON
City, State P.O. BOX 274
PS Form EAST NANTMEAL, PA 19520

7016 2140 0001 1523 7712



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: **70162140000115237712**

Updated Delivery Day: **Tuesday, January 24, 2017**

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

[Text Updates](#)

[Email Updates](#)

DATE & TIME	STATUS OF ITEM	LOCATION
January 24, 2017 , 3:06 pm	Delivered	ELVERSON, PA 19520
Your item was delivered at 3:06 pm on January 24, 2017 in ELVERSON, PA 19520.		
January 24, 2017 , 8:53 am	Available for Pickup	ELVERSON, PA 19520
January 24, 2017 , 7:39 am	Arrived at Unit	ELVERSON, PA 19520
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard.
No tracking numbers necessary.

[Sign up for My USPS >](#)





January 18th, 2017

PETER J. CAMIEL SERVICE PLAZA
c/o Michale Grafton
P.O. Box 274
East Nantmeal, PA 19520

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Phat Alberts Telephone: 717-653-8501

Contact name: Segio Oneglia

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Segio Oneglia at Phat Alberts on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Friday, January 20, 2017 12:57 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778207113890 Delivered

Your package has been delivered

Tracking # 778207113890

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Fri, 1/20/2017
12:54 pm

c/o Segio Oneglia
Phat Alberts
761 Lewisberry Rd
LEWISBERRY, PA
17339
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778207113890
Status:	Delivered: 01/20/2017 12:54 PM Signed for By: C.SERGIO
Reference:	112IC05958, 16
Signed for by:	C.SERGIO
Delivery location:	LEWISBERRY, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:56 AM CST on 01/20/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

PHAT ALBERTS
c/o Segio Oneglia
761 Lewisberry Rd
Lewisberry, PA 17339

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Pine Garden Apartments Telephone: 724-875-0882

Contact name: Paul Miller

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Paul Miller at Pine Garden Apartments on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 12:01 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276027382 Delivered

Your package has been delivered

Tracking # 777276027382

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:59 am

Paul Miller
Pine Garden
Apartments
11 Glenview Drive
GREENSBURG, PA
15601
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777276027382
Status:	Delivered: 09/21/2016 11:59 AM Signed for By: P.MILLER
Reference:	112IC05958, 16
Signed for by:	P.MILLER
Delivery location:	GREENSBURG, PA
Delivered to:	Residence
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Residential Delivery

Standard transit: 9/21/2016 by 8:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:00 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

PINE GARDEN APT




Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet





To: Pine Ridge County Park Telephone: 724-463-8636

Contact name: Henry Freed

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Henry Freed at Pine Ridge County Park on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 11:22 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206526313 Delivered

Your package has been delivered

Tracking # 778206526313

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
11:18 am

c/o Ed Paterson,
Park Supt
Pine Ridge County
Park
1128 Blue Spruce
Road
INDIANA, PA 15701
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206526313
Status:	Delivered: 01/19/2017 11:18 AM Signed for By: V.VANHORN
Reference:	112IC05958, 16
Signed for by:	V.VANHORN
Delivery location:	INDIANA, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 12:00 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:21 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

PINE RIDGE COUNTY PARK
c/o Ed Paterson, Park Supt
1128 Blue Spruce Road
Indiana, PA 15701

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Plains LPG Services LP Telephone: 717-949-3469

Contact name: Michael Schaefer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Michael Schaefer at Plains LPG Services LP on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only


For delivery information, visit our website at www.usps.com®.

SCHAEFFERSTOWN, PA 17088

OFFICIAL USE

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

0205
21



Postage	\$1.57
Total Postage and Fees	\$4.87

Sent To: PLAINS LPG SERVICES LP
Street and Apt.: c/o MICHAEL SCHAEFER
City, State, ZIP: P.O. BOX 486
SCHAEFFERSTOWN, PA 17088

PS Form 3800

7016 2140 0001 1523 7781



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: 70162140000115237781

Updated Delivery Day: Tuesday, January 24, 2017

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 24, 2017 , 9:25 am	Delivered	SCHAEFFERSTOWN, PA 17088
Your item was delivered at 9:25 am on January 24, 2017 in SCHAEFFERSTOWN, PA 17088.		
January 23, 2017 , 9:57 am	Available for Pickup	SCHAEFFERSTOWN, PA 17088
January 23, 2017 , 9:57 am	Arrived at Unit	SCHAEFFERSTOWN, PA 17088
January 22, 2017 , 10:29 pm	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:54 am	In Transit to Destination	
January 21, 2017 , 8:54 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 20, 2017 , 2:39 pm	In Transit to Destination	
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)





January 18th, 2017

PLAINS LPG SERVICES LP
c/o Michael Schaefer
Po Box 486
Schaefferstown, PA 17088

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Quentin Water Co Telephone: 717-274-5514

Contact name: William White

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to William White at Quentin Water Co on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Thursday, September 22, 2016 12:22 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276051170 Delivered

Your package has been delivered

Tracking # 777276051170

Ship date:
Tue, 9/20/2016

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Thu, 9/22/2016
12:20 pm**

William White

Quentin Water
Company
100 South Zinns Mill
Road
LEBANON, PA 17042
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [777276051170](#)

Status: Delivered: 09/22/2016
12:20 PM Signed for
By: P.WHITE

Reference: 112IC05958, 16

Signed for by: P.WHITE

Delivery location: LEBANON, PA

Delivered to: Receptionist/Front
Desk

Service type: FedEx Standard
Overnight

Packaging type: Your Packaging

Number of pieces: 1


Weight: 0.50 lb.

Special handling/Services: Direct Signature
Required

Indirect Signature
Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:22 AM CDT on 09/22/2016.

All weights are estimated.


To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






QUENTIN WATER CO INC




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Raystown Lake Army Corps Eng Telephone: 814-658-3405

Contact name: Nicholas Krupa

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Nicholas Krupa at Raystown Lake Army Corps Eng on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 1:41 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206441457 Delivered

Your package has been delivered

Tracking # 778206441457

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
1:36 pm

Raystown Lake
Army Corps Eng
6145 Seven Points
Rd
HESSTON, PA
16647
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206441457
Status:	Delivered: 01/19/2017 1:36 PM Signed for By: D.MCCLAIN
Reference:	112IC05958, 16
Signed for by:	D.MCCLAIN
Delivery location:	HESSTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:41 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

RAYSTOWN LAKE ARMY CORPS ENG
c/o
6145 Seven Points Rd
Hesston, PA 16647

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Raystown Lake Corp 7 Pts Plant Telephone: 814-658-3405

Contact name: Nicholas Krupa

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Nicholas Krupa at Raystown Lake Corp 7 Pts Plant on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Nick Krupa has reviewed the Environmental Assessment prepared for the Section 408 USACE permit. He and the USACE are aware of the full scope of the Project.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 3:34 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206802417 Delivered

Your package has been delivered

Tracking # 778206802417

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
3:32 pm

c/o Ammon and
Katie Stoltzfus
Wildwood Family Cg
1901 Luxemburg Rd
LYKENS, PA 17048
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206802417](#)

Status: Delivered:
01/19/2017 3:32 PM
Signed for By:
Signature not
required

Reference: 112IC05958, 16

Signed for by: Signature not
required

Delivery location: LYKENS, PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 2:34 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

RAYSTOWN LAKE CORP 7 PTS PLANT
c/o Nicholas Krupa
6145 Seven Points Rd
Hesston, PA 16647

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Rutters Farm Store #20 Telephone: 717-771-5970

Contact name: Tim Rutter

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Tim Rutter at Rutters Farm Store #20 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:18 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206282430 Delivered

Your package has been delivered

Tracking # 778206282430

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:12 am

c/o Tim Rutter
Rutters Farm Store
#20
2295 Susquehanna
Trail Suite C
YORK, PA 17404
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206282430
Status:	Delivered: 01/19/2017 09:12 AM Signed for By: D.SIDESINGER
Reference:	112IC05958, 16
Signed for by:	D.SIDESINGER
Delivery location:	YORK, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:18 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

RUTTERS FARM STORE #20
c/o Tim Rutter
2295 Susquehanna Trail Suite C
York, PA 17404

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Greater Johnstown Water Auth - Saltlick Telephone: 814-533-4300

Contact name: Ed Cernic

From: Josh Baird (Tt)

Date: February 4, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination


A letter was sent to Ed Cernic at Greater Johnstown Water Auth-Saltlick on February 4th, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on February 6, 2017.



USPS Tracking®

Still Have Questions?
Browse our FAQs >

 Get Easy Tracking Updates >
Sign up for My USPS.

Tracking Number: **EL621497573US**

Scheduled Delivery Day: Monday, February 6, 2017, 3:00 pm
Money Back Guarantee
Signed for By: WAIVED // JOHNSTOWN, PA 15907 // 6:01 am

Product & Tracking Information

Postal Product: Priority Mail Express 2-Day™
Features: Insured PO to Addressee

DATE & TIME	STATUS OF ITEM	LOCATION
February 6, 2017, 6:01 am	Delivered, PO Box	JOHNSTOWN, PA 15907
Your item has been delivered and is available at a PO Box at 6:01 am on February 6, 2017 in JOHNSTOWN, PA 15907. Waiver of signature was exercised at time of delivery.		
February 6, 2017, 4:43 am	Arrived at Post Office	JOHNSTOWN, PA 15901
February 6, 2017, 2:46 am	Arrived at USPS Destination Facility	JOHNSTOWN, PA 15904
February 5, 2017, 11:17 pm	Arrived at USPS Destination Facility	PITTSBURGH, PA 15290
February 5, 2017, 5:20 pm	In Transit to Destination	
February 4, 2017, 5:20 pm	Arrived at USPS Origin Facility	ROCHESTER, NY 14692
February 4, 2017, 2:19 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
February 4, 2017, 11:32 am	Acceptance	BUFFALO, NY 14203

Available Actions

Proof of Delivery

[Text Updates](#)

[Email Updates](#)

Track Another Package

Tracking (or receipt) number

[Track It](#)

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)



HELPFUL LINKS

[Contact Us](#)
[Site Index](#)
[FAQs](#)

ON ABOUT.USPS.COM

[About USPS Home](#)
[Newsroom](#)
[USPS Service Updates](#)
[Forms & Publications](#)
[Government Services](#)
[Careers](#)

OTHER USPS SITES

[Business Customer Gateway](#)
[Postal Inspectors](#)
[Inspector General](#)
[Postal Explorer](#)
[National Postal Museum](#)
[Resources for Developers](#)

LEGAL INFORMATION

[Privacy Policy](#)
[Terms of Use](#)
[FOIA](#)
[No FEAR Act EEO Data](#)



February 4th, 2017

Greater Johnstown Water Auth-Saltlick
c/o Ed Cernic
P.O. Box 1407 640 Franklin St
Johnstown, PA 15907

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by February 14th, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Seven Points Bait & Grocery Telephone: 814-658-3718

Contact name: Gordon Norris

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Gordon Norris at Seven Points Bait & Grocery on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

On January 30, 2017, Seven Points Bait & Grocery called Josh Baird to express that they have no issue with the Project.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com™.

HESSTON, PA 16647

OFFICIAL USE

Certified Mail Fee	\$3.30
\$	\$0.00
Extra Services & Fees (check box, add fee as appropriate)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

0205
21

Postage	\$1.78
\$	\$0.00
Total Postage and Fees	\$5.08
\$	\$0.00

Postmark
Here
01/19/2017
HESSTON PA 16647

Sent To	SEVEN POINTS BAIT & GROCERY
Street an	c/o GORDON NORRIS
City, State	P.O. BOX 88
PS Form	HESSTON, PA 16647

7016 2140 0001 1523 7804



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: **70162140000115237804**

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 23, 2017 , 10:17 am	Delivered, Individual Picked Up at Post Office	HESSTON, PA 16647
Your item was picked up at the post office at 10:17 am on January 23, 2017 in HESSTON, PA 16647.		
January 21, 2017 , 9:12 am	Available for Pickup	HESSTON, PA 16647
January 21, 2017 , 9:10 am	Available at PO Box	HESSTON, PA 16647
January 21, 2017 , 9:00 am	Sorting Complete	HESSTON, PA 16647
January 21, 2017 , 8:12 am	Arrived at Unit	HESSTON, PA 16647
January 21, 2017 , 6:00 am	Departed USPS Facility	JOHNSTOWN, PA 15904
January 20, 2017 , 11:44 am	Arrived at USPS Destination Facility	JOHNSTOWN, PA 15904
January 19, 2017 , 9:31 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)

Copyright © 2017 USPS. All Rights Reserved.



January 18th, 2017

SEVEN POINTS BAIT & GROCERY
c/o Gordon Norris
Po Box 88
Hesston, PA 16647

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: SGL Carbon Group LLC Telephone: 610-670-4095

Contact name: Laverne Ramberger

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Laverne Ramberger at SGL Carbon Group LLC on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:31 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205453215 Delivered

Your package has been delivered

Tracking # 778205453215

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:42 am

c/o Laverne
Ramberger
Sgl Carbon Group Llc
796 Fritztown Road
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205453215
Status:	Delivered: 01/19/2017 09:42 AM Signed for By: J.BRUBAKER
Reference:	112IC05958, 16
Signed for by:	J.BRUBAKER
Delivery location:	SINKING SPRING, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:30 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SGL CARBON GROUP LLC
c/o Laverne Ramberger
796 Fritztown Road
Sinking Spring, PA 19608

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Shillington Muni Auth Telephone: 610-777-1338

Contact name: Mike Mountz

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mike Mountz at Shillington Muni Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 1:09 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777474076188 Delivered

Your package has been delivered

Tracking # 777474076188

Ship date: Fri, 10/14/2016	Delivery date: Mon, 10/17/2016 1:06 pm	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	Shillington Muni. Authority 2 East Lancaster Avenue SHILLINGTON, PA 19607 US

Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	777474076188
Status:	Delivered: 10/17/2016 1:06 PM Signed for By: L.WAKELY
Reference:	112IC05958, 16
Signed for by:	L.WAKELY
Delivery location:	SHILLINGTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.



Special handling/Services:	Adult Signature Required
-----------------------------------	--------------------------

Deliver Weekday

Standard transit:	10/17/2016 by 3:00 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:09 PM CDT on 10/17/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.






Thank you for your business.




Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area




Prepared For:
 **Sunoco Pipeline L.P.**

Prepared By:
 **TETRA TECH**

Date:
 9/2016

Base Map;
 ESRI World Imagery, October 2011
 Coordinate System NAD 83
 Stateplane, PA South, Feet



To: Sinking Spring Family YMCA Telephone: 610-678-0484

Contact name: Brett Mayer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Brett Mayer at Sinking Spring YMCA on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:53 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205490459 Delivered

Your package has been delivered

Tracking # 778205490459

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:49 am

c/o Brett Mayer
Sinking Spring Family
YMCA
4920 Penn Ave
SINKING SPRING,
PA 19608
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205490459
Status:	Delivered: 01/19/2017 09:49 AM Signed for By: D.STUMP
Reference:	112IC05958, 16
Signed for by:	D.STUMP
Delivery location:	SINKING SPRING, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:52 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SINKING SPRING FAMILY YMCA
c/o Brett Mayer
4920 Penn Ave
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Sleepy Hollow Athletic Club Telephone: 610-856-7516

Contact name: Dean Stine

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Dean Stine at Sleepy Hollow Athletic Club on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 20, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Friday, January 20, 2017 9:45 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205515504 Delivered

Your package has been delivered

Tracking # 778205515504

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Fri, 1/20/2017
9:39 am

c/o Dean Stine
Sleepy Hollow
Athletic Club
482 Westley Road
MOHNTON, PA
19540
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778205515504](#)

Status: Delivered: 01/20/2017
09:39 AM Signed for
By: Signature Release
on file

Door Tag number: DT104451231678

Reference: 112IC05958, 16

Signed for by: Signature Release on
file

Delivery location: MOHNTON, PA

Service type: FedEx Priority
Overnight


Packaging type: FedEx Envelope

Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:44 AM CST on 01/20/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SLEEPY HOLLOW ATHLETIC CLUB
c/o Dean Stine
482 Westley Road
Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Sleepy Hollow Pool Telephone: 610-856-1418

Contact name: Dean Stine

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Dean Stine at Sleepy Hollow Pool on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 20, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Friday, January 20, 2017 9:45 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205515504 Delivered

Your package has been delivered

Tracking # 778205515504

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Fri, 1/20/2017
9:39 am

c/o Dean Stine
Sleepy Hollow
Pool
482 Westley Road
MOHNTON, PA
19540
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778205515504](#)

Status: Delivered: 01/20/2017
09:39 AM Signed for
By: Signature Release
on file

Door Tag number: DT104451231678

Reference: 112IC05958, 16

Signed for by: Signature Release on
file

Delivery location: MOHNTON, PA

Service type: FedEx Priority
Overnight


Packaging type: FedEx Envelope

Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:44 AM CST on 01/20/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SLEEPY HOLLOW POOL

c/o Dean Stine

482 Westley Road

Mohnton, PA 19540

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Smitty's Eats N Treats Telephone: 814-644-3791

Contact name: Lori Heaton

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Lori Heaton at Smitty's Eats N Treats on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:29 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206457033 Delivered

Your package has been delivered

Tracking # 778206457033

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:24 am

c/o Lori Heaton
Smitty S Eats N
Treats
2300 Highland
Avenue
HUNTINGDON, PA
16652
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778206457033
Status:	Delivered: 01/19/2017 10:24 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	HUNTINGDON, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 12:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:28 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SMITTY S EATS N TREATS
c/o Lori Heaton
2300 Highland Ave
Huntingdon, PA 16652

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: South Mountain YMCA Telephone: 610-670-2267

Contact name: Nathan Brant

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Nathan Brant at South Mountain YMCA on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 23, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

WERNERSVILLE, PA 19565

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$1.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00

Postage	\$1.57
Total Postage and Fees	\$4.87

Sent To
Street and Apt. SOUTH MOUNTAIN YMCA
City, State, ZIP c/o NATHAN BRANT
P.O. BOX 147
WERNERSVILLE, PA 19565

PS Form 380



7016 2140 0001 1523 7729



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: **70162140000115237729**

On Time

Updated Delivery Day: **Monday, January 23, 2017**

Product & Tracking Information

Postal Product:

First-Class Mail®

Features:

Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 23, 2017 , 8:58 am	Available for Pickup	WERNERSVILLE, PA 19565
Your item arrived at the WERNERSVILLE, PA 19565 post office at 8:58 am on January 23, 2017 and is ready for pickup.		
January 23, 2017 , 8:35 am	Available at PO Box	WERNERSVILLE, PA 19565
January 23, 2017 , 8:25 am	Sorting Complete	WERNERSVILLE, PA 19565
January 23, 2017 , 6:57 am	Arrived at Unit	WERNERSVILLE, PA 19565
January 23, 2017 , 1:08 am	Departed USPS Destination Facility	HARRISBURG, PA 17107
January 22, 2017 , 8:53 am	In Transit to Destination	
January 21, 2017 , 8:53 am	Arrived at USPS Destination Facility	HARRISBURG, PA 17107
January 21, 2017 , 4:27 am	In Transit to Destination	
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)





January 18th, 2017

SOUTH MOUNTAIN YMCA
c/o Nathan Brant
P.O. Box 147
Wernersville, PA 19565

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Speedway 6760 Telephone: 717-938-1428

Contact name: Sarah Palmer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Sarah Palmer at Speedway 6760 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:20 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778207131616 Delivered

Your package has been delivered

Tracking # 778207131616

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Thu, 1/19/2017
9:17 am**

c/o Sarah Palmer
Speedway 6760
500 Speedway Drive
ENON, OH 45323
US

FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778207131616](#)

Status: Delivered: 01/19/2017
09:17 AM Signed for
By: M.BLANKE

Reference: 112IC05958, 16

Signed for by: M.BLANKE

Delivery location: ENON, OH

Delivered to: Shipping/Receiving

Service type: FedEx Priority
Overnight


Packaging type: FedEx Envelope

Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:20 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SPEEDWAY 6760
c/o Sarah Palmer
500 Speedway Drive
Enon, OH 45323

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: St Benedict Church Telephone: 610-856-1006

Contact name: Rev Philip Rodgers

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Rev Philip Rodgers at St Benedict Church on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:26 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205559683 Delivered

Your package has been delivered

Tracking # 778205559683

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
10:21 am

c/o Rev Philip
Rodgers
St Benedict Ch
2020 Chestnuthill
Road
MOHNTON, PA
19540
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205559683
Status:	Delivered: 01/19/2017 10:21 AM Signed for By: J.HAUCK
Reference:	112IC05958, 16
Signed for by:	J.HAUCK
Delivery location:	MOHNTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Deliver Weekday
-----------------------------------	-----------------

Standard transit:	1/19/2017 by 10:30 am
--------------------------	--------------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:26 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

ST BENEDICT CH
c/o Rev Philip Rodgers
2020 Chestnuthill Road
Mohnton, PA 19540

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Steelco Well #2 Telephone: 610-678-6411

Contact name: Neil Nevitt

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Neil Nevitt at Steelco Well #2 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017 however the company was out of business.



FedEx carbon-neutral env

RT 899 FZ

Attention Sender
FedEx Express

THIS SHIPMENT IS BEING RETURNED FOR THE FOLLOWING REASON(S):

- A P.O. box number was the only address given or obtainable.
- We were unable to collect C.O.D. charges.
- Shipper requested return.
- Shipment returned if undelivered after 5 days.
- Recipient refused by recipient.
- Recipient moved and left no forwarding address or phone number.
- Recipient was not in when we attempted delivery, and we were not authorized to leave shipment without a signature.
- Recipient's address on your shipment was incorrect and/or incomplete, and we were unable to obtain the correct address.

Other Company bvt of Business

Questions? Go to our Web site at fedex.com. Call 1.800.Go.FedEx 1.800.463.3339.

159396 REV 8/08 RRD

ORIGIN ID:BUFA (716) 849-9419
JOSH BAIRD
TETRA TECH - HOME
301 ELLICOTT STREET

SHIP DATE: 18JAN17
ACTWGT: 0.50 LB
CAD: 5212059/INET3790

BUFFALO, NY 14203
UNITED STATES US


BILL SENDER

TO C/O NEIL NEVITT
STEELCO WELL #2
601 FRITZTOWN RD

SINKING SPRING PA 19608

(716) 849-9419
TNU:
PO:

REF: 1121C05958. 16
DEPT:



TRK# 7782 0560 1522
0201

THU - 19 JAN 10:30A
PRIORITY OVERNIGHT

EQ RDGA

19608
PA-US ABE



Part # 156297V-435 RIT2 APV EXP 08/17

Align bottom of peel-and-stick airbill or pouch here.



January 18th, 2017

STEELCO WELL #2
c/o Neil Nevitt
601 Fritztown Rd
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Steelco Telephone: 610-678-6411

Contact name: Mike Endler

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mike Endler at Steelco on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017 however the company was out of business.



FedEx
envelope

FedEx Express Attention Sender

THIS SHIPMENT IS BEING RETURNED FOR THE FOLLOWING REASON(S):

- Refused by recipient: _____
- Recipient moved and left no forwarding address or phone number.
- Recipient was not in when we attempted delivery, and we were not authorized to leave shipment without a signature.
- Recipient's address on your shipment was incorrect and/or incomplete, and we were unable to obtain the correct address.
- A P.O. box number was the only address given or obtainable.
- We were unable to collect C.O.D. charges.
- Shipper requested return: _____
- Shipment returned if undelivered after 5 days.
- Other: Company out of Business

Questions? Go to our Web site at fedex.com. Call 1.800.Go.FedEx 1.800.463.3339.

159396 REV 8/08 RRD

RT 899
FZ
1
10:30
A
9527
01.19

Part # 159297V-435 RIT2 APV EXP 09/17



ORIGIN ID:BUFA (716) 849-9419
JOHN BAIRD - HOME
LENA TECH
301 ELLICOTT STREET
BUFFALO, NY 14209
UNITED STATES US

SHIP DATE: 18 JAN 17
ACTWT: 0.50 LB
CAD: 5212059/INET3790
BILL SENDER

TO
C/O MIKE ENDLER
STEELCO
601 FRITZTOWN RD

SINKING SPRING PA 19608

(716) 849-9419
REF: 1121C05958_16
PO:
DEPT:



TRK# 7782 0557 9527
0201

THU - 19 JAN 10:30A
PRIORITY OVERNIGHT

EQ RDGA

19608
PA-US ABE





January 18th, 2017

STEELCO
c/o Mike Endler
601 Fritztown Rd
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Steelton Boro Water Auth Telephone: 717-939-0425

Contact name: Doug Brown

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Doug Brown at Steelton Boro Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 10:59 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276063200 Delivered

Your package has been delivered

Tracking # 777276063200

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
10:56 am

Doug Brown
Steelton Boro. Water
Authority
123 N. Front Street
STEELTON, PA
17113
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777276063200
Status:	Delivered: 09/21/2016 10:56 AM Signed for By: M.POWELL
Reference:	112IC05958, 16
Signed for by:	M.POWELL
Delivery location:	STEELTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:59 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



Global Indicator

Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 3,000 Feet

Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: Steve Heins Grocery Store Telephone: 717-533-5222

Contact name: Susan Hein

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Susan Hein at Steve Heins Grocery Store on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:43 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206313638 Delivered

Your package has been delivered

Tracking # 778206313638

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:40 am

c/o Susan Hein
Steve Heins Grocery
Store
2985 Elizabethtown
Rd.
HERSHEY, PA 17033
US



Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206313638](#)

Status: Delivered: 01/19/2017
09:40 AM Signed for
By:
A.DAUBENSCHMIDT

Reference: 112IC05958, 16

Signed for by: A.DAUBENSCHMIDT

Delivery location: HERSHEY, PA

Delivered to: Receptionist/Front
Desk

Service type: FedEx Priority
Overnight


Packaging type: FedEx Envelope

Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:43 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

STEVE HEINS GROCERY STORE

c/o Susan Hein
2985 Elizabethtown Rd.
Hershey, PA 17033

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Suez Water Telephone: 717-561-1103

Contact name: Chad Bingaman

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Chad Bingaman at Suez Water on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:18 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276074470 Delivered

Your package has been delivered

Tracking # 777276074470

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:11 am

Chad Bingaman
Suez Water
4211 East Park Circle
HARRISBURG, PA
17111
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777276074470
Status:	Delivered: 09/21/2016 11:11 AM Signed for By: K.MCCONNELL
Reference:	112IC05958, 16
Signed for by:	K.MCCONNELL
Delivery location:	HARRISBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:18 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



Global Indicator

Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 9,000 Feet

Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Sunoco Food Shop Telephone: 610-678-3550

Contact name: Arana Singh

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Arana Singh at Sunoco Food Shop on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017. On January 24, 2017 an email was received from Katherin Selch expressing no impact, however they also expressed a desire to be kept informed as the Project progressed.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:31 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205660153 Delivered

Your package has been delivered

Tracking # 778205660153

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:56 am

co Arana Singh
Sunoco Food Shop
904 Kate Drive
SINKING SPRING,
PA 19608
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778205660153
Status:	Delivered: 01/19/2017 09:56 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	SINKING SPRING, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:30 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SUNOCO FOOD SHOP
c/o Arana Singh
904 Kate Drive
Sinking Spring, PA 19608

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Sweetwater Farm B and B Telephone: 610-459-4711

Contact name: Chris Le Vine

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Chris Le Vine at Sweetwater Farm B and B on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:23 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206363106 Delivered

Your package has been delivered

Tracking # 778206363106

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
9:20 am

c/o Chris Le Vine
Sweetwater Farm A
and B
50 Sweetwater Road
GLEN MILLS, PA
19342
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778206363106
Status:	Delivered: 01/19/2017 09:20 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	GLEN MILLS, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:23 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

SWEETWATER FARM B AND B
c/o Chris Le Vine
50 Sweetwater Road
Glen Mills, PA 19342

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: The Pines Telephone: 724-468-9923

Contact name: Alexander W. Orlowski

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Alexander W. Orlowski at The Pines on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 10:43 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206902409 Delivered

Your package has been delivered

Tracking # 778206902409

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Thu, 1/19/2017
10:42 am

c/o Alexander W
Orlowski
The Pines
Rd 4, Box 231
GREENSBURG, PA
15601
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	778206902409
Status:	Delivered: 01/19/2017 10:42 AM Signed for By: Signature not required
Reference:	112IC05958, 16
Signed for by:	Signature not required
Delivery location:	GREENSBURG, PA
Delivered to:	Residence
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 10:30 am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 9:43 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

THE PINES
c/o Alexander W Orlowski
Rd 4, Box 231
Greensburg, PA 15601

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Thousand Trails Telephone: 717-867-5515

Contact name: Kim Miller

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Kim Miller at Thousand Trails on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:17 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206749467 Delivered

Your package has been delivered

Tracking # 778206749467

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:12 am

c/o Kim Miller

Thousand Trails
493 S. Mt Plaesant
Rd
LEBANON, PA 17042
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206749467
Status:	Delivered: 01/19/2017 09:12 AM Signed for By: J.SPANGLER
Reference:	112IC05958, 16
Signed for by:	J.SPANGLER
Delivery location:	LEBANON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:16 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

THOUSAND TRAILS
c/o Kim Miller
493 S Mt Pleasant Rd
Lebanon, PA 17042

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Trading Post Market Telephone: 717-776-3082

Contact name: Michelle Baia

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Michelle Baia at Trading Post Market on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 1:53 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206101260 Delivered

Your package has been delivered

Tracking # 778206101260

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
1:46 pm

c/o Michelle Baia
Trading Post Market
672 Bloserville Rd
NEWVILLE, PA
17241
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778206101260
Status:	Delivered: 01/19/2017 1:46 PM Signed for By: R.LEHMAN
Reference:	112IC05958, 16
Signed for by:	R.LEHMAN
Delivery location:	NEWVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:52 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

TRADING POST MARKET
c/o Michelle Baia
672 Blosserville Rd
Newville, PA 17241

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Turkey Hill Mini Mkt 115 Telephone: 717-299-8908

Contact name: Jerry Book – Facilities Manager

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Jerry Book at Turkey Hills Mini Mkt 115 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017. On January 24, 2017 an email was received from Katherin Selch expressing no impact, however they also expressed a desire to be kept informed as the Project progressed.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 9:56 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205702201 Delivered

Your package has been delivered

Tracking # 778205702201

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
9:48 am

c/o Jerry Book,
Facilities Manager
Turkey Hill Mini Mkt
115
257 Centerville Road
LANCASTER, PA
17603
US


FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	778205702201
Status:	Delivered: 01/19/2017 09:48 AM Signed for By: T.AOWLER
Reference:	112IC05958, 16
Signed for by:	T.AOWLER
Delivery location:	LANCASTER, PA
Delivered to:	Shipping/Receiving
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday

Standard transit: 1/19/2017 by 10:30
am

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 8:55 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

TURKEY HILL MINI MKT 115
c/o Jerry Book, Facilities Manager
257 Centerville Road
Lancaster, PA 17603

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Twin Valley Field House Telephone: 610-286-8652

Contact name: Keith Heckman – Dir Phys PLT

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Keith Heckman at Twin Valley Field House on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 12:47 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205732800 Delivered

Your package has been delivered

Tracking # 778205732800

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
12:42 pm

c/o Keith Heckman
Twin Valley Field
House
4851 N Twin Valley
Rd
ELVERSON, PA
19520
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778205732800
Status:	Delivered: 01/19/2017 12:42 PM Signed for By: L.MILLER
Reference:	112IC05958, 16
Signed for by:	L.MILLER
Delivery location:	ELVERSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:47 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

TWIN VALLEY FIELD HOUSE
c/o Keith Heckman-Dir Phys Plt
4851 N Twin Valley Rd
Elverson, PA 19520

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Twin Valley Middle School Telephone: 610-286-8679

Contact name: Keith Heckman – Dir Phys PLT

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Keith Heckman at Twin Valley Middle School on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 12:47 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205732800 Delivered

Your package has been delivered

Tracking # 778205732800

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
12:42 pm

c/o Keith Heckman
Twin Valley Middle
School
4851 N Twin Valley
Rd
ELVERSON, PA
19520
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778205732800
Status:	Delivered: 01/19/2017 12:42 PM Signed for By: L.MILLER
Reference:	112IC05958, 16
Signed for by:	L.MILLER
Delivery location:	ELVERSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:47 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

TWIN VALLEY MIDDLE SCHOOL
c/o Keith Heckman-Dir Phys Plt
4851 N Twin Valley Rd
Elverson, PA 19520

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Twin Valley Senior High School Telephone: 610-286-8679

Contact name: Keith Heckman – Dir Phys PLT

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Keith Heckman at Twin Valley Senior High School on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 12:47 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205732800 Delivered

Your package has been delivered

Tracking # 778205732800

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
12:42 pm

c/o Keith
Heckman Twin
Valley Senior High
School
4851 N Twin Valley
Rd
19520
US



Shipment Facts

Our records indicate that the following package has been delivered.


Tracking number:	778205732800
Status:	Delivered: 01/19/2017 12:42 PM Signed for By: L.MILLER
Reference:	112IC05958, 16
Signed for by:	L.MILLER
Delivery location:	ELVERSON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Priority Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

**Special
handling/Services:**

Deliver Weekday

Standard transit:

1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:47 AM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

TWIN VALLEY SENIOR HIGH SCHOOL
c/o Keith Heckman-Dir Phys Plt
4851 N Twin Valley Rd
Elverson, PA 19520

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: United Water Pa Mechanicsburg Telephone: 707-561-1103

Contact name: John D. Hollenbach

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to John D. Hollenbach at United Water Pa Mechanicsburg on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Wednesday, September 21, 2016 11:18 AM
To: Laviolette, Carrie
Subject: FedEx Shipment 777276121516 Delivered

Your package has been delivered

Tracking # 777276121516

Ship date:
Tue, 9/20/2016

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivery date:
Wed, 9/21/2016
11:11 am

John D. Hollenbach
United Water PA
Mechanicsburg
4211 East Park Circle
HARRISBURG, PA
17111
US




Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number:	777276121516
Status:	Delivered: 09/21/2016 11:11 AM Signed for By: K.MCCONNELL
Reference:	112IC05958, 16
Signed for by:	K.MCCONNELL
Delivery location:	HARRISBURG, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Direct Signature Required

Deliver Weekday

Standard transit: 9/21/2016 by 3:00 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 10:18 AM CDT on 09/21/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.






UNITED WATER PA MECHANICSBURG



Global Indicator



Legend

-  Proposed Pipeline
-  PA State Roads
-  PA County
-  PA Municipality
-  Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:



Prepared By:



Date:

9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet



To: VFW Post No 8724 Telephone: 814-695-9703

Contact name: Arlene wilt

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Arlene Wilt at VFW Post No 8724 on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 27, 2017.

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

DUNCANSVILLE, PA 16635

OFFICIAL USE

Certified Mail Fee	\$3.30
Extra Services & Fees (check box, add fee to subtotals)	\$0.00
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$1.57
Total Postage and Fees	\$4.87

0205
21

Postmark
Here

01/19/2017

Sent To VFW POST NO. 8724
Street and c/o ARLENE WILT
City, State P.O. BOX 128
PS Form DUNCANSVILLE, PA 16635

7016 2140 0001 1528 7828



USPS Tracking®

Still Have Questions?

[Browse our FAQs >](#)



Get Easy Tracking Updates >

Sign up for My USPS.

Tracking Number: 70162140000115237828

Product & Tracking Information

Postal Product:
First-Class Mail®

Features:
Certified Mail™

Available Actions

Text Updates

Email Updates

DATE & TIME	STATUS OF ITEM	LOCATION
January 27, 2017 , 9:14 am	Delivered, Individual Picked Up at Post Office	DUNCANSVILLE, PA 16635
Your item was picked up at the post office at 9:14 am on January 27, 2017 in DUNCANSVILLE, PA 16635.		
January 21, 2017 , 8:41 am	Available for Pickup	DUNCANSVILLE, PA 16635
January 20, 2017 , 11:49 pm	Arrived at USPS Destination Facility	DUNCANSVILLE, PA 16635
January 20, 2017 , 11:44 am	Arrived at USPS Destination Facility	JOHNSTOWN, PA 15904
January 19, 2017 , 9:27 pm	Arrived at USPS Origin Facility	BUFFALO, NY 14240
January 19, 2017 , 7:24 pm	Departed Post Office	BUFFALO, NY 14203
January 19, 2017 , 2:39 pm	Acceptance	BUFFALO, NY 14203

Track Another Package

Tracking (or receipt) number

Track It

Manage Incoming Packages

Track all your packages from a dashboard. No tracking numbers necessary.

[Sign up for My USPS >](#)



HELPFUL LINKS

- [Contact Us](#)
- [Site Index](#)
- [FAQs](#)

ON ABOUT.USPS.COM

- [About USPS Home](#)
- [Newsroom](#)
- [USPS Service Updates](#)
- [Forms & Publications](#)
- [Government Services](#)
- [Careers](#)

OTHER USPS SITES

- [Business Customer Gateway](#)
- [Postal Inspectors](#)
- [Inspector General](#)
- [Postal Explorer](#)
- [National Postal Museum](#)
- [Resources for Developers](#)

LEGAL INFORMATION

- [Privacy Policy](#)
- [Terms of Use](#)
- [FOIA](#)
- [No FEAR Act EEO Data](#)

Copyright © 2017 USPS. All Rights Reserved.



January 18th, 2017

VFW POST NO 8724
c/o Arlene Wilt
P.O. Box 128
Duncansville, PA 16635

Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Vinemont Comm Luth Ch Telephone: 610-670-1141

Contact name: John Frankhauser

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to John Frankhauser at Vinemont Comm Luth Ch on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.



Shipping

Tracking

Manage

Learn

FedEx Office®

Carrie Laviolette

IMPORTANT!**Winter storms are causing unavoidable service delays in the Northwest, Midwest, and Northeast areas.** [Learn More](#)

FedEx® Tracking

778205781625

Ship date:

Wed 1/18/2017

Scheduled delivery:

Pending

TETRA TECH - HOME
 JOSH BAIRD
 301 ELLICOTT STREET
 Buffalo, NY US 14203
 716 849-9419

Delivery exception

LANCASTER, PA

Vinmont Comm Luth Ch
 c/o John Frankhauser
 1278 Fritztown Rd
 REINHOLDS, PA US 17569
 716 849-9419

Unable to deliver shipment, returned to shipper**Recommended action:****No action is required. The package is being returned to the shipper.**

Travel History

Date/Time	Activity	Location
1/27/2017 - Friday		
12:15 pm	Returning package to shipper Return tracking number 778290756068	LANCASTER, PA
1/25/2017 - Wednesday		
8:21 pm	At local FedEx facility	LANCASTER, PA
1/24/2017 - Tuesday		
3:57 pm	At local FedEx facility	LANCASTER, PA
11:27 am	Delivery exception Customer not available or business closed	LANCASTER, PA
8:56 am	On FedEx vehicle for delivery	LANCASTER, PA
8:10 am	At local FedEx facility	LANCASTER, PA
1/23/2017 - Monday		
4:55 pm	At local FedEx facility	LANCASTER, PA
10:55 am	Delivery exception Customer not available or business closed	LANCASTER, PA
8:05 am	On FedEx vehicle for delivery	LANCASTER, PA
7:54 am	At local FedEx facility	LANCASTER, PA
1/21/2017 - Saturday		
4:49 pm	At local FedEx facility	LANCASTER, PA
1/20/2017 - Friday		
2:47 pm	At local FedEx facility	LANCASTER, PA
10:55 am	Delivery exception Customer not available or business closed	LANCASTER, PA
8:57 am	On FedEx vehicle for delivery	LANCASTER, PA
7:34 am	At local FedEx facility	LANCASTER, PA
1/19/2017 - Thursday		
4:06 pm	At local FedEx facility	LANCASTER, PA
11:33 am	Delivery exception Customer not available or business closed	LANCASTER, PA
8:50 am	On FedEx vehicle for delivery	LANCASTER, PA
8:20 am	At local FedEx facility	LANCASTER, PA
3:30 am	Departed FedEx location	NEWARK, NJ
12:18 am	Arrived at FedEx location	NEWARK, NJ
1/18/2017 - Wednesday		
5:12 pm	Picked up	CHEEKTOWAGA, NY
3:07 pm	Shipment information sent to FedEx	

Shipment Facts

Tracking number	778205781625	Service	FedEx Priority Overnight
Door tag number	DT104524556083	Weight	0.5 lbs / 0.23 kgs
Delivery attempts	4	Total pieces	1
Total shipment weight	0.5 lbs / 0.23 kgs	Terms	Not Available
Shipper reference	112IC05958, 16	Packaging	FedEx Envelope
Special handling section	Deliver Weekday	Standard transit	1/19/2017 by 12:00 pm

Ask FedEx

Submi



January 18th, 2017

VINEMONT COMM LUTH CH
c/o John Frankhauser
1278 Fritztown Rd
Reinholds, PA 19569

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

To: Wernersville Muni Water Auth Telephone: 610-678-4711

Contact name: Mike Drobeck

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Mike Drobeck at Wernersville Muni Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.


Received email on 9/26/16 from Nick Johnson stating no impact anticipated.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Monday, October 17, 2016 12:44 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777474177290 Delivered

Your package has been delivered

Tracking # 777474177290

Ship date: Fri, 10/14/2016	Delivery date: Mon, 10/17/2016 12:38 pm	
JOSH BAIRD TETRA TECH - HOME Buffalo, NY 14203 US	 Delivered	Wernersville Muni. Water Authority 250 N. Elm Street WERNERSVILLE, PA 19565 US

Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777474177290
Status:	Delivered: 10/17/2016 12:38 PM Signed for By: B.DIBIEC
Reference:	112IC05958, 16
Signed for by:	B.DIBIEC
Delivery location:	WERNERSVILLE, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.
Special handling/Services:	Adult Signature Required



Deliver Weekday

Standard transit: 10/17/2016 by 3:00
pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:43 AM CDT on 10/17/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

WERNERSVILLE MUNI AUTH




Global Indicator



Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

Sunoco PA Pipeline Project Public Water Supply Area



Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: West Cocalico Twp Water Auth Telephone: 717-336-8720

Contact name: Henry Freed

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Henry Freed at West Cocalico Twp Water Auth on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Received an email on 10/5/16 stating a Letter of No Objection was signed. Received email with PDF on 10/18/16.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Tuesday, October 18, 2016 12:38 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777482333972 Delivered

Your package has been delivered

Tracking # 777482333972

Ship date:
**Mon,
10/17/2016**

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Tue, 10/18/2016
12:35 pm**

Henry Freed
West Cocalico
Township
156 B. West Main
Street PO Box 244
REINHOLDS, PA
17569
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777482333972
Status:	Delivered: 10/18/2016 12:35 PM Signed for By: T.EMERICH
Reference:	112IC05958 Task 16
Signed for by:	T.EMERICH
Delivery location:	REINHOLDS, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Adult Signature Required
-----------------------------------	--------------------------

Deliver Weekday

Standard transit:	10/18/2016 by 4:30 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:38 AM CDT on 10/18/2016.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



Global Indicator

Legend

- Proposed Pipeline
- PA State Roads
- PA County
- PA Municipality
- Public Water Supply Area

**Sunoco PA Pipeline Project
Public Water Supply Area**

0 3,000 Feet

Prepared For:

Prepared By:

Date:
9/2016

Base Map;
ESRI World Imagery, October 2011
Coordinate System NAD 83
Stateplane, PA South, Feet

To: Westmoreland Ma-Truxall Sys Telephone: 724-727-2300

Contact name: Chris Kerr

From: Josh Baird (Tt)

Date: September 20, 2016

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Chris Kerr at Westmoreland Ma-Truxall Sys on September 20, 2016 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question. The letter indicated that if further consultation was not initiated by October 18, SPLP will deem the Project in good standing as it relates to the PWS, and will proceed as planned.

Delivery confirmation indicated the letter was received on September 21, 2016.

Laviolette, Carrie

From: trackingupdates@fedex.com
Sent: Tuesday, October 18, 2016 12:05 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 777482405324 Delivered

Your package has been delivered

Tracking # 777482405324

Ship date:
**Mon,
10/17/2016**

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Tue, 10/18/2016
11:54 am**

Chris Kerr
Westmoreland
Municipal Authority
124 Park and Pool
Road
NEW STANTON, PA
15672
US



Shipment Facts


Our records indicate that the following package has been delivered.

Tracking number:	777482405324
Status:	Delivered: 10/18/2016 11:54 AM Signed for By: K.MOONEY
Reference:	112IC05958 Task 16
Signed for by:	K.MOONEY
Delivery location:	NEW STANTON, PA
Delivered to:	Receptionist/Front Desk
Service type:	FedEx Standard Overnight
Packaging type:	FedEx Envelope
Number of pieces:	1
Weight:	0.50 lb.

Special handling/Services:	Adult Signature Required
-----------------------------------	--------------------------

Deliver Weekday

Standard transit:	10/18/2016 by 3:00 pm
--------------------------	-----------------------

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 11:04 AM CDT on 10/18/2016.


All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2016 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



Global Indicator	
Legend	
	Proposed Pipeline
	PA State Roads
	PA County
	PA Municipality
	Public Water Supply Area
Sunoco PA Pipeline Project Public Water Supply Area	
Prepared For:	
Prepared By:	Date:
	9/2016
Base Map; ESRI World Imagery, October 2011 Coordinate System NAD 83 Stateplane, PA South, Feet	



To: Wildwood Family CG Telephone: 724-734-3656

Contact name: Ammon and Katie Stoltzfus

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Ammon and Katie Stoltzfus at Wildwood Family CG on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.

A phone call with Wildwood Family CG on January 19, 2017 confirmed that they are not concerned with the Project.

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 3:34 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778206802417 Delivered

Your package has been delivered

Tracking # 778206802417

Ship date:
Wed, 1/18/2017

JOSH BAIRD

TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
**Thu, 1/19/2017
3:32 pm**

**c/o Ammon and
Katie Stoltzfus**

Wildwood Family Cg
1901 Luxemburg Rd
LYKENS, PA 17048
US

FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778206802417](#)

Status: Delivered:
01/19/2017 3:32 PM
Signed for By:
Signature not
required

Reference: 112IC05958, 16

Signed for by: Signature not
required

Delivery location: LYKENS, PA

Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope


Number of pieces: 1

Weight: 0.50 lb.

Special handling/Services: Deliver Weekday

Residential Delivery

Standard transit: 1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 2:34 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.



January 18th, 2017

WILDWOOD FAMILY CG
c/o Ammon And Katie Stoltzfus
1901 Luxemburg Rd Rd
Lykens, PA 17048

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map



To: Woodland Park Campground Telephone: 814-472-9857

Contact name: Edward Vorhauer

From: Josh Baird (Tt)

Date: January 18, 2017

Subject: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project Public Water Supply Coordination

A letter was sent to Edward Vorhauer at Woodland Park Campground on January 18, 2017 requesting information regarding Public Water Supply (PWS) source(s) and/or facility(s) in location to the Pennsylvania Pipeline Project (Project) in order to assess any potential impacts to the PWS. A brief description of the Project was included as well a Site Map related to the location of the PWS in question.

Delivery confirmation indicated the letter was received on January 19, 2017.



January 18th, 2017

WOODLAND PARK CAMPGROUND
c/o Edward Vorhauer
153 Rorabaugh Rd
Summerhill, PA 15958

**Reference: Sunoco Pipeline L.P. – Pennsylvania Pipeline Project
Public Water Supply Coordination**

Dear Sir or Madam,

SPLP proposes to construct and operate the Project that would expand existing pipeline systems to provide natural gas liquid (NGL) transportation. The Project involves the installation of two parallel pipelines within an approximately 306.8-mile, 50-foot-wide right-of-way from Houston, Washington County, Pennsylvania to SPLP's Marcus Hook facility in Delaware County, Pennsylvania with the purpose of interconnecting with existing SPLP Mariner East pipelines. A 20-inch diameter pipeline will be installed within the right-of-way from Houston to Marcus Hook (306.8 miles) and a second, 16-inch diameter pipeline, will also be installed in the same right-of-way. The second line is proposed to be installed from SPLP's Delmont Station, Westmoreland County, Pennsylvania to the Marcus Hook facility, paralleling the initial line for approximately 255.8 miles.

The Project includes one new 20-inch and one new 16-inch diameter pipelines installed within or adjacent to 306.8 miles of existing or new right-of-way. The majority of the new right-of-way will be co-located adjacent to existing utility corridors, including approximately 230 miles of pipeline that will be co-located in the existing SPLP Mariner East pipeline system that is currently used for the transportation of NGLs.

As part of the PADEP permit requirements, we and Sunoco respectfully request your review of the Project's location as it relates to your Public Water Supply (PWS) source(s) and/or facility(s), and assess any potential impacts to the PWS. SPLP also requests the approximate location and/or name of the waterbody that is the water supply. If you require additional information and/or consultation pertaining to the Project, please contact Joshua Baird using the contact info listed below. **If further consultation is not initiated by January 31st, SPLP will deem the Project in good standing as it relates to your PWS, and will proceed as planned.**

The following attachments are included for your review:

- Site Map showing the location of the proposed pipeline Project ROW

If you have further questions or require additional information, please do not hesitate to contact me at (716) 849-9419 or via email at Josh.Baird@TetraTech.com

Thank you for your timely response to this matter.

Sincerely,

A handwritten signature in black ink, appearing to read 'Josh Baird'.

Joshua S. Baird
Tetra Tech, Inc.

Enclosures: Site Map

Laviolette, Carrie

From: TrackingUpdates@fedex.com
Sent: Thursday, January 19, 2017 1:46 PM
To: Laviolette, Carrie
Subject: FedEx Shipment 778205905548 Delivered

Your package has been delivered

Tracking # 778205905548

Ship date:
Wed, 1/18/2017

JOSH BAIRD
TETRA TECH -
HOME
Buffalo, NY 14203
US



Delivered

Delivery date:
Thu, 1/19/2017
1:41 pm

c/o Edward
Vorhauer
Woodland Park
Campground
153 Rorabaugh Rd
SUMMERHILL, PA
15958
US

FedEx

Shipment Facts

Our records indicate that the following package has been delivered.

Tracking number: [778205905548](#)

Status: Delivered:
01/19/2017 1:41 PM
Signed for By:
Signature not required

Reference: 112IC05958, 16

Signed for by: Signature not required

Delivery location: SUMMERHILL, PA


Delivered to: Residence

Service type: FedEx Priority
Overnight

Packaging type: FedEx Envelope

Number of pieces: 1

Weight:	0.50 lb.
Special handling/Services:	Deliver Weekday Residential Delivery
Standard transit:	1/19/2017 by 4:30 pm

 Please do not respond to this message. This email was sent from an unattended mailbox. This report was generated at approximately 12:46 PM CST on 01/19/2017.

All weights are estimated.

To track the latest status of your shipment, click on the tracking number above.

Standard transit is the date and time the package is scheduled to be delivered by, based on the selected service, destination and ship date. Limitations and exceptions may apply. Please see the FedEx Service Guide for terms and conditions of service, including the FedEx Money-Back Guarantee, or contact your FedEx Customer Support representative.

© 2017 Federal Express Corporation. The content of this message is protected by copyright and trademark laws under U.S. and international law. Review our [privacy policy](#). All rights reserved.

Thank you for your business.

Appendix B

Well Test Plan

Pre-Construction (Baseline) Potable Well Sampling and Well Yield Testing Scope

The general scope of work and execution is provided below to document pre construction conditions at domestic wells, proximal to HDD borings, and provide a data base on water quality and well yield. This data base can be used to inspect any post HDD construction claims of suspected well impact.

WELL YIELD TESTING

If given permission from the landowner, GES shall conduct well yield testing to measure the yield of the well. These activities will be completed prior to collecting the water sample. Well yield, or specific capacity is commonly used to describe the yield capacity (performance) of a well at a given time and discharge rate. Specific capacity cannot be obtained without invasive monitoring of drawdown during pumping, discharge rate, and time or duration of pumping. For this scope, the test will be conducted for a half hour (30 minutes).

When completing a yield testing, GES shall first ask permission from the landowner to open their well at the wellhead and assess whether a water level meter can be used to measure drawdown in the well during testing. The flow volume can be determined using an outside spigot using a calibrated five-gallon bucket, a time keeping device, and a water level meter. GES will ask the property owner to not use their water during the test and will gather information about the estimated gallons of water used prior to the test. The data gathered is as follows:

- During testing, take readings at five minute intervals. The first reading should be taken upon starting the test (within the first 30 seconds). The following parameters should be recorded at each five minute interval: discharge (gallons per minute [gpm]), drawdown (feet), pH (standard units), temperature (degrees Celsius), turbidity (Nephelometric Turbidity Units [NTU]), specific conductivity (microSiemens per centimeters [$\mu\text{s}/\text{cm}$]). The time should also be recorded at each interval, as well as any additional observations that the field team makes.
- Stop the test before one hour if there is a visual change in the turbidity of the water or if the water starts to surge. If the test is stopped before one hour, record the time that the test was stopped, why the test was stopped, and take a final set of readings. Turbidity increases may indicate the well is overstressed due to excessive drawdown. Surging may indicate that the drawdown in the well may be excessive, causing the pump to suck air.
- The specific capacity will be calculated by dividing the discharge rate by the drawdown.

If a landowner does not provide permission to access the well, or a water level meter cannot be placed in the well, the test can be completed, but drawdown will not be measured and specific capacity will not be calculated; however the discharge rate and the field-measured parameters can be monitored and recorded. If a landowner does not provide permission to complete well yield testing, this will be documented and the test will not be completed.

If a property owner wants flow testing to be completed, but does not agree to a full 30 minute test, a shorter test can be completed and the reason for completing a shorter test will be documented.

FIELD SAMPLING/TESTING ITEMS

Water samples will be collected in accordance with standard industry sampling techniques. For the purposes of this scope it will be assumed that water samples will be collected preferably from the pressure

tank, but if that location is not available or accessible, then the samples will be collected from an alternate location such as an indoor tap, outdoor spigot, or free flowing pipe. Where water treatment systems are present, GES will make all reasonable attempts to collect the water sample prior to any treatment system. If unable to collect a pre-treatment sample, GES will document the conditions and collect post-treatment.

If well yield testing is completed, then additional purging of the water source is not needed before the water sample is collected. If well yield testing is not completed, then the well will be purged before sample collection. Purge volumes will be two times the pressure tank volume. If there is no pressure tank, approximately 60 gallons will be purged. If a reduced purge is requested by the landowner, a minimum of ten gallons will be purged and the reason for a reduced purge will be documented. After purging, GES will collect one sample at each well location and submit to an SXL-approved laboratory for analysis of the following:

	<u>Parameters</u>
Inorganics	pH
	Specific Conductance
	Turbidity
	Total Dissolved Solids (TDS)
	Total Suspended Solids (TSS)
	Hardness
	Anions: Bromide, Chloride, Sulfate
	Total Alkalinity
Trace Metals	Metals Analysis: (Ba, Ca, Fe, K, Mg, Mn, Na)
Organics	BTEX
	Light Gas Analysis [Methane, ethane, Propane]

Field equipment will consist of a YSI water-quality meter, turbidity meter, photo-ionization detector (PID), digital camera, hand-held GPS unit, laboratory-supplied bottleware, calibrated five-gallon bucket, tubing, hand tools, water level meter, plastic sheeting, and decontamination materials. The following items will be documented on the Field Data Survey form.

- Sketch of parcel boundaries, parcel features, and water source location
- Water use (domestic or livestock)
- Well information (if known)
 - Vented
 - Depth
 - Diameter
 - Pump Depth
 - Water Level
 - Year Well Installed
 - Seasonal Information
- GPS location of source in decimal degrees format
- Pressure tank size
- Treatment system description and photographs

Privileged & Confidential

- Sample collected pre- or post-treatment
- Purge volume (at a minimum twice the pressure tank size)
- Water quality data (pH, conductivity, temperature, turbidity, and VOCs)
- Well yield testing measurements (as detailed above)
- Photographs
- Observations related to well integrity and/or the condition of the environment surrounding the well

Appendix C

Hydrogeological Review and Aquifer Assessment

Hydrogeologic Review and Aquifer Assessment

Groundwater & Environmental Services, Inc. (GES) reviewed certain information described below to identify potential Inadvertent Return (IR) problem areas. GES assembled information related to certain parameters associated with aquifers to assess the relative risk of IRs at HDDs. Of the 17 counties that the proposed Pennsylvania Pipeline Project (PPP) crosses, GES reviewed HDD profiles and supplemental information for nine of the counties where geologies representative of all HDD crossings were evaluated, which are, from west to east: Washington, Allegheny, Westmoreland, Cumberland, Huntingdon, Lebanon, Lancaster, Chester, and Delaware.

For this assignment, GES reviewed the following information:

- HDD locations from the pipeline map
- Identification of geology (i.e., underlying formation) at each HDD location, including:
 - Soils Types and Thicknesses
 - Bedrock type, thickness
 - Structural features (i.e., faults, dikes)
 - Groundwater depth, yield
 - Topography
- Identification of surface water features and classifications
 - Streams (i.e., High Quality, Exception Value, etc.)
 - Wetlands
- Identification of Water Supplies within 200 feet of the HDDs
 - Private Water Supply Wells and Springs
 - Public Water Supply Well Source Water Protection Areas

Concurrently, GES had conversations with the TetraTech design team members and with the HDD drilling contractor to ascertain the risks of potential IRs in aquifers. GES provided resources consisting of Professional Registered Geologists and geologic specialists to conduct a hydrogeologic review of pertinent project files that were made available to GES, which also included the Water Supply Plan, the Void Mitigation Plan for Karst Terrain and Underground Mining and the HDD Inadvertent Return Assessment, Preparedness, Prevention and Contingency Plan (IR Plan).

Based on previous drilling and installation experience with the ME1 pipeline, the IR risk for many of the HDDs required for the PPP was assigned as “low.” GES recommended that the IR risk be elevated to “medium” in circumstances where HDDs are advanced in karst terrain, through faulted bedrock, and in areas where ME1 experienced problematic IRs. None of the HDDs were assigned a “high” risk for an inadvertent return.

In addition to the planning undertaken to locate and design the HDDs, aquifer resources will be further protected through the implementation of the measures described in the IR Plan, the Water Supply Plan and the Void Mitigation Plan.