



March 1, 2018

Via Electronic and First Class Mail

Dana Drake, P.E.
Environmental Program Manager
Waterway and Wetlands Program
Pennsylvania Department of Environmental Protection
Southwest Regional Office
400 Waterfront Drive
Pittsburgh, PA 15222-4745

**Re: Reevaluation Report
Norfolk Southern Railroad Crossing (S1B-0250)
Permit No. E65-973
Penn Borough, Jeanette, and Hempfield Townships, Westmoreland County**

Dear Ms. Drake:

In compliance with the Corrected Stipulated Order dated August 10, 2017 a Reevaluation Report on the above-referenced horizontal directional drill (“HDD”) was submitted to the Department on November 13, 2017. The Department requested more information on the Reevaluation Report by letter dated December 4, 2017, to which Sunoco Pipeline, LP (SPLP) provided a response on January 2, 2018. SPLP is in receipt of a second letter from the Department dated January 29, 2018 which requests further information and materials. Please accept this letter as a response. Your requests are bolded below followed by the response.

- 1. SPLP indicated in response to Item 1.a. of DEP’s December 4th letter that 10-day notice letters were sent to 58 individual landowners located with 450 feet of the HDD and indicated the letters were previously sent to the Department, and SPLP goes on to state in its response to Item 1.b. that copies of certified mail receipts for letters sent were provided to Karyn Yordy in DEP’s central office. Our information, however, is that copies of the letters were not provided to Ms. Yordy, only copies of the certified mail receipts. Based on the information provided, it is difficult if not impossible for DEP to determine what certified mail receipts correspond to the landowners within 450 feet of the above referenced HDD. In addition, the sample letter submitted with your January 2, 2018 letter redacted the identifying information related to the landowner.**

DEP again requests copies of all letters sent to individual landowners within 450 feet of the HDD. Please provide both a redacted version for posting on DEP’s webpage and an unredacted copy of each letter for our information.

There is no requirement in the Corrected Stipulated Order to provide the Department with copies of the letters sent to landowners within 450 ft of the HDD profile. Instead, paragraph 10 of the Corrected Stipulated Order requires that SPLP provide the Department copies of certified mail receipts, which the Department acknowledges SPLP has done. Nevertheless, for the Department's convenience in this instance, SPLP has included with this response copies of the letters sent to landowners within 450 ft of the HDD profile.

2. **In its response to Item 1.c. of DEP's December 4th letter, SPLP stated that it has confirmed the presence of 7 private water wells, 2 of which are located within 450 feet of the HDD, that 48 landowners receive water supply via a public system, and 67 of the adjacent properties are vacant.**
 - a. **In its response to Item 1.a. SPLP indicated that 58 landowners received 10-day notice letters. Based on the statement in response to Item 1.c., it is unclear how many landowners are within 450 feet of the HDD and if ALL landowners were notified. Please clarify.**

Based on title information obtained by SPLP there are 152 separate land tracts within 450 feet (ft) of the HDD profile. There are 58 individual owners of these 152 tracts, and notification letters were issued to the owner of each tract. Many individuals received multiple letters, one for each distinct property owned.

- b. **Please explain what is meant by the use of the term vacant. Although a residence may be vacant the landowner's water supply still must be protected. Was any attempt made to identify and notify the owners of vacant properties? Please provide both a redacted (landowner information) and an unredacted copy of all letters sent to individual landowners.**

SPLP's use of the word "vacant" means "undeveloped", or lacking any structure that would reasonably be expected to be associated with human habitation or occupation. As noted previously, SPLP has included with this response copies of the letters sent to landowners within 450 ft of the HDD profile.

- c. **Provide the property owners' response to the notifications. Please provide both a redacted (landowner information) and unredacted copy of each response.**

SPLP has not received any written responses to the landowner notification letters. However, SPLP land agents received phone calls from 7 landowners in response to the notification letters. Of those 7 landowners, 3 indicated that they were served by public water. The remaining 4 landowners confirmed the presence of 5 wells on their properties and requested that SPLP test those wells. Two of these wells occur inside the 450 ft buffer to the HDD profile. However,

both wells are located topographically upslope of the north HDD entry/exit location, and are not perpendicular to any point of the HDD underground profile.

- 3. SPLP's response to Item 1.d. of DEP's December 4th letter referred to a water supply illustration, Attachment 2. Based on the illustration, there are a number of parcels identified within 450 feet of the HDD where public water supply was not confirmed and there is no indication of a private water well. Please provide information related to these parcels.**

Notwithstanding SPLP's effort to contact all landowners within 450 ft of the HDD profile, there are four (4) properties with individual residences where SPLP was unable to verify the source of water supply; however, each of these locations adjoins residences where public water supply has been verified. Accordingly, it is reasonable to conclude that these residences are also served by public water.

- 4. In its response to Item 2 of DEP's December 4th letter, SPLP indicated that HDD activities could affect individual well use during active drilling for wells located within 150 linear feet of either side of the profile. SPLP offers no justification of how the 150 linear feet designation was determined. Please provide justification, sealed by a Pennsylvania Professional Geologist, that wells outside of 150 feet of the profile will not be impacted.**

Item 2 of DEP's December 4th letter asked whether SPLP had offered an alternative water supply to all landowners within 450 feet of the ROW. SPLP's January 2 response indicated that alternative water supplies would be offered to landowners within 150 ft of the HDD profile. Since that time, SPLP has authored—and DEP has approved—a new Operations Plan that provides that SPLP will offer all landowners with a private water supply source located within 450 ft of the HDD alignment an alternative temporary water supply. In accordance with the Operations Plan, SPLP has made this offer via letter to the 4 landowners referenced in SPLP's response to Item 2.c.

- 5. In its response to Item 4 of DEP's December 4th letter, SPLP indicates that DEP misunderstood information provided regarding the ME-1, 12-inch line. A comparison of the location of the ME-1, 12-inch line depicted on the profile drawings for the permitted ME-2 profile and redesigned ME-2 profile shows that the ME-1, 12-inch profile is different. Please explain how the profile of an existing line changed. In addition, for the redesigned ME-2 profile, it appears that the ME-2 line overlaps or intersects the ME-1, 12-inch line from Station 6+50 to Station 11+00 and it is not necessarily clear based on the plan view where the ME-1, 12-inch line is located as it is**

not specifically labeled. Please supplement your response to address all of these concerns.

SPLP clearly stated in the Reevaluation report that the design for the S1B-0250 HDD was reviewed by SPLP's drilling specialists, and redesigned to reduce the potential for Inadvertent Returns to occur during the drilling phases. The redesigned HDD profile extends the length of the HDD by 435 ft to the west and increased the depth of cover below Brush Creek by 46 ft.

As a result of these design changes, the profile views show that the orientation of the exiting Mariner I pipeline *relative to the proposed profile for the Mariner II pipeline* has changed. The actual location of the Mariner I pipeline has not changed.

As shown in the plan and profile view, Mariner II pipeline installation will parallel the existing Mariner I pipeline from Station: 0+00 to 21+00. In the plan view the existing Mariner I pipeline is immediately south of the Mariner II design line.

In a letter from the Department, dated February 8, 2018, to the Pennsylvania Public Utilities Commission (PUC), the Department stated a concern based upon their interpreted location of the Mariner I pipeline, in relation to the proposed location of the Mariner II pipeline, prior HDD activity, and public comments conveying the same concern. In response, on February 13, 2018, Matt Matse of the PUC performed a field investigation and data review of the initial pilot hole drilling for the Mariner II pipeline. As a result of that investigation, the PUC inspector has concluded that the ME1 pipeline was not damaged or encroached upon.

SPLP submits that we have been, and are, in complete compliance with the agreed terms and requirements of analysis of the Stipulated Order (Order) dated August 10, 2017, as agreed to by the Department, and that no further analysis is required to consent to the start of this HDD. SPLP therefore requests that the Department approve the Reevaluation Report for the Norfolk Southern Railroad HDD (S1B-0250) as soon as possible.

Sincerely,



Matthew Gordon
Project Director

Attachments:

- 1-Landowner Communications
- 2-Water Supply Illustration

Attachment 1
SPLP Landowner Communications
Reevaluation Report Delivery and Temporary Water Supply Offer



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2900

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax ID #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

A handwritten signature in blue ink, appearing to read "Mark McConnell".

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL

7015 1730 0000 9109 3624

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:

<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell

Land Project Manager

Representing Sunoco Pipeline L.P.

Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL

7015 1730 0000 9109 3723

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]:

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3051

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450





SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3334



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3549



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450





SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3402



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3617

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3709

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3280

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450





SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3457



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3488

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3303

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: [REDACTED]
Tract #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3495

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3044

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: [REDACTED]

[REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2986

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL

7015 1730 0000 9109 3037

████████████████████
Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: ████████████████████

Dear ████████████████████

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3594

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3433

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3068



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3020



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #:

Dear

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2924

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3686



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2955




Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR

Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:



Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:
Tax Parcel ID#:



Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3365

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2962



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR

Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]

Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]
Tract #:	[REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.


Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3341



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.


Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3631



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3372

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3655

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3662



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3648

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3523



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3518



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#:

Dear

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2870

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2979



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #:

Dear

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2887

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

A handwritten signature in black ink, appearing to read "Mark McConnell".

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3419



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450

cc:



BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3730




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3600



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3570

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450






SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2993



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: 
Tax Parcel ID #: 
Tax Parcel ID #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3396

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3471



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#:

Dear

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3358



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3426



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450






SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
70151730 0000 9109 3266



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3532



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2894

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450





SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3259



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450








SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3389



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450








SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 2948



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 
Tract #: 
Tract #: 
Tract #: 
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450









SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3327



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450






SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3006



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID #: 
Tax Parcel ID #: 
Tax Parcel ID #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3297

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL

7015 1730 0000 9109 3273



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3563



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.



Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3501



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.


Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3716



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tract #: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450






November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL

7015 1730 0000 9109 3587



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3440

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: [REDACTED]

Dear [REDACTED]

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE

An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at: <http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3556



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#:

Dear

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.


Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3679



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at: <http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

A handwritten signature in black ink, appearing to read "Mark McConnell".

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

November 14, 2017

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 3464



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling – HDD Reevaluation Report for HDD
No. S1B-0250/PA-WM1-0088.0000-RR
Tax Parcel ID#: 

Dear 

Sunoco Pipeline L.P. (“SPLP”) is writing to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. Pursuant to the terms of a Stipulated Order entered by the Pennsylvania Environmental Hearing Board, SPLP has agreed to perform a reevaluation of this HDD location. The Stipulated Order requires SPLP to send a copy of the enclosed HDD Reevaluation Report to all landowners who have a private water supply/well that is located within 450 feet of the HDD.

If you have a private water supply/well that is located within 450 feet of the HDD No. S1B-0250/PA-WM1-0088.0000-RR, you can submit comments on the enclosed HDD Reevaluation Report to the Pennsylvania Department of Environmental Protection (“PADEP”) within fourteen (14) days of the date of this letter. Comments must be submitted to PADEP at:

Karyn Yordy
Executive Assistant, Office of Programs
Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17101
Email: kyordy@pa.gov
Phone: (717) 772-5906; Fax: (717) 705-4980



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

The Stipulated Order and a copy of the enclosed HDD Reevaluation Report are available for review on the Mariner East 2 Project website maintained by PADEP, which can be accessed at:
<http://www.dep.pa.gov/Business/ProgramIntegration/Pennsylvania-Pipeline-Portal/Pages/Mariner-East-II.aspx>.

Thank you.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4065

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450





SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4072



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: 

Dear 

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.



Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450




SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4089



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: 

Dear 

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.



Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4096



Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #:

Dear

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4102

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4119

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.

In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450



SUNOCO PIPELINE
An ENERGY TRANSFER Partnership

February 9, 2018

BY CERTIFIED AND FIRST CLASS MAIL
7015 1730 0000 9109 4126

[REDACTED]

Re: Mariner East 2 – Pennsylvania Pipeline Project
Horizontal Directional Drilling Construction Notification
and Offer of Alternative Temporary Water Supply
Tax Parcel ID #: [REDACTED]

Dear [REDACTED]

Previously, Sunoco Pipeline L.P. (“SPLP”) wrote to inform you that certain construction activity known as Horizontal Directional Drilling (“HDD”) for Mariner East 2, also known as the Pennsylvania Pipeline Project, is located within 450 feet of your property boundary. In that letter, SPLP offered private water supply/well testing at SPLP’s expense if you have a private water supply/well located within 450 feet of the HDD alignments. If you have not yet requested testing of your qualifying private water supply/well, but now would like SPLP to have your private water supply/well tested, please contact Maria Davis by calling 412-375-2000.


In addition, as part of this construction activity, SPLP is offering landowners with a private water supply/well located within 450 feet of the HDD alignments to be connected to an alternative temporary water supply, such as a water buffalo, that will be installed and maintained at SPLP’s expense for the entire period of HDD operations.

If you would like to be connected to an alternative temporary water supply, please contact Maria Davis by calling 412-375-2000.

Thank you for your cooperation.

Mark McConnell
Land Project Manager
Representing Sunoco Pipeline L.P.
Office: (814) 204-0450

Attachment 2
Water Supply Illustration




GES Well ID	Distance to HDD Perpendicular (Feet)	Distance to HDD Entry/Exit (Feet)	Well Information		
			Reported DTB (Feet)	Reported DTW (Feet)	Reported Pump Depth
DW-11172017-636-01	608	611	20-30	Unknown	NA
WL-11092017-636-02	388	390	183	Unknown	Unknown
WL-11102017-614-02	506	748	75-110	50	Unknown
WL-12052017-610-01	521	60	Unknown	Unknown	Unknown
WL-12062017-618-01	355	355	~150	Unknown	NA

Legend

- LOD
- Parcel
- PPP Centerline
- HDD
- 450 foot buffer of HDD alignment
- Public Water Supply/Landowner Confirmed No Well

****Testing locations current as of 02/26/2018**

- GES Testing Location



Well Location Map
HDD# PA-WM1-0088.0000-RR
Westmoreland County, PA.

Prepared By: TETRA TECH	Date: 3/1/2018
--------------------------	----------------

Base Map: ESRI World Imagery, 09/24/2015
 Coordinate System: NAD 83 Stateplane, PA South, Feet

G:\Support\PA\0088-RR\PA\Westmoreland\WellLocation_PA_WM1_0088_0000.mxd