



10-May-2016

Roger Bellas  
Pennsylvania DEP Bureau of Air Quality  
12th Floor RCSOB  
400 Market Street  
Harrisburg, PA 17105

Tel: (570) 826-2511  
Fax:

Re: Mid Valley School- 4/13/2016

Work Order: **1604621**

Dear Roger,

ALS Environmental received 6 samples on 19-Apr-2016 10:00 AM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested.

QC sample results for this data met laboratory specifications. Any exceptions are noted in the Case Narrative, or noted with qualifiers in the report or QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained from ALS Laboratory Group. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 11.

If you have any questions regarding this report, please feel free to contact me.

Sincerely,

**Rob Nieman**

Electronically approved by: Rob Nieman

Rob Nieman  
Project Manager

ADDRESS 4388 Glendale Milford Rd Cincinnati, Ohio 45242- | PHONE (513) 733-5336 | FAX (513) 733-5347

ALS GROUP USA, CORP. Part of the ALS Group An ALS Limited Company

Environmental 

[www.alsglobal.com](http://www.alsglobal.com)

RIGHT SOLUTIONS RIGHT PARTNER

---

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley School- 4/13/2016  
**Work Order:** 1604621

**Work Order Sample Summary**

---

| <u>Lab Samp ID</u> | <u>Client Sample ID</u> | <u>Matrix</u> | <u>Tag Number</u> | <u>Collection Date</u> | <u>Date Received</u> | <u>Hold</u>              |
|--------------------|-------------------------|---------------|-------------------|------------------------|----------------------|--------------------------|
| 1604621-01         | MVH041316-1 / Red       | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |
| 1604621-02         | MVH041316-2 / Blue      | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |
| 1604621-03         | MVH041316-3 / Green     | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |
| 1604621-04         | MVH041316-4 / Orange    | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |
| 1604621-05         | MVH041316-5 / Yellow    | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |
| 1604621-06         | MVH041316-Summa         | Air           |                   | 4/13/2016 10:16        | 4/19/2016 10:00      | <input type="checkbox"/> |

**ALS Environmental**

Date: 10-May-16

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley School- 4/13/2016

**Work Order:** 1604621**Analytical Results**

**Lab ID:** 1604621-01A  
**Client Sample ID:** MVH041316-1 / Red

**Collection Date:** 4/13/2016 10:16:00 AM  
**Matrix:** AIR

**Analyses**

| <b>AMMONIA BY NIOSH 6015 MOD.</b> |           | Method: <b>N6015</b> | Air Volume (L): <b>95.341</b> | Analyst: <b>ALST</b> |
|-----------------------------------|-----------|----------------------|-------------------------------|----------------------|
| Date Analyzed: 4/23/2016          |           | Reporting Limit      |                               |                      |
|                                   | µg/sample | µg/sample            | ug/m3                         | ppb                  |
| Ammonia                           | ND        | 1.2                  | <13                           | <18                  |

**Lab ID:** 1604621-02A  
**Client Sample ID:** MVH041316-2 / Blue

**Collection Date:** 4/13/2016 10:16:00 AM  
**Matrix:** AIR

**Analyses**

| <b>ALDEHYDES BY HPLC</b>       |             | Method: <b>ETO-11</b> | Air Volume (L): <b>213.45</b> | Analyst: <b>JMB</b> |
|--------------------------------|-------------|-----------------------|-------------------------------|---------------------|
| Date Analyzed: 4/20/2016 11:04 |             | Reporting Limit       |                               |                     |
|                                | µg/sample   | µg/sample             | ug/m3                         | ppb                 |
| Acetaldehyde                   | ND          | 0.20                  | <0.94                         | <0.52               |
| <b>Acrolein</b>                | <b>0.59</b> | <b>0.20</b>           | <b>2.8</b>                    | <b>1.2</b>          |
| Formaldehyde                   | ND          | 0.20                  | <0.94                         | <0.76               |

**Lab ID:** 1604621-03A  
**Client Sample ID:** MVH041316-3 / Green

**Collection Date:** 4/13/2016 10:16:00 AM  
**Matrix:** AIR

**Analyses**

| <b>METHANOL BY NIOSH 2000 MOD.</b> |           | Method: <b>N2000</b> | Air Volume (L): <b>7.115</b> | Analyst: <b>MHW</b> |
|------------------------------------|-----------|----------------------|------------------------------|---------------------|
| Date Analyzed: 4/26/2016           |           | Reporting Limit      |                              |                     |
|                                    | µg/sample | µg/sample            | ug/m3                        | ppb                 |
| Methanol                           | ND        | 10                   | <1,400                       | <1,100              |

**Lab ID:** 1604621-04A  
**Client Sample ID:** MVH041316-4 / Orange

**Collection Date:** 4/13/2016 10:16:00 AM  
**Matrix:** AIR

**Analyses**

| <b>METHYLAMINE BY OSHA 40</b> |           | Method: <b>O40</b> | Air Volume (L): <b>21.345</b> | Analyst: <b>MHW</b> |
|-------------------------------|-----------|--------------------|-------------------------------|---------------------|
| Date Analyzed: 5/4/2016 21:39 |           | Reporting Limit    |                               |                     |
|                               | µg/sample | µg/sample          | ug/m3                         | ppb                 |
| Methylamine                   | ND        | 3.0                | <140                          | <110                |

**Note:**

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley School- 4/13/2016

**Work Order:** 1604621

**Analytical Results**

**Lab ID:** 1604621-05A  
**Client Sample ID:** MVH041316-5 / Yellow

**Collection Date:** 4/13/2016 10:16:00 AM  
**Matrix:** AIR

**Analyses**

| <b>AMINE(S) BY OSHA PV2060 MOD.</b> |           | Method: <b>O2060</b> | Air Volume (L): <b>21.345</b> | Analyst: <b>MHW</b> |
|-------------------------------------|-----------|----------------------|-------------------------------|---------------------|
| Date Analyzed: 4/25/2016            |           | Reporting Limit      |                               |                     |
|                                     | µg/sample | µg/sample            | ug/m3                         | ppb                 |
| Triethylamine                       | ND        | 10                   | <470                          | <110                |

**Note:**

ALS Environmental

Date: 10-May-16

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Work Order:** 1604621  
**Project:** Mid Valley School- 4/13/2016

**QC BATCH REPORT**

Batch ID: **35446** Instrument ID: **GC5** Method: **O2060**

|             |                                    |     |         |                         |      |                                 |               |              |           |      |
|-------------|------------------------------------|-----|---------|-------------------------|------|---------------------------------|---------------|--------------|-----------|------|
| <b>MBLK</b> | Sample ID: <b>MBLK-35446-35446</b> |     |         | Units: <b>µg/sample</b> |      | Analysis Date: <b>4/25/2016</b> |               |              |           |      |
| Client ID:  | Run ID: <b>GC5_160425A</b>         |     |         | SeqNo: <b>1267616</b>   |      | Prep Date: <b>4/25/2016</b>     |               | DF: <b>1</b> |           |      |
| Analyte     | Result                             | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit                   | RPD Ref Value | %RPD         | RPD Limit | Qual |

Triethylamine ND 10

|            |                                   |     |         |                         |      |                                 |               |              |           |      |
|------------|-----------------------------------|-----|---------|-------------------------|------|---------------------------------|---------------|--------------|-----------|------|
| <b>LCS</b> | Sample ID: <b>LCS-35446-35446</b> |     |         | Units: <b>µg/sample</b> |      | Analysis Date: <b>4/25/2016</b> |               |              |           |      |
| Client ID: | Run ID: <b>GC5_160425A</b>        |     |         | SeqNo: <b>1267617</b>   |      | Prep Date: <b>4/25/2016</b>     |               | DF: <b>1</b> |           |      |
| Analyte    | Result                            | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit                   | RPD Ref Value | %RPD         | RPD Limit | Qual |

Triethylamine 92.57 10 90.75 0 102 70-130 0

|             |                                    |     |         |                         |      |                                 |               |              |           |      |
|-------------|------------------------------------|-----|---------|-------------------------|------|---------------------------------|---------------|--------------|-----------|------|
| <b>LCSD</b> | Sample ID: <b>LCSD-35446-35446</b> |     |         | Units: <b>µg/sample</b> |      | Analysis Date: <b>4/25/2016</b> |               |              |           |      |
| Client ID:  | Run ID: <b>GC5_160425A</b>         |     |         | SeqNo: <b>1267636</b>   |      | Prep Date: <b>4/25/2016</b>     |               | DF: <b>1</b> |           |      |
| Analyte     | Result                             | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit                   | RPD Ref Value | %RPD         | RPD Limit | Qual |

Triethylamine 78.96 10 90.75 0 87 70-130 92.57 15.9 20

The following samples were analyzed in this batch: 1604621-05A

**Note:** See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pennsylvania DEP Bureau of Air Quality

# QC BATCH REPORT

Work Order: 1604621

Project: Mid Valley School- 4/13/2016

Batch ID: 35466

Instrument ID: GC1

Method: N2000

|             |                                    |     |         |                         |      |               |                                 |      |              |      |
|-------------|------------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|--------------|------|
| <b>MBLK</b> | Sample ID: <b>MBLK-35466-35466</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/26/2016</b> |      |              |      |
| Client ID:  | Run ID: <b>GC1_160426A</b>         |     |         | SeqNo: <b>1268968</b>   |      |               | Prep Date: <b>4/26/2016</b>     |      | DF: <b>1</b> |      |
| Analyte     | Result                             | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit    | Qual |

Methanol ND 10

|            |                                   |     |         |                         |      |               |                                 |      |              |      |
|------------|-----------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|--------------|------|
| <b>LCS</b> | Sample ID: <b>LCS-35466-35466</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/26/2016</b> |      |              |      |
| Client ID: | Run ID: <b>GC1_160426A</b>        |     |         | SeqNo: <b>1268969</b>   |      |               | Prep Date: <b>4/26/2016</b>     |      | DF: <b>1</b> |      |
| Analyte    | Result                            | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit    | Qual |

Methanol 87.03 10 79.1 0 110 64.1-145 0

|             |                                    |     |         |                         |      |               |                                 |      |              |      |
|-------------|------------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|--------------|------|
| <b>LCSD</b> | Sample ID: <b>LCSD-35466-35466</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/26/2016</b> |      |              |      |
| Client ID:  | Run ID: <b>GC1_160426A</b>         |     |         | SeqNo: <b>1268988</b>   |      |               | Prep Date: <b>4/26/2016</b>     |      | DF: <b>1</b> |      |
| Analyte     | Result                             | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit    | Qual |

Methanol 88.32 10 79.1 0 112 64.1-145 87.03 1.47 20

The following samples were analyzed in this batch:

1604621-03A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pennsylvania DEP Bureau of Air Quality  
 Work Order: 1604621  
 Project: Mid Valley School- 4/13/2016

# QC BATCH REPORT

Batch ID: 35337 Instrument ID: HPLC2 Method: ETO-11

| MBLK         |        | Sample ID: MBLK-35337-35337 |         |               | Units: µg/sample |               | Analysis Date: 4/20/2016 11:04 AM |      |           |      |
|--------------|--------|-----------------------------|---------|---------------|------------------|---------------|-----------------------------------|------|-----------|------|
| Client ID:   |        | Run ID: HPLC2_160420B       |         |               | SeqNo: 1265970   |               | Prep Date: 4/20/2016              |      | DF: 1     |      |
| Analyte      | Result | PQL                         | SPK Val | SPK Ref Value | %REC             | Control Limit | RPD Ref Value                     | %RPD | RPD Limit | Qual |
| Acetaldehyde | ND     | 0.20                        |         |               |                  |               |                                   |      |           |      |
| Formaldehyde | ND     | 0.20                        |         |               |                  |               |                                   |      |           |      |

| LCS          |        | Sample ID: LCS-35337-35337 |         |               | Units: µg/sample |               | Analysis Date: 4/20/2016 11:04 AM |      |           |      |
|--------------|--------|----------------------------|---------|---------------|------------------|---------------|-----------------------------------|------|-----------|------|
| Client ID:   |        | Run ID: HPLC2_160420B      |         |               | SeqNo: 1265971   |               | Prep Date: 4/20/2016              |      | DF: 1     |      |
| Analyte      | Result | PQL                        | SPK Val | SPK Ref Value | %REC             | Control Limit | RPD Ref Value                     | %RPD | RPD Limit | Qual |
| Acetaldehyde | 1.296  | 0.20                       | 2       | 0             | 64.8             | 61.5-120      | 0                                 |      |           |      |
| Formaldehyde | 2.106  | 0.20                       | 2       | 0             | 105              | 70-130        | 0                                 |      |           |      |

| LCSD         |        | Sample ID: LCSD-35337-35337 |         |               | Units: µg/sample |               | Analysis Date: 4/20/2016 11:04 AM |       |           |      |
|--------------|--------|-----------------------------|---------|---------------|------------------|---------------|-----------------------------------|-------|-----------|------|
| Client ID:   |        | Run ID: HPLC2_160420B       |         |               | SeqNo: 1265986   |               | Prep Date: 4/20/2016              |       | DF: 1     |      |
| Analyte      | Result | PQL                         | SPK Val | SPK Ref Value | %REC             | Control Limit | RPD Ref Value                     | %RPD  | RPD Limit | Qual |
| Acetaldehyde | 1.292  | 0.20                        | 2       | 0             | 64.6             | 61.5-120      | 1.296                             | 0.317 | 20        |      |
| Formaldehyde | 2.067  | 0.20                        | 2       | 0             | 103              | 70-130        | 2.106                             | 1.83  | 20        |      |

The following samples were analyzed in this batch:

1604621-02A

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Work Order:** 1604621  
**Project:** Mid Valley School- 4/13/2016

# QC BATCH REPORT

Batch ID: **R128610** Instrument ID: **HPLC1** Method: **O40**

| MBLK       |        | Sample ID: <b>MB-R128610-R128610</b> |         |               | Units: <b>µg/sample</b> |               |               | Analysis Date: <b>5/4/2016 09:39 PM</b> |           |              |
|------------|--------|--------------------------------------|---------|---------------|-------------------------|---------------|---------------|---|-----------|--------------|
| Client ID: |        | Run ID: <b>HPLC1_160504A</b>         |         |               | SeqNo: <b>1275560</b>   |               |               | Prep Date:                              |           | DF: <b>1</b> |
| Analyte    | Result | PQL                                  | SPK Val | SPK Ref Value | %REC                    | Control Limit | RPD Ref Value | %RPD                                    | RPD Limit | Qual         |

Methylamine ND 3.0

| LCS        |        | Sample ID: <b>LCS-R128610-R128610</b> |         |               | Units: <b>µg/sample</b> |               |               | Analysis Date: <b>5/4/2016 09:39 PM</b> |           |              |
|------------|--------|---------------------------------------|---------|---------------|-------------------------|---------------|---------------|---|-----------|--------------|
| Client ID: |        | Run ID: <b>HPLC1_160504A</b>          |         |               | SeqNo: <b>1275561</b>   |               |               | Prep Date:                              |           | DF: <b>1</b> |
| Analyte    | Result | PQL                                   | SPK Val | SPK Ref Value | %REC                    | Control Limit | RPD Ref Value | %RPD                                    | RPD Limit | Qual         |

Methylamine 7.601 3.0 9.175 0 82.8 9.88-161 0

| LCSD       |        | Sample ID: <b>LCSD-R128610-R128610</b> |         |               | Units: <b>µg/sample</b> |               |               | Analysis Date: <b>5/4/2016 09:39 PM</b> |           |              |
|------------|--------|--|---------|---------------|-------------------------|---------------|---------------|---|-----------|--------------|
| Client ID: |        | Run ID: <b>HPLC1_160504A</b>           |         |               | SeqNo: <b>1275562</b>   |               |               | Prep Date:                              |           | DF: <b>1</b> |
| Analyte    | Result | PQL                                    | SPK Val | SPK Ref Value | %REC                    | Control Limit | RPD Ref Value | %RPD                                    | RPD Limit | Qual         |

Methylamine 10.22 3.0 9.175 0 111 9.88-161 7.601 29.3 20 R

The following samples were analyzed in this batch:



Client: Pennsylvania DEP Bureau of Air Quality

# QC BATCH REPORT

Work Order: 1604621

Project: Mid Valley School- 4/13/2016

Batch ID: **R128209**

Instrument ID: **SUB**

Method: **N6015**

|             |                                      |     |         |                         |      |               |                                 |      |           |      |
|-------------|--------------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|-----------|------|
| <b>MBLK</b> | Sample ID: <b>MB-R128209-R128209</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/23/2016</b> |      |           |      |
| Client ID:  | Run ID: <b>SUB_160423A</b>           |     |         | SeqNo: <b>1267545</b>   |      |               | Prep Date: DF: <b>1</b>         |      |           |      |
| Analyte     | Result                               | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit | Qual |
| Ammonia     | ND                                   | 1.2 |         |                         |      |               |                                 |      |           |      |

|            |                                       |     |         |                         |      |               |                                 |      |           |      |
|------------|---------------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|-----------|------|
| <b>LCS</b> | Sample ID: <b>LCS-R128209-R128209</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/23/2016</b> |      |           |      |
| Client ID: | Run ID: <b>SUB_160423A</b>            |     |         | SeqNo: <b>1267546</b>   |      |               | Prep Date: DF: <b>1</b>         |      |           |      |
| Analyte    | Result                                | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit | Qual |
| Ammonia    | 22.1                                  | 1.2 | 24.3    | 0                       | 90.9 | 74.3-115.2    | 0                               |      |           |      |

|             |                                |     |         |                         |      |               |                                 |      |           |      |
|-------------|--------------------------------|-----|---------|-------------------------|------|---------------|---------------------------------|------|-----------|------|
| <b>LCSD</b> | Sample ID: <b>LCSD-R128209</b> |     |         | Units: <b>µg/sample</b> |      |               | Analysis Date: <b>4/23/2016</b> |      |           |      |
| Client ID:  | Run ID: <b>SUB_160423A</b>     |     |         | SeqNo: <b>1267561</b>   |      |               | Prep Date: DF: <b>1</b>         |      |           |      |
| Analyte     | Result                         | PQL | SPK Val | SPK Ref Value           | %REC | Control Limit | RPD Ref Value                   | %RPD | RPD Limit | Qual |
| Ammonia     | 22.6                           | 1.2 | 24.3    | 0                       | 93   | 74.3-115.2    | 22.1                            | 2.24 | 20        |      |

The following samples were analyzed in this batch:

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

**Client:** Pennsylvania DEP Bureau of Air Quality  
**Project:** Mid Valley School- 4/13/2016  
**WorkOrder:** 1604621

**QUALIFIERS,  
ACRONYMS, UNITS**

| <u>Qualifier</u> | <u>Description</u>  |
|------------------|---|
| *                | Value exceeds Regulatory Limit  |
| a                | Not accredited  |
| B                | Analyte detected in the associated Method Blank above the Reporting Limit |
| E                | Value above quantitation range  |
| H                | Analyzed outside of Holding Time  |
| J                | Analyte detected below quantitation limit                                 |
| n                | Not offered for accreditation   |
| ND               | Not Detected at the Reporting Limit                                       |
| O                | Sample amount is > 4 times amount spiked                                  |
| P                | Dual Column results percent difference > 40%                              |
| R                | RPD above laboratory control limit  |
| S                | Spike Recovery outside laboratory control limits                          |
| U                | Analyzed but not detected above the MDL                                   |

| <u>Acronym</u> | <u>Description</u>                  |
|----------------|-------------------------------------|
| DUP            | Method Duplicate                    |
| E              | EPA Method                          |
| LCS            | Laboratory Control Sample           |
| LCSD           | Laboratory Control Sample Duplicate |
| MBLK           | Method Blank                        |
| MDL            | Method Detection Limit              |
| MQL            | Method Quantitation Limit           |
| MS             | Matrix Spike                        |
| MSD            | Matrix Spike Duplicate              |
| PDS            | Post Digestion Spike                |
| PQL            | Practical Quantitation Limit        |
| SDL            | Sample Detection Limit              |
| SW             | SW-846 Method                       |

| <u>Units Reported</u> | <u>Description</u> |
|-----------------------|--------------------|
| µg/sample             |                    |
| ppbv                  |                    |
| ppm                   |                    |

Sample Receipt Checklist

Client Name: PADEP-HARRISBURG

Date/Time Received: 19-Apr-16 10:00

Work Order: 1604621

Received by: SNH

Checklist completed by: Stephanie Harrington 19-Apr-16
eSignature Date

Reviewed by: Rob Nieman 21-Apr-16
eSignature Date

Matrices:

Carrier name: FedEx

- Shipping container/cooler in good condition? Yes [checked] No [ ] Not Present [ ]
Custody seals intact on shipping container/cooler? Yes [ ] No [ ] Not Present [checked]
Custody seals intact on sample bottles? Yes [checked] No [ ] Not Present [ ]
Chain of custody present? Yes [checked] No [ ]
Chain of custody signed when relinquished and received? Yes [checked] No [ ]
Chain of custody agrees with sample labels? Yes [checked] No [ ]
Samples in proper container/bottle? Yes [checked] No [ ]
Sample containers intact? Yes [checked] No [ ]
Sufficient sample volume for indicated test? Yes [checked] No [ ]
All samples received within holding time? Yes [checked] No [ ]
Container/Temp Blank temperature in compliance? Yes [ ] No [checked]

Temperature(s)/Thermometer(s): 10.5

Cooler(s)/Kit(s):


Water - VOA vials have zero headspace? Yes [ ] No [ ] No VOA vials submitted [checked]

Water - pH acceptable upon receipt? Yes [ ] No [ ] N/A [checked]

pH adjusted? Yes [ ] No [ ] N/A [checked]

pH adjusted by:

Login Notes:



Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction: