

Application



Pennsylvania
Department of
Environmental Protection

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF CLEAN WATER

**NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
INDIVIDUAL PERMIT FOR DISCHARGES OF
STORMWATER ASSOCIATED WITH CONSTRUCTION ACTIVITIES
APPLICATION**

DEP / CCD USE ONLY	
Date Received: _____	Permit ID: _____
Date Determined Complete: _____	Date of: <input type="checkbox"/> Return <input type="checkbox"/> Withdrawal <input type="checkbox"/> Denial
Draft Permit Issued Date: _____	
Issuance Date: _____	Date Resubmission Received: _____
Effective Date: _____	Expiration Date: _____
GENERAL INFORMATION	
1. Applicant Name(s):	Homer City Generation, L.P.
2. <input type="checkbox"/> There are co-applicants	<i>(If checked, attach a separate certification for each co-applicant)</i>
3. Applicant Type:	a. <input type="checkbox"/> Individual b. <input type="checkbox"/> Non-Government
	c. <input checked="" type="checkbox"/> Private Business <i>(Attach documentation identifying the names of each current owner, member, etc.)</i>
	Structure: <input type="checkbox"/> LLC <input type="checkbox"/> SP <input checked="" type="checkbox"/> Partnership <input type="checkbox"/> Corporation <input type="checkbox"/> Other: _____
	<input type="checkbox"/> Registered with PA Department of State File No.: _____
	d. <input type="checkbox"/> Government <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> County <input type="checkbox"/> Municipal <input type="checkbox"/> School District
4. Application Type:	<input checked="" type="checkbox"/> New <input type="checkbox"/> Renewal <input type="checkbox"/> Major Amendment <input type="checkbox"/> Minor Amendment
	Permit No.: PA
5. Project Type:	<input type="checkbox"/> Residential <input type="checkbox"/> Commercial <input type="checkbox"/> Industrial <input type="checkbox"/> Agricultural <input checked="" type="checkbox"/> Utilities
	<input type="checkbox"/> Roadways <input type="checkbox"/> Redevelopment <input type="checkbox"/> Site Restoration <input type="checkbox"/> Other
6. Project Site Name:	HCPP Pipeline
7. Primary NAICS Code:	221210
8. Project Description:	<p>Homer City Generation, L.P. proposes to construct approximately 5.8 miles of one (1) 30-inch steel gas distribution pipeline and approximately 0.4 miles of one (1) overhead power line within a 70-foot to 125-foot wide limit of disturbance, as well as temporary workspace areas to support construction. This project will also consist of the construction of an approximately 0.9-acre permanent gravel Metering and Regulation (M&R) and Interconnect Facility with associated permanent gravel access roads, a 900 square foot (sf) gravel pad and associated access road for an electric tap and PCSM Stormwater Control Measures.</p> <p>The proposed project begins in Burrell Township, Indiana County approximately 1.6 miles northwest of the intersection of State Route (S.R.) 119 and State Route (S.R.) 22 at the proposed M&R and Interconnect Facility. The M&R and Interconnect Facility is located off an existing third-party gravel access road that connects to Campbells Mill Rd (S.R. 3011) in Burrell Township, Indiana County, Pennsylvania. From the M&R and Interconnect Facility, one (1) 30-inch steel gas distribution pipeline will traverse in a northerly direction for approximately 5.8 miles, ending at the proposed redeveloped Homer City Generating Station located in Center Township, Indiana County, Pennsylvania. The pipeline will cross Falling Run Road (Twp 449), McConnell Road (Twp 592), Blacklick Road (S.R. 3013), Dickey Road (Twp 455), and Power Plant Road (Twp 680). The electric power tap site is located off of Country Lane Road (Twp 442). From the electric power tap, an overhead electric line will traverse in a northerly direction for approximately 0.4 mile, ending at the M&R and Interconnect Facility.</p>

9.	<input type="checkbox"/> Common Plan of Development or Sale	No. phases:	No. phases complete:
10.	Anticipated Earth Disturbance Start Date: June 2026	Earth Disturbance End Date:	August 2027
11.	<input checked="" type="checkbox"/> Stormwater will be discharged to Impaired Waters or Special Protection Waters (Module 3 is attached)		
12.	<input type="checkbox"/> The project site is within 150 feet of Special Protection Waters (Module 4 is attached)		

EXISTING PERMITS			
Type of Permit	Permit No.	Date Issued	Issued By

PROJECT SITE AND EARTH DISTURBANCE INFORMATION							
			Project Site		Earth Disturbance		
1. Total Area (acres):			101.8				101.8
2. Pre-Construction Impervious Area (acres):			4.50				4.50
3. Post-Construction Impervious Area (acres):			5.55				5.55
4. Project Site Pre-Construction Land Uses:			5. Project Site Post-Construction Land Uses:				
Land Use	% of Total			Land Use	% of Total		
Agricultural	77.5			Agricultural	77.5		
Industrial	5.3			Industrial	11.3		
Wooded	17.2			Wooded	1.0		
				Meadow ROW	10.2		
6. Number of proposed lots or parcels comprising the project site:			N/A				
7. Number of proposed lots or parcels within the project site that are expected to be sold prior to project completion:			0				
8. Number of proposed lots or parcels within the project site with PCSM SCMs that are expected to be sold prior to project completion:			0				
<p>NOTE – Permittees are required to provide a copy of the long-term O&M Plan and record drawings or equivalent to new owners of properties containing PCSM SCMs; complete the New Property Owner Notification form (3800-FM-BCW0271i) and provide it to the new property owner; and submit the New Property Owner Notification form to DEP/CCD within 30 days of the date of transfer of a property.</p>							
9. County Name	Municipality Name		City	Boro	Twp	State	
Indiana	Burrell, Black Lick, Center		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	PA	
10. County Name	Municipality Name		City	Boro	Twp	State	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	PA	
11. Site Location Address	Linear Project - See Site Location Map						
12. Site Location City, State, ZIP	Blairsville, PA 15717						
13. Report latitude and longitude at the center of the proposed disturbed area (decimal degrees).	Latitude: 40.483444 Longitude: -79.219061						
14. Horizontal Reference Datum:	<input type="checkbox"/> NAD of 1927		<input checked="" type="checkbox"/> NAD of 1983		<input type="checkbox"/> WGS of 1984 <input type="checkbox"/> Other _____		
15. There will be off-site construction support activities.	<input type="checkbox"/> Yes		<input checked="" type="checkbox"/> No				
16. If Yes to #15, identify the nature of known off-site support activities whose disturbance is included in #1, above:							
Description of Off-Site Support Activity	Distance from Site		Disturbance Area				
	mi		acres				
	mi		acres				
17. Identify any other off-site support activities whose disturbance is not included in #1, above (see instructions).							
Description of Off-Site Support Activity	Distance from Site		Disturbance Area				
	mi		acres				
	mi		acres				

PROJECT SITE AND EARTH DISTURBANCE INFORMATION	
18. Check the appropriate box concerning fill material (see instructions):	
<input type="checkbox"/> No fill material is expected to be imported to the project site.	
<input checked="" type="checkbox"/> It is expected that fill will be needed for this project. The source of fill has not yet been determined but will undergo environmental due diligence when identified.	
<input type="checkbox"/> It is expected that fill will be needed for this project. The applicant has identified the source of the fill and has determined the material to be clean fill. DEP's online Certification of Clean Fill form has been submitted.	
<input type="checkbox"/> It is expected that fill will be needed for this project, which is located on a site that is being remediated to Act 2 standards and will be utilized in accordance with DEP standards under that program.	
<input type="checkbox"/> It is expected that fill will be needed for this project. The applicant has identified the source of the fill and has determined it to be regulated fill. The regulated fill is authorized on the project site under a Waste Management General Permit No. WMGR096 authorization dated: _____.	
<input type="checkbox"/> It is expected that fill will be needed for this project, which is not on an Act 2 site. The applicant has identified the fill and has determined that it does not meet criteria for clean fill. The applicant is seeking authorization to use the regulated fill from DEP's Waste Management Program.	
19. <input type="checkbox"/> An Environmental Site Assessment (ESA) has been completed	<input type="checkbox"/> Soil samples have been analyzed
20. The site is currently or was previously enrolled in DEP's Act 2 Program.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
21. Act 2 cleanup standards have been met.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
22. Is Act 537 sewage planning approval needed for this project?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach approval letter if available)
23. Is a Chapter 105 permit or authorization required?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
24. If Yes to #23, identify the necessary authorization.	<input type="checkbox"/> Joint Permit <input checked="" type="checkbox"/> General Permit <input type="checkbox"/> Waiver
25. If Yes to #23, report the disturbed area not subject to NPDES permit requirements (acres):	0.0
26. Other DEP/CCD permits or authorizations are required.	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
27. If Yes, identify the necessary authorizations.	
COMPLIANCE HISTORY	
Was/Is the applicant, facility owner or operator in violation of any DEP regulation, permit, order, or schedule of compliance at this or any other facility or project site within the past five (5) years? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If "Yes," list each permit, order or schedule of compliance and provide current compliance status. Use additional sheets to provide information on all permits.	
Permit Program: See Attached	Permit No.:
Brief Description of Non-Compliance:	
Steps Taken to Achieve Compliance	Date(s) Compliance Achieved
Current Compliance Status: <input checked="" type="checkbox"/> In Compliance <input type="checkbox"/> In Non-Compliance	

STORMWATER DISCHARGE INFORMATION

1. List all stormwater discharge points (DPs) during construction and provide the information requested below (see instructions). Chesapeake Bay

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired ?	TMDL?
CFSD1	40°27'45.99"	-79°14'32.46"	Stream 6	CWF	195 ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
CFSD2	40°27'44.58"	-79°14'29.08"	Stream 6	CWF	140 ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. List all stormwater DPs after construction and stabilization are complete and provide the information requested below.

DP ID	Latitude	Longitude	Name of Receiving Waters	Ch. 93	Distance to Waters	EP Analysis	Impaired ?	TMDL?
001	40°27'24.91"	-79°14'43.74"	Stream 4	CWF	210 ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
003	40°27'22.19"	-79°14'40.00"	Stream 3	CWF	87 ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
004	40°27'06.41"	-79°14'37.56"	Stream 46	CWF	470 ft	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
				CWF	ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
					ft	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

3. Stormwater will be managed using non-discharge alternative(s) ABACT BMPs/SCMs for stormwater discharges during and following construction.

4. Will any of the points identified above discharge to a sewer system? Yes No Is the sewer an MS4 or CSS? Yes No
Name of storm sewer owner/operator: Will there be an increase in rate, volume or WQ? Yes No

5. Identify and describe all non-stormwater discharges that are expected to occur during permit coverage. Describe the frequency and volume of all such discharges.

No non-stormwater discharges are anticipated.

6. Will stormwater flow off the project site through properties owned by others prior to reaching a surface water or storm sewer during or following construction? Yes No

If Yes to #6, has an easement been obtained? Yes No

NOTE – The applicant is expected to: 1) secure legal authority for discharges on or through property not owned by the applicant; 2) provide for adequate E&S controls and a stable conveyance as necessary to prevent accelerated erosion; and 3) complete an EP Analysis when necessary according to the Instructions.

APPLICANT CERTIFICATION

I certify under penalty of law that this application and all related attachments were prepared by me or under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my own knowledge and on inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. The responsible official's signature also verifies that BMPs, SCMs, E&S Plan, PPC Plan, PCSM Plan, and other controls will be implemented to ensure that water quality standards and effluent limits are attained and that I will submit a Notice of Termination (NOT) to DEP/CCD upon final stabilization of the project site if I am the permittee or co-permittee at that time. I grant permission to DEP/CCD and EPA to enter the project site for inspection purposes. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment or both for knowing violations pursuant to Section 309(c)(4) of the Clean Water Act and 18 Pa. C.S.A. § 4904.

For applicants that are individuals or sole proprietors, check the box below and proceed to the signature section.

Individual / Sole Proprietor

For all other applicants, select the applicable box after reviewing the certification below.

I hereby certify that I am the signatory pursuant to 25 Pa, Code § 92a.22 and 40 CFR § 122.22 and that I am the person who is responsible for decision-making regarding environmental compliance functions for the entity named below, the manager of one or more manufacturing, production, or operating facilities of the applicant and am authorized to make management decisions which govern the operation of regulated facility including having explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure the applicant's long-term environmental compliance with environmental laws and regulations, and I am responsible for ensuring that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements.

Corporation/Company: I am the Responsible Corporate Officer President Vice President
 Secretary Treasurer Other: _____ for _____

LLC: I am a person either holding a position designated or individually listed on a "Certificate of Limited Liability Company Authority" filed with the Pennsylvania Department of State as a position/person with the authority to bind the company OR the person listed in the LLC's most current and active operating agreement as having the authority to bind the company. **Attach the applicable "Certificate of Limited Liability Company Authority" or operating agreement.** If the operating agreement is attached, identify the page and paragraph containing the applicable information.


Partnership: I am a general partner of _____
 Partnership LP LLP

Government: I am the principal executive officer or ranking elected official of _____
 Federal State Municipal Other

Power of Attorney / delegation of contractual authority (documentation supporting delegation of contracting authority must be provided) for Homer City Generation, L.P.

Joel S. Heiser
Name (type or print legibly)

General Counsel & Secretary
Title


Signature

September 24, 2025
Date Signed

HCG GP LLC
Delegation of Authority

September 9, 2025

I, Corey Hessen, Chief Executive Officer of HCG GP LLC, the general partner of Homer City Generation L.P., the owner of the Homer City Generating Station, hereby revoke any prior Delegation of Authority and designate each of the following individuals as an Authorized Individual with the authority to execute and deliver, for and on behalf of Homer City Generation L.P., such submissions, filings, and other reports to governmental and regulatory agencies as may be required by such agencies and are reasonably deemed necessary or appropriate by such Authorized Individual in the context of the management of the Homer City Generating Station by HCG GP LLC. For the avoidance of doubt, the revocation of any prior Delegation of Authority shall not impact any submissions, filings, and other reports to governmental and regulatory agencies made prior to the date set forth above (the "Effective Date") by any prior Authorized Individual, and I hereby ratify and affirm any such filings made by any prior Authorized Individual prior to the Effective Date.

The following Authorized Individuals are authorized to take any and all actions as such individual or individuals may reasonably deem necessary and appropriate therewith:

Joel S. Heiser
General Counsel and Secretary
HCG GP LLC

Adam P. Ritts
Manager, Health & Safety
HCG GP LLC

Ryan J. Day
Manager, Environmental
HCG GP LLC

This designation of Authorized Individuals shall be filed with the official records of Homer City Generation L.P. and is executed and effective as of the Effective Date with respect to each of such individuals until December 31, 2026, or until sooner revoked with respect to any or all such individuals by HCG GP LLC.

HCG GP LLC,
a Delaware limited liability company

By:  _____
Corey Hessen, Chief Executive Officer

COMPLIANCE HISTORY

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
10/1/2012	Homer City	Solid Waste (Permit No. 300491)	Homer City Generation	PADEP	Consent Order	Timing of Bonding	Completed (Bond posted per Order)	No Penalty
12/14/2012 (originally issued on 6/1/2006)	Homer City (Dixon Run)	Coal Mining Activity Permit No. 32031701	Homer City Generation	PADEP	Consent Order	No violation – provides for continued operation of mine water treatment system	Active	No Penalty
12/14/2012-12-31/2012	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Late submittal of compliance certification to PADEP		No Penalty
7/25/2013	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	NOV (issued 1/7/2014)	Spill of flue gas desulfurization scrubber water		No Penalty
Various days in 2013 identified in 25 Pa. Code Ch. 139 reports	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Minor, short duration opacity exceedances – Units 1 and 2		No Penalty

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
1/1/2014	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Exceedance of effluent limitation for selenium at Outfall 027		No Penalty
3/2/2014	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Opacity exceedance at Unit 1	Consent Assessment of Civil Penalty	\$2,291
Various days in 2014 identified in 25 Pa. Code Ch. 139 reports	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Minor, short duration opacity exceedances – Units 1 and 2		No Penalty
3/14/2015	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Discharge of stormwater (overflow of coal yard containment structures)		No Penalty
Various days in 2015 identified in 25 Pa. Code Ch. 139 reports	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Minor, short duration opacity exceedances – Units 1 and 2		No Penalty

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
Various dates between 8/18/2015 and 9/10/2016	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Consent Order	Exceedance of effluent limitations for aluminum, iron or manganese at stormwater Outfalls 013, 026 and 029 (44 exceedances)	Active	\$34,562 plus stipulated penalties
Various dates between 9/11/2016 and 06/13/2021	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Consent Order	Multiple exceedances of effluent limitations for aluminum, iron or manganese at stormwater Outfalls 013 and 029	Active	Stipulated penalties paid per consent order
1/6/2016	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Leak in blowdown line upstream of Outfall 001		No Penalty
10/1/2016 (3rd Quarter 2016)	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	NOV (issued 12/7/2017)	Missed opacity test on Unit 3		No Penalty
10/4/2016 – 10/6/2016	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Late submittal of Unit 1 stack test results to EPA per permit condition		No Penalty

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
11/25/2016	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Exceedance of effluent limits for iron and aluminum at Outfall 001		No Penalty
12/30/2016	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Consent Order	No violation – establishes compliance schedule and interim limits for RACT II	Completed (upgrades completed per compliance schedule)	No Penalty
Various days in 2016 identified in 25 Pa. Code Ch. 139 reports	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Minor, short duration opacity exceedances – Unit 2		No Penalty
4/9/2017	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Exceedance of effluent limitation for manganese at Outfall 018		No Penalty
4/27/2017	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Exceedance of effluent limitation for manganese at Outfall 001		No Penalty

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
10/3/2017	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Consent Order	No violation – imposes contingency measures for SO2 emissions	Terminated-contingency measures incorporated into Title V permit	No Penalty
1/25/2018	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Unit 3 Cooling Tower basin overflow discharge to Stormwater outfall.		No Penalty
6/18/2018	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Leak in blowdown line upstream of Outfall 001		No Penalty
8/30/2018	Homer City	Water (NPDES PA0005037)	NRG Homer City Services	PADEP	Reported event	Exceedance of effluent limitation for aluminum at Outfall 001		No Penalty
2/4/2019	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	NOV	Incorrect stack diameter used for emissions calculations for Unit 3	Consent Assessment of Civil Penalty	\$159,500 (emissions fees, interest and penalty)

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
6/11/2019	Homer City	Solid Waste	Homer City Generation	PADEP	NOV	Late notice of episodic hazardous waste generation event		
9/3/2019	Dixon Run	NPDES PA0235555	Homer City Generation	PADEP	Reported event	Exceedance of daily maximum discharge limit for aluminum		
1/6/2021 & 2/3/2021	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	Exceedance of opacity limits for Unit 2 on January 6, 2021 and February 3, 2021	Consent Assessment of Civil Penalty	\$369
4/14/2021	Homer City	NPDES PA0005037	Homer City Generation	PADEP	Reported event	Unauthorized discharge of process cooling water at outfall 022 due to pipe rupture.		
7/28/2021	Homer City	NPDES PA0005037	Homer City Generation	PADEP	Reported event	Exceedance of daily maximum and monthly average discharge limits for selenium at outfall 027		
8/12/2021	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported event	SO2 exceedances in Q1 2017 and opacity exceedances Q2 2019 and Q4 2020 for Unit 1	Consent Assessment of Civil Penalty	\$8,664

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
7/18/2022	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported Event	Exceedance of annual heat input capacity limit on Auxiliary Boiler	Consent Order and Agreement dated August 25, 2022	\$ 41,850 plus stipulated penalties for operating aux boiler before corrective actions completed
2/8/2022 & 2/17/2022	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported Event	Unit 1 opacity exceedances identified by CEMS (236 minutes in January – March 2022)	Consent Assessment of Civil Penalty	\$889
9/7/2022 – 12/12/2022	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported Event	Exceedance of 30-day average for mercury emissions for Unit 1		
2/7/2023 – 2/10/2023	Homer City	Air (Title V Operating Permit 32-00055)	Homer City Generation	PADEP	Reported Event	Exceedance of 30-day average for mercury emissions for Unit 1		

**HOMER CITY GENERATING STATION
FORM HW-C COMPLIANCE HISTORY**

Date	Location	Permit Number/ Program	Permittee	Issuing Agency	Type of Action	Nature of Violation	Disposition	Dollar Amount of Penalty
12/22/2023	Homer City	Tank Facility ID No. 32-24007	Homer City Generation	PADEP	NOV (Issued December 22, 2023)	Alleged Violation of General Storage Tank System Requirements	Contested.	No civil penalty issued.